

## Site Inspection Report

(Prescribed vide PCCF (MoEF) No Desk-17-4. Dated.05/11/2015)

Items	Observation and remarks												
Name of the project and location	Construction of 765 kV D/C (Hexa) Warora - Parli Transmission Line												
Village :	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">Vedshi</td><td style="width: 33%;">Rajurwadi</td><td style="width: 33%;">Vashri</td></tr> <tr> <td>Maregaon</td><td>Ghatanji</td><td></td></tr> <tr> <td colspan="3" style="text-align: center;">Sakhara</td></tr> <tr> <td></td><td>Mandwa</td><td></td></tr> </table>	Vedshi	Rajurwadi	Vashri	Maregaon	Ghatanji		Sakhara				Mandwa	
Vedshi	Rajurwadi	Vashri											
Maregaon	Ghatanji												
Sakhara													
	Mandwa												
Range :													
Round :													
Beat :													
Name of the User Agency.	Power grid Parli Transmission Ltd.												
Date of site inspection.	19.01.2017												
Extent (ha.) and legal status of forest land proposed for diversion.	17.418 ha (Reserve Forest=15.213 ha.) ( E Class Forest=2.205 ha.)												
a) Details of forest land proposed for diversion and activity-wise break-up of forest land.	NA												
b) Density and Eco-value class.	Dense 0.7-0.8 Eco Value class - III												
Whether the requirement of forest land as proposed by the User Agency in col.2 of part-I is unavoidable and barest minimum for the project. If no, recommended area item-wise with details of alternative examined.	Yes, the proposal area is unavoidable and barest Minimum for the project.												
Whether the proposal involves any construction of building (including residential) or not? If yes, details thereof.	No.												
a) Whether forest area proposed for diversion is important from wildlife point of view or not.	Yes, the proposed site is important from point of view of wildlife. Tiger, Chital, Nilghai, Wild boar, barking deer etc. The present of tiger is seen in the proposed area.												
b) Details of any rare or endangered or unique species of flora and fauna found in proposed forest land. If so, the details thereof.	Enclose Page No												
c) Aerial distance from the nearest boundary of any protected Area (km).	15.808 KMs												
d) Remarks about sensitivity of the forest area likely to be affected due to project.	Since the project is linear project do not involve cutting fragmentation of forest, the project is not sensitive and do not effect much to the forest.												
e) Whether wildlife mitigation plan is required? If yes, reasons therefor:	NO.												
Details of vegetation:													
a) Total number of trees to be felled:	1818 (T) + 1767 (FDCM) = 3585												
b) Number of trees to be felled of girth below 60 cm:	1442 (T) + 1070 (FDCM) = 2512												
c) Number of trees to be felled of girth above 60 cm:	376 (T) + 697 (FDCM) = 1073												

d) Effect of removal of trees on the general ecosystem in the area.	No adverse effect will be occurred on general eco system of the area due to removal of trees.
Background note on the proposal (short summary).	
Whether the proposal involves any violation of Forest (Conservation) Act 1980? If yes, a detailed report on violation including action taken against the concerned officials to be attached.	No such violation is observed
Whether the proposal involves rehabilitation of displaced person. If yes, whether rehabilitation plan has been approved by the State Government?	No
Details on catchment and culturable command area under the project (if applicable).	Not applicable
Status of catchment area treatment plan to prevent siltation of reservoir (if applicable).	Not applicable
Utility of the project.	To provide power supply from Warora to Parli Marathwada region ( Beed dist.)
Whether land being diverted has any socio-cultural/ religious values? Whether any scared grove or very old growth trees/forests exist in the areas proposed for diversion?	No
Any other important information related to the project (Separate note may be attached, if required).	--
Details of documents and photographs enclosed:	photographs enclosed:-
Recommendations of the Inspecting Officer	The project is liner project and is important from the public purpose point of view. Since the forest area demand is barest minimum and unavoidable the project/ proposal is recommended for approval.

(Signature)

Place: Pandarkawda  
Date: /2 /08/2017

Name of Inspecting Officer: G.Guruprasad  
Designation: Dy. Conservator of Forests