

**FIELD INSPECTION NOTE OF THE FOREST DIVISIONAL OFFICER,**  
**Armoor ON 17.12.2016 IN CONNECTION WITH THE PROPOSED**  
**DIVERSION OF RESERVE FOREST LAND FOR LAYING OF PIPE LINE**  
**AND CONSTRUCTION OF STRUCTURES FOR SEGMENT -11/3**  
**(SIRIKONDA)**

As per the request made by Superintending Engineer, TDWSP (RWS&S) Nirmal, I have inspected the site for Laying of pipe line and construction of structures for segment- 11/3 (Sirikonda) in Compt.Nos.404,408,409,482,486 & 487 Sirikonda Beat, Sirikonda Section and Chimanpally Beat of Pandimadugu Section of Sirikonda Range passing through Sirikonda and Siricella reserve Forests in Sirikonda Range of Armoor Forest Division of Nizamabad District along with concerned Engineers and Forest Officials. The User Agency has requested for diversion of 3.497 ha of Forest land for laying of pipe line and construction of structures for segment-11/3 Sirikonda.

The proposed alignment is a linear patch passing through the Reserve Forests and the extent is 3.497 Ha. The User Agency, Superintending Engineer, TDWSP (RWS&S) Nirmal has got the area demarcated on the ground.

I have inspected the site along with the District Forest Officer, Nizamabad and the Forest Range Officer, Sirikonda and concerned staff and it was observed that 233 Trees are found in the land proposed for diversion. The predominant species enumerated in the alignment are Soppera, Billudu, Teak, Somi, Nallamaddi, Morri, Moduga, Chennangi, Palakodisa, Chintha, Rela, Gumpena, Yerumaddi and Tiruman etc.


**The total forest area involved is to an extent of 3.497 Ha in Armoor Forest Division which is as follows:**

Set.No.	Range	Area proposed for diversion (in Ha)	Name of Reserve Forest	No.of trees to be felled (in Nos.)
02	Sirikonda	2.032	Sirikonda	228
03		0.593	Siricella	05
04		0.243	Sirikonda	00
05		0.212	Sirikonda	00
06		0.417	Sirikonda	00
<b>Total :</b>		<b>3.497</b>		<b>233</b>

The wildlife present in the surrounding forest areas as informed by the local staff are Bear, Neelgai, Pea fowl, Spotted Deer, Wild pig etc. However no wild life was spotted at the time of field inspection.

I have searched for alternatives, but there is no other alternative alignment available except the present proposal. This is the barest minimum area that is required for laying of pipe line and construction of structures for providing safe Drinking Water.

**Photographs of the proposed site for laying of water grid pipe line during inspection by the Forest Officials.**



The User Agency has submitted undertakings to implement the following conditions:

1. The Net Present Value (NPV) of **Rs.28.08** lakhs shall be paid by the User Agency.
2. The extraction charges of the timber / fuel as estimated in these areas shall be borne by the User Agency.

The area does not fall in wildlife protected areas and there are no archaeological heritage sites, important monuments in the proposed alignment.

The District Collector, Nizamabad has given the certificate in Form-I as per instructions vide GOI, MoEF Ref.11-9/98-Fc (PT) dt:05.07.2013 for linear projects, duly certifying that the process of identification of Rights under Forest Rights Act has been completed in the District and there are no claims pending in the above said Reserve Forest areas.

Hence, the proposals for laying of water pipe line for Segment-11/3 Sirikonda Under Telangana Drinking water supply project in Sirikonda Beat, Sirikonda Section and Chimanpally Beat of Pandimadugu Section of Sirikonda Range passing through Sirikonda and Siricella reserve Forests in Sirikonda Range of Armoor Forest Division of Nizamabad District **are recommended with the following conditions.**

1. The Legal status of the Reserve Forest land proposed to be diverted does not change.
2. User Agency has to put two permanent boards at the entrance and exit points of the RF in the above locations about the status of the land and also construct boundary pillars separating the proposed area for diversion at every 20 mts interval.
3. Any other conditions imposed by Forest Divisional Forest Officer, Armoor from time to time shall be followed by the User Agency.

The Proposals for diversion of 3.497 Ha of Reserve Forest land for laying of pipe line and construction of structures for Segment-11/3 (Sirikonda) are **recommended**.

  
Forest Divisional Officer,  
Armoor.

  
30/6/16  
DISTRICT FOREST OFFICER  
NIZAMABAD.

**FIELD INSPECTION NOTE OF THE FOREST DIVISIONAL OFFICER,  
Nizamabad ON 14.12.2016 IN CONNECTION WITH THE PROPOSED  
DIVERSION OF RESERVE FOREST LAND FOR LAYING OF PIPE LINE  
AND CONSTRUCTION OF STRUCTURES FOR SEGMENT -11/3  
(SIRIKONDA)**

As per the request made by Superintending Engineer, TDWSP (RWS&S) Nirmal, I have inspected the site for Laying of pipe line and construction of structures for segment- 11/3 (Sirikonda) in Gadkole -II Forest Block of Compt.No.525 Honajipet Beat, Honajipet Section of Indalwai Range of Nizamabad Forest Division of Nizamabad District along with concerned Engineers and Forest Officials. The User Agency has requested for diversion of 1.031 Ha of Forest land for laying of pipe line and construction of structures for segment-11/3 Sirikonda.

The proposed alignment is a linear patch passing through the Reserve Forests and the extent is 1.031 Ha. The User Agency, Superintending Engineer, TDWSP (RWS&S) Nirmal has got the area demarcated on the ground.

I have inspected the site along with the Forest Range Officer, Indalwai and concerned staff and it was observed that No Trees are existing in the proposed alignment for laying pipe line and construction of structures

**The total forest area involved is to an extent of 1.031 Ha in Nizamabad Forest Division which is as follows:**

Set.No.	Range	Area proposed for diversion (in Ha)	Name of Reserve Forest	No.of trees to be felled (in Nos.)
01	Indalwai	1.031	Gadkole II	0

The wildlife present in the surrounding forest areas as informed by the local staff are Bear, Neelgai, Pea fowl, Spotted Deer, Wild pig etc. However no wild life was spotted at the time of field inspection.

I have searched for alternatives, but there is no other alternative alignment available except the present proposal. This is the barest minimum area that is required for laying of pipe line and construction of structures for providing safe Drinking Water.

The User Agency has submitted undertakings to implement the following conditions:

1. The Net Present Value (NPV) of **Rs. 6.454** lakhs shall be paid by the User Agency.

The area does not fall in wildlife protected areas and there are no archaeological heritage site, important monuments in the proposed alignment.

The District Collector, Nizamabad has given the certificate in Form-I as per instructions vide GOI, MoEF Ref.11-9/98-Fc (PT) dt:05.07.2013 for linear projects, duly certifying that the process of identification of Rights under Forest Rights Act has been completed in the District and there are no claims pending in the above said Reserve Forest areas.

Hence, the proposals for laying of water pipe line for Segment-11/3 Sirikonda Under Telangana Drinking water supply project in 1.031 Ha of Gadkole-II Reserve Forest of Honnajipet Beat of Honnajipet Section of Indalwai Range of Nizamabad Division **are recommended with the following conditions.**

1. The Legal status of the Reserve Forest land proposed to be diverted does not change.
2. User Agency has to put two permanent boards at the entrance and exit points of the RF in the above locations about the status of the land and also construct boundary pillars separating the proposed area for diversion at every 20 mts interval.
3. Any other conditions imposed by Forest Divisional Officer, Nizamabad from time to time shall be followed by the User Agency.

The Proposals for diversion of 1.031 Ha of Reserve Forest land for laying of pipe line and construction of structures for Segment-11/3 (Sirikonda) are **recommended.**

*Quebbi 30/12/16*  
**Forest Divisional Officer,  
Nizamabad.**

*Janardhan 20/4/16*  
**DISTRICT FOREST OFFICER  
NIZAMABAD.**