

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF

(For the forest land to be diverted under FCA)

A Proposal has been receive by the Executive Engineer, Kanhar Division-Ist, Pipri-Sonebhadra for diversion under (FCA-1980) of 103.6750 ha. forest land for construction of Left Kanhar Canal & Right Kanhar Canal & etc. offtaking Branches, Dy. and Minors. The site inspection of the land involved in the proposal has done by me on dated - 14-6-2016

On inspection of the site, It is found that the land required by the user agency is a Reserved Forest measuring 103.6750 ha.

The requirement of forest land as proposed by the user agency in col-2 Part-I is unavoidable and is barest minimum required for the project.

Wheather any rare/end angered/unique species of flora and fauna found in the area. It, so the details there of:- No

Wheather any protected archeological/heritage site/defense establishment or any other important monuments is located in the area, if so the details there; of with NOC from competent authority, if required:-No

- (a) The user agency has not violated the provisions of forest(Conservation), Act 1980 and no work has been started without proper sanction.()
- (b) It has been found that the user agency has violated the forest (Conservation)Act 1980 provisions. A details report as per Para 1.9 of chapter 1, Para C of Handbook of forest (Conservation) Act, 1980 is attached(X)

Specific recommendation for acceptance or otherwise of the proposal.

The proposal is recommended for sanction .

Place- Renukoot

Date- 14/6/2016

Divisional Forest Officer
Renukoot Forest Division
Renukoot-Sonebhadra

N.B. X State the purpose for which the forest land is proposed to be diverted. The forest land required to be diverted for construction of Dy. and Minors of Left & Right Kanhar Canal.

XX Out of(a) and (b) tick the option which is applicable and cross the option which is not applicable.

As per letter number 2-2/2000 F.C dated 16-10-2000 from Ministry of environment & Forest , Government of India for proposed involving less that 40 hectares of forest land, the site inspection report from DCF is required and for proposal involving more than 40 hectares of forest land site inspection report form the conservator of forests is required.