

## SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF

(For the forest land to be diverted under FCA)

A proposal has been received by this office from Executive Engineer, Ty. Division, P.W.D Thature (Tehri Garhwal), for "Construction of Hanumau Mandir to Syalsi Goran Motor Marg (Proposed Length- 3.40 K.M " under FCA-1980 of 0.8775 ha. of forest land non-forestry purpose. The Project envisages the use of, "Construction of Hanumau Mandir to Syalsi Goran Motor Marg (Proposed Length- 3.40 K.M ". The site inspection of the land involved in the proposal has done by me on dated 10.08.2017.

On inspection of the site, it is found that the land required by the user agency is a Reserve Forest + Private Forest + Civil Forest (RF 0.00 ha. + PF 0.00 ha.+CF 0.8775 ha.) = 0.8775 ha.

The requirement of forest land as proposed by the user agency in Col.2 part-I is unavoidable and is barest minimum required for the project.


No rare/endangered/unique species of flora and fauna is found in the area.

No protected archeological/heritage site/defense establishment or any other important monument is located in the area.

- a) The user agency has not violated the provisions of forest (Conservation), Act 1980 and no work has been started without proper sanction.
- b) AS such, recommendation is being provided.

Proposal is recommended.

(Signature)



Name (Dr. Saket Badola)

Designation.....प्रभागीय वन अधिकारी

Office Seal मसूरी वन प्रभाग, मसूरी

Place - Mussoorie

Date -10.8.2017

N.B x State the purpose for which the forest land is proposed to be diverted.

xx Out of (a) and (b) tick the option which is applicable and cross the option which is not applicable.

As per letter number 2-2/2000 FC dated 16-10-2000 from Ministry of Environment & Forests, Government of India for proposal involving less than 40 ha. of forest land, the site inspection report from DCF is required and for proposal involving more than 40 ha. of forest land site inspection report from the conservation of forests is required.