

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF
(For the forest land to be diverted under FCA)

A proposal has been received by this office from **Divisional Engineer Telecom Project (BSNL) Agra** for diversion under (FCA-1980) of **0.0729 Ha.** of forest land for non-forestry purpose. The Project envisages the use of forest land for **laying of optical fiber cable between Laxmibai xing Fatehabad Km-33.680 to Km-35.300 Firozabad road xing in left hand side, distance 1.620 Km** . The site inspection of the land involved in the proposal has done by me on dated **18-08-2017**

On inspection of the site, it is found that the land required by the user agency is Protect Forest measuring **0. 0729 Ha.**

The requirement of forest land as proposed by the user agency in col.2 part-1 is unavoidable and is barest minimum required fo the project (yes).

Whether any rare/endangered/unique species of flora and fauna found in the area. It, so the details there of:- (No)

Whether any projected archeological / heritage site/ defence establishment or any other important monuments is located in the area, if, so the details there of with NOC from competent authority, if required:- (no)

- (a) The user agency has not violated the provisions of forest (conservation), Act 1980 and no work has been started without proper sanction ()
 - (b) It has been found that the user agency has violated the forest (conservation) act 1980 provisions. A details report as per para 1.9 of chapter 1, para C of handbook of forest (conservation) Act 1980 is attached (X)
- Specific recommendation for acceptance or otherwise of the proposal.

Recommended

Place:- Agra

Date:-

Divisional Director
Social Forestry Division
(Agra)

N.B. x.Site the purpose for which the forest land is proposed to be diverted.

xx.Out of (a) and (b) tic the option which is applicable and cross the option which is not applicable.

As per letter number 2-2/2000 FC dated 16.10.2000 from Ministry of Environment & Forests, Government of India for proposal involving less then 40 hectares of forest land, the site inspection report from DCF is required and for proposal involving more than 40 hectares of forest land site inspection report from the conservation of forests is required.