

स्थल निरीक्षण प्रमाण पत्र

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF
(For the forest land to be diverted under FCA)

A proposal has been received by this office from 132 KV 2 ϕ S.C. Ramsanehighat - Budhwal Electrical Transmission Line for diversion under Forest Conservation Act, 1980 of 0.06048 Hac. of forest land for non-forestry purpose. The project envisages the use of forest land for construction of 132 KV 2 ϕ S.C. Ramsanehighat - Budhwal Electrical Transmission Line along with Barabanki - Bahramghat Road (NH-28C) Km. 25/871 to 26/735.

The site inspection of the land involved in the proposal has done by us on dated 30.8-17

On inspection of the site, it is found that the land required by the user agency is a protected forest measuring 0.06048 Hac.

The requirement of forest land as proposed by the user agency in col. 2 part-1 is unavoidable and is barest minimum required for the project.

Whether any rare/endangered/unique species of flora and fauna found in the area. If, so the details there of - No

Whether any protected archaeological / heritage site / defence establishment or any other important monuments is located in the area, if so the details there of with NOC from competent authority, if required - No

(a) The user agency has not violated the provisions of Forest Conservation Act, 1980 and no work has been started without proper sanction - YES

(b) It has been found that the user agency has violated the Forest Conservation Act, 1980 provisions. A detail report as per para 1.9 of chapter 1, Para C of Handbook of Forest Conservation Act, 1980 is attached - NO

Specific recommendation for acceptance of otherwise of the proposal - Recommended for acceptance.

Place : Barabanki

Date :- 5-09-2017


(51012/342012)
Divisional Forest Officer
Barabanki
रा. व. वन प्रभाग
बाराबंकी

N.B. : x State the purpose for which the forest land is proposed to be diverted.
xx out of (a) and (b) the option which is applicable and cross the portion which is not applicable.

As per letter number 2-2/2000 FC dated 16-10-2010 from Ministry of Environment & Forests, Government of India for proposal involving less the 40 hectares of forest land, the site inspection report from DCF is required and for proposal involving more than 40 hectares of forest land site inspection report from the Conservation of forests is required.