प्रारुप-7

SITE INSPECTION REPORT- NOT BELOW THE RANK OF DCF

(for the forest land to be diverted under FCA)

/ (mited E	PCDIVISION
5.1 A proposal has been received by this office from VINDHUA telelinical for diversion FCA-1980) of BAJA. of forest land for non-forestry purpose. The project envisages the use of forest lar construction of X. 14 BAJA. To BAJACK of the site inspection of the land involved in the proposition done by me on dated.	nd for
5.2 On inspection of the site, it is found that the land required by the user agency is a RF/PF/un-classed/forests measuring	Other
5.3 The requirement of forest land as proposed by the user agency in Co1.2 part-1 is unavoidable and is minimum required for the project.	barest Yes
5.4 Whether any rare /endangered /unique species of flora and fauna found in the area. If, so the details the	ere of No
5.5 xx Whether any protected archeological /heritage site/defence establishment or any other imp monument is located in the area, if, so the details thereof with NOC from competent authority, if required.	ortant No
a) The user agency has not violated the provisions of forest (Conservation), Act 1980 and no has been started without proper sanction.	work Yes
b) It has been found that the user agency has violated (Conservation), Act, and 1980 provision details report as per para 1.9 of chapter 1, Para C of Hand book of forest (Conservation 1980 attached.	ons. A
Specific recommendation for acceptance or otherwise of the proposal.	
(नोट:- प्रभागीय वनाधिकारी द्वारा यहाँ पर प्रस्ताव के सम्बन्ध में अपनी संस्तुति/टिप्पणी आवश्यक रूप से अंकित की जाय)	
Date. Name	
Date	
Office Seal	
N.B. x State the purpose for which the forest land is proposed to be diverted.	
xx out of(a) and (b) tick the option which is applicable and cross the option is not applicable.	which

As per letter number 2-2/2000 FC darted 16-10-2000 from ministry of Environment & Forest, Government of India for proposal involving less then 40 hectares of forest land, the site inspection report from DCF is required and for proposal involving more the 40 hectares of forest land site inspection report from the conservator of forests is required.