INDIA

REFER TO THIS MAP AS :- 1:50.000
SHEET 55 N/9 FIRST EDITION

FIRST EDITION

JABALPUR, NARSIMHAPUR
AND SEONI DISTRICTS.

Surveyed 1973-74.

MADHYA PRADESH

Magnetic Variation from True North about 1° West in 1970.
(Decreasing by about 1' annually).

No. 55 N/9



REG. No. 4288 PPD '76 (C.C. 48-1:33,333)-834 '79-8205 '88.

Roads, metalled: according to importance; distance stone
„ unmetalled; do. do. ; bridge
Cart-track. Pack-track and pass. Foot-path with bridge
Bridges: with piers; without. Causeway. Ford or Ferry
Streams: with track in bed; undefined. Canal
Dams: masonry or rock-filled; earthwork. Weir
River banks: shelving; steep, 3 to 6 metres; over 6 metres
„ dry with water channel; with island & rocks. Tidal river
Submerged rocks. Shoal. Swamp. Reeds
Wells: lined; unlined. Tube-well. Spring. Tanks: perennial; dry
Embankments: road or rail; tank. Broken ground
Railways, broad gauge: double; single with station; under constn.
„ other gauges: do. ; do. with distance stone; do.
Mineral line or tramway. Telegraph line. Cutting with tunnel
Contours with sub-features. Rocky slopes. Cliffs
Sand features: (1) flat (2) sand-hills and dunes (surveyed) (3) shifting dunes

1st Edition 1976.
(Previous Editions on 1-inch scale: 1st 1912; 2nd 1928).

REFER TO THIS MAP AS :- 1:50.000
SHEET 55 N/9 FIRST EDITION

Index to Sheets

55 M/8	55 M/12	55 M/16
55 N/5	55 N/9	55 N/13
55 N/6	55 N/10	55 N/14

Published under the direction of Major-General K.L. Khosla, B.Sc., B.E. (Civil), F.I.S., F.I.E., F.I.G.U., M.A.S.C.E. (U.S.A.), Surveyor General of India.
1976

1:50.000

500 m to 1 cm — 2 cm to 1 km
Metres 1000 500 0 1 2 3 4 5 6 7 Kilometres

HEIGHTS & CONTOURS IN METRES
CONTOUR INTERVAL 20 METRES

*Water features are shown in blue where they generally contain water.
*Cultivated areas are coloured yellow.
The exterior boundaries of areas of Reserved or Protected Forests are shown by green ribands.

Contours are approximate.
A relative height, 8r, represents the approximate height, in metres, between the top and bottom of a steep slope.
Wooded areas are coloured green. Scattered trees and other vegetation are in green, but prominent surveyed trees are in black.

*Not applicable.

District boundary in square C/2 between Jabalpur and Seoni Districts and main power line in square C/3 have been entered as a result of verification- Survey carried out during 1976-77.
Portion of district boundary between Jabalpur and Seoni Districts in square C/2 has not been verified by the District authorities Concerned.
Protected Forest boundaries have been shown as pointed out by the local officials on the ground but have not been verified by the Divisional forest authorities.

REFERENCE
NH 7 National Highway No. 7.

Administrative Index
JABALPUR
SEONI
1 NARSIMHAPUR.

Printed at the 104 (HBD) Printing Group of Survey of India.

Towns or Villages: inhabited; deserted. Fort
Huts: permanent; temporary. Tower. Antiquities
Temple. Chhatri. Church. Mosque. Idgah. Tomb. Graves
Lighthouse. Lightship. Buoys: lighted; unlighted. Anchorage
Mine. Vine on trellis. Grass. Scrub
Palms: palmyra; other. Plantain. Conifer. Bamboo. Other trees
Boundary, international
„ state: demarcated; undemarcated
„ district; subdivn., tahsil or tāluk; forest
Boundary pillars: surveyed; unlocated; village trijunction
Heights, triangulated: station; point; approximate ... 200 . 200 .200
Bench-mark: geodetic; tertiary; canal ... BM 63·3 .BM 63·3 .63
Post office. Telegraph office. Combined office. Police station ... PO TO PTO PS
Bungalows: dāk or travellers; inspection. Rest-house ... DB IB (Canal) RH (Forest)
Circuit house. Camping ground. Forest: reserved; protected ... CH CG RF PF
Spaced names: administrative; locality or tribal ... KIKRI NĀGA

© GOVERNMENT OF INDIA COPYRIGHT, 1976.
Price: Ten Rupees.

INDIA

REFER TO THIS MAP AS :-	1 : 50,000
SHEET 55 N/10	FIRST EDITION

FIRST EDITION

NARSIMHAPUR & SEONI DISTRICTS.

Surveyed 1973-74.

MADHYA PRADESH

Magnetic Variation from True North about 1° West in 1970. (Decreasing by about 1' annually).

No. 55 N/10



REG No. 4293 PPD '77 (C.C. 61-1:33,333)-1034 '78-8205 '88.

Roads, metalled: according to importance; distance stone	
„ unmetalled: do. do. ; bridge	
Cart-track. Pack-track and pass. Foot-path with bridge	
Bridges: with piers; without. Causeway. Ford or Ferry	
Streams: with track in bed; undefined. Canal	
Dams: masonry or rock-filled; earthwork. Weir	
River banks: shelving; steep. 3 to 6 metres; over 6 metres	4r 7r 16r
„ dry with water channel; with island & rocks. Tidal river	
Submerged rocks. Shoal. Swamp. Reeds	
Wells: lined; unlined. Tube-well. Spring. Tanks: perennial; dry	
Embankments: road or rail; tank. Broken ground	4r
Railways, broad gauge: double; single with station; under constrn.	7r
„ other gauges: do. ; do. with distance stone; do.	20 RS
Mineral line or tramway. Telegraph line. Cutting with tunnel	
Contours with sub-features. Rocky slopes. Cliffs	
Sand features: (1) flat (2) sand-hills and dunes (surveyed) (3) shifting dunes	① ② ③

1st Edition 1976.

(Previous Editions on 1-inch scale: 1st 1921; 2nd 1931; 3rd 1934; Interim 1942).

Index to Sheets

55 N/5	55 N/9	55 N/13
55 N/6	55 N/10	55 N/14
55 N/7	55 N/11	55 N/15

Published under the direction of Major-General K.L. Khosla, B.Sc., B.E. (Civil), F.I.S., F.I.E., F.I.G.U., M.A.S.C.E. (U.S.A.), *Surveyor General of India*, 1976.

1 : 50,000

500 m to 1 cm — 2 cm to 1 km

Metres 1000 500 0 1 2 3 4 5 6 7 Kilometres

HEIGHTS & CONTOURS IN METRES

CONTOUR INTERVAL 20 METRES

* Water features are shown in blue where they generally contain water.
* Cultivated areas are coloured yellow.

The exterior boundaries of areas of Reserved or Protected Forests are shown by green ribands.

Contours are approximate.

A relative height, .8r. represents the approximate height, in metres, between the top and bottom of a steep slope.

Wooded areas are coloured green. Scattered trees and other vegetation are in green, but prominent surveyed trees are in black.

* Not applicable.

The triangulated heights and contours in this sheet have not been adjusted to the heights of the spirit-levelled bench-marks and may not be strictly in accordance with them.

The Reserved/Protected Forest boundaries are shown as surveyed on the ground but have not been verified by the Forest Officials.

Administrative Index

SEONI

1 NARSIMHAPUR.

PRINTED AT THE 104(HBD) PRINTING GROUP OF SURVEY OF INDIA.

Towns or Villages: inhabited; deserted. Fort	
Huts: permanent; temporary. Tower. Antiquities	
Temple. Chhatri. Church. Mosque. Īdgāh. Tomb. Graves	
Lighthouse. Lightship. Buoys: lighted; unlighted. Anchorage	
Mine. Vine on trellis. Grass. Scrub	M
Palms: palmyra; other. Plantain. Conifer. Bamboo. Other trees.	
Boundary, international	
„ state: demarcated; undemarcated	
„ district: subdivn., tahsil or tāluk; forest	
Boundary pillars: surveyed; unlocated; village trijunction	
Heights, triangulated: station; point; approximate	△200 .200 .200
Bench-mark: geodetic; tertiary; canal	BM 63·3 .BM 63·3 .63
Post office. Telegraph office. Combined office. Police station	PO TO PTO PS
Bungalows: dāk or travellers; inspection. Rest-house	DB IB (Canal) RH (Forest)
Circuit house. Camping ground. Forest: reserved; protected	CH CG RF PF
Spaced names: administrative; locality or tribal	KIKRI NAGA

REFERENCE

NH 7 National Highway No. 7.

© GOVERNMENT OF INDIA COPYRIGHT, 1976.

Price: Ten Rupees.

REFER TO THIS MAP AS :-	1:50,000
SHEET 55 N/10	FIRST EDITION

INDIA

INDIA

REFER TO THIS MAP AS :-	1:50.000
SHEET 55 N/11	FIRST EDITION

FIRST EDITION

SEONI DISTRICT.

Surveyed 1971-72.

MADHYA PRADESH

Magnetic Variation from True North about 1° West in 1970.
(Decreasing by about 1' annually).

No. 55 N/11

REG. No. 2966 PPD '76 (C.C. 45-1:33,333)-834 '77-2906 '81.

- Roads, metalled: according to importance; distance stone
- " unmetalled: do. do. ; bridge
- Cart-track. Pack-track and pass. Foot-path with bridge
- Bridges: with piers: without. Causeway. Ford or Ferry
- Streams: with track in bed; undefined. Canal
- Dams: masonry or rock-filled: earthwork. Weir
- River banks: shelving; steep, 3 to 6 metres; over 6 metres
- " dry with water channel: with island & rocks. Tidal river
- Submerged rocks. Shoal. Swamp. Reeds
- Wells: lined; unlined. Tube-well. Spring. Tanks: perennial: dry
- Embankments: road or rail; tank. Broken ground
- Railways, broad gauge: double; single with station; under constm.
- " other gauges: do. ; do. with distance stone; do.
- Light railway or tramway. Telegraph line. Cutting with tunnel
- Contours with sub-features. Rocky slopes. Cliffs
- Sand features: (1) flat (2) sand-hills and dunes (surveyed) (3) shifting dunes.

1st Edition 1976.
(Previous Edition on 1-inch scale: 1st 1921).

Index to Sheets

55 N/6	55 N/10	55 N/14
55 N/7	55 N/11	55 N/15
55 N/8	55 N/12	55 N/16

Published under the direction of Major-General K.L. Khosla, B.Sc., B.E. (Civil), F.I.S., F.I.E., F.I.G.U., M.A.S.C.E. (U.S.A.), *Surveyor General of India*,
1976.

1:50,000

500 m to 1 cm — 2 cm to 1 km

Metres 1000 500 0 1 2 3 4 5 6 7 Kilometres

HEIGHTS & CONTOURS IN METRES

CONTOUR INTERVAL 20 METRES

•Water features are shown in blue where they generally contain water.
•Cultivated areas are coloured yellow.
The exterior boundaries of areas of Reserved or Protected Forests are shown by green ribands.

Contours are approximate.
A relative height, .8r, represents the approximate height, in metres, between the top and bottom of a steep slope.
Wooded areas are coloured green. Scattered trees and other vegetation are in green, but prominent surveyed trees are in black.

•Not applicable.

The triangulated heights and contours in this sheet have not been adjusted to the heights of the spirit-levelled bench-marks and may not be strictly in accordance with them.

REFERENCE

NH 7 National Highway No.7.

Administrative Index

SEONI

PRINTED AT THE 104(HBD) PRINTING GROUP OF SURVEY OF INDIA.

- Towns or Villages: inhabited: deserted. Fort
- Huts: permanent; temporary. Tower. Antiquities
- Temple. Chhatri. Church. Mosque. Īdgāh. Tomb. Graves
- Lighthouse. Lightship. Buoys: lighted; unlighted. Anchorage
- Mine. Vine on trellis. Grass. Scrub
- Palms: palmyra; other. Plantain. Conifer. Bamboo. Other trees.
- Boundary, international
- " state: demarcated; undemarcated
- " district; subdivn., tahsil or tāluk; forest
- Boundary pillars: surveyed; unlocated; village trijunction
- Heights, triangulated: station, point; approximate — △200 .200 .200
- Bench-mark: geodetic; tertiary; canal — BM 63·3 .BM 63·3 .63
- Post office. Telegraph office. Combined office. Police station — PO TO PTO PS
- Bungalows: dāk or travellers; inspection. Rest-house — DB IB (Canal) RH (Forest)
- Circuit house. Camping ground. Forest: reserved; protected — CH CG RF PF
- Spaced names: administrative; locality or tribal — KIKRI NAGA

© GOVERNMENT OF INDIA COPYRIGHT, 1976.

Price: Five Rupees.

REFER TO THIS MAP AS :-	1:50.000
SHEET 55 N/11	FIRST EDITION

INDIA

INDIA

REFER TO THIS MAP AS :-	1:50,000
SHEET 55 N/13	FIRST EDITION

JABALPUR, MANDLA AND SEONI DISTRICTS.

Surveyed 1974-75.

MADHYA PRADESH

FIRST EDITION

Magnetic Variation from True North about 1° West in 1970. (Decreasing by about 1' annually).

No. 55 N/13



REG. No. 4289PPD'77 (C.C. 44-1:33,333)-834 '78-8205 '88.

Roads, metalled: according to importance; distance stone	
„ unmetalled; do. do. ; bridge	
Cart-track. Pack-track and pass. Foot-path with bridge	
Bridges: with piers: without. Causeway. Ford or Ferry	
Streams: with track in bed; undefined. Canal	
Dams: masonry or rock-filled: earthwork. Weir	
River banks: shelving; steep. 3 to 6 metres; over 6 metres	
„ dry with water channel; with island & rocks. Tidal river	
Submerged rocks. Shoal. Swamp. Reeds	
Wells: lined; unlined. Tube-well. Spring. Tanks: perennial; dry	
Embankments: road or rail; tank. Broken ground	
Railways, broad gauge: double; single with station; under constrn.	
„ other gauges: do. ; do. with distance stone; do.	20 RS
Mineral line or tramway. Telegraph line. Cutting with tunnel	
Contours with sub-features. Rocky slopes. Cliffs	
Sand features: (1) flat. (2) sand-hills and dunes (surveyed) (3) shifting dunes	① ② ③

1st Edition 1977.
(Previous Editions on 1-inch scale: 1st 1912; 2nd 1928; 3rd 1935).

Index to Sheets

55 M/12	55 M/16	64 A/4
55 N/9	55 N/13	64 B/1
55 N/10	55 N/14	64 B/2

Published under the direction of Major-General Kishori Lal Khosla, B.Sc., B.E. (Civil), F.I.S., F.I.E., F.I.G.U., M.A.S.C.E., (U.S.A.), Surveyor General of India.
1977.

1:50,000

500 m to 1 cm — 2 cm to 1 km

Metres 1000 500 0 1 2 3 4 5 6 7 Kilometres

HEIGHTS & CONTOURS IN METRES

CONTOUR INTERVAL 20 METRES

*Water features are shown in blue where they generally contain water.
*Cultivated areas are coloured yellow.
The exterior boundaries of areas of Reserved or Protected Forests are shown by green ribands.

Contours are approximate.
A relative height, .8r, represents the approximate height, in metres, between the top and bottom of a steep slope.
Wooded areas are coloured green. Scattered trees and other vegetation are in green, but prominent surveyed trees are in black.

*Not applicable.

The triangulated heights and contours in this sheet have not been adjusted to the heights of the spirit-levelled bench-marks and may not be strictly in accordance with them.

The smaller portion of tahsīl boundary in square A/1 between Pātan and Jabalpur Tahsīls have been entered as a result of verification survey carried out during 1976-77.

REFERENCE
NH 7 National Highway No. 7.

Administrative Index

JABALPUR
SEONI
1 MANDLA.

PRINTED AT THE 104 (HBD) PRINTING GROUP OF SURVEY OF INDIA.

Towns or Villages: inhabited: deserted. Fort	
Huts: permanent: temporary. Tower. Antiquities	
Temple. Chhatri. Church. Mosque. Īdgāh. Tomb. Graves	
Lighthouse. Lightship. Buoys: lighted: unlighted. Anchorage	
Mine. Vine on trellis. Grass. Scrub	M
Palms: palmyra; other. Plantain. Conifer. Bamboo. Other trees	
Boundary, international	
„ state: demarcated; undemarcated	
„ district: subdivn., tahsīl or tāluk; forest	
Boundary pillars: surveyed; unlocated: village trijunction	
Heights, triangulated: station, point; approximate	△200 .200 .200
Bench-mark: geodetic; tertiary; canal	BM 63·3 .BM 63·3 .63
Post office. Telegraph office. Combined office. Police station	PO TO PTO PS
Bungalows: dāk or travellers; inspection. Rest-house	DB IB (Canal) RH (Forest)
Circuit house. Camping ground. Forest: reserved; protected	CH CG RF PF
Spaced names: administrative; locality or tribal	KIKRI NĀGA

© GOVERNMENT OF INDIA COPYRIGHT, 1977.

Price: Ten Rupees.

REFER TO THIS MAP AS :-	1:50,000
SHEET 55 N/13	FIRST EDITION

INDIA

INDIA

REFER TO THIS MAP AS:-	1:50,000
SHEET 55 N/14	FIRST EDITION

FIRST EDITION

MANDLA & SEONI DISTRICTS

Surveyed 1974-75.

MADHYA PRADESH

Magnetic Variation from True North about 1° West in 1970 (Decreasing by about 1' annually).

No. 55 N/14



REG No. 4290 PPD '77 (C.C. 60-1:33,333)-1034 '78-2502 '80-6230 '88.

Legend	
Roads, metalled: according to importance; distance stone	
.. unmetalled; do. do. ; bridge	
Cart-track. Pack-track and pass. Foot-path with bridge	
Bridges: with piers; without. Causeway. Ford or Ferry	
Streams: with track in bed; undefined. Canal	
Dams: masonry or rock-filled; earthwork. Weir	
River banks: shelving; steep. 3 to 6 metres; over 6 metres	4r 7r 16r
.. dry with water channel; with island & rocks. Tidal river	
Submerged rocks. Shoal. Swamp. Reeds	
Wells: lined; unlined. Tube-well. Spring. Tanks: perennial; dry	
Embankments: road or rail; tank. Broken ground	
Railways, broad gauge: double; single with station; under constrn.	
.. other gauges: do. ; do. with distance stone; do.	20 RS
Mineral line or tramway. Telegraph line. Cutting with tunnel	
Contours with sub-features. Rocky slopes. Cliffs	
Sand features (1) flat (2) sand-hills and dunes (surveyed) (3) shifting dunes	① ② ③

1st Edition 1976.
(Previous Edition on 1-inch scale: 1st 1920).

Index to Sheets

55 N/9	55 N/13	64 B/1
55 N/10	55 N/14	64 B/2
55 N/11	55 N/15	64 B/3

Published under the direction of Major-General K.L. Khosla, B.Sc., B.E. (Civil), F.I.S., F.I.E., F.I.G.U., M.A.S.C.E. (U.S.A.), Surveyor General of India.
1976.

1:50,000

500 m to 1 cm — 2 cm to 1 km

Metres 1000 500 0 1 2 3 4 5 6 7 Kilometres

HEIGHTS & CONTOURS IN METRES

CONTOUR INTERVAL 20 METRES

* Water features are shown in blue where they generally contain water.
* Cultivated areas are coloured yellow.
The exterior boundaries of areas of Reserved or Protected Forests are shown by green ribands.

Contours are approximate.
A relative height, 8r, represents the approximate height, in metres, between the top and bottom of a steep slope.
Wooded areas are coloured green. Scattered trees and other vegetation are in green, but prominent surveyed trees are in black.

* Not applicable.

Most of the cart-tracks in this sheet are jeepable in dry season.

Administrative Index

SEONI

1 MANDLA.

PRINTED AT THE 104 (HBD) PRINTING GROUP OF SURVEY OF INDIA.

Legend	
Towns or Villages: inhabited; deserted. Fort	
Huts: permanent; temporary. Tower. Antiquities	
Temple. Chhatri. Church. Mosque. Īdgāh. Tomb. Graves	
Lighthouse. Lightship. Buoys: lighted; unlighted. Anchorage	
Mine. Vine on trellis. Grass. Scrub	M
Palms: palmyra; other. Plantain. Conifer. Bamboo. Other trees.	
Boundary, international	
.. state: demarcated; undemarcated	
.. district; subdivn., tahsil or tāluk; forest	
Boundary pillars: surveyed; unlocated; village trijunction	
Heights, triangulated: station, point; approximate	△200 .200 .200
Bench-mark: geodetic; tertiary; canal	BM 63·3 .BM 63·3 .63
Post office. Telegraph office. Combined office. Police station	PO TO PTO PS
Bungalows: dāk or travellers; inspection. Rest-house	DB IB (Canal) RH (Forest)
Circuit house. Camping ground. Forest: reserved; protected	CH CG RF PF
Spaced names: administrative; locality or tribal	KIKRI NĀGA

© GOVERNMENT OF INDIA COPYRIGHT, 1976.

Price: Ten Rupees.

REFER TO THIS MAP AS:-	1:50,000
SHEET 55 N/14	FIRST EDITION

INDIA

भारत INDIA

REFER TO THIS MAP AS :-	1:50,000
SHEET 64 B/2	FIRST EDITION

मध्य प्रदेश
MADHYA PRADESH

FIRST EDITION

MANDLA & SEONI DISTRICTS.

Surveyed 1974-76.

Magnetic Variation from True North about 1° West in 1975.
(Decreasing by about 1' annually).

No. 64 B/2

Reg No. 7227 HD'79 (D.O.7-1:50,000)-2612'80-9506'91.

Roads, metalled: according to importance: distance stone
,, unmetalled: do. do. : bridge
Cart-track. Pack-track and pass. Foot-path with bridge
Bridges: with piers; without. Causeway. Ford or Ferry
Streams: with track in bed; undefined. Canal
Dams: masonry or rock-filled; earthwork. Weir
River banks: shelving; steep, 3 to 6 metres; over 6 metres
,, dry with water channel; with island & rocks. Tidal river
Submerged rocks. Shoal. Swamp. Reeds
Wells: lined; unlined. Tube-well. Spring. Tanks: perennial; dry
Embankments: road or rail, tank. Broken ground
Railways, broad gauge: double; single with station, under constrn.
,, other gauges: do. ; do. with distance stone; do.
Mineral line or tramway. Telegraph line. Cutting with tunnel
Contours with sub-features. Rocky slopes. Cliffs
Sand features: (1) flat (2) sand-hills and dunes (surveyed) (3) shifting dunes

1st Edition 1979.
(Previous Edition on 1-inch scale: 1st 1920).

Index to Sheets

55 N/13	64 B/1	64 B/5
55 N/14	64 B/2	64 B/6
55 N/15	64 B/3	64 B/7

भारत के महासर्वेक्षक मेजर जनरल किशोरी लाल खोसला बी.एस-सी., बी.ई. (सिविल), एफ.आई.एस., एफ.आई.ई., एफ.आई.जी.यू., एम.ए.एस.सी.ई. (यू.एस.ए.), के निदेशन में प्रकाशित.
Published under the direction of Major General Kishori Lal Khosla, B.Sc., B.E.(Civil), F.I.S., F.I.E., F.I.G.U., M.A.S.C.E.(U.S.A.), Surveyor General of India.
1979.

1:50,000

500 m to 1 cm — Metres 1000 500 0 1 2 3 4 5 6 7 Kilometres — 2 cm to 1 km

HEIGHTS & CONTOURS IN METRES
CONTOUR INTERVAL 20 METRES

Water features are shown in blue where they generally contain water.

Cultivated areas are coloured yellow. The exterior boundaries of areas of Reserved or Protected Forests are shown by green ribands.

Contours are approximate.

A relative height, 8r, represents the approximate height, in metres, between the top and bottom of a steep slope.

Wooded areas are coloured green. Scattered trees and other vegetation are in green, but prominent surveyed trees are in black.

Administrative Index

1 SEONI
MANDLA

PRINTED AT THE 101 (H.L.O.) PRINTING GROUP OF SURVEY OF INDIA

Towns or Villages: inhabited; deserted. Fort
Huts: permanent; temporary. Tower. Antiquities
Temple. Chhatri. Church. Mosque. Idgāh. Tomb. Graves
Lighthouse. Lightship. Buoys: lighted; unlighted. Anchorage
Mine. Vine on trellis. Grass. Scrub
Palms: palmyra; other. Plantain. Conifer. Bamboo. Other trees
Boundary, international
,, state: demarcated; undemarcated
,, district; subdivision, tahsīl or tāluk; forest
Boundary pillars: surveyed; unlocated; village trijunction
Heights, triangulated: station; point; approximate — △200 .200 200
Bench-mark: geodetic; tertiary; canal — .BM 63·3 BM 63·3 ·63
Post office. Telegraph office. Combined office. Police station — PO TO PTO PS
Bungalows: dāk or travellers'; inspection. Rest-house — DB IB(Canal) RH(Forest)
Circuit house. Camping ground. Forest: reserved; protected — CH CG RF PF
Spaced names: administrative; locality or tribal — KIKRI NĀGA

© GOVERNMENT OF INDIA COPYRIGHT 1979.

Price: Ten Rupees.

REFER TO THIS MAP AS :-	1:50,000
SHEET 64 B/2	FIRST EDITION

INDIA भारत