

Land Schedule

Land Schedule of the Area selected for Compensatory Afforestation over 217.77 Ac. or 88.130 Ha. in village Rorasinga-1, R.I Tainsi under Angul Tehsil of Angul District, Orissa for M/s. Radhikapur (west) Coal Mining Pvt. Ltd.

Plot No	Khata No	Name of the Tenant	Kissam	Area in Acre	Remarks
1040	2/2	AJA	Puratan Patita	47.00	Part
1120	-do-	-do-	-do-	55.23	Part
1119	-do-	-do-	-do-	12.36	Part
1140	-do-	-do-	-do-	40.18	Part
1141	-do-	-do-	-do-	46.67	Part
889	-do-	-do-	-do-	16.33	Part
				217.77 Ac. Or 88.130 Ha	

For Radhikapur (W) Coal Mining Pvt. Ltd.



Vice President
User Agency


Revenue Inspector
Revenue Inspector
Tainsi


Tahsildar
Angul
Tahsildar
ANGUL


Forester
FORESTER
ANTULIA SECTION


Range Officer
First Range Officer
Durgam Ch.
Jalapada


DFO
Angul Division
Divisional Forest Officer
Angul Division

Boundary Description

Boundary Description of the Area selected for Compensatory Afforestation over 217.77 Ac. or 88.130 Ha. in village Rorasinga-1, R.I Tainsi under Angul Tehsil of Angul District, Orissa for M/s. Radhikapur (west) Coal Mining Pvt. Ltd.

Plot No	East Boundary	West Boundary	North Boundary	South Boundary West
1040	1120	1039	1045,1044,1049,1058,1054	1120,1233,1235
1120	1211,1117,1167,1109,1110,1197,1210	1040,1125,1126,1128,	1040,1059,1060	1119,1208
1119	1251,1252,1208	1217,1218,1219,1136	1120	1141
1140	1141	889,890,891,1186,894,895,896	1231,1232,1139,1138,1137,	Antulia R.F.
1141	Antulia R.F&1118	1140	1126,1119,1224,1225,1252,	Antulia R.F
889	1140	889/p,1239,1240,1241,1242	1239	Antulia R.F

For Radhikapur (W) Coal Mining Pvt. Ltd.

[Signature]
User Agency

[Signature]
Revenue Inspector

Revenue Inspector
Tainsi

[Signature]
Tehsildar
Angul

TAHSILDAR
ANGUL

[Signature]
FORESTER
ANTULIA SECTION

[Signature]
Forest Range Officer
Durgam Chik
Jalapada

DFO
Angul Division

Field Note

Field Note of the Area selected for Compensatory Afforestation over 217.77 Ac. or 88.130 Ha. in village Rorasinga-1, R.I Tainsi under Angul Tehsil of Angul District, Orissa for M/s. Radhikapur (west) Coal Mining Pvt. Ltd.

Pillar No	Line	FORE BEARING.	BACK BEARING	DISTANCE IN MTRS	LATITUDE	LONGITUDE
1	1-2	230° 00' 00"	50° 00' 00"	67.32	20° 50' 25.36"	84° 49' 6.12"
2	2-3	247° 00' 00"	67° 00' 00"	142.56	20° 50' 24.06"	84° 49' 4.40"
3	3-4	254° 00' 00"	74° 00' 00"	67.32	20° 50' 22.24"	84° 48' 59.80"
4	4-5	251° 00' 00"	71° 00' 00"	221.76	20° 50' 21.59"	84° 48' 57.41"
5	5-6	234° 00' 00"	54° 00' 00"	194.04	20° 50' 19.38"	84° 48' 50.41"
6	6-7	241° 00' 00"	61° 00' 00"	287.10	20° 50' 16.13"	84° 48' 44.69"
7	7-8	242° 00' 00"	62° 00' 00"	63.36	20° 50' 11.65"	84° 48' 35.45"
8	8-9	237° 00' 00"	57° 00' 00"	140.58	20° 50' 10.61"	84° 48' 35.48"
9	9-10	231° 30' 00"	51° 30' 00"	97.02	20° 50' 8.14"	84° 48' 29.40"
10	10-11	228° 30' 00"	48° 30' 00"	51.48	20° 50' 6.19"	84° 48' 26.83"
11	11-12	217° 30' 00"	37° 30' 00"	114.84	20° 50' 5.08"	84° 48' 25.46"
12	12-13	24° 00' 00"	204° 00' 00"	142.56	20° 50' 2.16"	84° 48' 23.15"
13	13-14	13° 00' 00"	193° 00' 00"	102.96	20° 50' 6.32"	84° 48' 25.19"
14	14-15	93° 00' 00"	273° 00' 00"	13.86	20° 50' 9.57"	84° 48' 26.00"
15	15-16	17° 00' 00"	197° 00' 00"	213.84	20° 50' 9.57"	84° 48' 26.48"
16	16-17	84° 30' 00"	264° 00' 00"	35.64	20° 50' 16.33"	84° 48' 28.72"
17	17-18	7° 30' 00"	187° 30' 00"	69.30	20° 50' 16.33"	84° 48' 30.08"
18	18-19	87° 00' 00"	267° 00' 00"	126.72	20° 50' 18.54"	84° 48' 30.42"
19	19-20	19° 30' 00"	199° 00' 00"	57.42	20° 50' 18.15"	84° 48' 34.77"
20	20-21	10° 00' 00"	190° 00' 00"	186.12	20° 50' 20.03"	84° 48' 35.45"
21	21-22	347° 00' 00"	167° 00' 00"	126.72	20° 50' 25.94"	84° 48' 36.54"
22	22-23	360° 00' 00"	180° 00' 00"	95.04	20° 50' 30.04"	84° 48' 35.72"
23	23-24	90° 00' 00"	270° 00' 00"	126.72	20° 50' 33.22"	84° 48' 35.72"
24	24-25	179° 00' 00"	359° 00' 00"	328.68	20° 50' 33.29"	84° 48' 40.00"
25	25-26	274° 00' 00"	94° 00' 00"	53.46	20° 50' 22.56"	84° 48' 40.21"
26	26-27	177° 00' 00"	357° 00' 00"	91.08	20° 50' 22.56"	84° 48' 38.44"
27	27-28	90° 00' 00"	270° 00' 00"	168.3	20° 50' 19.51"	84° 48' 38.57"
28	28-29	1° 30' 00"	181° 30' 00"	417.78	20° 50' 19.77"	84° 48' 44.29"
29	29-30	93° 00' 00"	273° 00' 00"	221.76	20° 50' 33.42"	84° 48' 44.56"
30	30-31	360° 00' 00"	180° 00' 00"	65.34	20° 50' 33.09"	84° 48' 52.11"
31	31-32	98° 00' 00"	270° 00' 00"	35.64	19° 50' 35.17"	84° 48' 52.17"
32	32-33	360° 00' 00"	180° 00' 00"	249.48	19° 50' 35.17"	84° 48' 53.47"
33	33-34	270° 00' 00"	90° 00' 00"	166.32	19° 50' 43.49"	84° 48' 53.53"
34	34-35	304° 00' 00"	124° 00' 00"	102.96	19° 50' 43.49"	84° 48' 47.80"
35	35-36	315° 00' 00"	135° 00' 00"	106.92	19° 50' 45.31"	84° 48' 44.90"

36	36-37	354° 00'00"	171° 00'00"	316.80	19° 50' 47.78"	84° 48' 42.25"
37	37-38	93° 00'00"	273° 00'00"	59.40	19° 50' 55.51"	84° 48' 41.57"
38	38-39	7° 30'00"	187° 30'00"	91.08	19° 50' 55.32"	84° 48' 43.61"
39	39-40	275° 30'00"	95° 30'00"	142.56	19° 50' 58.37"	84° 48' 43.88"
40	40-41	359° 00'00"	179° 00'00"	59.40	19° 50' 58.82"	84° 48' 38.98"
41	41-42	25° 00'00"	205° 00'00"	95.04	19° 51' 0.77"	84° 48' 38.85"
42	42-43	277° 00'00"	97° 00'00"	130.68	19° 51' 3.50"	84° 48' 40.21"
43	43-44	360° 00'00"	180° 00'00"	205.92	19° 51' 4.08"	84° 48' 35.79"
44	44-45	92° 00'00"	272° 00'00"	134.69	19° 51' 10.84"	84° 48' 35.99"
45	45-46	81° 00'00"	261° 00'00"	120.78	19° 51' 10.65"	84° 48' 40.61"
46	46-47	112° 00'00"	292° 00'00"	138.60	19° 51' 11.17"	84° 48' 44.69"
47	47-48	42° 00'00"	222° 00'00"	35.64	19° 51' 9.41"	84° 48' 49.11"
48	48-49	117° 00'00"	297° 00'00"	114.84	19° 51' 10.26"	84° 48' 50.00"
49	49-50	126° 00'00"	206° 00'00"	198.00	19° 51' 8.50"	84° 48' 53.53"
50	50-51	170° 00'00"	350° 00'00"	192.06	19° 51' 4.86"	84° 48' 58.57"
51	51-52	163° 00'00"	343° 00'00"	271.26	19° 50' 58.69"	84° 48' 59.59"
52	52-53	275° 00'00"	95° 00'00"	122.76	19° 50' 50.12"	84° 49' 2.24"
53	53-54	180° 00'00"	360° 00'00"	172.26	19° 50' 50.64"	84° 48' 58.05"
54	54-55	270° 00'00"	90° 00'00"	37.62	19° 50' 45.05"	84° 48' 58.05"
55	55-56	180° 00'00"	360° 00'00"	71.28	19° 50' 45.11"	84° 48' 56.73"
56	56-57	139° 00'00"	219° 00'00"	61.30	19° 50' 42.84"	84° 48' 56.73"
57	57-58	176° 00'00"	256° 00'00"	168.30	19° 50' 41.28"	84° 48' 58.16"
58	58-59	92° 00'00"	272° 00'00"	67.32	19° 50' 35.69"	84° 48' 58.63"
59	59-60	177° 00'00"	257° 00'00"	67.32	19° 50' 35.69"	84° 48' 1.02"
60	60-61	87° 00'00"	267° 00'00"	150.48	19° 50' 33.48"	84° 48' 1.08"
61	61-1	180° 00'00"	360° 00'00"	257.40	19° 50' 33.68"	84° 48' 6.12"

For Radhikapur (W) Coal Mining Pvt. Ltd.

User Agency

Revenue Inspector

Revenue Inspector
Tainsi

TAHASILDAR

Tahsildar
Angul

Forester
ANTULIA SECTION

Range Officer

Range Officer
Durgapur K
Jarapada

DFO
Angul Division