

Annexure - V


Name of Project: Grant permission of 0.2550 ha Protected Forest land for 66 KV Poly Aluminium XLPE U/G cable having route 66 KV Mehsana Kherva S/S Transmission Line (3400 Mtr) (1C X 630Sq.mm [(3+1)], Ta.Mehsana, District:-Mehsana in Gujarat State.

CATEGORY OF PROPOSAL FOR WHICH COST BENEFIT ANALYSIS APPLICABLE

Table-A: Cases under which a cost-benefit analysis for forest diversion are required

S. No.	Nature of proposal	Applicable/ not applicable	Remarks
1	1 All categories of proposals involving forest land up to 20 hectares in plains and up to 5 hectare in hills.	Not applicable	-
2	Proposal for defense installation purposes and oil prospecting (prospecting only).	Not applicable	-
3	Habitation, establishment of industrial units, tourist lodges complex and other building construction.	Not applicable	These activities being detrimental to protection and conservation of forest, as a matter of policy, such proposals would be rarely entertained.
4	All other proposals involving forest land more than 20 hectares in plains and more than 5 hectares in hills including roads, transmission lines, minor, medium and major irrigation projects, hydro projects, mining activity, railway lines, location specific installations like micro-wave stations, auto repeater centers, TV towers etc.	Applicable	These are cases where a cost benefit analysis is necessary to determine when diverting the forest land to non-forest use in the overall public interest.

Date: /05/2022
Place : Mehsana


Executive Engineer
GETCO Ltd. Const. Division
MEHSANA