


Laying of Optical Fiber along PWD, Passing through Forest Area at: - 1) Sokadam Agalgre Village to Forest Check Post (Songsak) (4.068 Kms). 2) Khera Check Gate to Willamnagar (9.418 Kms). Total 13.486 Kms

M/S Telesonic Networks Limited having its registered office at Shubham Buildwell, 3rd Floor, Near NEEPPCO Bhawan, ZOO Road, Guwahati-781006. Tel No. 9954049040 has been issued Unified Licenses ("UL") under section 4 of the Indian Telegraph Act, 1885 on 21.10.2013 by the Department of Telecommunications, Government of India, for all service areas in India to establish, operate and maintain telecommunication networks and telecommunication services and is engaged in the business of providing broadband internet services and other allied services on pan-India basis. Telesonic Networks Limited was registered with Department of Telecommunications (DOT) as infrastructure provider category I (IP-I) vide registration certificate no.: ~~370/2011 dated 23rd June 2011~~ to establish and maintain the assets such as Dark Fibers, Right of Way, Duct Space and Tower.

As such, to set up our network in different parts of Meghalaya, we have been laying Optical Fiber Cable in different routes and one such road is PWD road where at present we are undertaking our work.

In the stretch between Krishnai to William Nagar the PWD is passing through reserve forest area in two patches the forest clearance is therefore sought in this regard.

The Project is of Laying of Optical Fiber Cable inside HDPE ducts of 40 mm Dia by ~~HDD Method (Horizontal Directional Drilling) a Pit of Size 1mtrX1mtr X1.2 mtr Depth of an interval of 100 mtrs along the route. (Diagram Attached). Also Concrete Chambers with Lid will be installed along the route at an interval of 1 km at a depth of 500mm below ground level.~~



Telesonic Networks Ltd.

~~Bharti Airtel Limited~~

Bharti House
Sixmile, Khanapara
Guwahati - 781022
Assam

www.airtel.in
call +91 361 2363142



This boring will be done along the Road side Berm of PWD Road. No Trees or any forest assets will be damaged in this process. Necessary Permission from PWD dept has already been sought for this project and is under consideration.

There is no other alternate route to connect the OFC network coming from Krishnai, Assam. We therefore are seeking the Forest permission in this regard

The work will be carried out as per laid down standards, Policies and Guidelines of the Authority... You are requested to kindly grant us the permission at the earliest.

Yours Sincerely,

For Telesonic Networks Ltd.

For Telesonic Networks Limited

Authorised Signatory

