


 SCALE 1":660'
 or
 SCALE 1cm:79.20m



hdd mm s.s			degree decimal		
Corner	Northing	Easting	Corner	Northing	Easting
1	N 15° 05' 42.4"	E 76° 46' 49.7"	1	N 15.09512	E 76.78048
2	N 15° 05' 40.0"	E 76° 46' 51.5"	2	N 15.09444	E 76.78096
3	N 15° 05' 37.5"	E 76° 46' 54.0"	3	N 15.09375	E 76.78167
4	N 15° 05' 42.1"	E 76° 46' 57.8"	4	N 15.09503	E 76.78271
5	N 15° 05' 36.5"	E 76° 46' 59.5"	5	N 15.09347	E 76.78319
6	N 15° 05' 35.6"	E 76° 46' 55.2"	6	N 15.09323	E 76.78199
7	N 15° 05' 34.4"	E 76° 46' 52.6"	7	N 15.09289	E 76.78128
8	N 15° 05' 36.0"	E 76° 46' 53.0"	8	N 15.09332	E 76.78139
9	N 15° 05' 37.0"	E 76° 46' 50.0"	9	N 15.09362	E 76.78054
10	N 15° 05' 37.2"	E 76° 46' 48.9"	10	N 15.09366	E 76.78024
11	N 15° 05' 36.2"	E 76° 46' 48.6"	11	N 15.09339	E 76.78017
12	N 15° 05' 35.8"	E 76° 46' 47.0"	12	N 15.09328	E 76.77971
13	N 15° 05' 39.0"	E 76° 46' 44.4"	13	N 15.09415	E 76.77900
14	N 15° 05' 40.2"	E 76° 46' 45.3"	14	N 15.09450	E 76.77924
15	N 15° 05' 40.1"	E 76° 46' 47.2"	15	N 15.09448	E 76.77979

GPS READINGS OF COMPENSATORY AFFORESTATION AREA
SY.NO.11/B(2.50Ac) Datum: WGS - 84

hdd mm ss.s			degree decimal		
Corner	Northing	Easting	Corner	Northing	Easting
1	N 15° 06' 24.5"	E 76° 47' 04.2"	1	N 15.10682	E 76.78451
2	N 15° 06' 23.0"	E 76° 47' 07.8"	2	N 15.10639	E 76.78549
3	N 15° 06' 19.1"	E 76° 47' 06.9"	3	N 15.10530	E 76.78524
4	N 15° 06' 20.0"	E 76° 47' 04.6"	4	N 15.10556	E 76.78462
5	N 15° 06' 21.2"	E 76° 47' 05.3"	5	N 15.10588	E 76.78482
6	N 15° 06' 23.5"	E 76° 47' 04.4"	6	N 15.10653	E 76.78454

GPS READINGS OF COMPENSATORY AFFORESTATION AREA
SY.NO:53/B(4.29Acr) Datum: WGS - 84

hdd mm ss.s			degree decimal		
Corner	Northing	Easting	Corner	Northing	Easting
1	N 15° 06' 12.2"	E 76° 45' 31.6"	1	N 15.10338	E 76.75879
2	N 15° 06' 11.6"	E 76° 45' 35.0"	2	N 15.10323	E 76.75972
3	N 15° 06' 05.5"	E 76° 45' 31.6"	3	N 15.10153	E 76.75879
4	N 15° 06' 07.2"	E 76° 45' 29.3"	4	N 15.10200	E 76.75814

GPS READINGS OF COMPENSATORY AFFORESTATION AREA						
SY.NO:107(0712ACR) Datum: WGS - 84						
hdd mm ss.s			degree decimal			
Corner	Northing	Easting	Corner	Northing	Easting	
1	N 15° 05' 48.3"	E 76° 46' 17.9"	1	N 15.09676	E 76.77163	
2	N 15° 05' 47.4"	E 76° 46' 20.7"	2	N 15.09649	E 76.77241	
3	N 15° 05' 45.7"	E 76° 46' 20.4"	3	N 15.09604	E 76.77232	
4	N 15° 05' 43.8"	E 76° 46' 17.9"	4	N 15.09551	E 76.77164	
5	N 15° 05' 43.0"	E 76° 46' 18.8"	5	N 15.09527	E 76.77189	
6	N 15° 05' 40.3"	E 76° 46' 17.1"	6	N 15.09453	E 76.77143	
7	N 15° 05' 40.9"	E 76° 46' 15.4"	7	N 15.09469	E 76.77094	
8	N 15° 05' 41.6"	E 76° 46' 14.0"	8	N 15.09489	E 76.77055	
9	N 15° 05' 44.0"	E 76° 46' 13.3"	9	N 15.09556	E 76.77037	
10	N 15° 05' 45.3"	E 76° 46' 14.9"	10	N 15.09591	E 76.77080	


GPS READINGS OF COMPENSATORY AFFORESTATION AREA						
SY NO:65(8.54Ac) Datum: WGS - 84						
hdd mm ss.s			degree decimal			
Corner	Northing	Easting	Corner	Northing	Easting	
1	N 15° 06' 02.00"	E 76° 46' 07.6"	1	N 15.10056	E 76.76878	
2	N 15° 06' 00.8"	E 76° 46' 09.0"	2	N 15.10022	E 76.76916	
3	N 15° 05' 59.4"	E 76° 46' 11.7"	3	N 15.09983	E 76.76991	
4	N 15° 05' 57.8"	E 76° 46' 12.3"	4	N 15.09939	E 76.77007	
5	N 15° 05' 53.4"	E 76° 46' 11.6"	5	N 15.09816	E 76.76986	
6	N 15° 05' 52.1"	E 76° 46' 11.6"	6	N 15.09779	E 76.76998	
7	N 15° 05' 50.5"	E 76° 46' 12.7"	7	N 15.09737	E 76.77015	
8	N 15° 05' 52.4"	E 76° 46' 09.3"	8	N 15.09788	E 76.76924	
9	N 15° 05' 56.4"	E 76° 46' 07.0"	9	N 15.09901	E 76.76862	
10	N 15° 05' 59.4"	E 76° 46' 06.9"	10	N 15.09983	E 76.76855	



11/Enlaie
Authorised Signatory

Project Proponent
For KFI Ltd

VILLAGE MAP SHOWING THE COMPENSATORY AFFORESTATION AREA OVER AN EXTENT OF 35.00 Acres (14.16 Ha.) IN Sy. NO:11/B, 53/B,65,107 & 110 OF TUMATI VILLAGE OF BALLARI RANGE PROPOSED FROM M/s. KIRLOSKAR FERROUS INDUSTRIES LTD - M.L.No;2245 OF M/s BHARATH MINES AND MINERALS FOR ITS MINING LEASE & APPROACH ROAD SITUATED IN RANAJITHPUR VILLAGE ,SWAMYMALAI BLOCK STATE FOREST, SANDUR TALUK, BELLARY DISTRICT.



INDEX

PROPOSAL CA AREA :- 35.00 Acres
(14.16Ha).

GPS READINGS OF RP POINTS - Datum: WGS - 84

hdd mm ss.s			degree decimal		
Corner	Northing	Easting	Corner	Northing	Easting
1	N 15° 06' 20.6"	E 76° 47' 16.4"	1	N 15.10572	E 76.78789
2	N 15° 05' 44.3"	E 76° 46' 35.6"	2	N 15.09565	E 76.77657
3	N 15° 05' 50.2"	E 76° 46' 21.8"	3	N 15.09728	E 76.77272
4	N 15° 06' 08.5"	E 76° 45' 27.6"	4	N 15.10235	E 76.75767

DETAILS OF THE CA LAND PROPOSED

SL.NO:	SY.NO:	EXTN IN ACRES
1	11/B	2.50
2	53/B	4.29
3	65	8.45
4	107	7.12
5	110	12.64
TOTAL		35.00

GPS READINGS OF COMPENSATORY AFFORESTATION AREA
SY.NO:11/B - 2.50Ac(01.01Ha)Datum: WGS - 84

hdd mm ss.s			degree decimal		
Corner	Northing	Easting	Corner	Northing	Easting
1	N 15° 06' 24.5"	E 76° 47' 04.2"	1	N 15.10682	E 76.78451
2	N 15° 06' 23.0"	E 76° 47' 07.8"	2	N 15.10639	E 76.78549
3	N 15° 06' 19.1"	E 76° 47' 06.9"	3	N 15.10530	E 76.78524
4	N 15° 06' 20.0"	E 76° 47' 04.6"	4	N 15.10556	E 76.78462
5	N 15° 06' 21.2"	E 76° 47' 05.3"	5	N 15.10588	E 76.78482
6	N 15° 06' 23.5"	E 76° 47' 04.4"	6	N 15.10653	E 76.78454

GPS READINGS OF COMPENSATORY AFFORESTATION AREA
SY.NO:53/B - 4.29Ac(01.74Ha) Datum: WGS - 84

hdd mm ss.s			degree decimal		
Corner	Northing	Easting	Corner	Northing	Easting
1	N 15° 06' 12.2"	E 76° 45' 31.6"	1	N 15.10338	E 76.75879
2	N 15° 06' 11.6"	E 76° 45' 35.0"	2	N 15.10323	E 76.75972
3	N 15° 06' 05.5"	E 76° 45' 31.6"	3	N 15.10153	E 76.75879
4	N 15° 06' 07.2"	E 76° 45' 29.3"	4	N 15.10200	E 76.75814

GPS READINGS OF COMPENSATORY AFFORESTATION AREA
SY.NO:110 - 12.64Ac(05.11Ha) Datum: WGS - 84

hdd mm ss.s			degree decimal		
Corner	Northing	Easting	Corner	Northing	Easting
1	N 15° 05' 42.4"	E 76° 46' 49.7"	1	N 15.09512	E 76.78048
2	N 15° 05' 40.0"	E 76° 46' 51.5"	2	N 15.09444	E 76.78096
3	N 15° 05' 37.5"	E 76° 46' 54.0"	3	N 15.09375	E 76.78167
4	N 15° 05' 42.1"	E 76° 46' 57.8"	4	N 15.09503	E 76.78271
5	N 15° 05' 36.5"	E 76° 46' 59.5"	5	N 15.09347	E 76.78319
6	N 15° 05' 35.6"	E 76° 46' 55.2"	6	N 15.09323	E 76.78199
7	N 15° 05' 34.4"	E 76° 46' 52.6"	7	N 15.09289	E 76.78128
8	N 15° 05' 36.0"	E 76° 46' 53.0"	8	N 15.09332	E 76.78139
9	N 15° 05' 37.0"	E 76° 46' 50.0"	9	N 15.09362	E 76.78054
10	N 15° 05' 37.2"	E 76° 46' 48.9"	10	N 15.09366	E 76.78024
11	N 15° 05' 36.2"	E 76° 46' 48.6"	11	N 15.09339	E 76.78017
12	N 15° 05' 35.8"	E 76° 46' 47.0"	12	N 15.09328	E 76.77971
13	N 15° 05' 39.0"	E 76° 46' 44.4"	13	N 15.09415	E 76.77900
14	N 15° 05' 40.2"	E 76° 46' 45.3"	14	N 15.09450	E 76.77924
15	N 15° 05' 40.1"	E 76° 46' 47.2"	15	N 15.09448	E 76.77979


GPS READINGS OF COMPENSATORY AFFORESTATION AREA
SY.NO:107 - 07.12Ac(02.88Ha) Datum: WGS - 84

hdd mm ss.s			degree decimal		
Corner	Northing	Easting	Corner	Northing	Easting
1	N 15° 05' 48.3"	E 76° 46' 17.9"	1	N 15.09676	E 76.77163
2	N 15° 05' 47.4"	E 76° 46' 20.7"	2	N 15.09649	E 76.77241
3	N 15° 05' 45.7"	E 76° 46' 20.4"	3	N 15.09604	E 76.77232
4	N 15° 05' 43.8"	E 76° 46' 17.9"	4	N 15.09551	E 76.77164
5	N 15° 05' 43.0"	E 76° 46' 18.8"	5	N 15.09527	E 76.77189
6	N 15° 05' 40.3"	E 76° 46' 17.1"	6	N 15.09453	E 76.77143
7	N 15° 05' 40.9"	E 76° 46' 15.4"	7	N 15.09469	E 76.77094
8	N 15° 05' 41.6"	E 76° 46' 14.0"	8	N 15.09489	E 76.77055
9	N 15° 05' 44.0"	E 76° 46' 13.3"	9	N 15.09556	E 76.77037
10	N 15° 05' 45.3"	E 76° 46' 14.9"	10	N 15.09591	E 76.77080

GPS READINGS OF COMPENSATORY AFFORESTATION AREA
SY.NO:65 - 8.45Ac(03.42Ha)Datum: WGS - 84

hdd mm ss.s			degree decimal		
Corner	Northing	Easting	Corner	Northing	Easting
1	N 15° 06' 02.0"	E 76° 46' 07.6"	1	N 15.10056	E 76.76878
2	N 15° 06' 00.8"	E 76° 46' 09.0"	2	N 15.10022	E 76.76916
3	N 15° 05' 59.4"	E 76° 46' 11.7"	3	N 15.09983	E 76.76991
4	N 15° 05' 57.8"	E 76° 46' 12.3"	4	N 15.09939	E 76.77007
5	N 15° 05' 53.4"	E 76° 46' 11.6"	5	N 15.09816	E 76.76988
6	N 15° 05' 52.1"	E 76° 46' 11.6"	6	N 15.09779	E 76.76990
7	N 15° 05' 50.5"	E 76° 46' 12.7"	7	N 15.09737	E 76.77019
8	N 15° 05' 52.4"	E 76° 46' 09.3"	8	N 15.09788	E 76.76924
9	N 15° 05' 56.4"	E 76° 46' 07.0"	9	N 15.09901	E 76.76862
10	N 15° 05' 59.4"	E 76° 46' 06.9"	10	N 15.09983	E 76.76859


M/s. Kirloskar Ferrous Industries Limited



Authorised Signatory

Project Proponent
For KFI Ltd

VILLAGE MAP SHOWING THE COMPENSATORY AFFORESTATION AREA OVER AN EXTENT OF 02.25 Acres (0.91Ha) IN Sy. NO:172/2 OF VITTALAPURA VILLAGE OF BALLARI RANGE PROPOSED FROM M/s. KIRLOSKAR FERROUS INDUSTRIES LTD - M.L.No;2245 OF M/s BHARATH MINES AND MINERALS FOR ITS MINING LEASE & APPROACH ROAD SITUATED IN RANAJITHPUR VILLAGE , SWAMYMALAI BLOCK STATE FOREST, SANDUR TALUK, BELLARY DISTRICT.



GPS READINGS OF RP POINTS - Datum: WGS - 84


hdd mm ss.s			degree decimal		
Corner	Northing	Easting	Corner	Northing	Easting
RP1	N 15° 04' 27.2"	E 76° 45' 44.3"	1	N 15.07421	E 76.76231
RP2	N 15° 04' 13.5"	E 76° 45' 45.9"	2	N 15.07041	E 76.76274

GPS READINGS OF COMPENSATORY AFFORESTATION AREA
SY.NO:172/2(2.25Acr) Datum: WGS - 84

hdd mm ss.s			degree decimal		
Corner	Northing	Easting	Corner	Northing	Easting
1	N 15° 04' 20.8"	E 76° 45' 40.6"	1	N 15.07245	E 76.76129
2	N 15° 04' 21.2"	E 76° 45' 44.9"	2	N 15.07254	E 76.76247
3	N 15° 04' 19.2"	E 76° 45' 45.1"	3	N 15.07199	E 76.76253
4	N 15° 04' 18.6"	E 76° 45' 40.2"	4	N 15.07183	E 76.76115

BOUNDARIES

NORTH :- SY.NO -172/1 OF Vittalapura
SOUTH :- SY.NO - 172/3 OF Vittalapura
EAST :- SY.NO - 03 OF Metriki R.F.
WEST :- SY.NO - 8 OF Vittalapura



SCALE 1":660'
or
SCALE 1cm:79.20m

INDEX

- PROPOSAL CA AREA - 02.25 Acres
- RF BOUNDARY

M/s. Kirloskar Ferrous Industries Limited



Authorised Signatory


Project Proponent
For KFI Ltd

VILLAGE MAP SHOWING THE COMPENSATORY AFFORESTATION AREA OVER AN EXTENT OF 02.25 Acres (0.91Ha) IN Sy. NO:172/2 OF VITTALAPURA VILLAGE OF BALLARI RANGE PROPOSED FROM M/s. KIRLOSKAR FERROUS INDUSTRIES LTD - M.L.No;2245 OF M/s BHARATH MINES AND MINERALS FOR ITS MINING LEASE & APPROACH ROAD SITUATED IN RANAJITHPUR VILLAGE , SWAMYMALAI BLOCK STATE FOREST, SANDUR TALUK, BELLARY DISTRICT.

INDEX

PROPOSAL CA AREA - 02.25 Acres

RF BOUNDARY



SCALE 1":330'
or
SCALE 1cm:39.60m

GPS READINGS OF RP POINTS - Datum: WGS - 84


hdd mm ss.s			degree decimal		
Corner	Northing	Easting	Corner	Northing	Easting
RP1	N 15° 04' 27.2"	E 76° 45' 44.3"	1	N 15.07421	E 76.76231
RP2	N 15° 04' 13.5"	E 76° 45' 45.9"	2	N 15.07041	E 76.76274

GPS READINGS OF COMPENSATORY AFFORESTATION AREA
SY.NO:172/2(2.25Acr) Datum: WGS - 84

hdd mm ss.s			degree decimal		
Corner	Northing	Easting	Corner	Northing	Easting
1	N 15° 04' 20.8"	E 76° 45' 40.6"	1	N 15.07245	E 76.76129
2	N 15° 04' 21.2"	E 76° 45' 44.9"	2	N 15.07254	E 76.76247
3	N 15° 04' 19.2"	E 76° 45' 45.1"	3	N 15.07199	E 76.76253
4	N 15° 04' 18.6"	E 76° 45' 40.2"	4	N 15.07183	E 76.76115

BOUNDARIES

NORTH :- SY.NO -172/1 OF Vittalapura
SOUTH :- SY.NO - 172/3 OF Vittalapura
EAST :- SY.NO - 03 OF Metriki R.F.
WEST :- SY.NO - 8 OF Vittalapura



M/s. Kirloskar Ferrous Industries Limited



W. S. S. S.
Authorised Signatory

Project Proponent
For KFI Ltd