



**Reliance Jio Infocomm Limited**  
No.89, Dr. Radhakrishnan Salai, Mylapore, Chennai - 600 004.

## **Justification for locating the Project in Forest Land and Details of alternate examine:**

**Name of the Project:** Laying Optical Fibre Cable along Coimbatore Goundampalayam to Geddai Road section.

### **Location:**

Laying Optical Fibre Cable along the road side of Coimbatore Goundampalayam to Geddai via Chinnathadagam, Mankarai, Anaikatti, Tholampalayam, Muthukallur, Velliyangadu, Athikadavu, Keelmanar, Mulli villages across the Thadagam RF, Anaikatti South RF, Anaikatti North RF, Gopanari RF, Nilgiris Eastern Slope RF and Melur Slope RFs in Coimbatore Forest Division, Coimbatore.

### **Details of the Project:**

The Optical Fibre Cables are always laid along the road side due to easy supervision, quick maintenance and low cost of maintenance. The applicant does not have to acquire land for this project purpose, as the road side land is under the control of State Highway / National Highways Authority of India. However the land classification is forest land.

The area requested for the laying of the Optical Fibre Cable is the minimum considering the requirements and also considering the safety of the cables so laid. Since the telecommunication cables also carry the communication from the Government Offices, Defence & Strategic Establishments and from the different industrial organizations apart from the general public, for the safety and confidentiality of the conversation so made it is not advisable to lay such important cables on the private land belonging to different parties.

For Reliance Jio Infocomm Limited

Authorized Signatory

**Reliance Jio Infocomm Limited**, CIN: U72900MH2007PLC234712

Registered Office: 9th Floor, Maker Chambers IV, 222, Nariman Point, Mumbai - 400021, Maharashtra, India. Tel: 022-22785000



**Reliance Jio Infocomm Limited**

No.89, Dr. Radhakrishnan Salai, Mylapore, Chennai - 600 004.

The cable alignment will be suitably diverted to avoid any cutting of trees and laid within the road land boundary by excavating a narrow trench of 0.30 meters width and up to 1 to 2 meter depth. The same strip of trench will be reinstated to its original condition. It is also intimated that no structure will be erected on the cable route.

The area required for the laying of the Optical Fibre Cables is bare minimum which is a part of the protected forest land. The project area does not involve any diversion of forest area in any manner.

No alternative was considered as the project is site specific.

Date :

For Reliance Jio Infocomm Limited

  
Authorized Signatory