


No. G44M7

Scale 1:50,000



PLOTTER PRINT

भारतीय सर्वेक्षण विभाग SURVEY OF INDIA

1st Edition 2011. Price: Rs. 75/-

CONVENTIONAL SYMBOLS

- Express highway with toll; with bridge; with distance stone
Roads, metalled; according to importance
Roads, double carriageway; according to importance
Unmetalled road, cart-track, pack-track with pass, foot-path
Streams with track in bed; undefined, Canal
River, dry with water channel, with island & rocks, Tidal river
Submerged rocks, Shoal, Swamp, Reeds
Wells lined; unlined, Tube-well, Spring, Tanks; perennial; dry
Embankments; road or rail; tank, Broken ground
Railways, broad gauge; double, single with station; under construction
Railways, other gauges; double, single with distance stone, do.
Mineral line or tramway, Kln. Cutting with tunnel
Contours with sub-features, Rocky slopes, Cliffs
Sand features (1)flat, (2)sand-hills(permanent) (3)unes(chilling)
Towns or Villages, inhabited, deserted, Fort
Hubs, permanent, temporary, Tower, Antiquities
Temple, Chhatra, Church, Mosque, Idgah, Tomb, Graves
Lighthouse, Lightship, Buoy, lighted, unlighted, Anchorage
Mine, Vm on tralls, Grass, Scrub
Palms; palmyra; other, Plantain, Conifer, Bamboo, Other trees
Areas, cultivated, wooded, Surveyed tree
Boundary, international
state, demarcated, undemarcated
district, subdivision; taluk or taluk, forest
Boundary pillars: surveyed, unlocated
Heights, triangulated station; point; approximate
Bench-mark, geodetic; tertiary, canal
Post office, Telegraph office, Overhead tank
Rest house or inspection bungalow, Circuit house, Police station
Camping ground, Forest, reserved, protected
Spaced names: administrative, locality or village
Hospital, Dispensary, Veterinary Hospital / Dispensary
Aerodrome, heliport, Tugboat site
Persons surveyed, with poles unsurveyed

Legend
Proposed Protected Forest Land to be diverted
Proposed Reserved Forest Land to be diverted
Non Forest Land

REFERENCE

NH 25 National Highway No. 25

NOTES :-

Heights are in metres and above Indian mean sea level.
Contours are approximate.
A relative height, e.g., 50, represents the approximate height, in metres, between the top and bottom of a steep slope.
The kilometre stone numbers along roads, railways and cart-tracks are shown in slant type, e.g., '5' whereas milestone numbers are shown in upright type, e.g., '5'.
Perennial streams in this sheet are generally fordable from October to June at the places indicated as such.
Tanks, shown dry in this area usually contain water from July to December.
Wells and tube-wells are numerous throughout the sheet, only the important ones have been shown.
A relative height e.g., 50, marked along a canal, indicates the height of the top of canal embankment above the adjacent country.
Administrative boundaries updated during 2007-08.

COMPILATION INDEX

A. Modern Survey 1985-86. Updated for major details during 2005-06 and administrative boundaries updated during 2007-08.




Projection - UTM Datum - WGS 84
Magnetic Variation from True North about 0° in 2005
(Increasing by about 1° East annually)

1:50,000

500 m to 1 cm 2 cm to 1 km
Metres 1000 500 0 1 2 3 Kilometres
CONTOUR INTERVAL 10 METRES


For further details about this map, please contact
Director
East Uttar Pradesh Geo-Spatial Data Centre
Survey of India
B-2 Block, 2nd Floor, PICUP Bhawan, Gomti Nagar, Lucknow.

WEBSITE www.surveyofindia.gov.in





Scale 1:50,000




PLOTTER PRINT


 तीय सर्वेक्षण विभाग


 SURVEY OF INDIA

1st Edition 2011. **Rs 250** Price: ~~Rs. 70/-~~

CONVENTIONAL SYMBOLS



Legend

- Proposed Protected Forest Land to be diverted
- Proposed Reserved Forest Land to be diverted
- Non Forest Land

REFERENCE

NH 26 National Highway No. 26

NOTES :-

ights are in metres and above Indian mean sea level.
ours are approximate.

ative height, e.g., δ , represents the approximate height, in metres, between the top and bottom
step slope.

ies, shown dry, in this area usually contain water from July to December.

are numerous throughout the sheet only the important ones have been shown.

exterior boundaries of areas of Reserved or Protected Forests are shown by green ribands.

n-tracks, in this sheet, without any remark typed alongside are jeapable in dry season.

ennial streams in this sheet are generally formed from November to June.

COMPILATION INDEX

A (रणविजय सिंह)
अधिशारी अभियन्त
निर्माण खण्ड
उ०प्र० जल नियम, श्रौंसी

Projection - UTM Datum - WGS 84

Magnetic Variation from True North about 0° West in 2005.
(Increasing by about 1° East annually)

1:50,000

500 m to 1 cm 1.50,000 2 cm to 1 km

1000 500 0 1 2 3 Kilometers

CONTOUR INTERVAL 10 METRES


For further details about this map, please contact
Director

East Uttar Pradesh Geo-Spatial Data Centre
Survey of India

B-2 Block, 2nd Floor, PICUP Bhawan, Gomti Nagar,

Lucknow.

WEBSITE: www.cup.gov.in



PROPOSED FOREST LAND TO BE DIVERTED FOR LAYING OF WATER DISTRIBUTION LINE ALONG DIFFERENT ROADS, UNDER GULARA, TILAITHA, BACHAWALI AND BUDPURA VILLAGE GROUP DRINKING WATER SCHEME OF JAL JEEVAN MISSION OF GOVT OF INDIA, IN DISTRICT JHANSI (U.P.)

MADHYA PRADESH
UTTAR PRADESH

FIRST EDITION
Magnetic Variation from True North about 1° West in 1967

INDIA
REFER TO THIS MAP AS :- 1:50,000
SHEET 54 K/10 FIRST EDITION
No. 54 K 10



Scale: 1:50,000
SHEET 54 K/10
FIRST EDITION
INDIA

Legend

Proposed Protected Forest Land to be diverted

Non Forest Land

Index to Sheets

54/5	54/6	54/7
54/8	54/9	54/10
54/11	54/12	54/13
54/14	54/15	54/16

Heights & Contours in Metres

Contour Interval 20 Metres

Water features are shown in blue where they generally contain water.

Cultivated areas are coloured yellow.

Forest boundaries of areas of Reserved or Protected Forests are shown by green ribbons.

Contours are approximate.

A relative height, 'dr', represents the approximate height in metres, between the top and bottom of a steep slope.

Wooded areas are coloured green. Scattered trees and other vegetation are in green, but prominent surveyed trees are in black.

*Not applicable.

The kilometre stone numbers along roads and railways are shown in slant type, e.g., '5' whereas milestone numbers are shown in upright type, e.g., '5'.

Permission to use the roads along canals is required from the irrigation authorities.

The trigonometric heights and contours in this sheet have been adjusted to the heights of the spirit levelled benchmarks, and may not be strictly in accordance with them.

Administrative Index

Towns or Villages: Inhabited, deserted, Fort, ...

Huts: permanent, temporary, Toner, Antiquities, ...

Temple, Chhatra, Church, Mosque, Jagah, Tomb, Graves, ...

Lighthouse, Lightship, Buoy, Lighted, unlighted, Anchorage, ...

Mine, Vine, or well, Grass, Scrub, ...

Palms, palm grove, other, Mangroves, Cactus, Bamboo, Other trees, ...

Boundary: International, ...

State: demarcated, undemarcated, ...

district: subdivided, or, ...

Boundary pillars: temporary, unmarked, village, junction, ...

Height: triangulated, water, approximate, ...

Bench-mark: geodetic, survey, ...

Post office, Telegraph office, Combined office, Police station, ...

Bungalows: dak or travellers' inspection, Rest-house, ...

Circuit house, Camping ground, Forest: reserved, protected, ...


Spaced names: administrative, locality or tribal, ...

GOVERNMENT OF INDIA COPYRIGHT, 1970.

Price: Five Rupees.

No. G44M11

Scale 1:50,000



PLOTTER PRINT

भारतीय सर्वेक्षण विभाग SURVEY OF INDIA

1st Edition 2011. Price : Rs. 70/-

CONVENTIONAL SYMBOLS



Proposed Protected Forest Land to be diverted

Non Forest Land

REFERENCE

NH 25 National Highway No. 25

NOTES :-

Heights are in metres and above Indian mean sea level. Contours are approximate. A relative height, e.g., 5, represents the approximate height, in metres, between the top and bottom of a steep slope. The exterior boundaries of areas of Reserved or Protected Forests are shown by green ribands. The kilometre scale numbers along the roads are shown in slant type, e.g., '5', whereas milestone numbers are shown in upright type, e.g., '5'. Tams, shown dry in this area, usually contain water from July to December. Wells and tube-wells are numerous throughout the sheet, only the important ones have been shown. The state boundary between Madhya Pradesh and Uttar Pradesh States has been surveyed as pointed out by the local officials on the ground but has not been verified by the Government concerned. Administrative boundaries updated during 2007-08.


COMPILATION INDEX

A Surveyed during 1983-84. Updated for major details during 2005-06 & 2007-08.




Magnetic Variation from True North about 0° in 2005: (increasing by about 1° East annually).

1:50,000




For further details about this map, please contact Director East Uttar Pradesh Geo-Spatial Data Centre Survey of India B-2 Block, 2nd Floor, PICUP Bhawan, Gomti Nagar, Lucknow.



No. G44M14

Scale 1:50,000



PLOTTER PRINT

भारतीय सर्वेक्षण विभाग SURVEY OF INDIA

1st Edition 2011. Price: 250

CONVENTIONAL SYMBOLS

- Express Highway: with toll, with bridge, with distance stone
- Roads, metalled: according to importance
- Roads, double carriageway: according to importance
- Unmetalled road: Cart-track, Pack-track with pass, Foot-path
- Streams: with track in bed, undefined, Canal
- Dams: masonry or rock-filled, earthwork, Weir
- River: dry with water channel, with island & rocks, Tidal river
- Submerged rocks, Shoal, Swamp, Reeds
- Wells: lined, unlined, Tube-well, Spring, Tank, Perennial, dry
- Embankments: road or rail, tank, Broken ground
- Railways, broad gauge: double, single with station, under construction
- Railways, other gauges: double, single with distance stone, do.
- Mineral line or tramway: Kilm. Cutting with tunnel
- Contours with sub-features: Rocky slopes, Cliffs
- Sand features: (1) flat, (2) sand-hills (permanent), (3) dunes (shifting)
- Towns or Villages: inhabited, deserted, Fort
- Huts: permanent, temporary, Tower, Antiquities
- Temple, Chhatra, Church, Mosque, Idgah, Tomb, Graves
- Lighthouse, Lightship, Buoys: lighted, unlighted, Anchorage
- Mine: Vine on trellis, Grass, Scrub
- Palm, palmry, other: Plantain, Conifer, Bamboo, Other trees
- Areas: cultivated, wooded, Surveyed tree
- Boundary, international
- state: demarcated, undemarcated
- district: subdivision, tahsil or taluk, forest
- Boundary pillars: surveyed, unlocated
- Heights, triangulated: station, point, approximate
- Bench-mark: geodetic, tertiary, canal
- Post office, Telegraph office, Overhead tank
- Rail house or inspection bungalow, Circuit house, Police station
- Camping ground, Forest: reserved, protected
- Spaced names: administrative, locality or tribal
- Hospital, Dispensary, Veterinary Hospital / Dispensary
- Aerodrome: Helped, Tourist site
- Power line: with poles surveyed, with poles unsurveyed

Legend
Proposed Protected Forest Land to be diverted
Non Forest Land

REFERENCE

NH 25 National Highway No. 25

NOTES

- Heights are in metres and above Indian mean sea level.
- Contours are approximate.
- The kilometre scale numbers along roads, railways and canals are shown in slant type, e.g., '5' whereas milestone numbers are shown in upright type, e.g., '5'.
- Wells and tube-wells are numerous throughout the sheet; only the important ones have been shown.
- A relative height e.g., '30' marked along a canal, indicates the height of the top of canal embankment above the adjacent country.
- Unmetalled roads and cart-tracks along canals are usually motorable in dry season. Permission to use these is required from the irrigation authorities.
- Administrative boundaries updated during 2007-08.

COMPILATION INDEX

A Modern Survey 1970-71. Updated for major details during 2005-06



(रविजीय सिंह)
अधिकांशी अभियन्ता

Projection - UTM Datum - WGS 83
Magnetic Variation from True North about 0° in 2005.
(Increasing by about 1° East annually).


1:50,000

2 cm to 1 km

500 m to 1 cm
CONTOUR INTERVAL 20 METRES

For further details about this map, please contact
Director
East Uttar Pradesh Geo-Spatial Data Centre
Survey of India
B-2 Block, 2nd Floor, PICUP Bhawan, Gomti Nagar, Lucknow.

WEBSITE - www.surveyofindia.gov.in



No. G44M15
Scale 1:50,000

Datto MADHYA PRADESH G44M10 (54 K/10)	G44M14 (54 K/14)	G44N2 (54 O/2)
G44M11 (54 K/11)	G44M15 (54 K/15)	G44N3 (54 O/3)
G44M12 (54 K/12)	G44M16 (54 K/16)	G44N4 (54 O/4)

1 Tikamgarh, MADHYA PRADESH.
2 Jhansi, UTTAR PRADESH.

भारत सर्वेक्षण विभाग
1st Edition 2010
Price : Rs. 70/-

CONVENTIONAL SYMBOLS

Express highway: with toll; with bridge; with distance stone
Roads: double; according to importance
Roads, double; according to importance
Unmetalled road: Cart-track, Pack-track with pass, Foot-path
Streams: with track in bed; undefined, Canal
Dams: masonry or rock-filled; earthwork, Well
River: dry with water channel; with island & rocks, Tidal river
Submerged rocks, Shoal, Swamp, Reeds
Wells: lined, unlined, Tube-well, Spring, Tanks: perennial, dry
Minerals: road or rail, tank, Broken ground
Contours with sub-features: Rocky slopes, Cliffs
Spot features: (1) flat, (2) sand hills, permanent, (3) dunes, shifting
Towns or Villages: inhabited, deserted, Fort
Huts: permanent, temporary, Tower, Antiquities
Temple, Ghati, Church, Mosque, Idgah, Tomb, Graves
Lighthouse, Lightship, Buoy: lighted, unlighted, Anchorage
Mine: Vene on trellis, Grass, Scrub
Palms: palmyra; other, Plantain, Conifer, Bamboo, Other trees
Areas: cultivated, wooded, Surveyed tree
Boundary, international
state: demarcated; undemarcated
district: subdivision; tahsil or taluk; forest
Boundary pillars: surveyed; unlocated
Heights, triangulated: station; point; approximate
BM 63.3, BM 63.3
Post office, Telegraph office, Overhead tank
Rest house or inspection bungalow, Circuit house, Police station
Camping ground, Forest reserved, protected
Spaced names: administrative; locality of local
Hospital, Dispensary, Veterinary, Hospital / Dispensary
Aerodrome, Heliport, Tourist spot
Lower line: with pylons supported by poles unsurveyed

Legend
Proposed Protected Forest Land to be diverted
Non Forest Land

REFERENCES
NH 76 National Highway No. 76

NOTES :-
Heights are in metres and above Indian mean sea level.
Contours are approximate.
A relative height, e.g., 8, represents the approximate height, in metres, between the top and bottom of a steep slope.
The kilometre stone numbers along roads and railways are shown in slant type, e.g., '5', whereas milestone numbers are shown in upright type, e.g., '5'.
Cart-tracks along canals are not shown in dry seasons. Permission to use these is required from the irrigation authorities.
The state boundary between Madhya Pradesh and Uttar Pradesh States has been surveyed as pointed out by the local officials on the ground but has not been verified by the Government concerned.

COMPILATION INDEX
A Modern Survey 1983-84. Updated for major details during 2006-07

Projection - UTM Datum - WGS 84
Magnetic Variation from True North about 0° in 2005.
(Increasing by about 1° annually).

Scale 1:50,000
500 m to 1 cm
2 cm to 1 km
CONTOUR INTERVAL 10 METRES

For further details about this map, please contact
Director
East Uttar Pradesh Geo-Spatial Data Centre
Survey of India
B-2 Block, 2nd Floor, P.C.I.P. Bhawan, Gomti Nagar, Lucknow.
Fax : 0522 - 2720634

WEBSITE - www.surveyofindia.gov.in

