

निर्यात के लिये नहीं NOT FOR EXPORT

No.G44N5

Scale 1:50,000



1 Bhind, MADHYA PRADESH.
2 Kānpur Dehāt, UTTAR PRADESH.
3 Mahoba, UTTAR PRADESH.

DESH
(PLOTTER PRINT

DESH
(PLOTTER PRINT

1st Edition 2011.

100

100

CONVENTIONAL SYMBOLS



Legend

Proposed Protected Area
Land to be Diverted

REFERENCE

[illegible]

COMPILATION INDEX



Projection - UTM Datum - WGS 84

Magnetic Variation from True North about 0° in 2005.

1:50,000

CONTOUR INTERVAL 20 METRES

For further details about this map, please contact

East Uttar Pradesh Geo-spatial Data Centre

B-2 Block, 2nd Floor, PICUP Bhowan, Gomti Nagar, Lucknow.

WEBSITE - www.surveyofindia.gov.in

Reproduction in whole or part by any means is prohibited
without the written permission of Survey of India, the
National Mapping Agency.

© GOVERNMENT OF INDIA COPYRIGHT, 2011.



भारत के नगरपालिका, सर्वेक्षण १७, बी० ई०, के विभाग में प्रकाशित,
Published under the direction of Swarna Subba Rao, B.E., Surveyor General of India,
Survey of India, Hathiherkale Estate, Post Box No. 37, Dehra Dun - 248001 (Uttarakhand)
Department of Science & Technology, Government of India.

राज कुमार साहू
अध्यक्ष अभियन्ता (निविदा)
निर्माण खण्ड-२, लो० नि० वि०
हमीरपुर

राज कुमार साहू
छात्र अभियंता (विद्युत)
विभाग, एएच-2, रेलोभिवि
समीप

PRINTED AT THE WESTERN PRINTING GROUP OF SURVEY OF INDIA



निर्वात के लिए नहीं NOT FOR EXPORT

OPEN SERIES
MAP

No. G44N6

Scale 1:50,000



भारतीय सर्वेक्षण विभाग

SURVEY OF INDIA

1st Edition 2011.

Price: Rs. 70/-

CONVENTIONAL SYMBOLS



Legend
Proposed Protected Forest land to be diverted

NOTES

Heights are in metres and above Indian mean sea level.
Contours are approximate.
A relative height e.g. 50 represents the approximate height in metres between the top and bottom of a steep slope.
Tanks shown by their area, usually contain water from July to December.
The kilometre scale numbers along roads and canals are shown in solid type, e.g. 10, whereas the kilometre scale numbers shown in dotted type, e.g. 10, are usually not visible in dry season whereas other cart tracks in this sheet are generally passable in dry season. Permission to use these along canals is required from the irrigation authorities.
Personal disease, in this sheet, are generally notifiable from October to June, at the places indicated as such.
Numerous wells exist throughout the cultivated portions of this sheet, only the important ones have been shown.

COMPILATION INDEX

A Surveyed during 1972-74. Updated for major details during 2010-11 and administrative boundaries updated during 2008-09.

Projection - UTM Datum - WGS 84

Magnetic Variation from True North about 0° in 2005.
(Increasing by about 1° East annually).

1:50,000

Scale bar: 0 to 3 Kilometres

CONTOUR INTERVAL: 20 METRES

For further details about this map, please contact

Director

East Uttar Pradesh Geo-Spatial Data Centre


Survey of India

B-2 Block, 2nd Floor, P.O. Bhawan, Goid Nagar, Lucknow.

WEBSITE - www.surveyofindia.gov.in

Reproduction in whole or part by any means is prohibited without the written permission of Survey of India, the National Mapping Agency.

GOVERNMENT OF INDIA COPYRIGHT, 2011.



15/11/2011
राज कुमार सिंह
अधिवक्ता (सिवािल)
निर्माण कार्य-2, लखनऊ
हमीरपुर

भारत के सर्वेक्षणकर्ता, सर्वेक्षण विभाग, भारत के सर्वेक्षण के द्वारा,
Published under the direction of S. Subba Rao, B.E., Surveyor General of India,
Survey of India, H-10, Bhabha Estate, Post Box No. 37, Dehra Dun-248001 (Uttar Pradesh),
Department of Science & Technology, Government of India.

PRINTED AT THE WESTERN PRINTING GROUP OF SURVEY OF INDIA.



OPEN SERIES
MAP
No. G44N10
Scale 1:50,000



1 Chhatrapur, MADHYA PRADESH.
2 Jhansi, UTTAR PRADESH.
3 Tikamgarh, MADHYA PRADESH.

भारतीय सर्वेक्षण विभाग
SURVEY OF INDIA
1st Edition 2010. Price : Rs. 250/-

CONVENTIONAL SYMBOLS

- Express highway, with toll, with bridge, with distance stone
- Roads, metalled, according to importance
- Roads, double cartway, according to importance
- Unmetalled road, Cart-track, Road-track with pass, Foot-path
- Streams, with track in bank, underfoot, Canal
- Dams, masonry or rock-filled, earthen, Wall
- River, dry with water channel, with island & rocks, Tidal river
- Submerged rocks, Shoal, Swamp, Floods
- Wells, lined, unlined, Tube-well, Spring, Tanka, perennial, dry
- Embankments, road or rail, tank, Broken ground
- Railways, broad gauge, double, single with station, under constn
- Railways, other gauges, double, single with distance stone, do
- Mineral line or tramway, With, Cutting with tunnel
- Contours with sub-features, Rocky slopes, Cliffs
- Band features, (1) (2) (3) (4) (5) (6) (7) (8) (9) (10) (11) (12) (13) (14) (15) (16) (17) (18) (19) (20) (21) (22) (23) (24) (25) (26) (27) (28) (29) (30) (31) (32) (33) (34) (35) (36) (37) (38) (39) (40) (41) (42) (43) (44) (45) (46) (47) (48) (49) (50) (51) (52) (53) (54) (55) (56) (57) (58) (59) (60) (61) (62) (63) (64) (65) (66) (67) (68) (69) (70) (71) (72) (73) (74) (75) (76) (77) (78) (79) (80) (81) (82) (83) (84) (85) (86) (87) (88) (89) (90) (91) (92) (93) (94) (95) (96) (97) (98) (99) (100)
- Towns or Villages, inhabited, deserted, Fort
- Huts, permanent, temporary, Tower, Antiquities
- Temples, Chhatra, Church, Mosque, Ghat, Tomb, Graves
- Lighthouses, Lightships, Buoys, lighted, unlighted, Anchorage
- Mine, Vine on hillside, Grass, Scrub
- Palm, palmyra, other, Plantain, Conifer, Bamboo, Other trees
- Areas cultivated, wooded, Surveyed tree
- Boundary, international
- Water, dammed, undammed
- District, subdivision, taluk or Block, forest
- Boundary pillars, surveyed, unlocated
- Height, triangulated, station, point, approximate
- Bench-mark, geodetic, tertiary, canal
- Post office, Telegraph office, Overhead tank
- Post house or inspection bungalow, Guard house, Police station
- Camping ground, Forest reserved, protected
- Spaced names, administrative, locality or tribal
- Hospital, Dispensary, Veterinary Hospital, Dispensary
- Aerodrome, Helipad, Tourist site
- Power line, with pylons surveyed, with poles untraced

Legend
Proposed Protected Forest
Land to be Diverted

NOTES:-
Heights are in metres and above Indian mean sea level.
Contours are approximate.
A relative height, e.g. 100, represents the approximate height, in metres, between the top and bottom of a steep slope.
Tanks, shown dry, in this area usually contain water from July to December.
Water features are shown in blue where they generally contain water.
The kilometre scale numbers along roads are shown in black type, e.g. 10, 20, 30, whereas kilometre numbers are shown in upright type, e.g. 10, 20, 30.
Perennial streams in this area are fordable from November to June at the places indicated as such.
All cart tracks along roads are fordable in dry season whereas other cart tracks, against which there is no descriptive remark, are generally fordable in dry season. Permission to use these along roads is required from the irrigation authorities.

COMPILED INDEX
A Modern Survey 1973-74. Updated for major details during 2009-07 and administrative boundaries updated during 2005-06.

Projection - UTM Datum - WGS 84
Magnetic Variation from True North about 0° in 2005.
(Increasing by about 1° East annually)

Scale 1:50,000
500 m to 1 cm
2 cm to 1 km
CONTOUR INTERVAL 20 METRES

For further details about this map, please contact:
Director
East Uttar Pradesh Geo-Spatial Data Centre
Survey of India
B-2 Block, 2nd Floor, PICUP Bhawan, Gomti Nagar, Lucknow.

WEBSITE - www.surveyofindia.gov.in
Reproduction in whole or part by any means is prohibited

Proposed Protected Forest Land to be diverted for Widening and Strengthening of Balrayan - Panwari Road (SH-21) from CH. No. 399.60 to 427.00 Km (Chikali to Rathi), in Forest Division - Hamirpur, District - Hamirpur (Uttar Pradesh)



रज नगर सिंह
अनुराधा कान्ता
निर्माण रज - 10/10/2010
लखनऊ