

Topo Sheet map of proposed forest land (1.74 ha) for CA plantation from km 1 to km 5 on both side of Patwai Milak Road in Forest Range Rampur, District Rampur against diversion of forest land proposed for BSNL OFC laying in Rampur City and from km 186 to km 214 (0.87 ha)



निर्मा के लिए नहीं NOT FOR EXPORT

OPEN SERIES MAP

No. H44T2

Scale 1:50,000

H44S13 (53L/13)	H44T1 (53P/1)	H44S15 (53L/15)
Uttar Pradesh	Rampur Uttar Pradesh	Bareilly Uttar Pradesh
H44S14 (53L/14)	H44T2 (53P/2)	H44T6 (53P/6)
H44S15 (53L/15)	H44T3 (53P/3)	H44T7 (53P/7)
Budham Uttar Pradesh		

PLOTTER PRINT

भारतीय सर्वेक्षण विभाग SURVEY OF INDIA

1st Edition 2008.

Price : Rs. 60/-

CONVENTIONAL SYMBOLS

Depress highway with side with bridge with drainage stone	
Road, metalled according to importance	
Road, double cartway according to importance	
Unmetalled road, Cart-track, Foot-track with path, Foot-path	
Stream with track in bed; unmetalled Canal	
Ditch, masonry or rock-lined, earthwork, Weir	
River, dry with water channel with island & rocks, Tidal river	
Damaged road, Street, Swamp, Road	
Wells, hand, unhand, Tube-well, Spring, Tank, permanent, dry	
Settlements: road or rail, built, broken ground	
Railways, broad gauge double single with station, under construction	
Railways, other gauges double single with station, under construction	
Mixed line or passenger, Electric, Cutting with tunnel	
Contours with sub-intervals, Paddy slopes, City	
Steel features: (Steel) (Steel) (Steel) (Steel) (Steel) (Steel)	
Towers or pylons: inhabited, deserted, Fort	
Hills: permanent, temporary, Tower, Antenna	
Temples, Church, Mosque, Light, Tomb, Graves	
Lighthouses, Lightship, Buoy, Lighted, unlighted, Anchorage	
Mine, View on walls, Green, Barbed	
Palms: palmist, other, Plantain, Cashew, Bamboo, Other trees	
Areas: cultivated, wooded, Surveyed tree	
Boundary, International	
State: demarcated, undemarcated	
Electric, sub-station, telegraph or tele. lines	
Boundary, (Flame) surveyed, un-surveyed	
Height, (Metre) (Feet) (Fathoms) (Yards) (Miles) (Kilometres)	
Spot heights, (Metre) (Feet) (Fathoms) (Yards) (Miles) (Kilometres)	
Post office, Telegraph office, Overhead tank	
Rail house or inspection bungalow, Church house, Police station	
Camping ground, Forest: reserved, protected	
Bound names: administrative, locality or tribal	
Hospital, Dispensary, Veterinary, Hospital / Dispensary	
Aerodrome, Helipad, Traction site	
Power line with pylons surveyed with poles un-surveyed	

REFERENCE

SH 24 National Highway No. 24.

NOTES :-

Height and contour have not been shown.
A relative height, -ft. represents the approximate height, in metres, between the top and bottom of a main slope.
Tanks, when dry, in this area usually contain water from July to December.
Wells and tube-wells are numerous throughout the sheet; only the important ones have been shown.
Unmetalled roads in this sheet are generally metalled in dry season.
The alternate stone members along streams, roads and the railway are shown in short type, e.g., 'S'.
Where station numbers are shown in upright type, e.g., '1'.
The area including the Sharda River is liable to change owing to artificial fluctuations in the course of the river.


COMPILED INDEX

A	Surveyed during 1969-70. Updated for major details during 2005-06.
---	--

Projection - UTM Datum - WGS 84

Magnetic Variation from True North about 2° East in 2005, increasing by about 1° annually.

Scale 1:50,000





For further details about this map, please contact:

Additional Surveyor General
Uttarakhand & West Uttar Pradesh Geo-Spatial Data Centre
Survey of India, 17 E.C. Road
Dehra Dun.
Fax : 0135 - 2689402

WEBSITE - www.surveyofindia.gov.in

Reproduction in whole or part by any means is prohibited without the written permission of Survey of India, the National Mapping Agency.

© GOVERNMENT OF INDIA COPYRIGHT, 2008.



Name	LONGITUDE	LATITUDE
P-01	79° 02' 28.83" E	28° 39' 26.42" N
P-02	79° 02' 28.64" E	28° 39' 26.20" N
P-03	79° 03' 26.04" E	28° 38' 53.39" N
P-04	79° 03' 26.79" E	28° 38' 52.68" N
P-05	79° 03' 48.48" E	28° 38' 51.40" N
P-06	79° 03' 53.07" E	28° 38' 49.25" N
P-07	79° 04' 26.86" E	28° 38' 26.99" N
P-08	79° 04' 49.57" E	28° 38' 12.28" N
P-09	79° 04' 53.46" E	28° 38' 09.43" N

USER AGENCY Mandaliya Abhiyanta, Door Sanchar Pariyojana, Moradabad
AFFORESTATION AREA 1.74 hectare

सामाजिक वानिकी प्रभाग
बरेली 6.9.18
प्रशासकीय निदेशक
वन विभाग
बरेली

Divisional Engineer,
Telecom Project, BSNL
Moradabad
Sub Divisional Engineer
Telecom Project (B.S.N.L.)
Moradabad-244001
61-8-2018

Legends :- Plantation Area GPS Point

भारतीय सर्वेक्षण विभाग
Survey of India, Hishar Estate, Post Box No. 37, Dehra Dun - 248001 (Uttarakhand)
Department of Science & Technology, Government of India.

Toposheet Map of Proposed Forest Land for Compensatory Afforestation (CA) Plantation from km 214 to 234 both side of NH-24 road in Forest range Meerganj, District Bareilly against Forest land proposed for BSNL OFC laying from Km 214 to Telephone Exchange Chopla Bareilly Km 250 (1.08 hac.).



निर्वात के लिए नहीं NOT FOR EXPORT

OPEN SERIES MAP

No. H44T2

Scale 1:50,000

H44S13 (53L/13)	H44T1 (53P/1)	H44S5 (53L/5)
Moradabad UTTAR PRADESH	Bamrau UTTAR PRADESH	Moradabad UTTAR PRADESH
H44S14 (53L/14)	H44T2 (53P/2)	H44T6 (53P/6)
Moradabad UTTAR PRADESH	Bamrau UTTAR PRADESH	Bamrau UTTAR PRADESH
H44S15 (53L/15)	H44T3 (53P/3)	H44T7 (53P/7)
Budau UTTAR PRADESH	Bamrau UTTAR PRADESH	Bamrau UTTAR PRADESH

PLOTTER SCALE

भारतीय सर्वेक्षण विभाग SURVEY OF INDIA

7th Edition 2008.

Price : Rs. 90 /-

CONVENTIONAL SYMBOLS

Express highway: with cut, with bridge with distance stone	
Roads, marked according to importance	
Unsurfaced road, Cart-track, Path-track with cart, Path-track	
Stream: permanent or seasonal, with bank, with bridge, with dam	
Water: dry with water channel, with bank & road, Tidal river	
Submerged road, Street, Terrace, Road	
Wells, hand, wind, Tube-well, Spring, Tank, Perennial, dry	
Settlements: road or rail, bank, Bank ground	
Railways, broad gauge, double single with station, under construction	
Relief, other gauges, double single with distance stone, etc.	
Mineral: Iron or manganese, etc. Cutting with tunnel	
Contours with sub-contours, Rocky slopes, etc.	
Bound features: (filled) (dotted) (hatched) (cross-hatched)	
Towns or Villages: (hatched) (dotted) (cross-hatched)	
Public offices: (hatched) (dotted) (cross-hatched)	
Religious: (hatched) (dotted) (cross-hatched)	
Lighting: (hatched) (dotted) (cross-hatched)	
Mine: (hatched) (dotted) (cross-hatched)	
Palace: (hatched) (dotted) (cross-hatched)	
Area: (hatched) (dotted) (cross-hatched)	
Boundary: (hatched) (dotted) (cross-hatched)	
Height: (hatched) (dotted) (cross-hatched)	
Post office: (hatched) (dotted) (cross-hatched)	
Contour interval: (hatched) (dotted) (cross-hatched)	
Scale: (hatched) (dotted) (cross-hatched)	
Reference: (hatched) (dotted) (cross-hatched)	
Notes: (hatched) (dotted) (cross-hatched)	
Compilation index: (hatched) (dotted) (cross-hatched)	

REFERENCE
NH 24 National Highway No. 24

NOTES :-
Heights and contours have not been shown.
A relative height, i.e., represents the approximate height, in metres, between the top and bottom of a steep slope.
The area shown in this map is mostly under water from July to December.
Wells and tube-wells are shown throughout the sheet; only the important ones have been shown.
Contour interval in this sheet are generally 10 metres.
The kilometre scale numbers along roads, roads and the railway are shown in black type, e.g., 5' whereas reference numbers are shown in upright type, e.g., 1'.
The area including the Bhagirathi river is liable to change owing to continual fluctuation in the course of the river.


COMPILED INDEX
A Surveyed during 1958-59. Updated for major details during 2005-06.

Projection - UTM Datum - WGS 84
Magnetic Variation from True North about 1/2 East in 2005, increasing by about 1' annually.
Scale 1:50,000
1 cm to 1 km
1 inch to 25 miles

For further details about this map, please contact
Additional Surveyor General
Uttarakhand & West Uttar Pradesh Geo-Spatial Data Centre
Survey of India, 17 E.C. Road
Dehra Dun.
Fax : 0135 - 2686402

WEBSITE - www.surveyofindia.gov.in
Reproduction in whole or part by any means is prohibited without the written permission of Survey of India, the National Mapping Agency.

GOVERNMENT OF INDIA COPYRIGHT, 2008.



Sr.No	Name	Longitude	Latitude
1	Km 214	79° 11' 20.11" E	28° 34' 06.88" N
2	Railway Crossing Meerganj	79° 11' 56.17" E	28° 33' 15.79" N
3	Dhanta phatak	79° 12' 50.52" E	28° 32' 37.93" N
4	GPS 01	79° 13' 47.47" E	28° 32' 03.13" N
5	River	79° 15' 02.50" E	28° 31' 19.05" N
6	River	79° 16' 21.24" E	28° 30' 00.63" N
7	Road Angle	79° 16' 37.13" E	28° 29' 47.50" N
8	Toll Plaza	79° 17' 03.21" E	28° 28' 49.84" N
9	Fatheganj Bypass	79° 17' 41.80" E	28° 28' 02.91" N
10	Km 234	79° 19' 12.33" E	28° 27' 11.10" N

Legends :-

- GPS Coordinate Location
- Plantation Area
- Road

Published under the direction of Surveyor General of India, Survey of India, 17 E.C. Road, Dehra Dun - 248001 (Uttarakhand) Department of Science & Technology, Government of India.

Divisional Engineer
Telecom Project, BSNL
Moradabad
(Jai Kam Singh)
01-8-2010

सामाजिक वानिकी प्रभाग
बरेली
6.9.18

Sub Divisional Engineer
(Rajesh Yadav)
Telecom Project (B.S.N.L.)
Moradabad-244001

Toposheet Map of Proposed Forest Land for Compensatory Afforestation (CA) Plantation from km 214 to 234 both side of NH-24 road in Forest range Meerganj, District Bareilly against Forest land proposed for BSNL OFC laying from Km 214 to Telephone Exchange Chopla Bareilly Km 250 (1.08 hac.).



No. H44T6
Scale 1:50,000

H44T1 (53P/1) UTTAR PRADESH	H44T5 (53P/5) UTTAR PRADESH	H44T9 (53P/9) UTTAR PRADESH
H44T2 (53P/2) UTTAR PRADESH	H44T6 (53P/6) UTTAR PRADESH	H44T10 (53P/10) UTTAR PRADESH
H44T3 (53P/3) UTTAR PRADESH	H44T7 (53P/7) UTTAR PRADESH	H44T11 (53P/11) UTTAR PRADESH

1 Pilibhit, UTTAR PRADESH.
2 Shahjahanpur, UTTAR PRADESH.
3 Badaun, UTTAR PRADESH.

भारतीय सर्वेक्षण विभाग SURVEY OF INDIA

1st Edition 2006. Price : Rs. 50/-

CONVENTIONAL SYMBOLS

Express Highway, with toll; with bridge; with distance stone	
Road, metalled; according to importance	
Road, double cartilage; according to importance	
Unmetalled road, Cart-track, Path-track with pass, Foot-path	
Streams with track in bed; unfordable; Canal	
Dam, masonry or rock-filled; weirwork; Weir	
River dry with water channel; with island & rocks; Tidal river	
Submerged road; Road, stream, Road	
Well; head, unwell; Tubewell; Spring; Tank; permanent; dry	
Embankment; road or rail; bank, broken ground	
Railway, broad gauge; double; single with station under overpass	
Railway, other gauge; double; single with distance stone; do	
Interrail line or tramway, Km. Cutting with level	
Contours with sub-features, Rocky slopes, Cuts	
Land features: (Not Standard-like Permanent) (Discontinuous)	
Towns or Villages: inhabited; deserted; Fort	
Mark: permanent; temporary; Tower; Antiquity	
Temple; Chhatra; Church; Mosque; Ghat; Tomb; Grave	
Lighthouse; Lightship; Buoy; Lighted; unlighted; Anchorage	
Mine; Vign on track; Green; Bone	
Palms; palmistry; other; Pinnac; Cactus; Bamboo; Other trees	
Forest; cultivated; wooded; Surveyed tree	
Boundary, International	
Boundary, District; demarcated; undemarcated	
Boundary, Pincer; surveyed; uncoloured	
Height, triangulated; station point; approximate	
Bench-mark; geodetic; tertiary; aneroid	
Post office; Telegraph office; Overhead tank	
Post house or inspection bungalow; Circuit house; Police station	
Camping ground; Forest; reserved; protected	
Speed name; administrative; locality or tribal	
Hospital; Dispensary; Veterinary; Hospital / Dispensary	
Aerodrome; Helipad; Tourist site	
Power line with pylons surveyed; with poles unsurveyed	

REFERENCE

NH 24 National Highway No. 24.

NOTES

Heights and contours have not been shown.
A relative height, Δ , represents the approximate height, in metres, between the top and bottom of a steep slope.
Towns, shown dry, in this area usually contain water from July to December.
Well and tubewells are numerous throughout the sheet, only the important ones have been shown.
Unmetalled roads and cart-tracks in this sheet are not shown in dry season.
The milestone numbers along roads, railways and canals are shown in plain type, e.g., 10 whereas milestone numbers are shown in upright type, e.g., 10.

COMPILATION INDEX

A Surveyed during 1959-75. Updated for major details during 2000-05.

Projection - UTM Datum - WGS 84

Magnetic Variation from True North about 1/2° East in 2005.

Scale 1:50,000


800 m to 1 cm 2 cm to 1 km

For further details about this map, please contact
Additional Surveyor General
Uttarakhand & West Uttar Pradesh Geo-Spatial Data Centre
Survey of India, 17 E. C. Road
Dehra Dun,
Fax : 0136 - 2866402

WEBSITE - www.surveyofindia.gov.in

Reproduction in whole or part by any means is prohibited without the written permission of Survey of India, the National Mapping Agency.

© GOVERNMENT OF INDIA COPYRIGHT, 2006.



Sr.No	Name	Longitude	Latitude
1	km 214	79° 11' 20.11" E	28° 34' 06.88" N
2	Railway Crossing Meerganj	79° 11' 56.17" E	28° 33' 15.79" N
3	Dhanta phatak	79° 12' 50.52" E	28° 32' 37.93" N
4	GPS 01	79° 13' 47.47" E	28° 32' 03.13" N
5	River	79° 15' 02.50" E	28° 31' 19.05" N
6	River	79° 16' 21.24" E	28° 30' 00.63" N
7	Road Angle	79° 16' 37.13" E	28° 29' 47.50" N
8	Toll Plaza	79° 17' 03.21" E	28° 28' 49.84" N
9	Fataganj Bypass	79° 17' 41.80" E	28° 28' 02.91" N
10	km 234	79° 19' 12.33" E	28° 27' 11.10" N

NED No. - WPG 05 (Uttarakhand & West UP)DCD-150,000

भारत के सर्वेक्षण के विभाग में प्रकाशित,
Published under the direction of Surveyor General of India,
Survey of India, Hithabhakta Estate, Post Box No. 37, Dehra Dun - 248001 (Uttarakhand)
Department of Science & Technology, Government of India.

PRINTED AT THE WESTERN PRINTING GROUP OF SURVEY OF INDIA.

प्रमाणित निदेशक
सामाजिक वानिकी प्रभाग
बरेली 6-7-18
Divisional Engineer
Telecom Project, BSNL (RADEEL 74084)
Moradabad
Sub Divisional Engineer
Telecom Project (B.S.N.L)
Moradabad-244001

Legends:-

- GPS Coordinate Location
- Plantation Area
- Road

Toposheet Map of Proposed Forest Land for Compensatory Afforestation (CA) Plantation from km 214 to 234 both side of NH-24 road in Forest range Meerganj, District Bareilly against Forest land proposed for BSNL OFC laying from Km 214 to Telephone Exchange Chopla Bareilly Km 250 (1.08 hac.).



OPEN SERIES MAP

No. H44T7
Scale 1:50,000

Rampur UTTAR PRADESH		
H44T2 (53P/2)	H44T6 (53P/6)	H44T10 (53P/10)
Bareilly UTTAR PRADESH		
H44T3 (53P/3)	H44T7 (53P/7)	H44T11 (53P/11)
Budhwan UTTAR PRADESH		
H44T4 (53P/4)	H44T8 (53P/8)	H44T12 (53P/12)

PLOTTER PR...

भारतीय सर्वेक्षण विभाग SURVEY OF INDIA

1st Edition 2011. Price: ₹ 77/-

1: 250

CONVENTIONAL SYMBOLS

- Express highway: with toll, with bridge, with distance stone
- Roads, metalled, according to importance
- Roads, double carriageway: according to importance
- Unmetalled road: Cart-track, Pack-track and pass, Foot-path
- Streams: with track in bed, undefined Canal
- Dams: masonry or rock-filled earthwork
- River: dry with water channel, with island & rocks, Tidal river
- Submerged rocks: Shoal, Sandbar, Raft
- Wells: level, unlevel, Tubewell, Spring, Tanks, permanent, dry
- Embankments: road or rail, tanks, Broken ground
- Railways: broad gauge, double, single with station, under construction
- Railways: other gauges: double, single with distance stone, do
- Mineral line or tramway: K.M. Cutting with tunnel
- Contours with sub-features: Rocky slopes, Cliffs
- Sand features: (Flat) (Sand-hills) (permanent) (Discontinuous)
- Towns or Villages: inhabited, deserted
- Hills: permanent, temporary, Tower, Antiquities
- Temple, Chhatra, Church, Mosque, Idgh, Tomb, Grave
- Lighthouse, Lightship, Buoy, light, unlighted Anchorage
- Mine: Vire on traffic, Grass Scrub
- Forest: primary, other: Piplan, Conifer, Bamboo, Other trees
- Areas: cultivated, wooded, Surveyed land
- Boundary: international
- state demarcated, undemarcated
- district subdivision, taluk or block, forest
- Boundary: Pillars surveyed, unlocated
- Height, triangulation station, point, approximate
- Bench-mark: geodetic, tertiary, canal
- Post office, Telegraph office, Overhead tank
- Rail house or inspection bungalow, Circuit house, Police station
- Camping ground, Forest: reserved, protected
- Special names: administrative, locality or tribal
- Hospital, Dispensary, Veterinary, Hospital, Dispensary
- Archaeological: Indian, Muslim
- Power line with pylons surveyed, with poles unsurveyed

REFERENCES

- NW 24 National Highway No. 24
- NW 27 State Highway No. 27
- NW 28 State Highway No. 28
- City: Chertney

NOTES


- Height and contours have not been shown
- A relative height, if represents the approximate height, in metres, between the top and bottom of a steep slope
- Towns shown on this map usually represent water from July to December
- Tide-scales are numerous throughout the sheet, and the important ones have been shown
- Unmetalled roads and cart-tracks in this sheet are generally mettable in dry season. Permission to use these along canals is granted from the irrigation authorities.



Projection - UTM Datum - WGS 84

Magnetic Variation from True North about 1/2° East in 2005, increasing by about 1' annually.

1:50,000




For further details about this map, please contact

Director, Uttarakhand & West Uttar Pradesh Geo-Spatial Data Centre, Survey of India, 17 E.C. Road, Karanpur, Dehra Dun.

WEBSITE - www.surveyofindia.gov.in

Reproduction in whole or part by any means is prohibited without the written permission of Survey of India, the National Mapping Agency.

GOVERNMENT OF INDIA COPYRIGHT, 2011



Sr.No	Name	Longitude	Latitude
1	Km 214	79° 11' 20.11" E	28° 34' 06.88" N
2	Railway Crossing Meerganj	79° 11' 56.17" E	28° 33' 15.79" N
3	Dhanta phatak	79° 12' 50.52" E	28° 32' 37.93" N
4	GPS 01	79° 13' 47.47" E	28° 32' 03.13" N
5	River	79° 15' 02.50" E	28° 31' 19.05" N
6	River	79° 16' 21.24" E	28° 30' 00.63" N
7	Road Angle	79° 16' 37.13" E	28° 29' 47.50" N
8	Toll Plaza	79° 17' 03.21" E	28° 28' 49.84" N
9	Fatheganj Bypass	79° 17' 41.80" E	28° 28' 02.91" N
10	km 234	79° 19' 12.33" E	28° 27' 11.10" N

प्रमाणित वारिकी प्रमाण
6.8.18

Rajeev (RAJEEV) Divisional Engineer Telecom Project, BSNL Moradabad (Jalram S/24) 07-8-2018

LEGEND
● GPS Coordinate Location
■ Plantation Area
— Road

भारत के सर्वेक्षण विभाग द्वारा तैयार की गई, जो कि सर्वेक्षण में प्रयुक्त है, Published under the direction of Swarna Subba Rao, B.E., Surveyor General of India, Survey of India, Haidibakola Estate, Post Box No. 37, Dehra Dun - 248001 (Uttarakhand), Department of Science & Technology, Government of India.

PRINTED AT THE WESTERN PRINTING GROUP OF SURVEY OF INDIA.