



बिहार सरकार
(पर्यावरण, वन एवं जलवायु परिवर्तन विभाग)
कार्यालय : प्रधान मुख्य वन संरक्षक, बिहार
(कैम्पा एवं वन संरक्षण संभाग)

तृतीय तल, अरण्य भवन, शहीद पीर अली खाँ मार्ग, पटना-800 014

संख्या- FC/29/2022- 312

प्रेषक,

अरविन्दर सिंह, भा०व०से०,

अपर प्रधान मुख्य वन संरक्षक (कैम्पा)
-सह-नोडल पदाधिकारी (वन संरक्षण),
बिहार, पटना।

सेवा में,

प्रधान सचिव,
पर्यावरण, वन एवं जलवायु परिवर्तन विभाग,
बिहार सरकार, पटना।

पटना 14, दिनांक- 28/04/2023

विषय- श्री मोहन राम द्वारा भोजपुर जिलान्तर्गत अरैला मौजा के खाता संख्या-26, 103, 37, प्लॉट संख्या-874(पु.), 873(पु.), 875(पु.), 867(पु.), 872(पु.), थाना संख्या-401, थाना-पनवा, अंचल-अगिआँव में पवना-आँरा पी.डब्लू.डी. पथ के किनारे IOCL का रिटेल आउटलेट स्थापित करने के क्रम में पहुँच पथ निर्माण हेतु वन (संरक्षण) अधिनियम, 1980 के तहत 0.0225 हे. वन भूमि अपयोजन प्रस्ताव पर सैद्धान्तिक स्वीकृति में अधिरोपित शर्तों का अनुपालन प्रतिवेदन समर्पित करने के संबंध में।

प्रसंग- पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, क्षेत्रीय कार्यालय, राँची का पत्रांक FP/BR/Approach/153355/2022(Pt.)/659, दिनांक 31.10.2022

महाशय,

उपर्युक्त विषयक प्रसंगाधीन पत्र द्वारा वन भूमि अपयोजन की सैद्धान्तिक सहमति प्राप्त हुई है। सैद्धान्तिक सहमति (Stage-I) पत्र में अधिरोपित शर्तों का अनुपालन प्रतिवेदन प्रयोक्ता एजेंसी के पत्र दिनांक 15.03.2023 (छायाप्रति संलग्न) द्वारा प्राप्त हुआ है, जो निम्नवत है-

क्र० सं०	भारत सरकार, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, राँची का पत्र दिनांक 31.10.2022 में निहित कंडिका	अनुपालन
A:	Conditions which need to be complied prior to handing over of forest land by the State Forest Department.	
1	The User agency shall transfer the const of raising and maintain the compensatory afforestation (100 trees plantation and maintenance for 10 year) at the current wage rate in consultation with state forest department in the account of CAMPA of the concerned State through online portal.	प्रयोक्ता एजेंसी के द्वारा हरितावरण को बनाये रखने के लिए 100 वृक्षों के रोपण तथा उनके 10 वर्षों तक रख-रखाव हेतु रु० 8,45,067.00 (रु० आठ लाख पैतालीस हजार सड़सठ) मात्र की राशि को बिहार राज्य हेतु निर्धारित BIHAR CAMPA, Union Bank of India, Bengaluru में e-challan के माध्यम से फंड ट्रांसफर कर दिनांक 17.02.2023 को जमा करा दी गई है, जिसका Transaction No.-S-92106026 है। उक्त राशि Ministry website पर प्रदर्शित है।

2	The State Government shall charge the Net Present Value (NPV) for the 0.0225 ha forest area to be diverted under this proposal from the User Agency as per the order of the Hon'ble Supreme Court of India dated	NPV मद में प्रयोक्ता एजेंसी द्वारा 0.0225 हे० अपयोजित होने वाली वन भूमि के लिये रु० 9,57,780/- प्रति हे० की दर से कुल रु० 21,550/- (इक्कीस हजार पाँच सौ पचास रुपये) मात्र की राशि को बिहार राज्य हेतु निर्धारित BIHAR CAMPA, Union Bank of India, Bengaluru में e-challan के माध्यम से फंड ट्रांसफर कर दिनांक 17.02.2023 को जमा करा दी गई है, जिसका Transaction No.-S-92106026 है। उक्त राशि Ministry website पर प्रदर्शित है।
3	All the funds received from the user agency under the project shall be transferred deposited to CAMPA fund only through e-portal	प्रयोक्ता एजेंसी के द्वारा सभी प्रकार की राशि e-challan के माध्यम से फंड ट्रांसफर कर दिनांक 17.02.2023 को राशि जमा करा दी गई है (बैंक e-challan RTGS/ NEFT की विस्तृत विवरणी इस पत्र के साथ संलग्न)।
4	The FRA, 2006 certificate as per ministry's guidelines shall be submitted before the issuance of final approval	जिला पदाधिकारी, भोजपुर द्वारा निर्गत FRA 2006 प्रमाण-पत्र इस पत्र के साथ संलग्न भेजा जा रहा है।
5	The User agency shall be upload/submitted NOC from the State Pollution Control Board in favour of the proposal	प्रयोक्ता एजेंसी के द्वारा राज्य प्रदूषण नियंत्रण बोर्ड से निर्गत अनापत्ति प्रमाण-पत्र उपलब्ध कराया गया है, जो इस पत्र के साथ संलग्न है। साथ ही उक्त अनापत्ति प्रमाण-पत्र को मंत्रालय के वेबसाइट पर अपलोड भी कर दिया गया है।
6	Violation of any of these conditions will amount to violation of forest (Conservation) Act, 1980	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि उनके द्वारा वन (संरक्षण) अधिनियम, 1980 का उल्लंघन नहीं किया गया है।
7	The compliance report shall be uploaded on e-portal (https://parivesh.nic.in)	प्रयोक्ता एजेंसी के द्वारा सभी शर्तों का Compliance report, Ministry के Website पर अपलोड कर दिया गया।
B: Conditions which need to be strictly complied on field after handing over of forest land to the User Agency by the State Forest Department but the compliance in form of undertaking shall be submitted prior to Stage – II approval:		
1	Legal status of forest land proposed for diversion shall remain unchanged.	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि प्रस्तावित वन भूमि के वैधानिक स्थिति में कोई परिवर्तन नहीं किया जायेगा।
2	The state forest department shall plant 100 trees to maintain the green cover at the project cost. Plantation site for the purpose shall	100 पौधों के रोपण हेतु 10 वर्षीय प्राक्कलन की राशि प्रयोक्ता एजेंसी के द्वारा जमा करा दी गयी है। अंतिम स्वीकृति के उपरांत उक्त कार्यो को वन विभाग के द्वारा किया जायेगा।
3	Additional amount of NPV of the diverted forest land, if any, becoming due after finalization of the same by the Hon'ble	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि प्रस्तावित वन भूमि के लिये अगर NPV की राशि में किसी प्रकार की वृद्धि या संशोधन होती है, तो उसका भुगतान करेंगे।
4	The approach road to petrol pump/fuel station should be as per	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि इन शर्तों का अनुपालन उनके द्वारा किया जायेगा।
a	Fuel station should generally be part of rest area complex having other amenities like place	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि इन शर्तों का अनुपालन उनके द्वारा किया जायेगा।

b	Suitable signs and markings showing the location of the fuel	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि इन शर्तों का अनुपालन उनके द्वारा किया जायेगा।
c	Entire Periphery of the retail outlet should be lined up with	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि इन शर्तों का अनुपालन उनके द्वारा किया जायेगा।
d	Suitable plantations should be raised by the user agency along	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि इन शर्तों का अनुपालन उनके द्वारा किया जायेगा।
5	Wherever possible and technically feasible, the User Agency	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि इन शर्तों का अनुपालन उनके द्वारा किया जायेगा।
6	The User Agency shall ensure that the loaboures and staff engaged in construction acitivity do not	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि इन शर्तों का अनुपालन उनके द्वारा किया जायेगा।
7	The lay out plan of the proposal shall not be changed without	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि इन शर्तों का अनुपालन उनके द्वारा किया जायेगा।
8	The forest land shall not be used for	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि इन शर्तों का अनुपालन उनके द्वारा किया जायेगा।
(a)	any purpose other than	
(b)	The period of diversion under this approval shall be	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि इन शर्तों का अनुपालन उनके द्वारा किया जायेगा।
(c)	The forest land proposed to be diverted shall under	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि इन शर्तों का अनुपालन उनके द्वारा किया जायेगा।
9	Any other conditions that the Ministry of Environment,	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि इन शर्तों का अनुपालन उनके द्वारा किया जायेगा।

इस प्रकार प्रयोक्ता एजेंसी द्वारा सैद्धान्तिक स्वीकृति (Stage- I) में अधिरोपित सभी शर्तों का अनुपालन किया गया है।

अतः अनुरोध है कि भारत सरकार, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय से विषयाधीन परियोजना में वन (संरक्षण) अधिनियम, 1980 के तहत 0.0225 हे० सुरक्षित वन घोषित पथ किनारे की भूमि के अपयोजन हेतु अंतिम स्वीकृति (Stage - II) निर्गत करने का अनुरोध करने की कृपा की जाय। प्रस्ताव पर प्रधान मुख्य वन संरक्षक (HoFF), बिहार का अनुशंसा प्राप्त है।

अनु०-यथोक्त।

विश्वासभाजन,

ह०/-

(अरविन्दर सिंह)

अपर प्रधान मुख्य वन संरक्षक (कैम्पा),
-सह-नोडल पदाधिकारी (वन संरक्षण),
बिहार, पटना।

ज्ञापांक- FC/29/2022- 312

दिनांक- 28/04/2023

प्रतिलिपि : वन संरक्षक, पटना अंचल, पटना / वन प्रमंडल पदाधिकारी, भोजपुर वन प्रमंडल, आरा एवं श्री मोहन राम, पिता-श्री अगती राम, ग्राम+पोस्ट-लालसराय, थाना-गड़हनी अगिऑव, जिला-भोजपुर, पिन-802301 को सूचना हेतु प्रेषित।

(अरविन्दर सिंह)

अपर प्रधान मुख्य वन संरक्षक (कैम्पा),
-सह-नोडल पदाधिकारी (वन संरक्षण),
बिहार, पटना।

Proforma

1	Name of Regional Office	Eastern Region, Ranchi				
2	State/Distt./ Forest Division to Which the proposal Relates	Bihar/Bhojpur/ Bhojpur Forest Division, Bhojpur.				
3	Name of User Agency nature of proposal	Shree Mohan Ram/IOCL Retail Outlet				
4	Extent of forest area involved	0.0225 Ha.				
5	Whether Original, or extension	Original				
6	If extension of lease, Pl clarify if proposal involves additional forest area, and if so, specify	-NA-				
7	Date of 1st stage Clearance	31.10.2022				
8	Extent of CAMPA charges head wise viz.					
	a. Compensatory Afforestation	8,45,067.00				
	b. Additional CA	-NA-				
	C. Penal CA	-NA-				
	d. Catchment Area Treatment	-NA-				
	e. Wildlife Management Plan	-NA-				
	f. Additional Charges for diversion of area falling under notified/Protected areas	-NA-				
	g. Net present Value	21,550.00				
	h. Any other charges/Levies (Pl Specify)	-NA-				
9	Details of Bank RTGS/NEFT head-wise against items indicated in paragraph	S.No	MODE Remtt.	Transaction No. & Date	Amount	Head
1		e-challan	S-92106026	21,550/-	NPV	
2			dt. 17.02.2023	8,45,067/-	CA	
Total-				8,66,617/-		
10	Whether deposited by RTGS, if so, the particulars & date of remittance	As above.				
11	Bank in which deposited, with date of deposition.	All above e-challan sent to Union Bank of India, Bengaluru on dt. 17.02.2023				
12	Any other remarks					




(Arvinder Singh)

Signature of APCCF (CAMPA)-
cum-Nodal Officer (FC), Bihar.

सेवा में,

अपर प्रधान मुख्य वन संरक्षक (कैम्पा)
—सह—नोडल पदाधिकारी (वन संरक्षण),
बिहार, पटना।



दिनांक— 15-03-2023

विषय— श्री मोहन राम द्वारा भोजपुर जिलान्तर्गत अरैला मौजा के खाता संख्या—26, 103, 37, प्लॉट संख्या—874(पु.), 873(पु.), 875(पु.), 867(पु.), 872(पु.), थाना संख्या—401, थाना—पनवा, अंचल—अगिआँव में पनवा—आरा पी.डब्लू.डी. पथ के किनारे IOCL का रिटेल आउटलेट स्थापित करने के क्रम में पहुँच पथ निर्माण हेतु वन (संरक्षण) अधिनियम, 1980 के तहत 0.0225 हे. वन भूमि अपयोजन प्रस्ताव पर सैद्धांतिक स्वीकृति में अधिरोपित शर्तों का अनुपालन प्रतिवेदन समर्पित करने के संबंध में।

प्रसंग— आपका पत्रांक 953, दिनांक 08.11.2022,

महाशय,

उपर्युक्त विषयक प्रसंगाधीन पत्र के संबंध में कहना है कि विषयान्तर्गत प्रस्ताव पर भारत सरकार, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, क्षेत्रीय कार्यालय, राँची के पत्रांक FP/BR/Approach/153355/2022(Pt.)/659, दिनांक 31.10.2022 द्वारा दो भागों में (A में 1-7 शर्त एवं B में 1-9 शर्त) सैद्धांतिक स्वीकृति दी गयी है। उक्त का अनुपालन प्रतिवेदन निम्नवत् समर्पित कर रहा हूँ—

भाग—A: Conditions which need to be complied prior to handing over of forest land by the Stae Forest Department.

1. हरितावरण को बनाये रखने हेतु 100 वृक्षों के रोपण की 10 वर्षीय प्राक्कलन की राशि रु. 8,45,067.00 को मेरे द्वारा बिहार राज्य के लिये निर्धारित, BIHAR CAMPA, Union Bank of India, Bengaluru में फंड ट्रांसफर कर दिनांक 17.02.2023 को जमा करा दी गई है, जिसका Transaction No. S-92106026 है, जो Ministry website पर प्रदर्शित है। (मूलप्रति संलग्न)।
2. NPV के मद में मेरे द्वारा 0.0225 हे० अपयोजित होने वाली वन भूमि के लिये रु० 9,57,780/- प्रति हे० की दर से कुल रु० 21,550/- को बिहार राज्य के लिये निर्धारित, BIHAR CAMPA, Union Bank of India, Bengaluru में फंड ट्रांसफर कर दिनांक 17.02.2023 को जमा करा दी गई है, जिसका Transaction No. S-92106026 है, जो Ministry website पर प्रदर्शित है। (मूलप्रति संलग्न)।
3. मेरे द्वारा क्षतिपूरक वनरोपण एवं NPV की राशि को e-challan के माध्यम से फंड ट्रांसफर कर Union Bank of India, Bengaluru के खाता में दिनांक 17.02.2023 को जमा करा दी गयी है तथा उक्त राशि Ministry website पर प्रदर्शित है।
4. जिला पदाधिकारी, भोजपुर द्वारा निर्गत FRA-2006 प्रमाण—पत्र इस के साथ संलग्न है।
5. राज्य प्रदूषण नियंत्रण बोर्ड द्वारा निर्गत अनापत्ति प्रमाण—पत्र इस पत्र के साथ संलग्न है। साथ ही उक्त अनापत्ति प्रमाण—पत्र को मेरे द्वारा मंत्रालय के बेवसाईट पर अपलोड कर दिया गया है।
6. मेरे द्वारा वन (संरक्षण) अधिनियम, 1980 का उल्लंघन नहीं किया गया है।
7. मेरे द्वारा सभी शर्तों का Compliance report, Ministry ds Website- <http://parivesh.nic.in> पर अपलोड कर दिया गया है।

भाग-B: Conditions which need to be strictly complied on field after handing over of forest land to the Usr Agency by the State Forest Department but the compliance in form of undertaking shall be submitted prior to Stage – II approval:

1. अपयोजित होने वाली वन भूमि की वैधानिक स्थिति में कोई परिवर्तन नहीं करूंगा।
2. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
3. मेरे द्वारा वचनबद्धता दी गयी है कि प्रस्तावित वन भूमि के लिये अगर NPV की राशि में किसी प्रकार की वृद्धि या संशोधन होता है तो, उसका भुगतान करेंगे।
4. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
- a. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
- b. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
- c. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
- d. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
5. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
6. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
7. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
8. (a) इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
- (b) इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
- (c) इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
9. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।

इस प्रकार मेरे द्वारा सभी शर्तों का अनुपालन कर दिया गया है। अतः अनुरोध है कि मेरे द्वारा समर्पित परियोजना पर अन्तिम स्वीकृति प्रदान कराने की कृपा की जाय।

अनु०—यथोक्त

विश्वासभाजन,

मोहन राम

(मोहन राम)

पिता—श्री अगती राम,

ग्राम+पोस्ट—लालसराय,

थाना—गड़हनी अगिऑव,

जिला—भोजपुर, पिन—802301

AGENCY COPY



Challan for collection of CAMPA fund

Date : 13-02-2023

Client Code.	CAM5062
Location.	BIHAR
Remitter Name.	INDIAN OIL CORPORATION LIMITED
PIF/Application No.	70153355373
MoEF/SG File No.	FP/BR/APPROACH/153355/2022
Address.	Plot no - 867, 872, 873, 874, 875 mauja - Araila, PS- pawna, Thana - Agiaon, Dist- Bhojpur Bhojpur
Remitter Contact No.	
Email-Id.	krsonu9199@gmail.com
Mobile No.	7827343027
Landline No.	0--
Amount(in Rs)	866617/-
Beneficiary Branch and Code.	Union Bank Of India FCS Centre, 21/1, III Floor, Jelitta Towers, Mission Road, Bengaluru-560027

Amount in Words: Eight Lakh Sixty-Six Thousand Six Hundred and Seventeen Rupees Only

Saw Kumar
Depositor Signature
(Signature)

Bank Official
(Signature)

Bank's Transaction Number

S-92106026

Branch Stamp

- Branches should use CMS menu (FCS & CAPS) to process the transaction.
- Challan should only be accepted against INST/DD.
- Enter the Remitter Name in Additional Information 1
- Enter the Remitter Mobile number in Additional Information 2

CAMP-AMOE Copy



Challan for collection of CAMPA fund

Date : 13-02-2023

Client Code.	CAM5062
Location.	BIHAR
Remitter Name.	INDIAN OIL CORPORATION LIMITED
PIF/Application No.	70153355373
MoEF/SG File No.	FP/BR/APPROACH/153355/2022
Address.	Plot no - 867, 872, 873, 874, 875 mauja - Araila, PS- pawna, Thana - Agiaon, Dist- Bhojpur Bhojpur
Remitter Contact No.	
Email-Id.	krsonu9199@gmail.com
Mobile No.	7827343027
Landline No.	0--
Amount(in Rs)	866617/-
Beneficiary Branch and Code.	Union Bank Of India FCS Centre, 21/1, III Floor, Jelitta Towers, Mission Road, Bengaluru-560027

Amount in Words: Eight Lakh Sixty-Six Thousand Six Hundred and Seventeen Rupees Only

Saw Kumar
Depositor Signature
(Signature)

Bank Official
(Signature)

Bank's Transaction Number

S-92106026

Branch Stamp

- Branches should use CMS menu (FCS & CAPS) to process the transaction.
- Challan should only be accepted against INST/DD.
- Enter the Remitter Name in Additional Information 1
- Enter the Remitter Mobile number in Additional Information 2

CONTROL BOARD
Patna, Patna - 800 010

Patna, Dated:-

C) CONTROL OF POLLUTION)
ACT, 1981Ram, S/o Agati Ram, M/s
Anani Agiaon, Dist.-Bhojpur-of the proponent for setting
up of Indian Oil Corporation
873, 875, 867, 872, at Mauza-
for capacity: Retail OutletCorporation Limited ref. no.-
09.2020.

No. 26 dated 08.11.2003, 07

Pollution) Act, 1974 and the
and
guideline of the Board.

SITE IS HEREBY ACCORDED

After making successful payment, User Agencies may send a line of confirmation through Email: helpde

Note: After making the required payment through challan, if the payment status has not been updated even after 7 working days, then kindly mail a copy of your challan with transaction date and reference id to Email: fcsblr@unionbankofindia.bank, epurse@unionbankofindia.bank, ubin0903710@unionbank

Print

used as per Rules 8 of the
(ary Movement) Rules, 2016
ained.

n, if any, shall conform to the

tions imposed by the Bharat
e outlet like construction of
ght, safety and other relatedif any as source of power
d shall conform to the Rules
86. The height of stack of DG



BIHAR STATE POLLUTION CONTROL BOARD
Parivesh Bhawan, Industrial Area, Patilputra, Patna - 800 010

40

Ref. No.

Patna, Dated:-

'CONSENT-TO-ESTABLISH' (NOC)

UNDER SECTIONS 25/26 OF THE WATER (PREVENTION AND CONTROL OF POLLUTION) ACT, 1974 AND 21 OF THE AIR (PREVENTION AND CONTROL OF POLLUTION) ACT, 1981

REFERENCE

- (i) Name and address of the Proponent: Sri Mohan Ram, S/o Agati Ram, M/s Kisan Seva Kendra, Vill.+P.O.-Lalshari, P.S.-Garhani Agiaon, Dist.-Bhojpur-802301; and
- (ii) On-line application No. 5953717 dated 01.04.2022 of the proponent for setting up of new 'Petrol Pump'/outlet of MS/HSD only of Indian Oil Corporation Limited, Khata No.-26, 103, 37, Khesra No.-874, 873, 875, 867, 872, at Mauza-Araila, At+P.O.+P.S.-Pawna, Dist.-Bhojpur-802201; for capacity: Retail Outlet For Sale of Petrol and Diesel- 600 KL/year

AFTER CONSIDERING

- (i) The facts stated in their application;
- (ii) Letter of Intent issued by Indian Oil Corporation Limited ref. no.- M/2020/IN001722/BH./000106/2302/00015 date 25.09.2020.
- (iii) Bihar State Pollution Control Board's Notification No. 26 dated 08.11.2003, 07 dated 27.06.2011 and 04 dated 12.03.2021;
- (iv) Provisions of the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981; and
- (v) Affidavit dated 01.04.2022 in compliance of sitting guideline of the Board.

NOC IN FAVOUR OF THE PROPONENT AT THE SAID SITE IS HEREBY ACCORDED SUBJECT TO THE FOLLOWING CONDITIONS

General Conditions:

1. That, the proponent shall obtain 'Consent-to-Operate' under sections 25 & 26 of the Water Act, 1974 and 21 of the Air Act, 1981 from Pollution Control Board before commissioning of the petrol pump;
2. That, sludge shall be collected, stored and disposed as per Rules 8 of the Hazardous Waste (Management and Transboundary Movement) Rules, 2016 and as amended to date and record shall be maintained.
3. That, the effluent (domestic or trade) and emission, if any, shall conform to the standard as prescribed by the Board;
4. That, they shall comply with the terms & conditions imposed by the Bharat Petroleum Corp. Ltd. regarding location of the outlet like construction of retaining wall and compound wall of 1.5 m height, safety and other related facilities etc;
5. That, diesel power generating sets (DG Sets), if any as source of power backup should be of 'Acoustic Enclosed Type' and shall conform to the Rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be as under:

AL

Stack Height formula:- (Ht of Building in meter + $0.2\sqrt{\text{KVA}}$) m;

6. That, the D.G. Set should be provided with an integral acoustic enclosure and the maximum permissible sound pressure level for new D.G. set shall be 75 dB(A) at 1 meter from the enclosure surface. They shall meet the noise level due to the D.G. set out-side the premises, within the Ambient Air quality standards;
7. That, the occupier shall ensure that the noise from the operations in the unit does not exceed the prescribed ambient noise standards for the industrial area i.e. 75 dB (A) Leq during the day time and 70 dB (A) Leq during the night. The day time is reckoned in between 6 am and 9 pm the night time is reckoned between 9 pm and 6 am;
8. That, the unit shall submit approved On Site & Off Site Management Plan under the provisions of the Manufacture, Storage and Import of Hazardous chemical Rules, 1989, as amended to date, before operation of the petrol pump;
9. That, they shall make adequate arrangement of fire safety and maintain good housekeeping inside the premises and obtained statutory permission/license from District Fire Brigade Office;
10. That, they shall obtain explosive license from the competent authority;
11. That, they shall have a display board near the site stating name of pump with address/name of proprietor with address and ref memo no and date of consent with its validity period granted by the Board;
12. That, all workers engaged at retail outlets will be covered under ESI. Oil Marketing Company (OMC) dealers shall implement the personal protective equipment (PPE) as per labor laws;
13. That, IEC (Information Education Communication) activities should be organized by OMC dealers for workers at regular Intervals in order to sensitize them about harmful impacts of VOC emissions;
14. That, they shall have to obtain NOC or prior clearance from Petroleum and Explosives Safety Organization (PESO) and copy shall be submitted to this Board before commissioning;
15. That, PESO shall conduct audit of tanks and fuel equipment including pipes, overfill protection equipment and alarm system on annual basis and maintain records; and
16. That, the petrol pumps/ Retail Outlets shall not be located within a radial distance of 50 meters (from fill point/ dispensing units (DU)/ vent pipe whichever is nearest) from schools, hospitals (10 beds and above) and residential areas designated as per local laws. No high tension line shall pass over the retail outlet.

Specific Conditions:

1. The petrol pump shall be established at distance as mentioned in the affidavit, dated submitted and ensure minimum distance of the site be away from Habitation, Hospital, Govt. School, Highway Road, Railway line and river as mentioned in the NOC sitting guideline of the Board;

ALC

- 28
2. That, petrol pump located in areas with high groundwater table i.e. Ground water levels less than 04 meters shall have secondary containment by way of double walled tanks or concrete protection walls so as to minimize groundwater and soil contamination. It shall be the responsibility of OMC to properly get measured groundwater level at the site of proposed petrol pump and ensure implementation of these adequate protection measures for such sites. Details of measures taken by OMC shall be placed in public domain and in case of contradictory view; view of State/ Central Ground Water Board/ Authority will prevail;
 3. That, retail outlets shall have underground tanks/ above ground tank and its ancillary components such as pipes, flexible connectors, pumps, fittings etc. protected from leaks due to corrosion by adopting materials (HDPE/ Mild Steel etc.) with required protective coating, as applicable, duly approved by PESO;
 4. That, they shall report any major leakage/ spillage of Petrol, Diesel, Lube Oil (more than 1 barrel-165 liters) to this Board, PESO and District Administration under intimation to CPCB within 24 hours of occurrence;
 5. That, operation of concerned Underground Storage Tank (UST) and its ancillary components shall be stopped immediately and not be resumed till corrective measures to contain and stop leakage/ spillages are implemented to the satisfaction of PESO and this Board;
 6. That, OMCs will be held liable for Environmental Compensation (imposed by this Board) and assessment of environmental damage (depending on extent of contamination in soil and ground water) and site remediation. Consultant/ Expert agency appointed by OMCs for damage assessment and site remediation shall have minimum national/ international experience of 5 years in this field. Various approved methods shall be considered for cleaning underground contaminants;
 7. That, the unit shall have Auto Cut off Nozzles which shuts dispensation of fuel if its level in customer fuel tank reaches full capacity;
 8. That, Breakaways to be installed for all the hoses of dispensing units to reduce spillage in the event of customer vehicles moves away with nozzle still in the fueling position;
 9. That, single/double plane swivel with breakaway coupling shall be installed for all the dispensing units for better positioning of nozzle while refueling so that it does not fall off accidentally;
 10. That, in pressurized dispensation, the DU shall be installed with shear valves to cut the fuel flow from pipe line immediately upon accidental knocking of dispensing units from its position;
 11. That, in pressurized system, all Submersible Turbine Pumps (STPs) are to be installed with line leak detectors and in the event of pipeline leaks STPs shall stop pumping fuel from underground tanks;
 12. That, emergency stop button switch shall be provided on the Multi-Product Dispenser (MPD) to stop the dispensation in case of emergency;
 13. That, automation system shall be installed at all new retail outlets to alert in case of tank leak by way of auto gauging system approved by PESO;
 14. That, the retail outlet shall provide overfill alarm through automation;
 15. That, measures for spill containment in fill point chambers and forecourt area shall be implemented as prescribed by PESO;
 16. That, the retail outlets will have automation system installed which will provide reports on volume balance after every day operation and records shall be maintained;

AL

37

17. That, manual gauging shall be done once in a month and compare the same with Automatic Tank Gauging for accuracy;
18. That, daily MS and HSD loss shall not exceed MoPNG prescribed limits. In case of leakage beyond such limits, matter shall be got analyzed by OMCs and further action shall be taken for ascertaining the reasons of losses. In case of leakage resulting in soil/ groundwater contamination:-
 - a. The unit and the concerned OMC shall report to this Board, PESO and District Administration under intimation to CPCB within 24 hours of occurrence. Operation of such UST and its ancillary components shall be stopped immediately.
 - b. Fuel shall be removed immediately from UST to prevent further release to environment. Measures to prevent explosion due to vapors released due to leakage as recommended by PESO shall be implemented immediately.
 - c. OMCs will be held liable of Environmental Compensation (imposed by SPCBs/PCCs) and assessment of environmental damage (depending on extent of contamination in soil and groundwater) and site remediation. Consultant and site remediation shall have minimum national/ international experience of 05 years in this field. Various approved methods shall be considered for cleaning underground contaminants.
 - d. Operation of Underground tank and its ancillary components shall not be resumed till corrective measures to contain and stop leakages are implemented to the satisfaction of PESO and concerned SPCB.
19. That, all underground tanks and pipelines shall be subjected to test for leaks every 7 years and report shall be submitted accordingly;
20. That, the retail outlet set up with sale potential of 300 KL MS per month and setting up in cities with population more than 1 lakh will be provided with Vapour Recovery System (VRS). VRS should be functional by the time of sale of MS touch 300 KL. In case of failure of installation of VRS, Environment Compensation will be levied by this Board equivalent to the cost of VRS and this will further increase proportionate to the period of non-compliance;
21. That, the retail outlet set up in cities having population more than 10 lakh and having sale potential of 100 KL MS per month will be provided with VRS. VRS should be installed within a period 03 months from the day of sale of MS touch 100 KL. In case of failure of installation of VRS, Environment Compensation will be levied by this Board equivalent to the cost of VRS and this will further increase proportionate to the period of non-compliance;
22. That, in case of Stage-II VRS, nozzle shall be provided with flexible cover flap or other alternative system for proper covering of filling tank and therefore proper recovery of vapours;
23. That, OMCs are responsible for maintaining installed VRS. They have to maintain periodic inspections for A/L regulator as prescribed by Legal Metrology. Proper record shall be maintained;
24. That, working of dispenser unit shall be interlinked with VRS functioning. Online system shall be developed within 06 months to monitor status of operation of VRS. In case of non-operation of VRS, the same shall be automatically reported to concern OMC. VRS shall be brought into operation immediately within 24 hrs and in any case within 72 hrs falling which sale of MS shall be stopped from the fuelling station. Proper records of operation of VRS shall be maintained;

AL
C

- 36
25. That, work zone monitoring for Total VOC and Benzene shall be conducted by OMCs for petrol pumps selling more than 300 KL/ month and more than 10 lakh population (in first phase) by E(P) Act, 1986 approved labs once in a year to check compliance with OSHA norms (Time-Weighted Average) and report shall be submitted to this Board. In addition, pilot study shall be conducted by OMCs through expert institutions for online monitoring of VOCs;
26. That, ground water and soil quality monitoring within petrol pump selling more than 300 KL/month and more than 10 lakh population shall be conducted by OMCs once in two years through E(P) Act, 1986 approved labs for the following parameters from the nearest source and report submitted to SPCB:-

S.No.	Parameter	Permissible Limit
1	Total Petroleum hydrocarbons	600 µg/l
2	BTEX	i. Benzene-950 µg/l ii. Toluence- 300 µg/l iii. Xylenes- a. o-xylene- 350 µg/l b. m & p-xylene- 200 µg/l
3	Ethanol	1400 µg/l
4	Methyl Tertiary Butyl Ether	13 µg/l
5	PAH	0.0001 µg/l

NOTE:

- Bihar State Pollution Control Board reserves the option to revise or add other conditions, if necessary, for protection of Environment in general and for Pollution Control in particular;
- The present NOC should not be construed as an assurance for the grant of 'Consent-to-Operate' the proposed petrol pump but shall be subject to compliance of all the conditions indicated above; and
- The NOC, for the Petrol Pump granted shall be valid for a period of six months from the date of issue.

Sd/-
(Anil Kumar)

Regional Officer, Patna

Patna Dated:- 10.6.2022

Memo No.:- 1191

Copy forwarded to: Sri Mohan Ram, S/o Agati Ram, M/s Kisan Seva Kendra, Vill.+P.O.-Lalshari, P.S.-Garhani Agiaon, Dist.-Bhojpur-802301; for favour of information and necessary action.

Akumar
10.06.22
(Anil Kumar)
Regional Officer, Patna

(135)

कार्यालय, जिला पदाधिकारी, भोजपुर के तहत पवना-आरा (0.0225 हे0) पथ के किनारे रिटेल आउटलेट स्थापना हेतु FRA 2006 का प्रमाण पत्र

(भारत सरकार पर्यावरण, वन एवं जलवायु परिवर्तन, नई दिल्ली द्वारा दिनांक 28.10.2014 को निर्गत दिशा निर्देश के तहत)

संख्या 596 दिनांक 01-03-2023

प्रमाणित किया जाता है कि भोजपुर जिले में प्रयोक्ता एजेंसी श्री मोहन राय द्वारा पवना-आरा (0.0225 हे0) रैयती भूमि मौजा-अरेला, थाना सं0-401, खाता सं0-26,103,37, खोसरा सं0-874(पु0), 872(पु0), पवना-आरा पथ के किनारे रिटेल आउटलेट स्थापना हेतु स्थान पवना-आरा PWD पथ के किनारे वन भूमि की लम्बाई 0.015 वर्गमीटर के अपयोजन (Diversion) हेतु परियोजना क्षेत्र के गाँव /गाँवों में वर्ष 2001 एवं 2011 के जनगणना अनुसार अनुसूचित जनजाति की आबादी नहीं होने संबंधी प्रमाण हेतु प्रयोक्ता एजेंसी के आवेदन पर वन प्रमंडल पदाधिकारी, भोजपुर के पत्रांक 757 दिनांक 25.04.2022 द्वारा FRA 2006 प्रमाण पत्र निर्गत करने हेतु अनुशंसा समर्पित किया गया है।

तदालोक में प्रस्ताव के जाँचोपरान्त प्रमाणित किया जाता है कि प्रस्तावित पवना-आरा (0.0225 हे0) पथ के किनारे रिटेल आउटलेट स्थापना के लिये अपयोजित होने वाली भूमि पर अवस्थित वृक्षारोपण दिनांक 13.12.2005 के पूर्व 75 वर्षों से कम अवधि में वन भूमि के रूप में प्रतिवेदित किया गया है और परियोजना क्षेत्र के गाँवों में वर्ष 2001 एवं 2011 वर्ष की जनगणना के अनुसार अनुसूचित जनजाति की अभिलिखित आबादी नहीं है।

स्थान : प्रभारी पदाधिकारी
तिथि : जिला सामान्य प्रशाखा
भोजपुर, आरा 18.2.23

अपर समीक्षक
भोजपुर, आरा

जिला पदाधिकारी का कार्यालय
एवं मोहर

Certified that Forest land Proposed to be diverted is a plantation which was notified as "forest" less than 75 years prior to the 13th day of December 2005 and is located in villages having no recorded population of scheduled Tribes as per the Census-2001 and the Census-2011

Place :-
Dated :-

District Magistrate
and Office Seal