



बिहार सरकार
(पर्यावरण, वन एवं जलवायु परिवर्तन विभाग)
कार्यालय : प्रधान मुख्य वन संरक्षक, बिहार
(कैम्पा एवं वन संरक्षण संभाग)

तृतीय तल, अरण्य भवन, शहीद पीर अली खाँ मार्ग, पटना-800 014

संख्या-FC/28/2020- 474

प्रेषक,

अरविन्दर सिंह, भा०व०से०,

अपर प्रधान मुख्य वन संरक्षक (कैम्पा)
—सह—नोडल पदाधिकारी (वन संरक्षण),
बिहार, पटना।

सेवा में,

सचिव,
पर्यावरण, वन एवं जलवायु परिवर्तन विभाग,
बिहार सरकार, पटना।

पटना 14, दिनांक— 30/06/2023

विषय— श्रीमती शीबू साहिबा द्वारा रोहतास जिलान्तर्गत सिरीसवाँ मौजा के खाता संख्या-132, प्लॉट संख्या-1184, 1185, थाना- संख्या-249 में सासाराम-चौसा पथ के किनारे BPCL का रिटेल आउटलेट स्थापित करने के क्रम में पहुँच पथ निर्माण हेतु वन (संरक्षण) अधिनियम, 1980 के तहत 0.01575 हे. वन भूमि अपयोजन प्रस्ताव पर सैद्धान्तिक स्वीकृति में अधिरोपित शर्तों का अनुपालन प्रतिवेदन समर्पित करने के संबंध में।

प्रसंग— पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, क्षेत्रीय कार्यालय, राँची का पत्रांक FP/BR/Others/44411/2020/4230, दिनांक 22.09.2020

महोदया,

उपर्युक्त विषयक प्रसंगाधीन पत्र द्वारा वन भूमि अपयोजन की सैद्धान्तिक सहमति प्राप्त हुई है। सैद्धान्तिक सहमति (Stage-I) पत्र में अधिरोपित शर्तों का अनुपालन प्रतिवेदन प्रयोक्ता एजेंसी के पत्र दिनांक 22.06.2023 (छायाप्रति संलग्न) द्वारा प्राप्त हुआ है, जो निम्नवत है—

क्र० सं०	भारत सरकार, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, राँची का पत्र दिनांक 22.09.2020 में निहित कंडिका	अनुपालन
1	Legal status of forest land proposed for diversion shall remain unchanged.	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि प्रस्तावित वन भूमि के वैधानिक स्थिति में कोई परिवर्तन नहीं किया जायेगा।
2	Compensatory Afforestation: The State Forest Department shall plant 100 trees to maintain the green cover at the project cost. Planting site for the purpose shall be identified by the State Forest Department preferably within or in the surrounding area of the project. As far as possible, a mixture of local indigenous species shall be planted and monoculture of any species may be avoided. The user	प्रयोक्ता एजेंसी के द्वारा हरितावरण को बनाये रखने के लिए 100 वृक्षों के रोपण तथा उनके 10 वर्षों तक रख-रखाव हेतु रु० 8,65,161.00 (रु० आठ लाख पैसठ हजार एक सौ इकसठ) मात्र की राशि को बिहार राज्य हेतु निर्धारित Account No. 1506219944411879, BIHAR CAMPA, Union Bank of India, Bengaluru, में e-challan के माध्यम से फंड ट्रांसफर कर दिनांक 22.05.2023 को जमा करा दी गई है, जिसका UTR No. SBINR52023052250 660498 है। उक्त राशि Ministry website पर प्रदर्शित है।

3	Net Present Value (NPV):	NPV मद में प्रयोक्ता एजेंसी द्वारा 0.01575 हे० अपयोजित होने वाली वन भूमि के लिये रु० 12,28,590/- प्रति हे० की दर से कुल रु० 19,35० (उन्नीस हजार तीन सौ पचास रुपये मात्र) को बिहार राज्य हेतु निर्धारित Account No. 1506219944411879, BIHAR CAMPA, Union Bank of India, Bengaluru, में e-challan के माध्यम से फंड ट्रांसफर कर दिनांक 22.05.2023 को जमा करा दी गई है, जिसका UTR No. SBINR52023052250 660498 है। उक्त राशि Ministry website पर प्रदर्शित है।
(a)	The State Government shall charge the Net Present Value (NPV) for the 0.01575 ha forest area to be diverted under this proposal from the User Agency as per the order of the Hon'ble Supreme Court of India dated	
(b)	Additional amount of NPV of the diverted forest land, if any, becoming due after finalization of the same by the Hon'ble Supreme Court of	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि प्रस्तावित वन भूमि के लिये अगर NPV की राशि में किसी प्रकार की वृद्धि या संशोधन होती है, तो उसका भुगतान करेंगे।
4	All the funds received from the user agency under the project shall be transferred/deposited to CAMPA fund only through e-portal (https://parivesh.nic.in)	प्रयोक्ता एजेंसी के द्वारा सभी प्रकार की राशि e-challan के माध्यम से फंड ट्रांसफर कर दिनांक 22.05.2023 को जमा करा दी गई है (बैंक e-challan RTGS/ NEFT की विस्तृत विवरणी इस पत्र के साथ संलग्न)।
5	The FRA certificate as per Ministry's guidelines shall be submitted before the issuance of final approval. The complete compliance of the FRA	जिला पदाधिकारी, रोहतास द्वारा निर्गत FRA 2006 प्रमाण-पत्र इस पत्र के साथ संलग्न भेजा जा रहा है।
6	The approach road to petrol pump/fuel station should be as per the following norms issued by the Ministry of Road Transport	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि इन शर्तों का अनुपालन उनके द्वारा किया जायेगा।
(a)	Fuel station should generally be part of rest area complex having other amenities like place for	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि इन शर्तों का अनुपालन उनके द्वारा किया जायेगा।
(b)	Suitable signs and markings showing the location of the fuel station may be provided without disturbing the road side plantations.	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि इन शर्तों का अनुपालन उनके द्वारा किया जायेगा।
(c)	Entire Periphery of the retail outlet should be lined up with tree plantation at a close spacing of 1.0 to 1.5 meter keeping an	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि इन शर्तों का अनुपालन उनके द्वारा किया जायेगा।
(d)	Suitable plantations should be raised by the user agency along the approach road, separator	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि इन शर्तों का अनुपालन उनके द्वारा किया जायेगा।
7	Wherever possible and technically feasible, the User Agency	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि इन शर्तों का अनुपालन उनके द्वारा किया जायेगा।
8	The User Agency shall ensure that the laboures and staff engaged	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि इन शर्तों का अनुपालन उनके द्वारा किया जायेगा।
9	The lay out plan of the proposal shall not be changed without prior approval of the Central Government.	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि इन शर्तों का अनुपालन उनके द्वारा किया जायेगा।
10	The forest land shall not be used for any purpose other than that specified in the project proposal.	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि इन शर्तों का अनुपालन उनके द्वारा किया जायेगा।
(a)		

(b)	The period of diversion under this approval shall be co-terminus with the period of the project life of the fuel outlet.	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि इन शर्तों का अनुपालन उनके द्वारा किया जायेगा।
(c)	The forest land proposed to be diverted shall under no circumstances be transferred to any other agencies,	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि इन शर्तों का अनुपालन उनके द्वारा किया जायेगा।
11	Violation of any of these conditions will amount to violation of forest (Conservation) Act, 1980	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि उनके द्वारा वन (संरक्षण) अधिनियम, 1980 का उल्लंघन नहीं किया गया है।
12	Any other conditions that the Ministry of Environment, Forest & Climate change may stipulate from time to time in the interest of conservation protection and development of forest and wildlife.	प्रयोक्ता एजेंसी के द्वारा सूचित किया गया है कि इन शर्तों का अनुपालन उनके द्वारा किया जायेगा।
13	The compliance report shall be uploaded on e-portal (https://parivesh.nic.in)	प्रयोक्ता एजेंसी के द्वारा सभी शर्तों का Compliance report, Ministry के Website पर अपलोड कर दिया गया।

साथ ही प्रयोक्ता एजेंसी के द्वारा राज्य प्रदूषण नियंत्रण बोर्ड एवं पथ निर्माण विभाग से, निर्गत अनापत्ति प्रमाण-पत्र उपलब्ध कराया गया है, जो इस पत्र के साथ संलग्न है। इस प्रकार प्रयोक्ता एजेंसी द्वारा सैद्धान्तिक स्वीकृति (Stage- I) में अधिरोपित सभी शर्तों का अनुपालन किया गया है।

अतः अनुरोध है कि भारत सरकार, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय से विषयाधीन परियोजना में वन (संरक्षण) अधिनियम, 1980 के तहत 0.01575 हे० सुरक्षित वन घोषित पथ किनारे की भूमि के अपयोजन हेतु अंतिम स्वीकृति (Stage - II) निर्गत करने का अनुरोध करने की कृपा की जाय। प्रस्ताव पर प्रधान मुख्य वन संरक्षक, बिहार का अनुशंसा प्राप्त है।

अनु०-यथोक्त।

विश्वासभाजन,

ह०/-

(अरविन्दर सिंह)

अपर प्रधान मुख्य वन संरक्षक (कैम्पा),

-सह-नोडल पदाधिकारी (वन संरक्षण),

बिहार, पटना।

दिनांक- 30/06/2023

ज्ञापक- FC/28/2020- 474

प्रतिलिपि : वन संरक्षक, वन्यप्राणी अंचल, पटना / वन प्रमंडल पदाधिकारी, रोहतास वन प्रमंडल, सासाराम एवं श्रीमती शीबू साहिबा पिता-श्री बिजन्द्र सिंह यादव, ग्राम-करगहार, थाना-करगहार, पोस्ट-करगहार सासाराम, जिला-रोहतास, पिन-821107 को सूचना एवं आवश्यक कार्रवाई हेतु प्रेषित।



(अरविन्दर सिंह)

अपर प्रधान मुख्य वन संरक्षक (कैम्पा)

-सह-नोडल पदाधिकारी (वन संरक्षण),

बिहार, पटना।

Proforma

1	Name of Regional Office	Eastern Region, Ranchi				
2	State/Distt./ Forest Division to Which the proposal Relates	Bihar/Rohtas/ Rohtas Forest Division, Sasaram.				
3	Name of User Agency nature of proposal	Smt. Shibbu Sahiba / BPCL Retail Outlet				
4	Extent of forest area involved	0.01575 Ha.				
5	Whether Original, or extension	Original				
6	If extension of lease, Pl clarify if proposal involves additional forest area, and if so, specify	-NA-				
7	Date of 1st stage Clearance	22.09.2020				
8	Extent of CAMPA charges head wise viz.					
	a. Compensatory Afforestation	8,65,161/-				
	b. Additional CA	-NA-				
	c. Penal CA	-NA-				
	d. Catchment Area Treatment	-NA-				
	e. Wildlife Management Plan	-NA-				
	f. Additional Charges for diversion of area falling under notified/Protected areas	-NA-				
	g. Net present Value	19,350/-				
	h. Penal NPV	-NA-				
9	Details of Bank RTGS/NEFT head-wise against items indicated in paragraph	S.No	MODE Remtt.	UTR No. & Date	Amount	Head
		1	e-challan	SBINR52023052250 660498	19,350/-	NPV
		2		dated 22.05.2023	8,65,161/-	CA
		Total-			8,84,511/-	
10	Whether deposited by RTGS, if so, the particulars & date of remittance	As above.				
11	Bank in which deposited, with date of deposition.	All above e-challan sent to Union Bank of India, Bengaluru on dt. 22.05.2023				
12	Any other remarks					


 30/6/23

(Arvinder Singh)

Signature of APCCF (CAMPA)-
cum-Nodal Officer (FC), Bihar.

सेवा में

अगर प्रधान भूखण्ड वन संरक्षक (जी.आ.)
राज. नौइल पदाधिकारी (वन संरक्षण)
बिहार पराना।

दिनांक-



विषय-

भीमती शीखू शाहिवा द्वारा रोहतास जिलाभर्गत शिरीसगंजी गौजा के खाता संख्या-132, प्लॉट संख्या-1184, 1185, थाना- संख्या-249, सारासाम-घौसा पथ के किनारे BPCL का रिटेल आउटलेट स्थापित करने के काम में पहुँच पथ निर्माण हेतु वन (संरक्षण) अधिनियम, 1980 के तहत 0.01575 हे. वन भूमि अपयोजन प्रस्ताव पर सैद्धांतिक स्वीकृति में अधिसूचित शर्तों का अनुपालन प्रतिवेदन समर्पित करने के संबंध में।

प्रसंग-

आपका पत्रांक 340, दिनांक 11.05.2023,

महोदय,

सम्बन्धित विषयक प्रसंगाधीन पत्र के संबंध में कहना है कि विषयान्तर्गत प्रस्ताव पर भारत सरकार, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, क्षेत्रीय कार्यालय, राँची के पत्रांक FP/BR/Others/44411/2020/4230, दिनांक 22.09.2020 द्वारा 10 शर्तों के साथ सैद्धांतिक स्वीकृति दी गयी है। उक्त का अनुपालन प्रतिवेदन निम्नवत् समर्पित कर रही हूँ-

1. अपयोजित होने वाली वन भूमि की वैधानिक स्थिति में कोई परिवर्तन नहीं करूंगी।
2. हरितावरण को बनाये रखने हेतु 100 वृक्षों के रोपण की 10 वर्षीय प्राक्कलन की राशि रु. 8,65,161/- को मेरे द्वारा बिहार राज्य के लिये निर्धारित, BIHAR CAMPA A/c No. 1506219944411879, Union Bank of India, Bengaluru में फंड ट्रांसफर कर दिनांक 22.05.2023 को जमा करा दी गई है, जिसका UTR No. SBINR52023052250660498 है, जो Ministry website पर प्रदर्शित है। (मूलप्रति संलग्न)।
3. (a) NPV के मद में मेरे द्वारा द्वारा 0.01575 हे० अपयोजित होने वाली वन भूमि के लिये रु० 12,28,590 प्रति हे० की दर से कुल रु० 19,350/- बिहार राज्य के लिये निर्धारित, BIHAR CAMPA A/c No. 1506219944411879, Union Bank of India, Bengaluru में फंड ट्रांसफर कर दिनांक 22.05.2023 को जमा करा दी गई है, जिसका UTR No. SBINR52023052250660498 है, जो Ministry website पर प्रदर्शित है। (मूलप्रति संलग्न)।
3. (b) मेरे द्वारा वचनबद्धता दी गयी है कि प्रस्तावित वन भूमि के लिये अगर NPV की राशि में किसी प्रकार की वृद्धि या संशोधन होता है तो, उसका भुगतान करेंगे।
4. मेरे द्वारा क्षतिपूरक वनरोपण एवं NPV की राशि को e-challan के माध्यम से फंड ट्रांसफर कर Union Bank of India, Bengaluru के खाता में दिनांक 22.05.2023 को जमा करा दी गयी है तथा उक्त राशि Ministry website पर प्रदर्शित है।
5. जिला पदाधिकारी, रोहतास द्वारा निर्गत FRA-2006 प्रमाण-पत्र पूर्व में आपको उपलब्ध करा दी गयी है। उक्त ही उक्त प्रमाण-पत्र की प्रति इस पत्र के साथ संलग्न है।

6. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
- a. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
- b. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
- c. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
- d. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
7. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
8. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
9. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
- 10(a) इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
- (b) इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
- (c) इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
11. मेरे द्वारा वन (संरक्षण) अधिनियम, 1980 का उल्लंघन नहीं किया गया है।
12. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
13. Ministry website पर Compliance Report मेरे द्वारा समर्पित कर दिया गया है।

साथ ही राज्य प्रदूषण नियंत्रण बोर्ड एवं पथ निर्माण विभाग से निर्गत अनापत्ति प्रमाण-पत्र इस पत्र के साथ संलग्न है।

इस प्रकार मेरे द्वारा सभी शर्तों का अनुपालन कर दिया गया है। अतः अनुरोध है कि मेरे द्वारा समर्पित परियोजना पर अन्तिम स्वीकृति प्रदान करने की कृपा की जाय।

अनु०-यथोक्त

विश्वासभाजन,

Shibba Sahiba

(शीबू साहिबा)

पिता-श्री बिजन्ध सिंह यादव,
ग्राम-करगहार, थाना-करगहार,
पोस्ट-करगहार सासाराम,
जिला-रोहतास, पिन-821107



41

Ref. No.

Patna, Dated:-

'CONSENT-TO-ESTABLISH' (NOC)

UNDER SECTIONS 25/26 OF THE WATER (PREVENTION AND CONTROL OF POLLUTION) ACT, 1974 AND 21 OF THE AIR (PREVENTION AND CONTROL OF POLLUTION) ACT, 1981

REFERENCE

- (i) Name and address of the Proponent: Mrs. Shibbu Sahiba, D/o Bijendra Singh Yadav, M/s MS/HSD Retail Outlet Dealership of BPCL, At-Kargahar, P.O.+P.S.-Kargahar, Dist.-Rohtas-821107; and
- (ii) On-line application No. 5848608 dated 04.03.2022 of the proponent for setting up of new 'Petrol Pump'/outlet of MS/HSD only of Bharat Petroleum Corporation, Khata No.-132, Khesra No.-1184,1185, at Mauza+At-Sirisia, P.O.+P.S.-Kargahar, Dist.-Rohtas-821107; for capacity: MS/HSD Retail Outlet Dealership of BPCL- 35 KL/day & D.G. Set-65 KVA

AFTER CONSIDERING

- (i) The facts stated in their application;
- (ii) Letter of Intent issued by Bharat Petroleum Corporation Limited ref. no.- PT/DSG2018/428 date 08.03.2019.
- (iii) Bihar State Pollution Control Board's Notification No. 26 dated 08.11.2003, 07 dated 27.06.2011 and 04 dated 12.03.2021;
- (iv) Provisions of the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981; and
- (v) Affidavit dated 02.03.2022 in compliance of sitting guideline of the Board.

NOC IN FAVOUR OF THE PROPONENT AT THE SAID SITE IS HEREBY ACCORDED SUBJECT TO THE FOLLOWING CONDITIONS

General Conditions:

1. That, the proponent shall obtain 'Consent-to-Operate' under sections 25 & 26 of the Water Act, 1974 and 21 of the Air Act, 1981 from Pollution Control Board before commissioning of the petrol pump;
2. That, sludge shall be collected, stored and disposed as per Rules 8 of the Hazardous Waste (Management and Transboundary Movement) Rules, 2016 and as amended to date and record shall be maintained.
3. That, the effluent (domestic or trade) and emission, if any, shall conform to the standard as prescribed by the Board;
4. That, they shall comply with the terms & conditions imposed by the Bharat Petroleum Corp. Ltd. regarding location of the outlet like construction of retaining wall and compound wall of 1.5 m height, safety and other related facilities etc;
5. That, diesel power generating sets (DG Sets), if any as source of power backup should be of 'Acoustic Enclosed Type' and shall conform to the Rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be as under:

Stack Height formula:- $(H_t \text{ of Building in meter} + 0.2\sqrt{\text{KVA}}) \text{ m};$

A3

48

6. That, the D.G. Set should be provided with an integral acoustic enclosure and the maximum permissible sound pressure level for new D.G. set shall be 75 dB(A) at 1 meter from the enclosure surface. They shall meet the noise level due to the D.G. set out-side the premises, within the Ambient Air quality standards;
7. That, the occupier shall ensure that the noise from the operations in the unit does not exceed the prescribed ambient noise standards for the industrial area i.e. 75 dB (A) Leq during the day time and 70 dB (A) Leq during the night. The day time is reckoned in between 6 am and 9 pm the night time is reckoned between 9 pm and 6 am;
8. That, the unit shall submit approved On Site & Off Site Management Plan under the provisions of the Manufacture, Storage and Import of Hazardous chemical Rules, 1989, as amended to date, before operation of the petrol pump;
9. That, they shall make adequate arrangement of fire safety and maintain good housekeeping inside the premises and obtained statutory permission/license from District Fire Brigade Office;
10. That, they shall obtain explosive license from the competent authority;
11. That, they shall have a display board near the site stating name of pump with address/name of proprietor with address and ref memo no and date of consent with its validity period granted by the Board;
12. That, all-workers engaged at retail outlets will be covered under ESI. Oil Marketing Company (OMC) dealers shall implement the personal protective equipment (PPE) as per labor laws;
13. That, IEC (Information Education Communication) activities should be organized by OMC dealers for workers at regular intervals in order to sensitize them about harmful impacts of VOC emissions;
14. That, they shall have to obtain NOC or prior clearance from Petroleum and Explosives Safety Organization (PESO) and copy shall be submitted to this Board before commissioning;
15. That, PESO shall conduct audit of tanks and fuel equipment including pipes, overfill protection equipment and alarm system on annual basis and maintain records; and
16. That, the petrol pumps/ Retail Outlets shall not be located within a radial distance of 50 meters (from fill point/ dispensing units (DU)/ vent pipe whichever is nearest) from schools, hospitals (10 beds and above) and residential areas designated as per local laws. No high tension line shall pass over the retail outlet.

Specific Conditions:

1. The petrol pump shall be established at distance as mentioned in the affidavit, dated submitted and ensure minimum distance of the site be away from Habitation, Hospital, Govt. School, Highway Road, Railway line and river as mentioned in the NOC sitting guideline of the Board;
2. That, petrol pump located in areas with high groundwater table i.e. Ground water levels less than 04 meters shall have secondary containment by way of double walled tanks or concrete protection walls so as to minimize groundwater and soil contamination. It shall be the responsibility of OMC to

AK

- properly get measured groundwater level at the site of proposed petrol pump and ensure implementation of these adequate protection measures for such sites. Details of measures taken by OMC shall be placed in public domain and in case of contradictory view; view of State/ Central Ground Water Board/ Authority will prevail;
3. That, retail outlets shall have underground tanks/ above ground tank and its ancillary components such as pipes, flexible connectors, pumps, fittings etc. protected from leaks due to corrosion by adopting materials (HDPE/ Mild Steel etc.) with required protective coating, as applicable, duly approved by PESO;
 4. That, they shall report any major leakage/ spillage of Petrol, Diesel, Lube Oil (more than 1 barrel-165 liters) to this Board, PESO and District Administration under intimation to CPCB within 24 hours of occurrence;
 5. That, operation of concerned Underground Storage Tank (UST) and its ancillary components shall be stopped immediately and not be resumed till corrective measures to contain and stop leakage/ spillages are implemented to the satisfaction of PESO and this Board;
 6. That, OMCs will be held liable for Environmental Compensation (imposed by this Board) and assessment of environmental damage (depending on extent of contamination in soil and ground water) and site remediation. Consultant/ Expert agency appointed by OMCs for damage assessment and site remediation shall have minimum national/ international experience of 5 years in this field. Various approved methods shall be considered for cleaning underground contaminants;
 7. That, the unit shall have Auto Cut off Nozzles which shuts dispensation of fuel if its level in customer fuel tank reaches full capacity;
 8. That, Breakaways to be installed for all the hoses of dispensing units to reduce spillage in the event of customer vehicles moves away with nozzle still in the fueling position;
 9. That, single/double plane swivel with breakaway coupling shall be installed for all the dispensing units for better positioning of nozzle while refueling so that it does not fall off accidentally;
 10. That, in pressurized dispensation, the DU shall be installed with shear valves to cut the fuel flow from pipe line immediately upon accidental knocking of dispensing units from its position;
 11. That, in pressurized system, all Submersible Turbine Pumps (STPs) are to be installed with line leak detectors and in the event of pipeline leaks STPs shall stop pumping fuel from underground tanks;
 12. That, emergency stop button switch shall be provided on the Multi-Product Dispenser (MPD) to stop the dispensation in case of emergency;
 13. That, automation system shall be installed at all new retail outlets to alert in case of tank leak by way of auto gauging system approved by PESO;
 14. That, the retail outlet shall provide overfill alarm through automation;
 15. That, measures for spill containment in fill point chambers and forecourt area shall be implemented as prescribed by PESO;
 16. That, the retail outlets will have automation system installed which will provide reports on volume balance after every day operation and records shall be maintained;
 17. That, manual gauging shall be done once in a month and compare the same with Automatic Tank Gauging for accuracy;

AL

18. That, daily MS and HSD loss shall not exceed MoPNG prescribed limits. In case of leakage beyond such limits, matter shall be got analyzed by OMCs and further action shall be taken for ascertaining the reasons of losses. In case of leakage resulting in soil/ groundwater contamination:-
 - a. The unit and the concerned OMC shall report to this Board, PESO and District Administration under intimation to CPCB within 24 hours of occurrence. Operation of such UST and its ancillary components shall be stopped immediately.
 - b. Fuel shall be removed immediately from UST to prevent further release to environment. Measures to prevent explosion due to vapors released due to leakage as recommended by PESO shall be implemented immediately.
 - c. OMCs will be held liable of Environmental Compensation (imposed by SPCBs/PCCs) and assessment of environmental damage (depending on extent of contamination in soil and groundwater) and site remediation. Consultant and site remediation shall have minimum national/ international experience of 05 years in this field. Various approved methods shall be considered for cleaning underground contaminants.
 - d. Operation of Underground tank and its ancillary components shall not be resumed till corrective measures to contain and stop leakages are implemented to the satisfaction of PESO and concerned SPCB.
19. That, all underground tanks and pipelines shall be subjected to test for leaks every 7 years and report shall be submitted accordingly;
20. That, the retail outlet set up with sale potential of 300 KL MS per month and setting up in cities with population more than 1 lakh will be provided with Vapour Recovery System (VRS). VRS should be functional by the time of sale of MS touch 300 KL. In case of failure of installation of VRS, Environment Compensation will be levied by this Board equivalent to the cost of VRS and this will further increase proportionate to the period of non-compliance;
21. That, the retail outlet set up in cities having population more than 10 lakh and having sale potential of 100 KL MS per month will be provided with VRS. VRS should be installed within a period 03 months from the day of sale of MS touch 100 KL. In case of failure of installation of VRS, Environment Compensation will be levied by this Board equivalent to the cost of VRS and this will further increase proportionate to the period of non-compliance;
22. That, in case of Stage-II VRS, nozzle shall be provided with flexible cover flap or other alternative system for proper covering of filling tank and therefore proper recovery of vapours;
23. That, OMCs are responsible for maintaining installed VRS. They have to maintain periodic inspections for A/L regulator as prescribed by Legal Metrology. Proper record shall be maintained;
24. That, working of dispenser unit shall be interlinked with VRS functioning. Online system shall be developed within 06 months to monitor status of operation of VRS. In case of non-operation of VRS, the same shall be automatically reported to concern OMC. VRS shall be brought into operation immediately within 24 hrs and in any case within 72 hrs falling which sale of MS shall be stopped from the fuelling station. Proper records of operation of VRS shall be maintained;

- 32
25. That, work zone monitoring for Total VOC and Benzene shall be conducted by OMCs for petrol pumps selling more than 300 KL/ month and more than 10 lakh population (in first phase) by E(P) Act, 1986 approved labs once in a year to check compliance with OSHA norms (Time-Weighted Average) and report shall be submitted to this Board. In addition, pilot study shall be conducted by OMCs through expert institutions for online monitoring of VOCs;
26. That, ground water and soil quality monitoring within petrol pump selling more than 300 KL/month and more than 10 lakh population shall be conducted by OMCs once in two years through E(P) Act, 1986 approved labs for the following parameters from the nearest source and report submitted to SPCB:-

S.No.	Parameter	Permissible Limit
1	Total Petroleum hydrocarbons	600 µg/l
2	BTEX	i. Benzene-950 µg/l ii. Toluence- 300 µg/l iii. Xylenes- a. o-xylene- 350 µg/l b. m & p-xylene- 200 µg/l
3	Ethanol	1400 µg/l
4	Methyl Tertiary Butyl Ether	13 µg/l
5	PAH	0.0001 µg/l

NOTE:

- Bihar State Pollution Control Board reserves the option to revise or add other conditions, if necessary, for protection of Environment in general and for Pollution Control in particular;
- The present NOC should not be construed as an assurance for the grant of 'Consent-to-Operate' the proposed petrol pump but shall be subject to compliance of all the conditions indicated above; and
- The NOC, for the Petrol Pump granted shall be valid for a period of six months from the date of issue.

Sd/-
(Anil Kumar)
Regional Officer, Patna

Memo No.:- 1408

Patna Dated:- 13-07-22

Copy forwarded to: Mrs. Shibbu Sahiba, D/o Bijendra Singh Yadav, M/s MS/HSD Retail Outlet Dealership of BPCL, At-Kargahar, P.O.+P.S.-Kargahar, Dist.-Rohtas-821107; for favour of information and necessary action.

Akumar
13-07-22
(Anil Kumar)
Regional Officer, Patna

पत्रांक :- 234/अनु० दिनांक :- 06.03.2020
 प्रेषक :- कार्यपालक अभियंता,
 पथ प्रमंडल, कोचरा।
 रोवा में,
 जिला शस्त्र दण्डाधिकारी,
 रोहतास, साराराग।
 विषय :- पथ प्रमंडल, कोचरा अन्तर्गत मौजा-सिरिसिया, थाना-करगहर, खाता सं०-132, प्लॉट नं०-1184, 1185 जिला- रोहतास पर भारत पेट्रोलियम कॉरपोरेशन लिमिटेड द्वारा रिटेल आउटलेट अधिष्ठापन हेतु अनापत्ति प्रमाण पत्र के संबंध में।
 प्रसंग :- भवदीय का पत्रांक-2177/श० दिनांक-03.10.2019, मुख्य अभियंता, दक्षिण पथ निर्माण विभाग, बिहार का ज्ञापांक-565 दिनांक-12.02.2020 एवं अधीक्षण अभियंता, भोजपुर पथ अंचल, आरा के पत्रांक-173 अनु० दिनांक-19.02.2020
 महाशय,

उपर्युक्त विषयक एवं प्रासंगिक पत्र के आलोक में सूचित करना है कि मौजा-सिरिसिया, थाना-करगहर, खाता सं०-132, प्लॉट नं०-1184, 1185 जिला-रोहतास पर भारत पेट्रोलियम कॉरपोरेशन लिमिटेड द्वारा रिटेल आउटलेट की स्थापना हेतु अनापत्ति प्रमाण पत्र के संबंध में पथ निर्माण विभाग की भूमि को पहुँच पथ के रूप में कुल 5 (पाँच) वर्षों के लिए विकसित कर उपयोग करने हेतु अनुमोदित नक्शा की एक प्रति मूल में संलग्न कर अनापत्ति प्रमाण विभाग के द्वारा निम्नांकित शर्तों सहित प्रदान की गई है।
 जो निम्न प्रकार हैं :-

1. पाँच-पाँच वर्षों के अन्तराल पर अनापत्ति प्रमाण पत्र का नवीकरण हेतु विभागीय संकल्प सह पठित ज्ञापांक-1921(S) दिनांक-08.03.2018 के आलोक में अनुपालन सुनिश्चित करेंगे।
 2. रिटेल आउटलेट की स्थापना मानक तथा अनुमोदित नक्शों के अनुरूप किये जाने की सूचना इस कार्यालय एवं उपभाग सहित विभाग को भी देंगे साथ ही इसमें किसी भी प्रकार के विचलन की स्थिति में उसकी सूचना अविलम्ब स्थानीय प्रशासन ऑयल कम्पनी सहित इस कार्यालय को भी देना सुनिश्चित करेंगे।
 3. उपरोक्त रिटेल आउटलेट की स्थापना में विभागीय पत्रांक-4770(ई०) दिनांक-24.08.2017, 7661(ई०) दिनांक-23.12.2015 एवं 8283(S) दिनांक-13.09.2019 का भी अनुपालन सुनिश्चित करेंगे।
- अनु०-1. अनुमोदित नक्शा (एक प्रति में)।

विश्वासभाजन

कार्यपालक अभियंता,
 पथ प्रमंडल, कोचरा।

Amc
 06-3-2020

Counter foil

SBI

भारतीय स्टेट बैंक

STATE BANK OF INDIA

Branch *Amy Takyer*

Date *22/05/2023*

Received ₹ *8,84,511*

From *T. Rakesh Kumar*

For remittance of NEFT/RTGS by way of

(i) Transfer (only NEFT), (ii) Cash (only

NEFT), (iii) Cheque (NEFT/RTGS) using

cheque No. *469657*

favouring *BIHAR CAMPA*

A/c No. *150621994441879*

IFSC Code *UBIN0996335*

Beneficiary Bank & Branch *Union Bank of India, Jettia tower, Mission Road, Beldanga*

Amount ₹ *8,84,511/-*

Bank's Charges ₹ *47.20/-*

Total ₹ *8,84,558.20/-*

(Rupees *Eight lakh eighty four thousand five hundred fifty eight and paise*)

For office Use, *twenty Rupee*

UTR No.

Branch Manager

SBI 1250230525060498

कार्यालय जिला पदाधिकारी, रोहतास (सासाराम) के तहत रैखिक परियोजना निर्माण

31

हेतु FRA 2006 का प्रमाण-पत्र

(भारत सरकार, पर्यावरण, वन एवं जलवायु परिवर्तन, नई दिल्ली द्वारा दिनांक-28.10.2006 को निर्गत दिशा निर्देश के तहत)

संख्या-..... दिनांक-.....

रोहतास जिले में भारत पेट्रोलियम कॉर्पोरेशन लिमिटेड का गैरला-सिरेसिया, थाना नं०-132, खेसरा नं०-1184, 1185, थाना-कनसा अखण्ड-कमलहर में पिछले आठ तट के लिए पहुँच एवं निष्कास हेतु रैखिक परियोजना अन्तर्गत कुल-75 वर्ग मी० में पड़ने वाले पथ/नहर तट पर अवस्थित सुरक्षित भूमि के 0.01575 हे० रकबा के अपयोजन (Diversion) हेतु वन प्रमण्डल पदाधिकारी रोहतास, वन प्रमण्डल, सासाराम के प्रतिवेदन पत्रांक-401, दिनांक-10.02.2021 द्वारा FRA 2006 का प्रमाण-पत्र निर्गत करने हेतु अनुश्रुता समर्पित किया गया है।

तदालोक में प्रस्ताव के जाँचोपरांत प्रमाणित किया जाता है कि प्रस्तावित रैखिक विकास परियोजना (कांडिका-1 में वर्णित) के लिए अपयोजित होने वाली भूमि पर अवस्थित वृक्षारोपण दिनांक-13.12.2005 के पूर्व 75 वर्षों से कम अवधि में वन भूमि के रूप में अभिलिखित किया गया है और परियोजना क्षेत्र के गाँवों में वर्ष 2001 एवं 2011 की जनगणना के अनुसार अनुसूचित जन जाति की अभिलिखित आबादी नहीं है।

स्थान-

तिथि-

ह०/-

जिला पदाधिकारी का हस्ताक्षर एवं मुहर

आपांक 1112 / सा० दिनांक 10.8.21

प्रमाणित - Territory Manager (Retail) पटना, भारत पेट्रोलियम कॉर्पोरेशन लिमिटेड सा०-पा०-पकडी, नाया-अगिशाबाद, पटना-800002 (बिहार) को सूचनार्थ एवं अप्रमाणित कार्यार्थ प्रेषित।

प्रतिराशि - वन प्रमण्डल पदाधिकारी, रोहतास, सासाराम को उनके पत्रांक-401, दिनांक 10.02.2021 के प्रसंग में सूचनार्थ प्रेषित।

जिला पदाधिकारी
रोहतास
सासाराम