

वन विभाग, हरियाणा सरकार,  
कार्यालय प्रधान मुख्य वन संरक्षक, हरियाणा,

सी-18, वन भवन, सैक्टर 6, पंचकुला, दूरभाष/फैक्स +91 172 2563988, 2563861, E-mail: cffcpanchkula@gmail.com

क्रमांक: प्रशा-डी-तीन-8520/1411

दिनांक: 04/10/2024

सेवा मे

उप वन महानिदेशक (केन्द्रीय) भारत सरकार,  
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय,  
उत्तर क्षेत्रीय कार्यालय,  
चण्डीगढ़ ।

विषय : Diversion of 0.0104 ha. of Forest Land in Favour of M/s Bhagat Rice Mills for access to M/s Bhagat Rice Mills along Dehli-Ambala road, NH-1 (New NH-44), near km. stone 174, R/side, at Village Teora, under Forest Division and District Kurukshetra, Haryana

Online Proposal No. FP/HR/Approach/33604/2015

संदर्भ : आपके कार्यालय का पत्र क्रमांक 9-HRB170/2018-CHA दिनांक 27.09.2018 तथा एफ0आर0सी0एम0 दिनांक 07.08.2024 ।

उपरोक्त विषय पर संदर्भांकित पत्र द्वारा जारी स्टेज-1 स्वीकृति की अनुपालना रिपोर्ट मदवाईज निम्नप्रकार से आपको भेजी जाती है :-

- 1-4. प्रस्ताव में सी0ए0 स्कीम अनुसार प्रयोक्ता एजैन्सी ने प्रतिपूर्ति पौधारोपण, पैनल प्रतिपूर्ति पौधारोपण नैट प्रैजैन्ट वैल्यु आफ फौरेस्ट लैण्ड व अन्य चार्जिज सहित कुल 75877 /- रुपये की राशि केम्पा के लेखा में जमा करवा दी है। ऑनलाईन पोर्टल अनुसार राशि का स्टेटस "Paid" होने उपरान्त प्रयोक्ता एजैन्सी द्वारा अपेक्षित ऑनलाईन कार्यवाही पूर्ण कर दी गई है । (प्रति संलग्न)
5. HSPCB एन0ओ0सी0 की प्रति संलग्न है ।

कृपया प्रस्ताव में स्टेज-1 स्वीकृति बारे आगामी कार्यवाही करने का कष्ट करें ।  
संलग्न/उपरोक्त ।

अति. प्रधान मुख्य वन संरक्षक(एफ0सी0ए0)  
हरियाणा, पंचकुला । 27/9/24

पृ0 क्रमांक: प्रशा-डी-तीन-8520/1412

दिनांक: 04/10/2024

एक प्रति अतिरिक्त मुख्य सचिव, हरियाणा सरकार, पर्यावरण, वन तथा वन्य प्राणी विभाग, चण्डीगढ़ को ई-मेल के माध्यम से आवश्यक कार्यवाही के लिए प्रेषित है ।

अति0 प्रधान मुख्य वन संरक्षक (एफ0सी0ए0)  
हरियाणा, पंचकुला । 27/9/24



## AGENCY COPY

NEFT / RTGS CHALLAN for Ad-HOC CAMP A

Date : 21-02-2019

Agency Name.	M/S BHAGAT RICE MILL
Application No.	7033604100
MoEF/SG File No.	9-HR3170-2018-CHA
Location.	HARAYANA
Address.	NEAR HON. STATION DEHRA DUBAI, ROAD NO. 10, NIGRA (NEW Kurukshetra)
Amount(in Rs)	75877/-

Amount in Words : Seventy-Five Thousand Eight Hundred  
and Seventy-Seven Rupees Only

NEFT/RTGS to be made as per following  
details;

Beneficiary Name:	HARAYANA CAMPA
IFSC Code:	CORP0000371
Pay to Account No.	150597033604100 Valid only for NEFT/RTGS challan amount.
Bank Name & Address:	Corporation Bank Lodhi Complex Branch, Block 11, CGO Complex, Phase I, Lodhi Road, New Delhi -110003

- This Challan is strictly to be used for making payment to CAMPA by NEFT/RTGS only
- This challan is valid only for seven days.

After making successful payment, User Agencies:  
Email: helpdeskampa@corpbank.co.in

*V. K. Kumar*





# HARYANA STATE POLLUTION CONTROL BOARD



**HSPCB Regional Officer HSPCB , SCO 13 P, 2nd floor, Sec 17**  
**Urban Estate, Kurukshetra Email-**  
**hspcbrokkkr@gmail.com**

Website: [www.hrocmms.nic.in](http://www.hrocmms.nic.in) E-Mail - [hspcbho@gmail.com](mailto:hspcbho@gmail.com)

Telephone No.: 0172-2577870-73

No. HSPCB/Consent/ : 313298822KURCTE28835465

Dated: 29/10/2022

To.

M/s : Bhagat Rice Mill  
 Village Teora Tehsil Shahabad District Kurukshetra  
 KURUKSHETRA  
 136135

## Sub. : Grant of consent to Establish to M/s Bhagat Rice Mill

Please refer to your application no. 28835465 received on dated 2022-09-27 in regional office Kurukshetra.

With reference to your above application for consent to establish, M/s Bhagat Rice Mill is here by granted consent as per following specification/Terms and conditions.

Consent Under	AIR/WATER
Period of consent	29/10/2022 - 28/10/2027
Industry Type	Rice mill (Rice hullers only)
Category	GREEN
Investment(In Lakh)	207.25
Total Land Area (Sq. meter)	10687.58
Total Builtup Area (Sq. meter)	2155.47
<b>Quantity of effluent</b>	
1. Trade	0.0 KL/Day
2. Domestic	1.0 KL/Day
Number of outlets	0.0
<b>Mode of discharge</b>	
1. Domestic	septic tank
2. Trade	
<b>Permissible Domestic Effluent Parameters</b>	
1. NA	
<b>Permissible Trade Effluent Parameters</b>	
1. NA	mg/l
Number of stacks	1
<b>Height of stack</b>	
1. na	



Permissible Emission parameters	
1. NA	
Capacity of boiler	
1. NA	Ton/hr
Type of Furnace	
1. NA	
Type of Fuel	
1. NA	KL/day

POONAM  
 Regional Officer, Suraskhetra  
 Haryana State Pollution Control Board.

### Terms and conditions

- The industry has declared that the quantity of effluent shall be 1 KL/Day i.e 0KL/Day for Trade Effluent, 0 KL/Day for Cooling, 1 KL/Day for Domestic and the same should not exceed .
- The above 'Consent to Establish' is valid for 60 months from the date of its issue to be extended for another one year at the discretion of the Board or till the time the unit starts its trial production whichever is earlier. The unit will have to set up the plant and obtain consent during this period.
- The officer/official of the Board shall have the right to access and inspection of the industry in connection with the various processes and the treatment facilities being provided simultaneously with the construction of building/machinery. The effluent should conform the effluent standards as applicable
- That necessary arrangement shall be made by the industry for the control of Air Pollution before commissioning the plant. The emitted pollutants will meet the emission and other standards as laid/will be prescribed by the Board from time to time.
- The applicant will obtain consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 as amended to-date-even before starting trial production
- The above Consent to Establish is further subject to the conditions that the unit complies with all the laws/rules/decisions and competent directions of the Board/Government and its functionaries in all respects before commissioning of the operation and during its actual working strictly.
- No in-process or post-process objectionable emission or the effluent will be allowed, if the scheme furnished by the unit turns out to be defective in any actual experience
- The Electricity Department will give only temporary connection and permanent connection to the unit will be given after verifying the consent granted by the Board, both under Water Act and Air Act.
- Unit will raise the stack height of DG Set/Boiler as per Board's norms.
- Unit will maintain proper logbook of Water meter/sub meter before/after commissioning.
- That in the case of an industry or any other process the activity is located in an area approved and that in case the activity is sited in an residential or institutional or commercial or agricultural area, the necessary permission for siting such industry and process in an residential or institutional or commercial or agricultural area or controlled area under Town and Country Planning laws CLU or Municipal laws has to be obtained from the competent Authority in law permitting this deviation and be submitted in original with the request for consent to operate.

12. That there is no discharge directly or indirectly from the unit or the process into any interstate river or Yamuna River or River Ghaggar.
13. That the industry or the unit concerned is not sited within any prohibited distances according to the Environmental Laws and Rules, Notification, Orders and Policies of Central Pollution control Board and Haryana State Pollution Control Board.
14. That of the unit is discharging its sewage or trade effluent into the public sewer meant to receive trade effluent from industries etc. then the permission of the Competent Authority owing and operating such public sewer giving permission letter to his unit shall be submitted at time of consent to operate.
15. That if at any time, there is adverse report from any adjoining neighbor or any other aggrieved party or Municipal Committee or Zila Parishad or any other public body against the unit's pollution; the Consent to Establish so granted shall be revoked.
16. That all the financial dues required under the rules and policies of the Board have been deposited in full by the unit for this Consent to Establish.
17. In case of change of name from previous Consent to Establish granted, fresh Consent to Establish fee shall be levied.
18. Industry should adopt water conservation measures to ensure minimum consumption of water in their Process. Ground water based proposals of new industries should get clearance from Central Ground Water Authority for scientific development of previous resource.
19. That the unit will take all other clearances from concerned agencies, whenever required.
20. That the unit will not change its process without the prior permission of the Board.
21. That the Consent to Establish so granted will be invalid, if the unit falls in Aravali Area or non conforming area.
22. That the unit will comply with the Hazardous Waste Management Rules and will also make the non-leachate pit for storage of Hazardous waste and will undertake not to dispose off the same except for pit in their own premises or with the authorized disposal authority.
23. That the unit will submit an undertaking that it will comply with all the specific and general conditions as imposed in the above Consent to Establish within 30 days failing which Consent to Establish will be revoked.
24. That unit will obtain EIA from MoEF, if required at any stage.
25. In case of unit does not comply with the above conditions within the stipulated period, Consent to Establish will be revoked.
26. That unit will obtain consent to operate from the board before the start of product activity.

#### **Specific Conditions**

#### **Other Conditions :**

1. That the unit shall comply with all the Norms and Rules as prescribed in the Acts. 2. That the unit will comply with all the provisions of Hazardous Waste Rules. 3. That the unit will comply the order/ direction issued by the Hon'ble Supreme Court of India, Punjab & Haryana High Court, NGT, Environment Court or any other court. 4. That the unit will not discharge any kind of effluent outside the premises. 5. The unit will install adequate APCM as per prescribed norms under EP Rules. 6. That unit shall provide covered shed for rice husk and exhaust pipe shall be covered with shed. 7. That the unit will obtain CTO before starting of operation. 8. That the unit will comply with the all the Rules/ Regulations/ Acts/ Notification issued by CPCB/ HSPCB and MOEF&CC. 9. That the CTE so granted shall become invalid in case of violation of any of the above / any law of the land.



*Regional Officer, Kurukshetra*  
*Haryana State Pollution Control Board.*

