

PART-III

(To be filled by the concerned Conservator of Forests)

1. Whether site where the forest land involved is located has been inspected by concerned Conservator of Forests (Yes/No).

If yes, the date of inspection & observation made in form of inspection note to be enclosed.

2. Whether the concerned Conservator of Forests agree with the information given in Part-B and the recommendation of Deputy Conservator of Forests.

3. Specific recommendation of concerned Conservator of Forests for acceptance or otherwise of the proposal with detailed reasons.

Yes, the proposed site for diversion 4.7289 ha in West Aprikola Reserve Forest area for construction of Gas Pipe Line was inspected by the undersigned on 22.12.2021. (copy of inspection report enclosed)

Yes agreed with the information submitted by the Divisional Forest Officer, Kamrup East Division, Guwahati.

The construction of Gas Pipe Line through West Aprikola Reserve Forest would benefit the public and in the national interest.

Further, the proposed site is not a part of any protected area and not included as archaeological heritage site or has any defense establishment. Also, there is no rare/endangered/unique species of flora & fauna reported or sighted so far in the area and the proposed erection of Gas line in the site will not affect any human habitation.

Therefore, the diversion proposal is recommended for acceptance.



(H.K. Talukdar) IFS
Chief Conservator of Forests (T)
Central Assam Circle
Guwahati-29

Chief Conservator of Forests (T)
Central Assam Circle, Basistha
Guwahati-29

Date: 22.12.2021

Place: Guwahati-Assam

Office Seal