

Jk/ proposal/ Satara/ 170 /2022-23

Date:- 14/05/2022

To,

Deputy Conservator of Forests.

Forest Division Satara

Sub:- Compliance Report for Proposal no- FP/ MH/ OFC /141702/2021 Area 0.132 ha

Forest land-Kolhapur Diversion of 0.132 Ha. forest land under forest (Conservation) Act ,1980 for laying of underground Optical Fiber Cable line passing within Row of existing road Dahivadi to Wadale, road. passing through forest land at village- Wawarhire , Shingnapur, Tal. Maan , Village Wadale, Andaurd , Tal. _Phaltan, Dist. Satara

Ref. - 1) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/C R -76/F-10, Dt. 27/04/2022
2) Deputy Conservator of Forest Satara letter no D 6/ land 1 /4032/ 2022-23, Date – 02/05/2022

As per the reference coated above, the State Govt. has given **In-Principal** approval for laying of underground OFC duct & Cable within Row of existing road passing through forest land. Dy. Conservator of Forest Satara has requested to submit compliance report as per demand note issued by reference no (2).

The M/S Reliance JIO Info comm Limited, Pune is submitting compliance report with the documents, certificates and undertaking as stipulated in the principal approval as per the following details.

Con. no	Details of Conditions	Compliance by User Agency
1	The legal status of the land remains unchanged	User Agency submit undertaking that, the legal status of the diverted forest land remains unchanged. Undertaking is attached as Annexure I
2	The Optica Fiber Cable Line will be laid within Maximum size of the trench of 2.00-meter depth & 1.00-meter width with cable line under PVC pipeline.	User Agency submit undertaking that, the Optica Fiber Cable Line will be laid within Maximum size of the trench of 2.00-meter depth & 1.00-meter width with cable line under PVC pipeline. Undertaking is attached as Annexure II
3	The land under project will be reclaimed by the User Agency for which the agency shall submit a bank guarantee at the rate of Rs.	User Agency submit that, the land under project will be reclaimed by the User Agency for which the agency is submitting Bank guarantee. of 1320 Rmt. x Rs. 50/- = 66000/- (Rs Sixty-six Thousand only.)

	50/ per running meter and undertaking to that effect shall also be submitted. If the agency fails to reclaim the land to the satisfaction of Deputy Conservator of Forests concerned, the cost for reclamation will be covered from the bank guarantee.	on name of Dy. Conservator of forest Satara through YES BANK LTD. Branch C. G. Road Ahmedabad 380009 by Bank Guarantee no 007BG 01221460001 Issue date 26 Th May. 2022. Total Amount of B.G is Rs 1,12, 200/ (Rs one lakh twelve thousand two hundred only) Copy of Bank guarantee attached on Page no 31-35 User Agency submit undertaking that, User Agency will do reclamation work as per PWD road standard. User Agency agrees that, if the agency fails to reclaim the land to the satisfaction of Deputy Conservator of Forests Satara, the cost for reclamation will be recovered from the bank guarantee. Undertaking is attached as Annexure III
4	If the cable is going to be laid in the formation width of the road, then additional charges in form of bank guarantee shall be given at the rate. of Rs. 35./ per running meter. Similarly for reclamation of the side drain and for tarred portion, the guarantee will be at the rate of Rs. 300. – per meter and Rs. 750/- per meter, respectively. An undertaking shall be obtained from the User Agency that it has agreed to make good any loss to forest/ Environment while laying the cable in the forest area and during maintenance of the same in future.	User Agency submit that, the cable is going to be laid in the formation width of the road (side shoulder of road) .then User Agency submit additional charges in form of Bank guarantee. of 1320 Rmt. X Rs. 35 = 46200/- (Rs Forty- six Thousand Two Hundred only)in favour of Dy. Conservator of forest Satara through YES BANK LTD. Branch C. G. Road Ahmedabad 380009 by Bank Guarantee no 007BG 01221460001 Issue date 26 Th May. 2022. Total Amount of B..G is Rs 1,12, 200/ (Rs one lakh twelve thousand two hundred only) Copy of Bank guarantee attached on Page no 31-35 User Agency submit undertaking that, User Agency will do reclamation work as per PWD road standard. User Agency agrees that, if the agency fails to reclaim the land to the satisfaction of Deputy Conservator of Forests Satara, the cost for reclamation will be recovered from the bank guarantee Undertaking is attached as Annexure IV
5	For further maintenance of the project, the agency shall obtain permission from concerned Deputy Conservator of Forest as and when required	.User Agency submit undertaking that, User Agency will obtain permission for further maintenance of the project from Deputy Conservator of Forests, Satara Undertaking is attached as Annexure V

6	The Forest land shall not be used for any purpose other than specified in the proposal.	User Agency submit undertaking that, the Forest land will not be used for any purpose other than specified in the proposal. Undertaking is attached as Annexure VI
7	No felling of trees shall do during the implementation of project	. User Agency submit undertaking that, no felling of trees will do during the implementation of project Undertaking is attached as Annexure VII
8	No new forest area beyond the ROW of existing road should be broken for laying Optical Fibre Cable.	User Agency submit undertaking that, no new forest area beyond the ROW of existing road will be broken for laying Optical Fibre Cable. Undertaking is attached as Annexure VIII
9	The User Agency shall defray the cost of CA over 1.00 ha degraded forest land at Gut. No.583, Comp. No.786, Village Nandal Tal.-Phaltan, Dist Satara And The User Agency shall pay the cost of NPV, if required in future	User Agency submit undertaking that, the User Agency has defrayed Rs. 8,04884/ (Rs. Eight lakh four thousand eight hundred eighty-four only) as the cost of CA over 1.00 ha degraded forest land at Gut. No.583, Comp. No.786, Village- Nandal, Tal.-Phaltan, Dist. Satara .by online transfer on campa acct. through NEFT and UTR no N143221969044453 dt. 24/05/2022 Copy of transfer fund attached on Page no 29-30 Also User Agency submit undertaking that, the User Agency will pay the cost of NPV, if required in future Undertaking is attached as Annexure IX
10	Underground Optical Fiber Cable can be laid only outside the confines the Protected area.	User Agency submit undertaking that, underground Optical Fiber Cable will be laid only outside the confines the Protected area. Undertaking is attached as Annexure X
11	No Labour Campa shall be established on the forest land.	User Agency submit undertaking that, no Labour Campa shall be established on the forest land. Undertaking is attached as Annexure XI
12	After completion of the project, User Agency will reclaim the area under ROW suitably.	User Agency submit undertaking that, after completion of the project, User Agency will reclaim the area under ROW suitably. Undertaking is attached as Annexure XII
13	The layout plan of the proposal shall not be changed without prior approval of the state Government.	User Agency submit undertaking that, the layout plan of the proposal will not be changed without prior approval of the state Government. Undertaking is attached as Annexure XIII
14	This sanction is subject to the final clearance by the Department	User Agency submit undertaking that, User Agency has occurred permission from the Department of

	of Information & technology for the project and concerned PWD authorities for the project.	Information & technology for the project and concerned PWD authorities for the project. copies are attached on Page No 35-47 Undertaking is attached as Annexure XIV
15	The User Agency shall compensate the private owner of forest land if any.. in accordance with the prevalent laws, rules & guideline	User Agency submit undertaking that, the User Agency will compensate the private owner of forest land if any in accordance with the prevalent laws, rules & guideline. In this project there are no need of forest land of private owners. Hence question of compensate dose not arises Undertaking is attached as Annexure XV
16	The User Agency shall obtain Environment Clearance as pet the provisions of the Environment (Protection) Act, 1986. If applicable	User Agency submit undertaking that, the User Agency will obtain Environment Clearance as pet the provisions of the Environment (Protection) Act, 1986. User Agency submit that, for this project Environment Clearance is not applicable as per the provisions of the Environment (Protection) Act, 1986. Undertaking is attached as Annexure XVI
17	All the conditions as may be mandatory under relevant Acts, Rules, and guidelines shall be compiled by the user Agency	User Agency submit undertaking that, User Agency agrees to submit compliance report for all the conditions as may be mandatory under relevant Acts, Rules, and guidelines. Undertaking is attached as Annexure XVII
18	The User Agency shall make good of any loss to forest/ Environment	User Agency submit undertaking that, User Agency will make good of any loss to forest/ Environment Undertaking is attached as Annexure XVIII
19	In case the proposed area falls in the Row of the road passing through National Parks and Wildlife Sanctuaries, prior permission of the state board for wildlife should be obtained.	User Agency submit undertaking that, proposed area will not falls in the Row of road passing through National Parks and Wildlife Sanctuaries, Hence for this project prior permission of the state board for wildlife will not require. Undertaking is attached as Annexure XIX
20	All the conditions stipulated by the Forest Department shall be binding on User Agency	User Agency submit undertaking that, User Agency agrees all the conditions stipulated by the Forest Department will be binding on him. Undertaking is attached as Annexure XX
21	Any breach of the conditions by the User Agency will be treated as violation of the provisions of the Forest (Conservation) Act, 1980.	User Agency submit undertaking that, User Agency agrees that any breach of the conditions by him will be treated as violation of the provisions of the Forest (Conservation) Act, 1980

		Undertaking is attached as Annexure XXI
22	Compliance report of above condition shall be uploaded on PARIVESH Portal .	User Agency submit undertaking that, User Agency will upload the compliance report of above condition on PARIVESH Portal . Undertaking is attached as Annexure XXII

User Agency has transferred the amount quoted in demand letter in Ad-hoc CAMPA within the financial year 2022-23. User Agency has submitted the Bank Grantee in favour of Dy Conservator of Forests Satara. The User Agency submit the compliance report in 4 copies for Stage II Approval from State Govt. User agency requested to C.C.F. (T) Kolhapur to issue work order to start the work as early as possible. User Agency requested to necessary further action on compliance as early as possible.

Enclose -4 Copies of compliance.




(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTUR NO 1

Read: -1) Demand Note issued by DY.C. F. Satara's letter no D-6/ land 2022-23/ 403/ dt, 02/05/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/ C R-76 /F-10, Dt. 27/04/2022.

UNDERTAKING FOR CONDITION NO 1

User Agency submits the undertaking that, the User Agency agrees for legal statues of diverted forest land will remain unchanged, Hence the legal status of total diverted 0.132 ha. as per given below will remain unchanged.

Sr. <u>no.</u>	Name of Village / Taluka.	Comp. <u>no.</u>	Gut no	L X W in <u>mt.</u>	Area in <u>ha.</u>	Legal Status
1	Wavarhire Tal.- Maan	889	183	450 x 1	0.045	R. F.
2	Shingnapur Tal.- Maan	890	636	330 x 1	0.033	R. F.
3	Andrud , Tal.- Phaltan	760	264	220 x 1	0.022	R. F.
4	Wadale, Tal.- Phaltan	772	352	320 x 1	0.032	Protected Forest
Total Forest land required				1320 x1	0.132	

The status of forest land shown in above table will remain unchanged.

Place - Pune

Date; - 14 /06/2022


 (Rajiv Amidwar)
 Vice President, ULDP, Pune.
 Project Authority

ANNEXTUR NO II

Read: -1) Demand Note issued by DY.C. F. Satara's letter no D-6/ land 2022-23/ 403/ dt, 02/05/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/ C R-76 /F-10, Dt. 27/04/2022.

UNDERTAKING FOR CONDITION NO 2

User Agency submit undertaking that, the Optica Fiber Cable Line will be laid within Maximum size of the trench of 2.00-meter depth & 1.00-meter width with cable line under PVC pipeline

Place :- Pune

Date:- 14/06/2022


(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTUR NO III

Read: -1) Demand Note issued by DY.C. F. Satara's letter no D-6/ land 2022-23/ 403/ dt, 02/05/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/ C R-76 /F-10, Dt. 27/04/2022.

UNDERTAKING FOR CONDITION NO 3

User Agency submit that, the land under project will be reclaimed by the User Agency for which the agency is submitting Bank guarantee. of 1320 Rmt. x Rs. 50/- = 66000/- (Rs Sixty-six Thousand only.) on name of Dy. Conservator of forest Satara through YES BANK LTD. Branch C. G. Road Ahmedabad 380 009 by Bank Guarantee no 007BG 01221460001 Issue date 26Th May. 2022. Total Amount of B..G is Rs 1,12, 200/ (Rs one lakh twelve thousand two hundred only) Copy of Bank guarantee attached on Page no 31-34

User Agency submit undertaking that, User Agency will do reclamation work as per PWD road standard. User Agency agrees that, if the agency fails to reclaim the land to the satisfaction of Deputy Conservator of Forests Satara, the cost for reclamation will be recovered from the bank guarantee.

Place - Pune

Date; - 14 /06/2022


(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTUR NO IV

Read: -1) Demand Note issued by DY.C. F. Satara's letter no D-6/ land 2022-23/ 403/ dt, 02/05/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/ C R-76 /F-10, Dt. 27/04/2022.

UNDERTAKING FOR CONDITION NO 4

User Agency submit that, the cable is going to be laid in the formation width of the road (side shoulder of road) .then User Agency submit additional charges in form of Bank guarantee. of 1320 Rmt. X Rs. 35 = 46200/- (Rs Forty- six Thousand Two Hundred only) in favour of Dy. Conservator of forest Satara through YES BANK LTD. Branch C. G. Road Ahmedabad 380009 by Bank Guarantee no 007BG 01221460001 Issue date 26Th May. 2022. Total Amount of B..G is Rs 1,12, 200/ (Rs one lakh twelve thousand two hundred only) **Copy of Bank guarantee attached on Page no 31-34**

User Agency submit undertaking that, User Agency will do reclamation work as per PWD road standard. User Agency agrees that, if the agency fails to reclaim the land to the satisfaction of Deputy Conservator of Forests Satara, the cost for reclamation will be recovered from the bank guarantee.

Place - Pune

Date; - 14 /06/2022


 (Shri. Rajiv Amidwar)
 Jio Digital Life
 Project Authority

ANNEXTUR NO V

Read: -1) Demand Note issued by DY.C. F. Satara's letter no D-6/ land 2022-23/ 403/ dt, 02/05/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/ C R-76 /F-10, Dt. 27/04/2022.

UNDERTAKING FOR CONDITION NO 5

User Agency submit undertaking that, User Agency will obtain permission for further maintenance of the project from Deputy Conservator of Forests, Satara.

Place - Pune

Date; - 14 /06/2022


 (Shri. Rajiv Amidwar)
 Jio Digital Life
 Project Authority

ANNEXTUR NO VI

Read: -1) Demand Note issued by DY.C. F. Satara's letter no D-6/ land 2022-23/ 403/ dt, 02/05/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/ C R-76 /F-10, Dt. 27/04/2022.

UNDERTAKING FOR CONDITION NO 6

User Agency submit undertaking that, the Forest land will not be used for any purpose other than specified in the proposal.

Place - Pune

Date:- 14/06/2022


(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTURE NO VII

Read: -1) Demand Note issued by DY.C. F. Satara's letter no D-6/ land 2022-23/ 403/ dt, 02/05/2022.


2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.-FLD-2022/ C R-76 /F-10, Dt. 27/04/2022.

UNDERTAKING FOR CONDITION NO 7

User Agency submit undertaking that, no felling of trees will be done during the implementation of project

Place - Pune

Date:-: 14 /06/2022


(Shri. Raju Amidwar)
Jio Digital Life
Project Authority

ANNEXTUR NO VIII

Read: -1) Demand Note issued by DY.C. F. Satara's letter no D-6/ land 2022-23/ 403/ dt, 02/05/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/ C R-76 /F-10, Dt. 27/04/2022.

UNDERTAKING FOR CONDITION NO 8

User Agency submit undertaking that, no new forest area beyond the ROW of existing road will be broken for laying Optical Fibre Cable.

Place - Pune

Date:- 14 /06/2022


Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTURE NO IX

Read: -1) Demand Note issued by DY.C. F. Satara's letter no D-6/ land 2022-23/ 403/ dt, 02/05/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/ C R-76 /F-10, Dt. 27/04/2022.

UNDERTAKING FOR CONDITION NO 9

User Agency submit undertaking that, the User Agency has defrayed Rs. 8,04,884/ (Rs. Eight lakh four thousand eight hundred eighty-four only) as the cost of CA over 1.00 ha degraded forest land at Gut. No.583, Comp. No.786, Village- Nandal, Tal.-Phaltan, Dist Satara .by online transfer on campa acct. through NEFT and UTR no N143221969044453 dt. 24/05/2022. Copy of transfer fund attached on Page no 29-30

Also User Agency submit undertaking that, the User Agency will pay the cost of NPV, if required in future

Place - Pune

Date:- 14 /06/2022


Shri. Ravi Amidwar
Jio Digital Life
Project Authority

ANNEXTUR NO X

Read: -1) Demand Note issued by DY.C. F. Satara's letter no D-6/ land 2022-23/ 403/ dt, 02/05/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/ C R-76 /F-10, Dt. 27/04/2022.

UNDERTAKING FOR CONDITION NO 10

User Agency submit undertaking that, underground Optical Fiber Cable will be laid only outside the confines the Protected area.

Place - Pune

Date:-14 /06/2022


Shri. Rajiv Amidwar
Jio Digital Life
Project Authority

ANNEXTUR NO XI

Read: -1) Demand Note issued by DY.C. F. Satara's letter no D-6/ land 2022-23/ 403/ dt, 02/05/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/ C R-76 /F-10, Dt. 27/04/2022.

UNDERTAKING FOR CONDITION NO 11

User Agency submit undertaking that, no labour camp will be established on the forest land.

Place - Pune

Date:- /06/2022


Shri. Raju Amidwar)
Jio Digital Life
Project Authority

ANNEXTURE NO XII

Read: -1) Demand Note issued by DY.C. F. Satara's letter no D-6/ land 2022-23/ 403/ dt, 02/05/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/ C R-76 /F-10, Dt. 27/04/2022.

UNDERTAKING FOR CONDITION NO 12

User Agency submit undertaking that, after completion of the project, User Agency will reclaim the area under ROW suitably.

Place - Pune

Date:-: 14/06/2022


(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTUR NO XII

Read: -1) Demand Note issued by DY.C. F. Satara's letter no D-6/ land 2022-23/ 403/ dt, 02/05/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/ C R-76 /F-10, Dt. 27/04/2022.

UNDERTAKING FOR CONDITION NO 13

User Agency submit undertaking that, the layout plan of the proposal will not be changed without prior approval of the state Government.

Place - Pune

Date:-: 14 /06/2022


(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTUR NO XIV

Read: -1) Demand Note issued by DY.C. F. Satara's letter no D-6/ land 2022-23/ 403/ dt, 02/05/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/ C R-76 /F-10, Dt. 27/04/2022.

UNDERTAKING FOR CONDITION NO 14

User Agency submit undertaking that, User Agency has occurred permission from the Department of Information & technology for the project and concerned PWD authorities for the project. copies are attached on Page No 35-47

Place - Pune

Date:- 14 /06/2022


Shri. Rajy Amidwar
Jio Digital Life
Project Authority

ANNEXTUR NO XV

Read: -1) Demand Note issued by DY.C. F. Satara's letter no D-6/ land 2022-23/ 403/ dt, 02/05/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/ C R-76 /F-10, Dt. 27/04/2022.

UNDERTAKING FOR CONDITION NO 15

User Agency submit undertaking that, the User Agency will compensate the private owner of forest land if any in accordance with the prevalent laws, rules & guideline. In this project there are no need of forest land of private owners. Hence question of compensate dose not arises

Place - Pune

Date:- 14 /06/2022


 (Shri. Rajiv Amidwar)
 Jio Digital Life
 Project Authority

ANNEXTUR NO XVI

Read: -1) Demand Note issued by DY.C. F. Satara's letter no D-6/ land 2022-23/ 403/ dt, 02/05/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/ C R-76 /F-10, Dt. 27/04/2022.

UNDERTAKING FOR CONDITION NO 16

User Agency submit undertaking that, the User Agency will obtain Environment Clearance as per the provisions of the Environment (Protection) Act, 1986. User Agency submit that, for this project Environment Clearance is not applicable as per the provisions of the Environment (Protection) Act, 1986.

Place - Pune

Date:-: /06/2022


Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTUR NO XVII

- Read: -1) Demand Note issued by DY.C. F. Satara's letter no D-6/ land 2022-23/ 403/ dt, 02/05/2022.
- 2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/ C R-76 /F-10, Dt. 27/04/2022.

UNDERTAKING FOR CONDITION NO 17

User Agency submit undertaking that, User Agency agrees to submit compliance report for all the conditions as may be mandatory under relevant Acts, Rules, and guidelines.

Place - Pune

Date:-:14 /06/2022


 (Shri. Rajiv Amidwar)
 Jio Digital Life
 Project Authority

ANNEXTUR NO XVIII

Read: -1) Demand Note issued by DY.C. F. Satara's letter no D-6/ land 2022-23/ 403/ dt, 02/05/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/ C R-76 /F-10, Dt. 27/04/2022.

UNDERTAKING FOR CONDITION NO 18

. User Agency submit undertaking that, User Agency will make land good after use / maintenance without any loss to forest/ Environment

Place - Pune

Date:-14 /06/2022



(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTUR NO XIX

Read: -1) Demand Note issued by DY.C. F. Satara's letter no D-6/ land 2022-23/ 403/ dt, 02/05/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/ C R-76 /F-10, Dt. 27/04/2022.

UNDERTAKING FOR CONDITION NO 19

User Agency submit undertaking that, proposed area will not fall in the Row of road passing through National Parks and Wildlife Sanctuaries, Hence for this project prior permission of the State Board for Wildlife will not require.

Place - Pune

Date:-14 /06/2022



Mr. Rajiv Amidwar
Jio Digital Life
Project Authority

ANNEXTURE NO XX

- Read: -1) Demand Note issued by DY.C. F. Satara's letter no D-6/ land 2022-23/ 403/ dt, 02/05/2022.
- 2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/ C R-76 /F-10, Dt. 27/04/2022.

UNDERTAKING FOR CONDITION NO 20

User Agency submit undertaking that, User Agency agrees all the conditions stipulated by the Forest Department will be binding on him.

Place - Pune

Date:-14 /06/2022


Shri. Rajiv Amidwar
Jio Digital Life
Project Authority

ANNEXTUR NO XXI

Read: -1) Demand Note issued by DY.C. F. Satara's letter no D-6/ land 2022-23/ 403/ dt, 02/05/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/ C R-76 /F-10, Dt. 27/04/2022.

UNDERTAKING FOR CONDITION NO 21

User Agency submit undertaking that, User Agency agrees that any breach of the conditions by him will be treated as violation of the provisions of the Forest (Conservation) Act, 1980

Place - Pune

Date:-:14/06/2022


 (Shri. Rajiv Amidwar)
 Jio Digital Life
 Project Authority

ANNEXTUR NO XXII

Read: -1) Demand Note issued by DY.C. F. Satara's letter no D-6/ land 2022-23/ 403/ dt, 02/05/2022.


2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.-FLD-2022/ C R-76 /F-10, Dt. 27/04/2022.

UNDERTAKING FOR CONDITION NO 22

User Agency submit undertaking that, User Agency will upload the compliance report of above condition on PARIVESH Portal.

Place - Pune

Date:-: 14/06/2022


(Shri. Raju Amidwar)
Jio Digital Life
Project Authority

Transfer of Fund & Bank Guarantee

30

AGENCY COPY

यूनियन बैंक Union Bank of India



NEFT / RTGS CHALLAN for CAMPA Funds

Date : 07-05-2022

Agency Name.	RELIANCE JIO INFOCOMM LTD. ERANDWANE PUNE
Application No.	71141702198
MoEF/SG File No.	FLD-2022/CR-76/F-10
Location.	MAHARASHTRA
Address.	Vice President , Reliance JIO Infocomm Ltd. ,Reliance Corporate Ltd. Park Ltd, Down Town . 2 nd and 3rd floor, Opp.Karve Road , Mhatre Bridge, Erandwane, PunePune
Amount(in Rs)	804884/-

Amount in Words :Eight Lakh Four Thousand Eight Hundred and Eighty-Four Rupees Only

NEFT/RTGS to be made as per following details;

Beneficiary Name:	MAHARASHTRA CAMPA
IFSC Code:	UBIN0903710
Pay to Account No.	1507871141702198 Valid only for this challan amount.
Bank Name & Address:	Union Bank Of India Lodhi Complex Branch, Block 11,CGO Complex, Phase I, Lodhi Road, New Delhi -110003

- This Challan is strictly to be used for making payment to CAMPA by NEFT/RTGS only

BANK COPY

यूनियन बैंक Union Bank of India



NEFT / RTGS CHALLAN for CAMPA Funds

Date : 07-05-2022

Agency Name.	RELIANCE JIO INFOCOMM LTD. ERANDWANE PUNE
Application No.	71141702198
MoEF/SG File No.	FLD-2022/CR-76/F-10
Location.	MAHARASHTRA
Address:	Vice President , Reliance JIO Infocomm Ltd. ,Reliance Corporate Ltd. Park Ltd, Down Town . 2 nd and 3rd floor, Opp.Karve Road , Mhatre Bridge, Erandwane, Pune Pune
Amount(in Rs)	804884/-

Amount in Words :Eight Lakh Four Thousand Eight Hundred and Eighty-Four Rupees Only

NEFT/RTGS to be made as per following details;

Beneficiary Name:	MAHARASHTRA CAMPA
IFSC Code:	UBIN0903710
Pay to Account No.	1507871141702198 Valid only for this challan amount.
Bank Name & Address:	Union Bank Of India Lodhi Complex Branch, Block 11,CGO Complex, Phase I, Lodhi Road, New Delhi -110003

- This Challan is strictly to be used for making payment to CAMPA by NEFT/RTGS only

After making successful payment, User Agencies may send a line of confirmation through Email: helpdeskampa@corpbank.co.in

Note:After making the required payment through challan, if the payment status has not been updated even after 7 working days, then kindly mail a copy of your challan with transaction date to Email: cb0371@unionbankofindia.com

Print

Back

UTR:- N 143221969044453
dt 24/05/2022

(Rajiv Amidwar)
Vice President, Pune
Project Authority

01/32



26-MAY-22

The Governor of Maharashtra,
Through, DEPUTY CONSERVATOR OF FORESTS,
SATARA FOREST DIVISION, SATARA,
DIST. SATARA
Pin Code:-415001.

Our reference : 007BG01221460001
Issue date : 26-MAY-22
Applicant : RELIANCE JIO INFOCOMM LIMITED
Guarantee amt. : INR112,200.00
Amt. in words : INDIAN RUPEES ONE HUNDRED TWELVE THOUSAND TWO HUNDRED ONLY
Stated Expiry date : 09-MAY-23
Stated Claim Expiry date : 09-MAY-24

Dear Sir/ Madam,

Please find enclosed the captioned guarantee duly issued by YES Bank ("the Bank").

The beneficiary of this guarantee is entitled to confirm the authenticity of this guarantee directly by contacting the issuing branch or any of below controlling office:

YES Bank Limited
Yes Bank House,
Off western express highway,
Santacruz east,
Mumbai - 400055.

YES Bank Limited,
NOC Gurgaon - BG desk,
DLF Cyber City, 3rd floor,
Building No. 8 A,
Gurgaon - 122002.

YES Bank Limited
NOC Chennai - BG desk,
One Indiabulls Park,
4th Floor, Tower B,
Plot No. 14, 3rd Main Road,
Ambattur Estate,
Chennai - 600 058.

This guarantee is to be returned immediately post its expiry. Please note that any communication/demand under this guarantee should be specifically made by the official who is authorised under the guarantee and should be made in writing to the issuing branch unless otherwise specified in the enclosed guarantee.

It is confirmed that

- 1) Mr. / Ms. Anand Ahuja
- 2) Mr. / Ms. Vishal Thakkar

who have signed the above guarantee, are authorised to sign the same on behalf of the Bank.

For YES Bank Limited

(Authorised Signatories)

DATE : 26-MAY-22
PLACE : YES BANK LTD - AHMEDABAD BRANCH



(Rajiv Amidwar)
Vice President, JIO, Pune
Project Authority

Unit No.G/3,102-103,"C.G.Centre",C.G.Road,Ahmedabad - 380 009



SMS "Help" space <CUST ID>
to +91 92233 90909



YES TOUCH PhoneBanking Numbers
1800 1200 (Toll Free for Mobile & Landlines in India) +91 22 30993600 (When calling from Outside India)
Toll Free number from USA / Canada: 1877 659 8044 UK: 800 178 5133 UAE: 8000 3570 3089



Email us at
yesatouch@yesbank.in

CIN - L65190MH2003PLC143249

Registered & Corporate Office: YES BANK Limited, YES BANK House, Off Western Express Highway, Santacruz East, Mumbai - 400 055, India.
Tel: +91 022 5091 9800 / 022 6507 9800 Fax: 022 26192866 www.yesbank.in

[illegible]

32

THIS NON-JUDICIAL STAMP PAPER FORMS PART AND
PARCEL OF BANK GUARANTEE / BANK GUARANTEE
AMENDMENT DATED 26.05.22 ISSUED UNDER
REF NO: 00766 0122 1460501
IN FAVOUR OF J.C. Grewar of Maharashtra
BY YES BANK LTD. Secy. J.C. Grewar
ON BEHALF OF Reliance Jilva Comm Limited
(APPLICANT).

[Handwritten signature]

[Circular official stamp]

To,
The Governor of Maharashtra,
Through, DEPUTY CONSERVATOR OF FORESTS,
SATARA FOREST DIVISION, SATARA,
DIST.SATARA.
Pin Code:-415001.

In consideration of the Governor of Maharashtra (hereinafter referred to as the "Government") having agreed to exempt M/S Reliance Jio Infocomm Ltd. Registered Office: 101, Saffron, Nr. Centre Point, Panchwati 5 Rasta, Ambawadi, Ahmedabad-380006, Gujarat, India (hereinafter referred to as licensee) from depositing with the Government in Cash the sum of Rs. 1,12,200/- (Rupees One Lac Twelve Thousand Two Hundred only) being the amount of security deposit payable by the licensee to the government under terms and condition of the Agreement made between Government of the one part and Licensee of the other part (hereinafter referred to as "the said Agreement" for laying of Optical Fiber Cable on SH 124, S.H 60, MDR 13 PASSING THROUGH FOREST LAND AT VILLAGE WAVARHIRE, SHINGNAPU TAL MAN, & VIL as security for the observation and performance by the licensee of the terms and conditions of the said Agreement, on the licensee furnishing to the government a Guarantee in the prescribed form as schedule bank in India being in fact this presents in the like sum Rs. 1,12,200/- (Rupees One Lac Twelve Thousand Two Hundred only) We, YES Bank Ltd., a company incorporated and registered under the Companies Act 1956 and a banking company within the meaning of section 5(c) of the Banking Regulation Act, 1949 and having its registered office at YES BANK LIMITED, YES BANK House, Off Western Express Highway, Santacruz East, Mumbai 400055 and a branch office inter alia at YES BANK LTD, 102/103, C.G Center, C.G Road, Near Cargo Motors, Panchvati, Ahmedabad - 380009, Gujarat (Hereinafter referred to as the "the Bank" which expression shall unless repugnant to the context or meaning thereof be claimed to include its successors and assigns) do hereby:

1. *Guarantee to the Government*

a) Due performance and observation by the Licensee of the terms covenants and conditions on the part of the licensee contained in the said agreement and.

b) Due and punctual payment by the Licensee to the Government of all sums of money, losses, damages, cost charges, penalties and expenses payable to the Government by the licensee under or in respect to the said agreement. We the Bank undertake to pay to DEPUTY CONSERVATOR OF FORESTS, SATARA FOREST DIVISION, SATARA, and DIST.SATARA. behalf of government on written demand and without demur and notwithstanding and dispute or disputes raised by the Licensee in and suit or proceedings filed in any court or tribunal relating thereto the Rs. 1, 12, 200/- (Rupees One Lac Twelve Thousand Two Hundred only) such less sum may be demanded by the Government from us our liability hereunder being absolute and unequivocal and agree that.

1. (a) The Guarantee herein contained shall remain in full force and effect during the subsistence of the said agreement or until 09-MAY-2023, whichever is earlier and that the same will continue to be enforceable till all the dues of the Government under or by virtue of the said agreement have been duly paid its claims satisfied or discharged and till the Government certifies

BANK GUARANTEE NO : 007BG01221460001

ISSUE DATE : 26-MAY-2022

that the terms and conditions of the said agreement have been fully, properly carried out by the licensee or its expiry date i.e 09-MAY-2023 whichever is earlier.

(b) We shall not be discharge from the liability under this Guarantee by reason of

i) Any change in construction of the Bank or the Licensee or

ii) Any agreement entered into the Government and the Licensee with or without consent.

iii) Any forbearance or indulgence shown to the Licensee.

Iv) Any verification in the terms, covenant or conditions contained under which in Law, a surety would be discharged.

(c) Our Liability hereunder shall not exceed Rs. 1,12,200/- (Rupees One Lac Twelve Thousand Two Hundred only)

(d) We shall not revoke this Guarantee during its currency except with the previous consent in writing of the Government.

The Terms of this document/instrument will be governed by Indian Law.

NOTWITHSTANDING anything contained hereinabove:

(i) Our Liability under this bank Guarantee shall Rs. 1,12,200/- (Rupees One Lac Twelve Thousand Two Hundred only).

(ii) This Bank Guarantee is Valid upto 09-MAY-2023.

(iii) We are liable to pay guaranteed amount or any part thereof under this Bank Guarantee only if any claim or demand is received by us in writing at this office at YES BANK LTD, 102/103, C.G Center, C.G Road, Near Cargo Motors, Panchvati, Ahmedabad - 380009, Gujarat by hand, by post or by courier, by close of banking hours, on or below 09-MAY-2024 thereafter the bank will stand discharged of all its liabilities in all respect whether or not the original Bank Guarantee is returned to us.

For YES Bank Limited

Authorized Signatory

Place: Ahmedabad

Date: 26/05/2022

Name: Anand Arora

Designation: Area Manager



For YES Bank Limited

Authorized Signatory

Place: Ahmedabad

Date: 26/05/2022

Name: Vishal Thakkar

Designation: BSR



Clearance By

- Department of Information &
Technology
- &
- Public Works Dept.

महाराष्ट्र शासन

क्रमांक: GAD-मातंस०६५/प्र.क्र.१२६/से-४/२०१८

सामान्य प्रशासन विभाग

माहिती तंत्रज्ञान संचालनालय,

७वा मजला, मंत्रालय, मुंबई ४०००३२

दिनांक : २८/०८/२०१८

प्रति,

व्यवस्थापक,

मे.रिलायन्स जीओ इन्फोकॉम लि,

९ मजला, मेकर चेंबर IV,

२२२, नरीमन पॉईंट, मुंबई-४०००२१

विषय - ऑप्टिकल फायबर केबल टाकण्यासाठीच्या परवानगी बाबत.

संदर्भ :- १. मे. रिलायन्स यांचे प्रस्ताव, दि. २७.०८.२०१८

२. शासन निर्णय क्र. मातंस०६५/प्र.क्र.१/२०१८, दि. १७.०२.२०१८

३. शासन परिपत्रक क्र. मातंस०६५/प्र.क्र.१/२०१८, दि. ०३.०३.२०१८

उपरोक्त प्रस्तावानुषंगाने आपणास कळविण्यात येते की, राज्यात ऑप्टिकल फायबर केबल टाकण्यासाठी संदर्भ क्रमांक २ वरील शासन निर्णयानुसार मे. रिलायन्स यांनी प्रशासकीय शुल्काचा भरणा करण्यासाठी धनादेश सादर केले आहेत. सादर करण्यात आलेले प्रस्ताव व धनादेशांचा तपशील पुढील प्रमाणे आहे-

अ.क्र.	प्रस्ताव कि.मी.	डक्ट नुसार अंतर कि.मी.	डक्ट	मार्गाशी संबंधित प्राधिकरणे	सादर केलेले प्रशासकीय शुल्क रु.
१	६.६००	६.६००	२	राष्ट्रीय महामार्ग, सोलापूर	१३,२००
२	१२.०००	१२.०००	२	सा.बां.वि., पंढरपूर	२४,०००
३	१९२.१००	१९२.१००	२	सा.बां.वि., सातारा	३,८४,२००
४	३.८००	३.८००	२	मुख्य कार्यकारी अधिकारी, जिल्हापरीषद, सोलापूर	७,६००
५	२४.६००	२४.६००	२	सा.बां.वि., पंढरपूर	४९,२००
६	२६.५००	२६.५००	२	सा.बां.वि., उस्मानाबाद	५३,०००
७	१०.७००	१०.७००	२	मुख्य कार्यकारी अधिकारी, जिल्हापरीषद, सोलापूर	२१,४००
८	२०.७००	२०.७००	२	सा.बां.वि., उस्मानाबाद	४१,४००

(Rajiv Amidwar)
 Vice President, Project Alimda
 (Rajiv Amidwar)

९	८.०००	८.०००	२	मुख्य कार्यकारी अधिकारी, जिल्हा परीषद, नाशिक	१६,०००
१०	२.५००	२.५००	२	सा.बां.वि., कालवान	५,०००
११	१५.५५०	१५.५५०	२	सा.बां.वि., पंढरपूर	३१,१००
१२	१४.०००	१४.०००	२	सा.बां.वि., अकलूज	२८,०००
१३	१५३.६००	१५३.६००	२	सा.बां.वि., यवतमाळ (स्पेशल प्रोजेक्ट)	३,०७,२००
१४	८५.३००	८५.३००	२	मुख्य कार्यकारी अधिकारी, जिल्हा परीषद, सातारा	१,७०,६००
१५	१२१.२००	१२१.२००	२	सा.बां.वि., रत्नागिरी	२,४२,४००
१६	१७१.०२०	१७१.०२०	२	सा.बां.वि., सातारा	३,४२,०४०

उपरोक्त तक्त्यात दर्शविण्यात आलेल्या प्रस्तावांसाठीचे धनादेश माहिती तंत्रज्ञान संचालनालयास प्राप्त झाले आहेत. ऑनलाईन प्रणाली अद्याप कार्यान्वीत व्हावयाची असल्याने संदर्भ क्रमांक ३ वरील शासन परिपत्रकानुसार ऑनलाईन प्रणाली कार्यान्वीत होईपर्यंत मार्गाशी संबंधित प्राधिकरणांकडे उपरोक्त प्रस्ताव हार्ड कॉपी स्वरूपात पुढील कार्यवाहीस्तव सादर करण्यात यावेत.

संबंधित सक्षम प्राधिकरण संस्थेकडून पुनर्भरण शुल्क वसूल करेल व परवानगीबाबतची पुढील कार्यवाही करेल.

ज्यो.मु.माडेकर
(ज्यो.मु.माडेकर)

उप सचिव (प्र), (मातंस)
महाराष्ट्र शासन

प्रत माहितीस्तव तसेच योग्यत्या कार्यवाहीसाठी सादर.

- मुख्य कार्यकारी अधिकारी, जिल्हापरीषद, सोलापूर/नाशिक/सातारा
- कार्यकारी अभियंता, सा.बां.वि,
पंढरपूर/सातारा/उस्मानाबाद/कालवान/अकलूज/यवतमाळ/रत्नागिरी

यांना कळविण्यात येते की, वरील तक्त्यात दर्शविण्यात आलेल्या प्रस्तावांसाठी संस्थेने शासन निर्णय क्र. मातंस०६५ /प्र.क्र.१/२०१८, दि.१७.२.२०१८ मधील तरतुदीनुसार प्रशासकीय शुल्काचा भरणा माहिती तंत्रज्ञान संचालनालयाकडे केला आहे. संदर्भ क्रमांक ३ वरील शासन परिपत्रकानुसार संस्था वरील तक्त्यात दर्शविण्यात आलेले प्रस्ताव हार्ड कॉपी स्वरूपात आपणास सादर करेल. आपल्या कार्यक्षेत्रातून जाणाऱ्या ऑप्टिकल फायबर केबलच्या मार्गासाठी पुनर्भरण शुल्काचा भरणा करून घेण्यात यावा व पुनर्भरण शुल्काचा भरणा झाल्यानंतरच ऑप्टिकल फायबर केबल टाकण्यास परवानगी देण्यात यावी.

(Rajiv Amidwar)
Vice President,
Project Authority



GOVERNMENT OF MAHARASHTRA
OFFICE OF THE EXECUTIVE ENGINEER
P.W.Division, Satara
Public Works Department

Permission for laying utility

To,

Reliance Jio Infocomm Limited,
RELIANCE JIO INFOCOMM LIMITED 2ND FLOOR WESTEND BUILDING, OPP MCDONALDS, AUNDH, WS:34 PUNE-
411007,
PUNE, 411007

Subject :-

Permission for laying Network on DALAJ NATEPUTE DHAIWADI
WADUG KARAD. SH-124, KM 88/000 TO 106/00 FOR TOTAL
LENGTH OF = 18.000 KM

Reference :-

Your Online Application No 1762, Dated 2018-08-11 13:23:40

With reference to your application for obtaining permission for laying Network, this office has received online amount for Rs 1,577,500 (Transaction No.:107451115146 dated 13-10-2018 02:00:01) as security deposit against restoration charges for DALAJ NATEPUTE DHAIWADI WADUG KARAD. SH-124, KM 88/000 TO 106/00 FOR TOTAL LENGTH OF = 18.000 KM.

Based on the above, you are hereby granted permission with following terms and conditions, attached herewith.

[Click here for printing Terms and Conditions document separately.](#)



U3JLXCvBF7M95R

Executive Engineer,
Public Works Division, Satara
Executive Engineer

बाबक क. रसा ७३९७
कार्यकारी अभियंता बांधे कार्यालय
बांधेजालिक बांधकाम विभाग, सातारा
दिनांक '15 OCT 2018'

(Rajiv Amidwar)
Vice President, JIO, Pune
Project Authority

विषय :- रस्त्याचे बाजूने व रस्ता गाँस करून ओ.एफ.सी.केबल टाकणेस परवानगी मिळणे बाबत.

रा.मा.०९ ते टाळज फळस नातेपुते शिंगणापूर दहियदी घडूज कराड रस्ता राज्यमार्ग क्र.१२४ कि.मी.८८/०० ते १०६/०० मध्ये एकूण १८.०० कि.मी जि.सातारा. विभाग-कार्यकारी अभियंता सा.गां. विभाग सातारा.

संदर्भ :- १) ONLINE APPLICATION ID NO: EP १७६२

२) सा.बां.विभाग मंत्रालय मुंबई शासन निर्णय क्र.संकीर्ण-२०१७/प्र.क्र.२४६/रस्ते-७ दिनांक.३०/०५/२०१७.

३) सा.बां.विभाग मंत्रालय मुंबई परिपत्रक क्र.संकीर्ण-२०१७/प्र.क्र.२४६/रस्ते-७ दिनांक.३०/०५/२०१७.

४) सा.बां.विभाग मंत्रालय मुंबई शुद्धीपत्रक क्र.संकीर्ण-२०१६/प्र.क्र.२४६(भाग-१)/रस्ते-७ दिनांक.१२/०१/२०१८.

५) सा.बां.विभाग मंत्रालय मुंबई परिपत्रक क्र.संकीर्ण-२०१६/प्र.क्र.२४६(भाग-१)/रस्ते-७ दिनांक.१२/०१/२०१८.

अटी व शर्ती :-

१. विषयांकित रस्त्याच्या मध्यापासून १५ मीटर अंतराच्या पुढे किंवा जेथे प्रत्यक्ष रस्त्यांची शासकीय हद्द अस्तित्वात आहे त्या ठिकाणी रस्त्याचे हद्दी लगत रस्ता हद्दीला खेदून त्या ठिकाणी रस्त्याच्या पृष्ठभागापासून १.२० मीटर खोल किंवा त्या पेक्षा ज्यास्त खालून भुमिगत ऑप्टिकल फायबर केबल टाकणेत यावी.
२. जेथे रस्ता लांबीमध्ये घाटाचा भाग आहे त्या ठिकाणी सा.बा.विभागाचे रस्ते हद्दी लगत परवानगी द्यावी, व शासन निर्णयानुसार रस्ता पूर्ववत करण्याचे शुल्क आकारण्यात यावे.
३. प्रस्तावा सोबतचे माहिती तंत्रज्ञान संचालनालयाचे रूट भंजरीचे पत्रामधील रक्कमेचे प्रगणन तसेच माहिती तंत्रज्ञान संचालनालयाबरोबर झालेल्या करारनाम्यातील सर्व कलमांचे पालन करण्याची जबाबदारी संबंधीत कंपनी यांची राहिल.
४. शासनाचे घोरणाप्रमाणे जेथे रस्त्याच्या मध्यापासून फांतीत कमी १५ मीटर अंतरावर ऑप्टिकल फायबर केबल टाकणे शक्य नसेल तेथे तेवढ्या लांबीत ऑप्टिकल फायबर केबल टाकण्यास शासन सा. बां. विभाग पत्र क्र. संकीर्ण - २००१/ प्र.क्र. १८ /रस्ते-७ दि. २३.१.२००१ अन्वये तात्पुरत्या स्वरूपात परवानगी देण्यात येत आहे व सा. बां. विभाग पत्र क्र. विपआ -२०१८/ प्र.क्र. ३८७ /रस्ते-७ दि. १६.२.२०१८ अन्वये सूचनानुसार उद्योजकास तेवढ्या लांबीत लवकरात लवकर स्वखर्चाने स्वताची पर्यायी व्यवस्था करून केबल १५ मीटर अंतरावर टाकणे आवश्यक आहे. या प्रकरणी शासन कोणतीही नुकसान भरपाई संबंधितास देणार नाही.
५. ऑप्टिकल फायबर केबल ज्या ठिकाणी रस्त्यांना छेदून टाकण्याचे प्रस्तावित आहे, त्या ठिकाणी Horizontal drilling करून आर.सी.सी Conduit pipe टाकून काम करणे किंवा रस्ता खोदाई करून आवश्यक असल्यास अडचणीचे ठिकाणी रस्ता खोदाई न करता तेवढे ठिकाणी Parallel Drilling करण्यात यावे.

६. नियमानुसार ऑप्टिकल फायबर केबल रस्त्याच्या मध्यापासून कमीत कमी १५ मीटर अंतरावर टाकावी, पण प्रत्यक्षात जागेवर तेवढी जागा उपलब्ध नसल्यास अस्तित्वातील रस्त्याचे हद्दीला खेदून केबल टाखनेत यावी, किंवा जेथे प्रत्यक्ष रस्त्यांची शासकीय हद्द अस्तित्वात आहे त्या ठिकाणी रस्त्याचे हद्दी लागत सा.बा.विभागाचे मार्गदर्शनाखाली ऑप्टिकल फायबर केबल टाकावी रस्त्याच्या डांबरी पृष्ठभागाखालून बोअर धेऊन (एच.डी.डी) पध्दतीने रस्त्याच्या कडेने साईड पट्टी मधून १.२० मीटर खोल चर खोदून भुमिगत टाकणेत यावी. प्रत्यक्ष ऑप्टिकल फायबर केबल टाकताना रस्त्याच्या मध्यापासून योग्य अंतर सोडले जावत ऑप्टिकल फायबर केबल कंपनीने कार्यकारी अभियंता यांचे निदर्शनास आणून द्यावे म्हणजे कामाबाबत कोणतीही तक्रार उदभवणार नाही.

७. ऑप्टिकल फायबर केबल टाकताना इतर कोणत्याही केबल अथवा जलवाहिनीस अथवा विद्युत वाहिनीस किंवा गॅस वाहिनीस इजा पोहचता कामा नये. इजा झाल्यास त्याची संपूर्ण भरपाई अर्जदारास भरावी लागेल.

८. रस्त्याच्या कडेने साईड पट्टी मधून १.२० मीटर खोल चर खोदून भुमिगत केबल टाकत असताना कोणतेही प्रकारची माती उत्खनन होत नाही, त्यामुळे रॉयल्टी बाबत घेणेचे काहीच कारण नाही.

९. केबल डक्ट साठी खोदकाम करताना उपयुक्त असे मुरुम खडी दगड यासारखे गौण खनिजावर सा. बां. विभागाची मालकी असेल असे गौण खनिज योग्य प्रकारे साठवून ते कार्यकारी अभियंता यांच्याकडे सुपूर्द करण्याची जबाबदारी संबंधित अभिकर्ता कंपनीची राहिल

१०. खोदकाम चालू असताना रस्त्याच्या कडेची झाडे तोडणे अनिवार्य असल्यास अभिकर्ता कंपनीने संबंधित सक्षम प्राधिकरणाची पूर्व परवानगी मिळवावी. तसेच पर्यावरणाचा समतोल राखण्यासाठी उपलब्ध जागेवर पुन्हा वृक्षारोपण करणे कंपनीस बंधनकारक राहिल.

११. महाराष्ट्र सरकार व केंद्रीय जल भुतल परिवहन मंत्रालयाने नविन नियम, अटी व शर्ती प्रस्तुत केल्यास त्या अभिकर्ता कंपनीस बंधनकारक राहतील. तसेच भविष्यात रस्ता रुंदीकरणासाठी केबल टाकावयाची झाल्यास त्याचा खर्च संबंधित कंपनीने करावा.

१२. कंपनीद्वारे ऑप्टिकल फायबर केबल टाकण्याचे काम सुरू करण्यापूर्वी संबंधित कंपनीने सार्वजनिक बांधकाम खात्याशी संपर्क साधावा व संबंधित क्षेत्राच्या क्षेत्रीय अधिका-यांच्या मार्गदर्शनाखाली व देखरेखीखाली काम सुरू करावयाचे आहे.

१३. रस्त्याखालून ओ.एफ.सी. लाईन टाकण्याचे कामास सुरूवात करणेपूर्वी कामाच्या ठिकाणापासून दोन्ही दिशेला १०० मीटर अंतरावर सावधानतेच्या इशा-याचे फलक रिफ्लेक्टिव स्ट्रीपचा वापर करून लावण्यात यावेत. तसेच रात्रीच्या वेळी काम सुरू अथवा अपूर्ण राहिल्यास माहितगार तंत्रज्ञांसह रात्रभर तेवत राहणारा लाल प्रकाश झोताचा दिवा लावण्याची वा तत्सम व्यवस्था कंपनीने करावी.

१४. रस्त्याच्या पृष्ठभाग केबल टाकणेसाठी खोदला असता मोकळा होऊन पोकळी निर्माण झालेल्या केबल टाकलेल्या लाईन व्यतिरिक्त इतर सर्व भागामध्ये संबंधित कंपनीने स्वखर्चाने सिमेंट क्रॉक्रीट अथवा तत्सम समांतर पातळीने बांधकाम साहित्याने भराव करून रस्त्याच्या पृष्ठभागाची Rigidity कायम ठेवावची आहे.

१५. प्रस्तावात केलेल्या कामाव्यतिरिक्त इतर काही जास्तीचे काम करावयाचे झाल्यास सा.बां.खात्याची पूर्व परवानगी घेणे कंपनीस बंधनकारक आहे.

१६. ऑप्टिकल फायबर केबल टाकणेचे काम चालू असताना एखादा अपघात घडल्यास त्याची संपूर्ण जबाबदारी संबंधित कंपनीची राहिल.

१७. ऑप्टिकल फायबर केबल टाकणेचे काम पूर्ण झाल्यानंतर कामाच्या ठिकाणी सा.बां.खात्याच्या मालकीच्या जागेत संबंधित कंपनीच्या मालकीचे किंवा त्यांच्या संबंधित ठेकेदारांच्या मालकीचे कोणतेही अतिरीक्त साहित्य,मशिनरी अथवा शेड राहणार नाही याची दक्षता सदर कंपनीने घ्यावी.
१८. कंपनीच्या मालमत्तेचे हानीपासून संरक्षण करण्याची हमी शासन देत नाही.
१९. सदर काम चालू करण्यापूर्वी संबंधित कंपनीने रस्त्याच्या काटछेद नकाशा, पृष्ठभाग खोदण्यासाठी वापरात येणारी मशिनरी व तिची पध्दत तसेच खोदाईच्या कामासाठी व प्रत्यक्ष काम पूर्ण होण्यासाठी लागणारा कालावधी इत्यादीबाबतचा सविस्तर कल्पना सा.बां.खात्याचे सक्षम अधिकारी यांना द्यावी.
२०. सदरहू कंपनी स्वतःच्या खर्चाने रस्त्याखाली घातलेल्या ऑप्टिकल फायबर केबल देखभाल व दुरुस्ती करून ती योग्य स्थितीत ठेवतील आणि रस्त्याच्या बाजूकडील जमिनीच्या पृष्ठभागाचे किंवा शासनाच्या सा.बां.खात्याच्या मालमत्तेचे जे काही नुकसान होईल ते कार्यकारी अभियंता,सा.बां.विभाग किंवा त्यांचे प्रतिनिधी यांचे संपूर्णतः समाधान होईल अशाप्रकारे पुर्ववत दुरुस्ती करून व्यवस्थित करून द्यावे लागेल.
२१. करारातील कोणत्याही शर्तीचे संबंधित कंपनीने पालन न केल्यास तीन महिने आगाऊ दिलेल्या नोटीसची मुदत संपल्यावर जमिनीचीखालील केबल काढून टाकण्याची कार्यकारी अभियंता सा.बां.विभाग यांना मोकळीक असेल, आणि कार्यकारी अभियंता यांचेद्वारे करण्यांत आलेल्या खर्चास संबंधित कंपनी जबाबदार असेल.
२२. सदरहू ऑप्टिकल फायबर केबल टाकणेचे काम सुरू करण्यापूर्वी केबल टाकणेसाठी खोदण्यात आलेली रस्त्याची जमीन खचणे इ. सारखी भविष्यात घटना घडल्यास ती जमीन व रस्त्याच्या पृष्ठभाग सुस्थितीत पुर्ववत आणण्यासाठी भरावयाची रक्कम व अनामत रक्कम कार्यकारी अभियंता कार्यालयात जमा करावयाची आहे.
२३. सदर रस्त्याच्या १५ मीटर हद्दीपलीकडे शेतकरी, संस्था,इतरखाजगी कंपनी व इतर खात्याची अथवा इतर कोणाच्या हक्कांची जमीन येत असल्यास केबल टाकण्याकरिता त्यांची स्वतंत्र परवानगी घेणे आवश्यक आहे व त्याच्या सहमतीने केबल टाकण्याचे काम करण्यात यावे.अन्यथा काही तक्रारी उद्भवलेस सा.बा.विभाग जबाबदार राहणार नाही.
२४. सदरहू कामास सुरुवात करण्यापूर्वी सा. बां. खात्याकडून घालून दिलेल्या सर्व अटी यांन्व असल्याचा कायम स्वरुपी करारनामा रु. ५००/- किंमतीच्या मुद्रांक शुल्कावर (दस्तऐवज) तयार करून त्यावर कार्यकारी अभियंता यांचे स्वाक्षरीसह मंजूर करून घ्यावा.
२५. केबल खोदाई व केबल टाकण्याचे काम टप्पाटप्प्याने पूर्ण करणे आहे. सुमारे २०० मीटर अंतरापर्यंत खोदाई पूर्ण झाल्यावर केबल टाकणे व खोदाई वुजवून त्यावर दबाई करणे ही बाब करणे जरूरी आहे.
२६. सदरची परवानगी ही मुख्य अभियंता सा.बा.प्रादेशिक विभाग पुणे यांचे वतीने संबंधित कार्यकारी अभियंता सा.बा.विभाग यांनी रु. ५००/- किंमतीच्या स्टॅम्पपेपर कायदेशीर करारनामा ऑप्टिकल फायबर केबल कंपनीसाठी करून दिल्यानंतर त्यातील अटी व शर्तीस अधीन राहून असेल.
२७. महाराष्ट्र सरकार व केंद्रीय जलभुतल परियहन मंत्रालयाने भविष्यात नविन नियम, अटी /शर्ती प्रस्तुत केल्यास त्या अनुज्ञप्ती धारक कंपनीस बंधनकारक राहतील.

१८. पुल/मो-या /स्लॅब ड्रेन असलेल्या भागात ऑप्टिकल फायबर केबल टाकण्याची व्यवस्था मंजूर करून घ्यावी व ऑप्टिकल फायबर केबल पुलाच्या पॅरापेटच्या / रेलिंगच्या बाहेरच्या बाजूने लोखंडी क्लॅम्पच्या सहाय्याने टाकण्यात यावी.
१९. रस्ता रुंदीकरणाच्या वेळी रुंदीकरणाच्या वाढीव हद्दीपलिकडे सा. बां. विभागाने दिलेल्या सूचनांप्रमाणे कंपनीस केबल स्वखर्चाने हलवावी लागेल. या करिता सा. बां. विभागाकडून आगाऊ तीस दिवसांची नोटीस दिली जाईल. नोटीस दिल्यानंतर तीस दिवसांच्या आत ही केबल काढून न टाकल्यास सा. बां. विभागाकडून केबल काढून टाकण्यात येईल. अथवा रस्ता रुंदीकरणाचे काम सुरु करण्यात येईल. प्रवर्तकास नविन केबल रस्त्याच्या वाढीव हद्दीपलिकडे सा. बां. विभागाच्या पूर्व परवानगीने स्वखर्चाने टाकावी लागेल.
२०. ज्या ठिकाणी खोदकाम करावयाचे आहे. तेथील अस्तित्वातील भारत संचार निगम लि. व इतर खाजगी केबल, विद्युत केबल पाईप लाईन इत्यादींचे नुकसान झाल्यास त्याची नुकसान भरपाई कंपनीने करावयाची आहे. होणा-या नुकसान भरपाईस हे खाते जबाबदार राहणार नाही याची संबंधितांनी नोंद घेणे आवश्यक आहे.
२१. घाटामधील भागात ऑप्टिकल फायबर केबलची खोदाई करताना शक्यतो त्याभागात पुर्वी एखाद्या कंपनीची केबल खोदाई झाली असल्यास त्या खोदाईच्या चरामधुनच नवीन केबल टाकण्याबाबत क्षेत्रीय अधिकारी यांचे मार्गदर्शनाखाली काम करणे कंपनीस बंधनकारक राहील.
२२. सदर केबल प्रकरणीचे प्रस्तावांतर्गत संबंधितांनी पुरविलेले कागदपत्रे खोटे अगर दिशाभूल करणारी आढळून आल्यास देण्यात येणारी परवानगी तात्काळ रद्द करण्यात येईल.
२३. सा. बां. विभागाचे क्षेत्रीय अधिका-यांचे देखरेखीखाली ऑप्टिकल फायबर केबल टाकणेसाठी रस्ता खोदाईचे काम हाती घ्यावे. परस्पर रस्ता खोदाई कंपनीस करता येणार नाही.
२४. वन जमिनीतून रस्ता जात असल्यास ऑप्टिकल फायबर केबलचे खोदाईसाठी वन विभागाची परवानगी घ्यावी. व सा.बा.विभागाचे हद्दीतील रस्त्यावर केबल खोदाई करावयाची असेल व त्याबाबत रस्ता पूर्वत करणणेसाठीची रक्कम सा.बा.विभागाकडे जमा केली असेल तर या लांबीत ऑप्टिकल फायबर केबलचे खोदाईसाठी वन विभागाची परवानगी घेण्याची आवश्यकता नसून सा.बा. विभागाची परवानगी प्राप्त घरणेत यावी.
२५. जि.प.चे अधिपत्याखाली इतर जिल्हा मार्ग व ग्रामीण मार्ग बाबत केबलचे खोदाईसाठी त्यांचेकडून परवानगी घ्यावी.

मुख्य अभियंता
सा. बां. प्रादेशिक विभाग, पुणे १

(Rajiv Amidwar)
Vice President JIO, Pune
Project Authority



43

**GOVERNMENT OF MAHARASHTRA
OFFICE OF THE EXECUTIVE ENGINEER
P.W.Division, Satara
Public Works Department**

Permission for laying utility

To,

Reliance Jio Infocomm Limited ,
RELIANCE JIO INFOCOMM LIMITED 2ND FLOOR WESTEND BUILDING, OPP MCDONALDS, AUNDH, WS:34 PUNE-
411007,
PUNE, 411007

Subject :-

Permission for laying Network on DAHIWADI-TIRAKWADI SH-60
KM 176/000 TO 180/000 FOR TOTAL LENGTH OF = 4.000 KM

Reference :-

Your Online Application No 2329, Dated 2018-09-28 12:37:14

With reference to your application for obtaining permission for laying Network, this office has received online amount for Rs 1,500,000 (Transaction No.:107451116757 dated 13-10-2018 02:00:01) as security deposit against restoration charges for DAHIWADI-TIRAKWADI SH-60 KM 176/000 TO 180/000 FOR TOTAL LENGTH OF = 4.000 KM.

Based on the above, you are hereby granted permission with following terms and conditions, attached herewith.

Click here for printing Terms and Conditions document separately.



X3SIG0F690Q8DA

**Executive Engineer,
Public Works Division, Satara.**

बाबक म. रेका **U3EE**
कार्यकारी अभियंता बांधे कारावाज
कार्यकारी बांधकाम विभाग, सातारा
दिनांक **15 OCT 2018'**

(Rajiv Amidwar)
Vice President, JIO, Pune
Project Authority



44

विषय :- रस्त्याचे बाजूने व रस्ता क्रॉस करून ओ.एफ.सी.केबल टाकणेस परवानगी मिळणे बाबत.

अहमदनगर मठेवडगांव दौह यारामती फलटण दहियही पावणी विटा सांगली रस्ता राज्य मार्ग क्र.६० कि.मी.१७६/०० ते १८०/०० मध्ये एकुण ४.०० कि.मी. जि.सातारा. विभाग-कार्यकारी अभियंता सा.बां. विभाग सातारा.

संदर्भ :- १) ONLINE APPLICATION ID NO: EP २३३९

२) सा.बां.विभाग मंत्रालय मुंबई शासन निर्णय क्र.संकीर्ण-२०१७/प्र.क्र.२४६/रस्ते-७ दिनांक.३०/०५/२०१७.

३) सा.बां.विभाग मंत्रालय मुंबई परिपत्रक क्र.संकीर्ण-२०१७/प्र.क्र.२४६/रस्ते-७ दिनांक.३०/०५/२०१७.

४) सा.बां.विभाग मंत्रालय मुंबई शुद्धीपत्रक क्र.संकीर्ण-२०१६/प्र.क्र.२४६(भाग-१)/रस्ते-७ दिनांक.१२/०१/२०१८.

५) सा.बां.विभाग मंत्रालय मुंबई परिपत्रक क्र.संकीर्ण-२०१६/प्र.क्र.२४६(भाग-१)/रस्ते-७ दिनांक.१२/०१/२०१८.

अटी व शर्ती :-

१. विषयान्वित रस्त्याच्या मध्यापासून १५ मीटर अंतराच्या पुढे किंवा जेथे प्रत्यक्ष रस्त्याची शासकीय हद्द अस्तित्वात आहे त्या ठिकाणी रस्त्याचे हद्दी लगत रस्ता हद्दीला खेदून त्या ठिकाणी रस्त्याच्या पृष्ठभागापासून १.२० मीटर खोल किंवा त्या पेक्षा ज्यास्त खालून भूमिगत ऑप्टिकल फायबर केबल टाकणेत यावी.
२. जेथे रस्ता लांबीमध्ये घाटाचा भाग आहे त्या ठिकाणी सा.बां.विभागाचे रस्ते हद्दी लगत परवानगी घावी, व शासन निर्णयानुसार रस्ता पूर्ववत करण्याचे शुल्क आकारण्यात यावे.
३. प्रस्तावा सोबतचे माहिती तंत्रज्ञान संचालनालयाचे रूट मंजूरीचे पत्रामधील रक्कमेचे प्रगणन तसेच माहिती तंत्रज्ञान संचालनालयाबरोबर झालेल्या कारारनाम्यातील सर्व कलमांचे पालन करण्याची जबाबदारी संबंधीत कंपनी यांची राहिल.
४. शासनाचे घोरणाप्रमाणे जेथे रस्त्याच्या मध्यापासून कमीत कमी १५ मीटर अंतरावर ऑप्टिकल फायबर केबल टाकणे शक्य नसेल तेथे तेवढ्या लांबीत ऑप्टिकल फायबर केबल टाकण्यास शासन सा. बां. विभाग पत्र क्र. संकीर्ण - २००१/ प्र.क्र. १८ /रस्ते-७ दि. २३.१.२००१ अन्वये तात्पुरत्या स्वरूपात परवानगी देण्यात येत आहे व सा. बां. विभाग पत्र क्र. विपआ -२०१८/ प्र.क्र. ३८७ /रस्ते-७ दि. १६.२.२०१८ अन्वये सूचनानुसार उदयोजकास तेवढ्या लांबीत लवकरात लवकर स्वखर्चाने स्वता:ची पर्यायी व्यवस्था करून केबल १५ मीटर अंतरावर टाकणे आवश्यक आहे. या प्रकरणी शासन कोणतीही नुकसान भरपाई संबंधितास देणार नाही.
५. ऑप्टिकल फायबर केबल ज्या ठिकाणी रस्त्यांना खेदून टाकण्याचे प्रस्तावित आहे, त्या ठिकाणी Horizontal drilling करून आर.सी.सी Conduit pipe टाकून काम करणे किंवा रस्ता खोदाई करून आवश्यक असल्यास अडचणीचे ठिकाणी रस्ता खोदाई न करता तेवढे ठिकाणी Parallel Drilling करण्यात यावे.

६. नियमानुसार ऑप्टिकल फायबर केबल रस्त्याच्या मध्यापासून कमीत कमी १५ मीटर अंतरावर टाकावी, पण प्रत्यक्षात जागेवर तेवढी जागा उपलब्ध नसल्यास अस्तित्वातील रस्त्याचे हद्दीला खोदून केबल टाखनेत यावी. किंवा जेथे प्रत्यक्ष रस्त्यांची शासकीय हद्द अस्तित्वात आहे त्या ठिकाणी रस्त्याचे हद्दी लागत सा.बा.विभागाचे मार्गदर्शनाखाली ऑप्टिकल फायबर केबल टाकावी रस्त्याच्या डांबरी पृष्ठभागाखालून बोअर घेऊन (एच.डी.डी) पध्दतीने रस्त्याच्या कडेने साईड पट्टी मधून १.१० मीटर खोल चर खोदून भुमिगत टाकणेत यावी. प्रत्यक्ष ऑप्टिकल फायबर केबल टाकताना रस्त्याच्या मध्यापासून योग्य अंतर सोडले बाबत ऑप्टिकल फायबर केबल कंपनीने कार्यकारी अभियंता यांचे निदर्शनास आणून द्यावे म्हणजे कामाबाबत कोणतीही तक्रार उदभवणार नाही.

७. ऑप्टिकल फायबर केबल टाकताना इतर कोणत्याही केबल अथवा जलवाहिनीस अथवा विद्युत वाहिनीस किंवा गॅस वाहिनीस इजा पोहचता कामा नये. इजा झाल्यास त्याची संपूर्ण भरपाई अर्जदारास भरावी लागेल.

८. रस्त्याच्या कडेने साईड पट्टी मधून १.२० मीटर खोल चर खोदून भुमिगत केबल टाकत असताना कोणतेही प्रकारची माती उत्खनन होत नाही, त्यामुळे रॉयल्टी बाबत घेणेचे काहीच कारण नाही.

९. केबल डक्ट साठी खोदकाम करताना उपयुक्त असे मुरुम खड्डी दगड यासारखे गोण खनिजावर सा. बां. विभागाची मालकी असले असे गोण खनिज योग्य प्रकारे साठवून ते कार्यकारी अभियंता यांच्याकडे सुपूर्द करण्याची जबाबदारी संबंधित अभिकर्ता कंपनीची राहिल

१०. खोदकाम चालू असताना रस्त्याच्या कडेची झाडे तोडणे अनिवार्य असल्यास अभिकर्ता कंपनीने संबंधित सक्षम प्राधिकरणाची पूर्व परवानगी मिळवावी. तसेच पर्यावरणाचा समतोल राखण्यासाठी उपलब्ध जागेवर पुन्हा वृक्षारोपण करणे कंपनीस बंधनकारक राहिल.

११. महाराष्ट्र सरकार व केंद्रीय जल भुतल परिवहन मंत्रालयाने नविन नियम, अटी व शर्ती प्रस्तुत केल्यास त्या अभिकर्ता कंपनीस बंधनकारक राहिल. तसेच भविष्यात रस्ता रुंदीकरणासाठी केबल टाकावयाची झाल्यास त्याचा खर्च संबंधित कंपनीने करावा.

१२. कंपनीद्वारे ऑप्टिकल फायबर केबल टाकण्याचे काम सुरू करण्यापूर्वी संबंधित कंपनीने सार्वजनिक बांधकाम खात्याशी संपर्क साधावा व संबंधित क्षेत्राच्या क्षेत्रीय अधिका-यांच्या मार्गदर्शनाखाली व देखरेखीखाली काम सुरू करावयाचे आहे.

१३. रस्त्याखालून ओ.एफ.सी. लाईन टाकण्याचे कामास सुरूवात करणेपूर्वी कामाच्या ठिकाणापासून दोन्ही दिशेला १०० मीटर अंतरावर सावधानतेच्या इशा-याचे फलक रिफ्लेक्टिव स्ट्रीपचा वापर करून लावण्यात यावेत. तसेच रात्रीच्या वेळी काम सुरू अथवा अपूर्ण राहिल्यास माहितगार तंत्रज्ञांसह रात्रभर तेवत राहणारा लाल प्रकाश झोताचा दिवा लावण्याची वा तत्सम व्यवस्था कंपनीने करावी.

१४. रस्त्याचा पृष्ठभाग केबल टाकणेसाठी खोदला असता मोकळा होडून पोकळी निर्माण झालेल्या केबल टाकलेल्या लाईन व्यतिरिक्त इतर सर्व भागांमध्ये संबंधित कंपनीने स्वछर्चाने सिमेंट क्राँक्रीट अथवा तत्सम समांतर पातळीने बांधकाम साहित्याने भराव करून रस्त्याच्या पृष्ठभागाची Rigidity कायम ठेवायची आहे.

१५. प्रस्तावात केलेल्या कामाव्यतिरिक्त इतर काही जास्तीचे काम करावयाचे झाल्यास सा.बां.खात्याची पूर्व परवानगी घेणे कंपनीस बंधनकारक आहे.

१६. ऑप्टिकल फायबर केबल टाकणेचे काम चालू असताना एखादा अपघात घडल्यास त्याची संपूर्ण जबाबदारी संबंधित कंपनीची राहिल.

JWAD
TOTAL

for R
es to

१७. ऑप्टिकल फायबर केबल टाकणेचे काम पूर्ण झाल्यानंतर कामाच्या ठिकाणी सा.बां.खात्याच्या मालकीच्या जागेत संबंधित कंपनीच्या मालकीचे किंवा त्यांच्या संबंधित ठेकेदारांच्या मालकीचे कोणतेही अतिरीक्त साहित्य,मशिनरी अथवा शेड राहणार नाही याची दक्षता सदर कंपनीने घ्यावी.
१८. कंपनीच्या मालमत्तेचे हानीपासून संरक्षण करण्याची हमी शासन देत नाही.
१९. सदर काम चालू करण्यापूर्वी संबंधित कंपनीने रस्त्याचा काटछेद नकाशा, पृष्ठभाग खोदण्यासाठी वापरात येणारी मशिनरी व तिची पध्दत तसेच खोदाईच्या कामासाठी व प्रत्यक्ष काम पूर्ण होण्यासाठी लागणारा कालावधी इत्यादीबाबतचा सविस्तर कल्पना सा.बां.खात्याचे सक्षम अधिकारी यांना द्यावी.
२०. सदरहू कंपनी स्वतःच्या खर्चाने रस्त्याखाली घातलेल्या ऑप्टिकल फायबर केबल देखभाल व दुरुस्ती करून ती योग्य स्थितीत ठेवतील आणि रस्त्याच्या बाजूकडील जमिनीच्या पृष्ठभागाचे किंवा शासनाच्या सा.बां.खात्याच्या मालमत्तेचे जे काही नुकसान होईल ते कार्यकारी अभियंता,सा.बां.विभाग किंवा त्यांचे प्रतिनिधी यांचे संपूर्णतः समाधान होईल अशाप्रकारे पुर्ववत दुरुस्ती करून व्यवस्थित करून द्यावे लागेल.
२१. करारातील कोणत्याही शर्तीचे संबंधित कंपनीने पालन न केल्यास तीन महिने आगाऊ दिलेल्या नोटीसची मुदत संपल्यावर जमिनीचीखालील केबल काढून टाकण्याची कार्यकारी अभियंता सा.बां.विभाग यांना मोकळीक असेल, आणि कार्यकारी अभियंता यांचेद्वारे करण्यात आलेल्या खर्चास संबंधित कंपनी जबाबदार असेल.
२२. सदरहू ऑप्टिकल फायबर केबल टाकणेचे काम सुरू करण्यापूर्वी केबल टाकणेसाठी खोदण्यात आलेली रस्त्याची जमीन खचणे इ. सारखी भविष्यात घटना घडल्यास ती जमीन व रस्त्याचा पृष्ठभाग सुस्थितीत पुर्ववत आणण्यासाठी भरावयाची रक्कम व अनामत रक्कम कार्यकारी अभियंता कार्यालयात जमा करावयाची आहे.
२३. सदर रस्त्याच्या १५ मीटर हद्दीपलीकडे शेतकरी, संस्था,इतरखाजगी कंपनी व इतर खात्याची अथवा इतर कोणाच्या हक्कांची जमीन येत असल्यास केबल टाकण्याकरिता त्यांची स्वतंत्र परवानगी घेणे आवश्यक आहे व त्याच्या सहमतीने केबल टाकण्याचे काम करण्यात यावे.अन्यथा काही तक्रारी उद्भवलेस सा.बा.विभाग जबाबदार राहणार नाही.
२४. सदरहू कामास सुरुवात करण्यापूर्वी सा. बां. खात्याकडून घालून दिलेल्या सर्व अटी मान्य असल्याचा कायम स्वरुपी करारनामा रु. ५००/- किंमतीच्या मुद्रांक शुल्कावर (दस्तऐवज) तयार करून त्यावर कार्यकारी अभियंता यांचे स्वाक्षरीसह मंजूर करून घ्यावा.
२५. केबल खोदाई व केबल टाकण्याचे काम टप्पाटप्प्याने पूर्ण करणे आहे. सुमारे २०० मीटर अंतरापर्यंत खोदाई पूर्ण झाल्यावर केबल टाकणे व खोदाई बुजवून त्यावर दबाई करणे ही बाब करणे जरूरी आहे.
२६. सदरची परवानगी ही मुख्य अभियंता सा.बा.प्रादेशिक विभाग पुणे यांचे वतीने संबंधित कार्यकारी अभियंता सा.बा.विभाग यांनी रु. ५००/- किंमतीच्या स्टॅम्पपेपर कायदेशीर करारनामा ऑप्टिकल फायबर केबल कंपनीसाठी करून दिल्यानंतर त्यातील अटी व शर्तीस अधीन राहून असेल.
२७. महाराष्ट्र सरकार व केंद्रीय जलभुतल परिवहन मंत्रालयाने भविष्यात नविन नियम, अटी /शर्ती प्रस्तुत केल्यास त्या अनुज्ञप्ती धारक कंपनीस बंधनकारक राहतील.



सातारा जिल्हा परिषद, सातारा बांधकाम विभाग-दक्षिण

जि.प.मुख्य इमारत तिसरा मजला, सातारा पंढरपूर रस्ता, सातारा पि.को.नं. -४१५ ००२
E Mail-workssouthzpsatara@gmail.com

47

दुरध्वनी क्र.(०२१६२) २२७९२७

जा.क्र.साजिप/बांध/द/रेशा-१५७९२/२०१८
बांधकाम (दक्षिण) विभाग, सातारा
दिनांक -१७/१२/२०१८

आदेश

प्रति,

मे.रिलायन्स जियो इन्फोकॉम लि.
नरिमन पॉईंट, मुंबई.४००० २१.

विषय:- रस्त्याच्या समांतर व रस्ता क्रॉस करुन ओ.एफ.सी.केबल टाकणेस परवानगी
मिळणेबाबत. तालुका-वडूज (खटाव), जि.सातारा

संदर्भ :- १. शासन परिपत्रक क्र. संकिर्ण ०६९६/प्रक्र.१५७/रस्ते-१/मंत्रालय मुंबई
दिनांक २३/३/२००० नुसार
२.मान्य मंजूर टिपणी दिनांक- ०६/१०/२०१८
३.आपलेकडील पत्र RJIL / OFC / ROW / NLD / 7B / MAHARASHTRA /
SATARA /ZP/7B/01/ Date-31-07-2018
४.आपलेकडील पत्र RJIL / OFC / ROW / NLD / 7B / MAHARASHTRA /
SATARA /ZP/ Date-23-11-2018

उपरोक्त संदर्भित विषयान्वये आपला प्रस्ताव मंजूरीसाठी या कार्यालयास प्राप्त झाला आहे.
रस्त्याच्या समांतर व रस्ता क्रॉस करुन ओ.एफ.सी.केबल टाकणेस परवानगी मिळणेसाठी धनाकर्ष
डी.डी.क्रमांक-५०५६९८ दि.०५/१२/२०१८ रक्कम रुपये २५,८८,४३८/- एवढी रक्कम " १३
सार्वजनिक बांधकामे रस्ता क्रॉसिंग परवाना फी जमीन भाडे " या सदरी मा.मुख्य लेखा व वित्त
अधिकारी, जि.प. सातारा यांचे नावे चलनाने दिनांक- १३/१२/२०१८ रोजी जिल्हा मध्यवर्ती सहकारी बँक,
सातारा शाखा- जि.प.सातारा येथे भरलेली आहे. तसेच आय.सी.आय.सी.आय. बँक गॅरंटी
रु.२,१५,०००/-दि.२७/११/२०१८ BG No.0541BGR0323119 अन्वये १०० रुपयेच्या स्टॅम्पवर जमा
आहे.

सदर ओ.एफ.सी.केबल टाकणेंस खालील अटी व शर्तीनुसार मान्यता देणेत येत आहे.

- १) ओ.एफ.सी.केबल संबंधीत कंपनीने स्वाखर्चाने टाकणेची आहे.
- २) ओ.एफ.सी.केबल टाकले नंतर काढणेत येणारी चारी पुर्ववत करुन देणेची जबाबदारी सर्वस्वी संबंधीत कंपनीची राहिल तसेच काही नुकसान झालेस ते नुकसान तद्वत भरुन देणे आवश्यक आहे.
- ३) ओ.एफ.सी.केबल टाकले नंतर त्याबाबतची कोणतीही जबाबदारी जिल्हा परिषदेवर राहणार नाही.
- ४) रस्त्याच्या बाजूला टाकलेल्या ओ.एफ.सी.केबलने इमारतीस इजा / धोका पोहोचल्यास त्यास सर्वस्वी आपली कंपनी जबाबदार राहिल व होणारे नुकसान संबंधीत कंपनीने भरुन देणे आवश्यक आहे.
- ५) करारनाम्यासाठी येणारा खर्च कंपनीने स्वताः करावयाचा आहे.
- ६) सदर कामी खुदाई करताना जमीनी खालील विजेच्या तारा, टेलीफोनच्या तारा, पाणी पुरवठा करणाऱ्या पाईप यांचे कोणत्याही प्रकारचे नुकसान होणार नाही याबाबत खबरदारी घ्यावी याबाबत नुकसान व त्याची भरपाई याबाबतची जबाबदारी कंपनीची राहिल.
- ७) ओ.एफ.सी.केबल टाकणेचे काम उप अभियंता, सातारा जिल्हा परिषद बांधकाम उपविभाग-वडूज (खटाव), यांचे कडील संबंधीत शाखा अभियंता यांचे मार्गदर्शनाखाली करुन घ्यावे.
- ८) शासन परिपत्रक क्र. संकिर्ण ०६९६/प्रक्र.१५७/रस्ते-१/मंत्रालय मुंबई दिनांक २३/३/२००० नुसार उप अभियंता सातारा जिल्हा परिषद बांधकाम उप विभाग-वडूज (खटाव), यांनी आवश्यक ती पडताळणी करुन त्याप्रमाणे योग्य ती कार्यवाही करणे अपेक्षीत आहे.

दि.०१/डिसेंबर/२०१८ च्या स्टॅपवर करारनामामधील १ ते २६ अटीस अधीन राहून चितळी मायणी अनफळे दगडवस्ती पळसगांव रस्ता इ.जि.मा.९८ सा.क्रं.०/०० ते ८/६०० एकूण लांब. ८६००.०० मीटर तालुका-वडूज (खटाव), जि.सातारा या रस्त्यावर रस्त्याच्या समांतर व रस्ता क्रॉस करुन ओ.एफ.सी.केबल टाकणेंस परवानगी देणेत येत आहे.

सोबत :- करारनामा दि.१/१२/२०१८

San Hosh
अतिरिक्त मुख्य कार्यकारी अधिकारी
सातारा जिल्हा परिषद, सातारा.

प्रत: - उप अभियंता, सातारा जिल्हा परिषद बांधकाम उपविभाग - वडूज (खटाव), यांना माहितीसाठी व योग्य त्या कार्यवाहीसाठी.

(Rajiv Amidwar)
Vice President, JIO, Pune
Scanned by CamScanner