

Jk/ proposal/ Satara/ 186 /2022-23

Date:- 07/07/2022

To,
Deputy Conservator of Forests.
Forest Division Satara

Sub:- Compliance Report for Proposal no- FP/ MH/OFC/ 148433/2021, Area 0.278 ha

Forest land Satara, - Diversion of 0.278 Ha. forest land under forest (Conservation) Act, 1980 for laying of underground Optical Fiber Cable line passing within Row of existing road Shamgaon to Vagheri, Tal - Karad, Road passing through forest land at village- Shamgaon, Antawadi, & Vagheri, Tal.- Karad, Dist. Satara

- Ref.** 1) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022 /C.R -92/F-10, Dt. 02/06/2022
2) Deputy Conservator of Forests Satara letter no B/ Land/ 22-23/ 734 Dt.-08/06/2022

As per the reference coated above, the State Govt. has given **In-Principal** approval for laying of underground OFC duct & Cable within Row of existing road passing through forest land.at Shamgaon, Antawadi, Vagheri, Tal Karad. Dy. Conservator of Forest Satara has requested to submit compliance report as per demand note issued as reference no (2).

The M/S Reliance JIO Info Comm. Ltd., Pune is submitting compliance report with the documents, certificates and undertaking as stipulated in the principal approval as per the following details.

Con. no	Details of Conditions	Compliance by User Agency
1	The legal status of the land remains unchanged	User Agency submit undertaking that, the legal status of the diverted forest land remains unchanged. Undertaking is attached as " Annexure I "
2	The Cost of NPV shall be exempted	User Agency submit undertaking that, the User Agency will agree for exemption for cost of NPV, User Agency will defray cost of NPV in future if required. Undertaking is attached as " Annexure II "
3	The Optica Fiber Cable Line will be laid within Maximum size of the trench of 2.00-meter depth & 1.00-meter width with cable line under PVC pipeline.	User Agency submit undertaking that, the Optica Fiber Cable Line will be laid within Maximum size of the trench of 2.00-meter depth & 1.00-meter width with cable line under PVC pipeline. Undertaking is attached as " Annexure III ".

4	<p>The land under project will be reclaimed by the User Agency for which the agency shall submit a bank guarantee at the rate of 2780 x Rs. 50 = 1,39,000/ (one lakhs thirty-nine thousand only) and undertaking to that effect shall also be submitted. If the agency fails to reclaim the land to the satisfaction of Deputy Conservator of Forests concerned, the cost for reclamation will be covered from the bank guarantee.</p>	<p>User Agency submit that, the land under project will be reclaimed by the User Agency for which the agency is submitting Bank guarantee. of 2780 Rmt. x Rs. 50/- = 1,39,000/ (one lakhs thirty-nine thousand only) in favour of Dy. Conservator of forests Satara through Yes Bank, Bund Garden, Pune branch by Bank Guarantee no 551BG01221880001 dt. 07th Jul.2022 Total Bank Guarantee of RS 2,36,300/ (Rs. Two lakh thirty-six thousand three hundred only) Copy of Bank guarantee attached on Page no 30-36</p> <p>User Agency submit undertaking that, User Agency will do reclamation work as per PWD road standard. User Agency agrees that, if the agency fails to reclaim the land to the satisfaction of Deputy Conservator of Forests Satara, the cost for reclamation will be recovered from the bank guarantee.</p> <p>Undertaking is attached as “Annexure IV”</p>
5	<p>If the cable is going to be laid in the formation width of the road, then additional charges in form of bank guarantee shall be given at 2780 x 35 =97,300/ (Rs. Ninety-seven thousand three hundred only) & similarly for reclamation of the side drain and for tarred portion, the guarantee will be at the rate of Rs. 300. – per meter and Rs. 750/- per meter, respectively. An undertaking shall be obtained from the User Agency that it has agreed to make good any loss to forest/ Environment while laying the cable in the forest area and during maintenance of the same in future.</p>	<p>User Agency submit that, the cable is going to be laid in the formation width of the road (side shoulder of road) .then User Agency submit additional charges in form of Bank guarantee. of 2780 Rmt. X Rs. 35 = 97,300/ (Rs. Ninety-seven thousand three hundred only) in favour of Dy C . F . Satara through Yesh Bank, Bund Garden, Pune branch by Bank Guarantee no 551BG01221880001 dt. 07th Jul.2022. Total Bank Guarantee of RS 2,36,300/ (Rs. Two lakh thirty-six thousand three hundred only) Copy of Bank guarantee attached on Page no 30-36.</p> <p>User Agency submit undertaking that, User Agency will do reclamation work as per PWD road standard. User Agency agrees that, if the agency fails to reclaim the land to the satisfaction of Deputy Conservator of Forests Satara, the cost for reclamation will be recovered from the bank guarantee</p> <p>Undertaking is attached as “Annexure IV”</p>
6	<p>For further maintenance of the project, the agency shall obtain permission from concerned Deputy Conservator of Forest satara as and when required</p>	<p>.User Agency submit undertaking that, User Agency will obtain permission for further maintenance of the project from Deputy Conservator of Forests, Satara</p> <p>Undertaking is attached as “Annexure VI”</p>
7	<p>The Forest land shall not be used for any purpose other than specified in the proposal.</p>	<p>User Agency submit undertaking that, the Forest land will not be used for any purpose other than specified in the proposal.</p> <p>Undertaking is attached as “Annexure VII”</p>

8	No felling of trees shall do during the implementation of project	User Agency submit undertaking that, no felling of trees will do during the implementation of project Undertaking is attached as " Annexure VIII "
9	No new forest area beyond the ROW of existing road should be broken for laying Optical Fibre Cable.	User Agency submit undertaking that, no new forest area beyond the ROW of existing road will be broken for laying Optical Fibre Cable. Undertaking is attached as Annexure IX
10	The User Agency shall defray the cost of Rs. 8,04884/ (Rs. Eight lakh four thousand eight hundred eighty-four only.) for Compensatory Afforestation over 1.00 ha degraded forest land at Gut no 592 , Comp no 786, at village Nandal, Tal Phaltan Dist. Satara.	User Agency submit undertaking that, the User Agency has defrayed Rs. 8,04884/ (Rs. Eight lakh four thousand eight hundred eighty-four only.) as the cost of CA over 1.00 ha degraded forest land at Gut. No.592, Comp. No.786, at Village Nandal, Tal. – Phaltan, Dist. Satara through online RTGS traction from HDFC BANK, Mumbai Branch -by UTR No HDFCR 5202206227722 4646, Dt. 22.06.2022. Copy of amount transferred attached on Page no 27-29 Undertaking is attached as " Annexure X "
11	Underground Optical Fiber Cable can be laid only outside the confines the Protected area.	User Agency submit undertaking that, underground Optical Fiber Cable will be laid only outside the confines the Protected area. Undertaking is attached as " Annexure XI "
12	No Labour Campa shall be established on the forest land.	User Agency submit undertaking that, no Labour Campa shall be established on the forest land Undertaking is attached as " Annexure XII "
13	After completion of the project, User Agency will reclaim the area under ROW suitably.	User Agency submit undertaking that, after completion of the project, User Agency will reclaim the area under ROW suitably. Undertaking is attached as " Annexure XIII "
14	The layout plan of the proposal shall not be changed without prior approval of the state Government.	User Agency submit undertaking that, the layout plan of the proposal will not be changed without prior approval of the state Government. Undertaking is attached as " Annexure XIV "
15	This sanction is subject to the final clearance by the Department of Information & technology for the project and concerned PWD authorities for the project.	User Agency submit undertaking that, User Agency has occurred permission from the Department of Information & technology for the project and concerned PWD authorities for the project. copies are attached on Page No 37-44 Undertaking is attached as " Annexure XV "
16	The User Agency shall compensate the private owner of forest land if any.. in accordance with the prevalent laws, rules & guideline	User Agency submit undertaking that, the User Agency will compensate the private owner of forest land if any in accordance with the prevalent laws, rules & guideline. In this project there are no need of forest land of private owners. Hence question of compensate dose not arises

		Undertaking is attached as " Annexure XVI "
17	The User Agency shall obtain Environment Clearance as per the provisions of the Environment (Protection) Act, 1986. If applicable	User Agency submit undertaking that, the User Agency will obtain Environment Clearance as per the provisions of the Environment (Protection) Act, 1986. User Agency submit that, for this project Environment Clearance is not applicable as per the provisions of the Environment (Protection) Act, 1986. Undertaking is attached as " Annexure XVII "
18	All the conditions as may be mandatory under relevant Acts, Rules, and guidelines shall be compiled by the user Agency	User Agency submit undertaking that, User Agency agrees to submit compliance report for all the conditions as may be mandatory under relevant Acts, Rules, and guidelines. Undertaking is attached as " Annexure XVIII "
19	All the conditions stipulated by the Forest Department shall be binding on User Agency	User Agency submit undertaking that, User Agency agrees all the conditions stipulated by the Forest Department will be binding on him. Undertaking is attached as " Annexure XIX "
20	The User Agency shall make good land after use/maintenance	User Agency submit undertaking that, User Agency will make good land after use/maintenance. Undertaking is attached as " Annexure XX "
21	In case the proposed area falls in the Row of the road passing through National Parks and Wildlife Sanctuaries, prior permission of the state board for wildlife should be obtained.	User Agency submit undertaking that, proposed area will not fall in the Row of road passing through National Parks and Wildlife Sanctuaries, Hence for this project prior permission of the state board for wildlife will not require. Undertaking is attached as " Annexure XXI "
22	Any breach of the conditions by the User Agency will be treated as violation of the provisions of the Forest (Conservation) Act, 1980.	User Agency submit undertaking that, User Agency agrees that any breach of the conditions by him will be treated as violation of the provisions of the Forest (Conservation) Act, 1980 Undertaking is attached as " Annexure XXII "

User Agency has transferred the amount quoted in demand letter in Ad-hoc CAMPA within the financial year 2022-23. User Agency has submitted the Bank Grantee in favour of Dy Conservator of Forest Satara. The User Agency submit the compliance report in 4 copies for Stage II Approval from State Govt. User Agency requested to issue work order for the proposed work & do necessary further action on compliance as early as possible.

Enclose -4 Copies of compliance.

(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTUR NO I

Read: -1) Demand Note issued by DY.C. F. Satara's letter no B Desk -6/ Land/ 2022- 23 /734 / dt, 08/06/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022 / C. R. 92 /F-10, Dt. 02/06/2022.

UNDERTAKING FOR CONDITION NO - 1

User Agency submits the undertaking that, the User Agency agrees for legal statues of diverted forest land will remain unchanged, Hence the legal status of total diverted 0.276 ha. as per given below will remain unchanged.

Sr. no	Name of Village / Taluka.	Dist.	Gut no C. no	L X W in mt.	Area in ha.	Legal Status
1	Shamgaon, Tal. Karad	Satara	737 C no 664	450X1	0.0450	Reserved Forest
2	Antawadi, Tal. Karad	Satara	535,A,B,536 C, no 666,667	1850 X 1	0.1850	
3	Vagheri, Tal. Karad	Satara	550/1/A C no 668	480 X 1	0.0480	
Total Forest land required				2780	0.278	

The status of forest land shown in above table will remain unchanged.

Place - Pune
Date; - 07/07/2022


(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTUR NO II

Read: -1) Demand Note issued by DY.C. F. Satara's letter no B Desk -6/ land/ 2022- 23 /734/ dt, 08/06/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No. - C.R.92 /F-10, Dt. 02/06/2022

UNDERTAKING FOR CONDITION NO 2

User Agency submit undertaking that, the User Agency will agree for exemption for cost of NPV, User Agency will defray cost of NPV in future if required.

Place :- Pune

Date:- 07/07/2022


(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTUR NO III

Read: -1) Demand Note issued by DY.C. F. Satara's letter no B Desk -6/ land/ 2022-23/734/
dt - 08/06/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/
C R.92 /FLD-2022/ C.R.92 /F-10, Dt. 02/06/2022

UNDERTAKING FOR CONDITION NO 3

User Agency submit undertaking that, the Optica Fiber Cable Line will
be laid within Maximum size of the trench of 2.00-meter depth & 1.00-meter width
with cable line under PVC pipeline

Place :- Pune

Date:- 07/07/2022


(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTUR NO IV

- Read: -1) Demand Note issued by DY.C. F. Satara's letter no B Desk -6/ land/ 2022- 23/734 dt. 08/06/2022.
2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/ C.R.92 F-10, Dt. 02/06/2022

UNDERTAKING FOR CONDITION NO 4

User Agency submit that, the land under project will be reclaimed by the User Agency for which the agency is submitting Bank guarantee. of 2780 Rmt. x Rs. 50/- = 1,39,000/(Rs. one lakh thirty-nine thousand only) in favour of Dy. Conservator of forest Satara through Yes Bank, Bund Garden, Pune branch by Bank Guarantee no 551BG01221880001 dt. 07Th Jul.2022. Total Bank Guarantee of RS 2,36,300/(Rs. Two lakh thirty-six thousand three hundred only) Copy of Bank guarantee attached on Page no 30-36

User Agency submit undertaking that, User Agency will do reclamation work as per PWD road standard. User Agency agrees that, if the agency fails to reclaim the land to the satisfaction of Deputy Conservator of Forests Satara, the cost for reclamation will be recovered from the bank guarantee.

Place - Pune

Date; - 07/07/2022


(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTUR NO V

Read: -1) Demand Note issued by DY.C. F. Satara's letter no B Desk -6/ land/ 2022- 23/734 dt.08/06/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022 / C.R.92 /F-10, Dt. 02/06/2022

UNDERTAKING FOR CONDITION NO 5

User Agency submit that, the cable is going to be laid in the formation width of the road (side shoulder of road) .then User Agency submit additional charges in form of Bank guarantee. of 2780 Rmt. X Rs. 35= 97300/ (Rs. Ninety-seven thousand three hundred only in favour of Dy C . F . Satara through Yesh Bank, Bund Garden, Pune branch by Bank Guarantee no 551BG01221880001 dt. 07th Jul.2022. Total Bank Guarantee of RS 2,36,300/ (Rs. Two lakh thirty-six thousand three hundred only) Copy of Bank guarantee attached on Page no 30-36.

User Agency submit undertaking that, User Agency will do reclamation work as per PWD road standard. User Agency agrees that, if the agency fails to reclaim the land to the satisfaction of Deputy Conservator of Forests Satara, the cost for reclamation will be recovered from the bank guarantee

Place - Pune

Date; - 07/07/2022


(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTUR NO VI

**Read: -1) Demand Note issued by DY.C. F. Satara's letter no B Desk -6/ land/ 2022- 23/734
dt. 08/06/2022.**

**2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022
/ C. R.92 /F-10, Dt. 02/06/2022**

UNDERTAKING FOR CONDITION NO 6

User Agency submit undertaking that, User Agency will obtain permission
for further maintenance of the project from Deputy Conservator of Forests,
Satara as & when required.

Place - Pune

Date; - 07/07/2022


(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTUR NO VII

Read -1) Demand Note issued by DY.C. F. Satara's letter no B Desk -6/ land/ 2022- 23/737
dt 08/06/2022.


2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022
/C. R. 92 /F-10, Dt. 02/06/2022

UNDERTAKING FOR CONDITION NO 7

User Agency submit undertaking that, the forest land will not be used for
any purpose other than specified in the proposal.

Place - Pune

Date:- 07/07/2022


(Shri. Rajy Amidwar)
Joint Forest Life
Project Authority

ANNEXTUR NO VIII

Read: -1) Demand Note issued by DY.C. F. Satara's letter no B Desk -6/ land/ 2022- 23/734
dt. 08/06/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022 /
C.R.92 /F-10, Dt. 02/06/2022

UNDERTAKING FOR CONDITION NO 8

User Agency submit undertaking that, User Agency will not do felling
of trees during the implementation of project.

Place - Pune

Date:-05/07/2022


(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTUR NO IX

Read: -1) Demand Note issued by DY C. F. Satara's letter no B Desk -6/ land/ 2022- 23/734
dt. 08/06/2022

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No - FLD-2022/
C.R. 92 /F-10, Dt. 02/06/2022

UNDERTAKING FOR CONDITION NO 9

User Agency submit undertaking that, User Agency will not do new forest area beyond the ROW of existing road will be broken for laying Optical Fibre Cable.

Place - Pune

Date:- 07/07/2022


(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTUR NO X

- Read: -1) Demand Note issued by DY.C. F. Satara's letter no B Desk -6/ land/ 2022-23/734
dt. 08/06/2022.
2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/
C.R -92/F-10, Dt. 02/06/2022

UNDERTAKING FOR CONDITION NO 10

User Agency submit undertaking that, the User Agency has defrayed Rs. 8,04884/ (Rs. Eight sixteen lakh four thousand eight hundred eighty-four only) as the cost of CA over 1.00 ha degraded forest land at Gut. No. 592 Comp. No.786, at Village Nandal, Tal. – Phaltan, Dist. Satara through online RTGS transaction through HDFC bank , Mumbai Branch by UTE No HDFCR 52022062277224646 Date -22/06/2022. Copy of Challan is attached on Page no 28-29

Place - Pune

Date:-07/07/2022


(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTUR NO XI

Read: -1) Demand Note issued by DY C. F. Satara's letter no B Desk -6/ land/ 2022- 23/734
dt. 08/06/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/
C.R -92 /F-10, Dt. 02/06/2022

UNDERTAKING FOR CONDITION NO 11

User Agency submit undertaking that, underground Optical Fiber Cable
will be laid only outside the confines the Protected area.

Place - Pune

Date:-07/07/2022

(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTUR NO XII

- Read: -1) Demand Note issued by DY.C. F. Satara's letter no B Desk -6/ land/ 2022- 23/734
dt. 08/06/2022.
2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No. - FLD-2022/
C.R -92 /F-10, Dt. 02/06/2022

UNDERTAKING FOR CONDITION NO 12

User Agency submit undertaking that, no labour camp will be established on
the forest land.

Place - Pune

Date:- 07/07/ 2022


(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTUR NO XIII

Read: -1) Demand Note issued by DY.C. F. Satara's letter no B Desk -6/ land/ 2022-23/734
dt. 08/06/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022
/ C.R -92 /F-10, Dt. 02/06/2022

UNDERTAKING FOR CONDITION NO 13

User Agency submit undertaking that, after completion of the project, User
Agency will reclaim the area under ROW suitably

Place - Pune

Date:- 07/07/2022


(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTUR NO XIV

- Read: -1) Demand Note issued by DY.C. F. Satara's letter no B Desk -6/ land/ 2022-23/734/
dt. 08/06/2022.
2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/
C.R -92 /F-10, Dt. 02/06/2022

UNDERTAKING FOR CONDITION NO 14

User Agency submit undertaking that, the layout plan of the proposal will not be changed without prior approval of the state Government.

Place - Pune

Date:- 07/07/2022


(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTUR NO XV

Read: -1) Demand Note issued by DY.C. F. Satara's letter no B Desk -6/ land/ 2022- 23/734/
dt. 08/06/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/
C.R -92 /F-10, Dt. 02/06/2022

UNDERTAKING FOR CONDITION NO 15

User Agency submit undertaking that, User Agency has occurred permission
from the Department of Information & Technology for the project and concerned
PWD authorities for the project. copies are attached on Page No 37-44

Place - Pune

Date:- 07/07/2022


(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTUR NO XVI

Read: -1) Demand Note issued by DY.C. F. Satara's letter no B Desk -6/ land/ 2022- 23/734/ dt. 08/06/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/ C.R -92 /F-10, Dt. 02/06/2022

UNDERTAKING FOR CONDITION NO 16

User Agency submit undertaking that, the User Agency will compensate the private owner of forest land if any in accordance with the prevalent laws, rules & guideline. In this project there are no need of forest land of private owners. Hence question of compensate dose not arises

Place - Pune

Date:-07/07/2022


(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTUR NO XVII

- Read: -1) Demand Note issued by DY.C. F. Satara's letter no B Desk -6/ land/ 2022- 23/734/
dt. 08/06/2022.
2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No. - FLD-2022/
C.R -92 /F-10, Dt. 02/06/2022

UNDERTAKING FOR CONDITION NO 17

User Agency submit undertaking that, the User Agency will obtain Environment Clearance as per the provisions of the Environment (Protection) Act, 1986. User Agency submit that, for this project. Environment Clearance is not applicable as per the provisions of the Environment (Protection) Act, 1986.

Place - Pune

Date:- 07/07/2022


(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTUR NO XVIII

- Read: -1) Demand Note issued by DY.C. F. Satara's letter no B Desk -6/ land/ 2022-23/734/
dt. 08/06/2022.
2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/
C.R -92 /F-10, Dt. 02/06/2022

UNDERTAKING FOR CONDITION NO 18

User Agency submit undertaking that, User Agency agrees to submit compliance report for all the conditions as may be mandatory under relevant Acts, Rules, and guidelines

Place - Pune

Date:-:07/07/2022


(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTUR NO XIX

Read: -1) Demand Note issued by DY.C. F. Satara's letter no B Desk -6/ land/ 2022-23/734/
dt.08/06/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/
C.R -92 /F-10, Dt. 02/06/2022

UNDERTAKING FOR CONDITION NO 19

User Agency submit undertaking that, User Agency agrees all the
conditions stipulated by the Forest Department will be binding on him.

Place - Pune

Date:- 07/07/2022

(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTUR NO XX

Read: -1) Demand Note issued by DY.C. F. Satara's letter no B Desk -6/ land/ 2022-23/734/
dt. 08/06/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/
C.R -92 /F-10, Dt. 02/06/2022

UNDERTAKING FOR CONDITION NO 20

User Agency submit undertaking that, User Agency will make good land
after use /maintenance.

Place - Pune

Date:- 07/07/2022


(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTUR NO XXI

Read: -1) Demand Note issued by DY.C. F. Satara's letter no B Desk -6/ land/ 2022- 23/734/
dt. 08/06/2022.
2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/
C.R -92 /F-10, Dt. 02/06/2022

UNDERTAKING FOR CONDITION NO 21

User Agency submit undertaking that, proposed area will not fall in the Row of road passing through National Parks and Wildlife Sanctuaries. Hence for this project prior permission of the State Board for Wildlife will not require.

Place - Pune

Date:- 07/07/2022


(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

ANNEXTUR NO XXII

Read: -1) Demand Note issued by DY.C. F. Satara's letter no B Desk -6/ land/ 2022-23/734/
dt. 08/06/2022.

2) Govt. of Maharashtra, Revenue & Forest Department, Govt. Order No.- FLD-2022/
C.R -92 /F-10, Dt. 02/06/2022

UNDERTAKING FOR CONDITION NO 22

User Agency submit undertaking that, User Agency agrees that any breach of the conditions by him will be treated as violation of the provisions of the Forest (Conservation) Act, 1980.

Place - Pune

Date:-07/07/2022


(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

*Transfer
of
Fund*

Payment Advice



Your A/c with us : 3475530

CAMPA MAHARASHTRA (MAHARAS
VAN BHAVAN,
RAMGIRI ROAD,
CIVIL LINE (NAGPUR)
NAGPUR - 440001
Maharashtra
India

Reliance Jio Infocomm Ltd
Office-101, Saffron, Nr. Centre
Panchwati 5 Rasta, Ambawadi
Ahmedabad-380006
PAN NO-AABCI6363G
CIN NO-U72900GJ2007PLC105869

28

Payment Date : 22.06.2022

We have settled the following items by Payment document no. 4200779312 2022 for INR 804884.00
(EIGHT LAKH FOUR THOUSAND EIGHT HUNDRED EIGHTY FOUR RUPEES) 'Vide Cheque No. dated 00.00.0000
drawn on

The details of the documents settled are given below

Document No. / Posting Date	Invoice/ Reference & Doc. Date	Scroll Number / Scroll Date	Curr	Invoice Amount	Retention and Deduction Amount	TDS and WCT TDS Amount	Net amount	Purch.Doc
9300032787 21.06.2022	734 02.06.2022	10200432497 21.06.2022	INR	8,04,884.00	N.A.	N.A.	8,04,884.00	N.A.

Total 8,04,884.00

If you have any queries on the above payment, please do not hesitate to contact the Accounts Payable
Department.

LTR. NO HOPCR 520 2206227724646
dt. 22/06/2022

(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

AGENCY COPY

यूनियन बैंक Union Bank of India



NEFT / RTGS CHALLAN for CAMPA Funds

Date : 14-06-2022

Agency Name.	JIO DIGITAL LIFE, RELIANCE JIO INFOCOMM LTD. PUNE
Application No.	71148433315
MoEF/SG File No.	FLD-2022/CR-82/F-10
Location.	MAHARASHTRA
Address.	Rajiv Amidwar, Reliance JIO-Digital Life, Reliance JIO Infocomm Ltd, Reliance JIO Corporate I. T. Park, 2nd floor, Near Mhatre Bridge, Earandwane, Pune, 411004 Pune
Amount (in Rs)	804884/-

Amount in Words : Eight Lakh Four Thousand Eight Hundred and Eighty-Four Rupees Only

NEFT/RTGS to be made as per following details;

Beneficiary Name:	MAHARASHTRA CAMPA
IFSC Code:	UBIN0003710
Pay to Account No.	1507871148433315 Valid only for this challan amount.
Bank Name & Address:	Union Bank Of India Lodhi Complex Branch, Block 11, CGO Complex, Phase I, Lodhi Road, New Delhi - 110003

- This Challan is strictly to be used for making payment to CAMPA by NEFT/RTGS only

BANK COPY

यूनियन बैंक Union Bank of India



NEFT / RTGS CHALLAN for CAMPA Funds

Date : 14-06-2022

Agency Name.	JIO DIGITAL LIFE, RELIANCE JIO INFOCOMM LTD. PUNE
Application No.	71148433315
MoEF/SG File No.	FLD-2022/CR-82/F-10
Location.	MAHARASHTRA
Address:	Rajiv Amidwar, Reliance JIO-Digital Life, Reliance JIO Infocomm Ltd, Reliance JIO Corporate I. T. Park, 2nd floor, Near Mhatre Bridge, Earandwane, Pune, 411004 Pune
Amount (in Rs)	804884/-

Amount in Words : Eight Lakh Four Thousand Eight Hundred and Eighty-Four Rupees Only

NEFT/RTGS to be made as per following details;

Beneficiary Name:	MAHARASHTRA CAMPA
IFSC Code:	UBIN0003710
Pay to Account No.	1507871148433315 Valid only for this challan amount.
Bank Name & Address:	Union Bank Of India Lodhi Complex Branch, Block 11, CGO Complex, Phase I, Lodhi Road, New Delhi - 110003

- This Challan is strictly to be used for making payment to CAMPA by NEFT/RTGS only

After making successful payment, User Agencies may send a line of confirmation through
Email: helpdeskampa@corpbank.co.in

Note: After making the required payment through challan, If the payment status has not been updated even after 7 working days, then kindly mail a copy of your challan with transaction date to
Email: cb0371@unionbankofindia.com

Print

Back

UTR No HPCR 520 22062277224646
520 22062277224646
db 22/06/2022

(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

29

Papers for
Bank Guarantee

Mr. S. S. Madan,
OFFICE OF THE MANAGER,
KATARA PROJECT (INDUSTRIAL), KATARA,
DIST - KATARA
PIN Code - 600 055.

Our reference : SS/REGD/218R0001
Issue date : 07 JUL 22
Applicant : RELIANCE JIO INFOCOMM LIMITED
Guarantee amt. : INR 36,300.00
Amt. in words : INDIAN RUPEES TWO HUNDRED THIRTY SIX THOUSAND THREE
HUNDRED
ONLY
Stated Expiry date : 31-JUN-23
Stated Claim Expiry date : 31 JUN 24

Dear Sir: Madam,

Please find enclosed the captioned guarantee duly issued by YES Bank ("the Bank").

The beneficiary of this guarantee is entitled to confirm the authenticity of this guarantee directly by contacting the issuing branch or any of below controlling office:

YES Bank Limited
Yes Bank House,
ocsk,
Off western express highway,
Santacruz east,
Mumbai - 400055.
Road,

YES Bank Limited,
NOC Gurgaon - BG desk,
DLF Cyber City, 3rd floor,
Building No. 8 A,
Gurgaon - 122002.

YES Bank Limited
NOC Chennai - BG
One Indiabulls Park,
4th Floor, Tower B,
Plot No. 14, 3rd Main
Ambattur Estate,
Chennai - 600 058.

This guarantee is to be returned immediately post its expiry. Please note that any communication/demand under this guarantee should be specifically made by the official who is authorised under the guarantee and should be made in writing to the issuing branch unless otherwise specified in the enclosed guarantee.

It is confirmed that

- 1) Mr. AJAY DANGE
- 2) Mr. PRATAP JADHAV

Who have signed the above guarantee, are authorised to sign the same on behalf of the Bank.

For YES Bank Limited

(Authorised Signatories)

DATE : 07-JUL-22

PLACE : YES BANK LTD -BUNDGARDEN





महाराष्ट्र MAHARASHTRA

2022

09AA 874023

अनु. 3335/12 100/-

दस्तावा प्रमाणित

दस्तावा प्रमाणित

दस्तावा प्रमाणित

दस्तावा प्रमाणित

दस्तावा प्रमाणित

दस्तावा प्रमाणित

दस्तावा प्रमाणित

दस्तावा प्रमाणित

दस्तावा प्रमाणित

दस्तावा प्रमाणित

दस्तावा प्रमाणित

दस्तावा प्रमाणित

दस्तावा प्रमाणित

दस्तावा प्रमाणित

दस्तावा प्रमाणित

दस्तावा प्रमाणित

दस्तावा प्रमाणित

दस्तावा प्रमाणित

दस्तावा प्रमाणित

दस्तावा प्रमाणित



22 JUN 2022

प्रथम मुद्रांक लिपीय
कोषागार पुणे कार्यालय

This Non-Judicial Stamp Paper forms an integral part of this Bank Guarantee Number
551BC01221880001 dated 07-JUL-22 issued by us in favor of the The Governor of
Maharashtra, on behalf of RELIANCE JIO INFOCOMM LIMITED

For YES Bank Limited

Authorized Signatories
Date: 07-JUL-22
Place: YES BANK LTD - BUNDGARDEN

AJAY DANGE



Pratap Jadhav
EMP-2888014



महाराष्ट्र MAHARASHTRA

2022

09AA 874025

अनु. क्र. 33353
28 JUN 2022
100/-



22 JUN 2022

YES BANK LTD.

Galaxy Society,
Dhole Patil Road, Bundgarden,
Pune-411001.

प्रथम मुद्रांक लिपीक
कोषागार पुणे कर्म

मुद्रांक दिनांक 28 JUN 2022
ज्या कारणासाठी याचे मुद्रांक कोर्ट, कलम, कोर्टात दाखल करण्यात येईल
जरीही केले जाणार नाही असा अटीतटीचा न्याय्य आदेश देण्यात येतो.

This Non-Judicial Stamp Paper forms an integral part of this Bank Guarantee Number
551BG01221680001 dated 07 JUL 22 issued by us in favor of the The Governor of
Maharashtra, on behalf of RELIANCE JIO INFOCOMM LIMITED

For YES Bank Limited

Authorized Signatories
Date: 07-JUL-22
Place: YES BANK LTD - BUNDGARDEN

AJAY DANGE
Designation: BSDL



34
PRATAP JADHAV
EMP-2886014
CUST ID-528211

To,
The Governor of Maharashtra,
Through, DEPUTY CONSERVATOR of FORESTS,
SATARA FOREST DIVISION, SATARA,
DIST - SATARA
Pin Code:-415001.

In consideration of the Governor of Maharashtra (hereinafter referred to as the "Government") having agreed to exempt M/S Reliance Jio Infocomm Ltd. (hereinafter referred to as licensee) from depositing with the Government in Cash the sum of Rs. 2,36,300/- (Rupees Two Lakh Thirty Six Thousand Three Hundred only) being the amount of security deposit payable by the licensee to the government under terms and condition of the Agreement made between Government of the one part and Licensee of the other part (hereinafter referred to as "the said Agreement" for laying of Optical Fiber Cable on SH-124, SH-143 Village-Wagheri-Antwadi-Shyamgaon - 02.780 as security for the observation and performance by the licensee of the terms and conditions of the said Agreement, on the licensee furnishing to the government a Guarantee in the prescribed form as schedule bank in India being in fact this presents in the like sum Rs. 2,36,300/- (Rupees Two Lakh Thirty Six Thousand Three Hundred Only) We, YES Bank Ltd., a company incorporated and registered under the Companies Act 1956 and a banking company within the meaning of section 5(c) of the Banking Regulation Act, 1949 and having its registered office at YES BANK LIMITED, YES BANK House, Off Western Express Highway, Santacruz East, Mumbai 400055 and a branch office inter alia at YES BANK LTD, Galaxy Society, Dhole Patil Road, Bund Garden, Pune - 411001, Maharashtra (Hereinafter referred to as the "the Bank" which expression shall unless repugnant to the context or meaning thereof be claimed to include its successors and assigns) do hereby:

1. Guarantee to the Government

a) Due performance and observation by the Licensee of the terms covenants and conditions on the part of the licensee contained in the said agreement and.

b) Due and punctual payment by the Licensee to the Government of all sums of money, losses, damages, cost charges, penalties and expenses payable to the Government by the licensee under or in respect to the said agreement. We the Bank undertake to pay to DEPUTY CONSERVATOR of FORESTS, SATARA FOREST DIVISION, SATARA . behalf of government on written demand and without demur and not withstanding and dispute or disputes raised by the Licensee in and suit or proceedings field in any court or tribunal relating thereto the Rs. 2,36,300/- (Rupees Two Lakh Thirty Six Thousand Three Hundred only) such less sum may be demanded by the Government from us our liability hereunder being absolute and unequivocal and agree that.

1) (a) The Guarantee herein contained shall remain in full force and effect during the subsistence of the said agreement and that the same will continue to be enforceable till all the dues of the Government under or by virtue of the said agreement have been duly paid its claims satisfied or discharged and till the Government certifies that the terms and conditions of the said agreement have been fully, properly carried out by the licensee or its expiry date i.e 21-JUN-2023 whichever is earlier.

- (b) We shall not be discharge from the liability under this Guarantee by reason of
- Any change in construction of the Bank or the Licensee or
 - Any agreement entered into the Government and the Licensee with or without consent.
 - Any forbearance or indulgence shown to the Licensee.
 - Any verification in the terms, covenant or conditions contained under which in Law, a surety would be discharged.

(c) Our Liability hereunder shall not exceed Rs. 2,36,300/- (Rupees Two Lakh Thirty Six Thousand Three Hundred Only)

(d) We shall not revoke this Guarantee during its currency except with the previous consent in writing of the Government.

The Terms of this document/instrument will be governed by Indian Law.

i) Our Liability under this bank Guarantee shall Rs. 2,36,300/- (Rupees Two Lakh Thirty Six Thousand Three Hundred Only)

ii) This Bank Guarantee is Valid upto 21-JUN-2023.

iii) We are liable to pay guaranteed amount or any part thereof under this Bank Guarantee only if any claim or demand is received by us in writing at this office by hand, by post or by courier, by close of banking hours, on or below 21-JUN-2024 thereafter the bank will stand discharged of all its liabilities in all respect whether or not the original Bank Guarantee is returned to us.

For YES Bank Limited

Authorized Signatory

Place: **AJAY DANGE**
Date: **Designation: BSDL**
Name: **EMP ID: ADE2952004**
Designation: **Cust ID: 573479**
ASST. VICE PRESIDENT



For YES Bank Limited

Authorized Signatory

Place: **PRATAP JADHAV**
Date: **EMP-2888014**
Name: **CUST ID-528211**
Designation: **MANAGER**

(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

Clearance By :-

*Department of Information
& Technology*

&

Public Works Dept.

महाराष्ट्र शासन

क्रमांक: GAD-मातंसं०६५/प्र.क्र.१२६/से-४/२०१८

सामान्य प्रशासन विभाग

माहिती तंत्रज्ञान संचालनालय,

७वा मजला, मंत्रालय, मुंबई ४०००३२

दिनांक : २८/०८/२०१८

प्रति,

व्यवस्थापक,

मे.रिलायन्स जीओ इन्फोकॉम लि,

९ मजला, मेकर चेंबर IV,

२२२, नरीमन पॉईंट, मुंबई-४०००२१

विषय - ऑप्टिकल फायबर केबल टाकण्यासाठीच्या परवानगी बाबत.

संदर्भ :- १. मे. रिलायन्स यांचे प्रस्ताव, दि. २७.०८.२०१८

२. शासन निर्णय क्र. मातंसं०६५/प्र.क्र.१/२०१८, दि. १७.०२.२०१८

३. शासन परिपत्रक क्र. मातंसं०६५/प्र.क्र.१/२०१८, दि. ०३.०३.२०१८

उपरोक्त प्रस्तावानुषंगाने आपणास कळविण्यात येते की, राज्यात ऑप्टिकल फायबर केबल टाकण्यासाठी संदर्भ क्रमांक २ वरील शासन निर्णयानुसार मे. रिलायन्स यांनी प्रशासकीय शुल्काचा भरणा करण्यासाठी धनादेश सादर केले आहेत. सादर करण्यात आलेले प्रस्ताव व धनादेशांचा तपशील पुढील प्रमाणे आहे-

अ.क्र.	प्रस्ताव कि.मी.	डक्ट नुसार अंतर कि.मी.	डक्ट	मार्गाशी संबंधित प्राधिकरणे	सादर केलेले प्रशासकीय शुल्क रु.
१	६.६००	६.६००	२	राष्ट्रीय महामार्ग, सोलापूर	१३,२००
२	१२.०००	१२.०००	२	सा.बां.वि., पंढरपूर	२४,०००
३	१९२.१००	१९२.१००	२	सा.बां.वि., सातारा	३,८४,२००
४	३.८००	३.८००	२	मुख्य कार्यकारी अधिकारी, जिल्हापरीषद, सोलापूर	७,६००
५	२४.६००	२४.६००	२	सा.बां.वि., पंढरपूर	४९,२००
६	२६.५००	२६.५००	२	सा.बां.वि., उस्मानाबाद	५३,०००
७	१०.७००	१०.७००	२	मुख्य कार्यकारी अधिकारी, जिल्हापरीषद, सोलापूर	२१,४००
८	२०.७००	२०.७००	२	सा.बां.वि., उस्मानाबाद	४१,४००

(Rajiv Amidwar)
Vice President
Director of Public
Works
(Rajiv Amidwar)

३८

GOVERNMENT OF MAHARASHTRA
OFFICE OF THE EXECUTIVE ENGINEER
PW (West) Division, Satara
Public Works Department

Permission for laying utility

To: RELIANCE JIO INFOCOMM LIMITED,
RELIANCE JIO INFOCOMM LIMITED (ABOVE RELIANCEMART), 2ND FLOOR, DTC DOWN TOWN-THE CITY CENTER,
MAHATRE BRIDGE, ERANDWANE, PUNE-411004,
PUNE 411004

Subject: Permission for laying Network on MALHARPETH-UMRAJ-MSUR-
MAYNI-DIGHANCH-MAHUD-PANDHRPUR ROAD ON MAHSUR PHATA
TO END OF SATARA DIST BOUNDARY SH-143 KM 27/000 TO 30/000
FOR TOTAL LENGTH OF = 2.200 KM

Reference:

Your Online Application No 3084, Dated 2016-02-20 15:17:18

With reference to your application for obtaining permission for laying Network, this office has received online amount for Rs 488,713 (Transaction No.:T08962715789 dated 15-05-2019 02:08:01) as security deposit against reservation charges for MALHARPETH-UMRAJ-MSUR-MAYNI-DIGHANCH-MAHUD-PANDHRPUR ROAD ON MAHSUR PHATA TO END OF SATARA DIST BOUNDARY SH-143 KM 27/000 TO 30/000 FOR TOTAL LENGTH OF = 2.200 KM.

Based on the above, you are hereby granted permission with following terms and conditions, attached herewith.

Click here for printing Terms and Conditions document separately.



7982A640VXBCWM

Executive Engineer

P.W. (West) Div. Satara

No./DW/ 4815 /2019

Executive Engineer,

P.W. (West) Division, Satara

Bandhikam Bhavan, Satara

Yr Ref

Date: 24 MAY 2019

Copy - Sub Divisional Engineer, P.W. Sub Division, Karad (North) For information and for
Strict Action.

Copy - Accountant General, Satara for information and for action.

(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority



मुख्य अभियंता

सा.वा. प्रादेशिक विभाग, पुणेचांचे कार्यालय

नवीन मध्यवर्ती इमारत (तळमजला), पुणे - ४११००१

128

दुरध्वनी - ०२०-२६१२४२९५

E-Mail:- pure.ce@mahaupwd.com

फॅक्स क्र.०२०-२६१२४२९६

जा.क्र.मुअ(पुणे)/सा-२/१३१/ ३७६ /२०१९

प्रति,

कार्याकारी अभियंता,

सार्वजनिक बांधकाम पश्चिम विभाग,

समस्त

विषय :- रस्त्याचे बाजूने व रस्त्या तोंड करून ओ.एफ.सी.केबल टाकणेस परवानगी मिळणे
बाबत, महाराष्ट्र उन्नत वस्तु बावणी महानगर पंचायत रस्ता राज्यमार्ग क्र.१४३
जि.सी. २७/८०० ते २८/०० रस्त्या लांबी- २.२० कि.मी जि.सातारा

संदर्भ :- १. ONLINE APPLICATION ID NO: EP ३०१४

२. सा.वा.विभाग मंत्रालय, मुंबई शासन निर्णय क्र.संकीर्ण-२०१७/
प्र.क्र.२४६/रस्ते-७ दिनांक ३०/०५/२०१७.

३. सा.वा.विभाग मंत्रालय, मुंबई शासन परिपत्रक क्र.संकीर्ण-२०१७/
प्र.क्र.२४६/रस्ते-७ दिनांक ३०/०५/२०१७.

४. माहिती संग्रहण संचालनालय पत्र क्र.GAD-मातेसं०६५/प्र.क्र.१२६/से-
४/२०१६ दिनांक २८/०८/२०१८.

उपरोक्त ऑनलाईन प्रस्तावास खालील अटीच्या अधीन राहून परवानगी देण्यात येत आहे.

१. विकसित रस्त्याच्या मध्यापासून १५ मीटर अंतराच्या पुढे किंवा जेथे प्राप्त रस्त्यांची शाकरीय वृत्त अस्तित्वात आहे त्या ठिकाणी रस्त्याचे छेदी लागत रस्ता हद्दीला खेदून त्या ठिकाणी रस्त्याच्या पृष्ठभागापासून १.२० मीटर खोल किंवा त्या पेक्षा जास्त खालून भुमिगत ऑप्टिकल फायबर केबल टाकण्यात यावी.
२. जेथे रस्ता लांबीमध्ये वाटचाल भाग आहे त्या ठिकाणी सा.वा.विभागाला रस्ते हद्दी लागत परवानगी द्यावी, व शासन निर्णयानुसार रस्ता पूर्वत करणाचे शुल्क आकारण्यात यावे.
३. प्रस्ताव सोळावे अतिरीत संग्रहण संचालनालयाचे वृट मंजूरीचे पत्रावधीत रकमेचे प्रगणन तसेच माहिती संग्रहण संचालनालयावरून प्राप्त होणाऱ्या कठोरनामवलीत सर्व कागदांचे पालन करणाऱ्या उपाय्याची संबंधीत कंपनी यांची राहिल.
४. शाकरीय घोरणाप्रमाणे जेथे रस्त्याच्या मध्यापासून कमीत कमी १५ मीटर अंतरावर ऑप्टिकल फायबर केबल टाकणे शक्य नसेल तेथे तेथेच लांबीत ऑप्टिकल फायबर केबल टाकण्यात शासन सा. वा. विभाग पत्र क्र. संकीर्ण - २००४/ प्र.क्र. १८ /रस्ते-७ दि. २६.१.२००९ अन्वये

40

तात्पुरत्या स्वरुपात परवानगी देण्यात येत आहे व सा. बां. विभाग यंत्र क्र. विप्रवा - २०१८/

प्र.क्र. ३८७/रस्ते-७ दि. १९.१.२०१८ अन्वये सूचनानुसार उद्‌योजकास तेवढ्या लांबीत

लवकरात लवकर स्वचर्चाने रस्ताची धर्बाची व्यवस्था करून केवळ १.५ मीटर अंतरावर टाकणे

आवश्यक आहे. या प्रकरणी शासन कोणतीही पुढसात भरपाई संबंधितास देणार नाही.

५. ऑप्टिकल फायबर केबल ज्या ठिकाणी रस्त्यांना छेदून टाकण्याचे प्रस्तावित आहे, त्या ठिकाणी Horizontal drilling करून आर.सी.सी Conduit pipe टाकून काम करणे किंवा रस्ता खोदाई करून आवश्यक असल्यास अडचणीचे ठिकाणी रस्ता खोदाई न करता तेवढे ठिकाणी Parallel Drilling करण्यात यावे.

६. निष्पत्तीनुसार ऑप्टिकल फायबर केबल रस्त्याच्या मध्यापासून कमीत कमी १.५ मीटर अंतरावर टाकावी, पण प्रत्यक्षात जागेवर तेवढी जागा उपलब्ध नसल्यास अस्तित्वातील रस्त्याचे इवईला छेदून केवळ टाकणेत घाबी किंवा जेथे प्रत्यक्ष रस्त्याची रस्त्याचीच इव अस्तित्वात आहे त्या ठिकाणी रस्त्याचे इव लगत सा.बा.विभागाचे मार्गदर्शनाखाली ऑप्टिकल फायबर केबल टाकावी रस्त्याच्या डांबरी पृष्ठभागाखालून बोअर घेऊन (एच.डी.डी) पध्दतीने रस्त्याच्या कडेने साईड पट्टी मधून १.२० मीटर खोल घर खोदून भुमिगत टाकणेत यावी. प्रत्यक्ष ऑप्टिकल फायबर केबल टाकताना रस्त्याच्या मध्यापासून योग्य अंतर लोडने जाण्या ऑप्टिकल फायबर केबल कंपनीने कार्यकारी अभियंता यांचे निदर्शनास आणून घ्यावे म्हणजे कामाबाबत कोणतीही तक्रार उदभवणार नाही.

७. ऑप्टिकल फायबर केबल टाकताना इतर कोणत्याही केबल अथवा जलवाहिनीस अथवा विद्युत वाहिनीस किंवा गॅस वाहिनीस इजा पोहचता कामा नये. इजा झाल्यास त्याची संपूर्ण भरपाई अर्जदारास भरावी लागेल.

८. रस्त्याच्या कडेने साईड पट्टी मधून १.२० मीटर खोल घर खोदून भुमिगत केबल टाकत असताना कोणतेही प्रकारची माती असणेन होत नाही. त्यामुळे गॅव्हेस्टी जावत येणेचे काहीच कारण नाही.

९. केबल इवट साठी खोदकाम करताना उपयुक्त असे मुख्य खडी दगड पासारखे गौण खनिजावर सा. बां. विभागाची मारफळी असलेल असे गौण खनिज योग्य प्रकारे साठवून ते कार्यकारी अभियंता यांच्याकडे सुपूर्द करण्याची जबाबदारी संबंधित अभिकर्ता कंपनीची राहिल.

१०. खोदकाम चालू असताना रस्त्याच्या कडेची झाडे तोडणे अनिवार्य असल्यास अभिकर्ता कंपनीने संबंधित शासन प्रधिकारणची पूर्व परवानगी मिळवावी. तसेच पर्यावरणाच्या कन्सोलर टाकण्यासाठी उपलब्ध जागेवर पुन्हा वृक्षारोपण करणे कंपनीस बंधनकारक राहिल.

११. महाराष्ट्र सरकार व केंद्रीय जल भुसल परिवहन मंत्रालयाने नविन नियम, अटी व शर्ती प्रस्तुत केल्यास त्या अभिकर्ता कंपनीस बंधनकारक राहिल. तसेच भविष्यात रस्ता कंपनीकरणासाठी केवळ रस्त्याच्या इजा झाल्यास त्याचा खर्च संबंधित कंपनीने करावा.

१२. कंपनीद्वारे ऑप्टिकल फायबर केबल टाकण्याचे काम सुरू करण्यापूर्वी संबंधित कंपनीने सार्वजनिक बांधकाम खात्याशी संपर्क साधावा व संबंधित क्षेत्राच्या क्षेत्रीय अधिकार्यांच्या मार्गदर्शनाखाली व वेळोवेळीकरावी काम सुरू करावयाचे आहे.

१३. रस्त्याखालून ओ.एच.डी. साईड टाकण्याचे कामास सुरुवात करणेपूर्वी कामाच्या ठिकाणापासून दगेरी दिशेला १०० मीटर अंतरावर सावधानतेच्या इशा-याचे फलक रिफ्लेक्टिव स्ट्रीमिंग लापर करून लवकरात लावेल. तसेच रात्रीच्या वेळी काम सुरू नव्हता म्हणून

साहित्यास माहितीगार संप्रज्ञांसह सत्रभर तेकत राहणारा लाल प्रकाश झोताचा विना लावण्याची वा तत्सम व्यवस्था कंपनीने करावी.

१४. रस्त्याचा पृष्ठभाग केबल टाकणेसाठी खोदला असता मोकळा होऊन पोकळी निर्माण झालेल्या केबल टाकलेल्या लाईन व्यतिरिक्त इतर सर्व भागांमध्ये संबंधित कंपनीने स्वखर्चाने सिमेंट क्राईड्रीट अथवा तत्सम समोतर पातळीने बांधकाम साहित्याने भराव करून रस्त्याच्या पृष्ठभागाची Rigidity कायम ठेवावची आहे.

१५. प्रस्तावात केलेल्या कामाव्यतिरिक्त इतर काही जास्तीचे काम करावयाचे झाल्यास सा.बां.खात्याची पूर्व परवानगी घेणे कंपनीस बंधनकारक आहे.

१६. ऑप्टिकल फायबर केबल टाकणेचे काम घालू असताना एखादा अपघात घडल्यास त्याची संपूर्ण जबाबदारी संबंधित कंपनीची राहिल.

१७. ऑप्टिकल फायबर केबल टाकणेचे काम पूर्ण झाल्यानंतर कामाच्या ठिकाणी सा.बां.खात्याच्या मालकीच्या जागेत संबंधित कंपनीच्या मालकीचे किंवा त्यांच्या संबंधित ठेकेदारांच्या मालकीचे कोणतेही अतिरिक्त साहित्य,मशिनरी अथवा शेड राहणार नाही याची दक्षता सदर कंपनीने घ्यावी.

१८. कंपनीच्या मालमतेचे हानीपासून संरक्षण करण्याची हमी शासन देत नाही.

१९. सदर काम घालू करण्यापूर्वी संबंधित कंपनीने रस्त्याचा काटछंद नकाशा, पृष्ठभाग खोदण्यासाठी वापरात येणारी मशिनरी व तिची पद्धत तसेच खोदाईच्या कामासाठी व प्रत्यक्ष काम पूर्ण होण्यासाठी लागणारा कालावधी इत्यादीबाबतचा सविस्तर कल्पना सा.बां.खात्याचे लक्षन अधिकारी यांना द्यावी.

२०. सदरहू कंपनी स्वतःच्या खर्चाने रस्त्याखाली घातलेल्या ऑप्टिकल फायबर केबल देखभाल व दुरुस्ती करून तो योग्य स्थितीत ठेवतील आणि रस्त्याच्या बाजूकडील जमिनीच्या पृष्ठभागाचे किंवा शासनाच्या सा.बां.खात्याच्या मालमतेचे जे काही नुकसान होईल ते कार्यकारी अभियंता,सा.बां.विभाग किंवा त्यांचे प्रतिनिधी यांचे संपूर्णतः समाधान होईल अशाप्रकारे पूर्ववत दुरुस्ती करून व्यवस्थित करून द्यावे लागेल.

२१. करारातील कोणत्याही शर्तीचे संबंधित कंपनीने पालन न केल्यास तीन महिने आगाऊ दिलेल्या नोटीसची मुदत संपल्यावर जमिनीचीखालील केबल काढून टाकण्याची कार्यकारी अभियंता सा.बां.विभाग यांना मोकळीक असेल, आणि कार्यकारी अभियंता यांचेद्वारे करणांत आलेल्या खर्चास संबंधित कंपनी जबाबदार असेल.

२२. सदरहू ऑप्टिकल फायबर केबल टाकणेचे काम सुरू करण्यापूर्वी केबल टाकणेसाठी खोदण्यात आलेली रस्त्याची जमीन खणणे व साठवणी अभियंताला घटना घडल्यास ती जमीन व रस्त्याचा पृष्ठभाग सुस्थितीत पूर्ववत जाणण्यासाठी भरावयाची रक्कम व अनामत रक्कम कार्यकारी अभियंता कार्यालयात जमा करावयाची आहे.

२३. सदर रस्त्याच्या १५ मीटर हरीपलीकडे शेतकरी, संस्था,इतरखाजगी कंपनी व इतर खात्याची अथवा इतर कोणाच्या हक्काची जमीन येत असल्यास केबल टाकण्याकरिता त्यांची स्वतंत्र परवानगी घेणे आवश्यक आहे व त्याच्या सहमतीने केबल टाकण्याचे काम करण्यात यावे,अन्वया काही तक्रारी उद्भवलेस सा.बां.विभाग जबाबदार राहणार नाही.

२४. सदरहू कामास सुरुवात करण्यापूर्वी सा. बां. खात्याकडून घालून दिलेल्या सर्व अटी मान्य असल्याचा कायम स्वरूपी करारनामा रु. ५००/- किंमतीच्या मुद्रांक शुल्कावर (दस्तऐवज) तयार करून त्यावर कार्यकारी अभियंता यांचे स्वाक्षरीसह मंजूर करून घ्यावा.

२०. केवल खोदाई व केवल टाकण्याचे काम टाकण्याने पूर्ण करणे आहे. सुमारे १०० मीटर अंतरापर्यंत खोदाई पूर्ण झाल्यावर केवल टाकणे व खोदाई बुळवून त्यावर दबाई करणे ही कामे करणे जाली आहे.

२१. सदरची परवानगी ही मुख्य अभियंता सा.वा.प्रादेशिक विभाग पुणे यांचे कार्यालयीन कार्याकारी अभियंता सा.वा.विभाग यांनी रु. ५००/- किमतीच्या स्टॅम्पेवर कायदेशीर करारनामा ऑटोमॅटल कायबर केवल कंपनीसाठी करून दिल्यानंतर त्यातील अटी व शर्तीस अधीन राहून असेल.

२२. याद्वारे सदरकाय व केंद्रीय अलभुल परियोजना मंत्रालयाने भविष्यात नविन नियम, अटी / शर्ती प्रसूत केवळ त्या अनुषंगी कारक कंपनीस बंधनकारक राहतील.

२३. पुणे-को-वा / रॉड डेन असलेल्या भागात ऑटोमॅटल कायबर केवल टाकण्याची व्यवस्था मंजूर करून जाली व ऑटोमॅटल कायबर केवल पुणेच्या परांपेट्या / रेडिंगच्या बाहेरच्या भागाने कोणत्याही कारणास्तव आल्याने टाकण्यात येवी.

२४. रस्ता केंद्रीकरणच्या वेळी केंद्रीकरणाच्या बाबीस हद्दीपलिकडे सा. वा. विभागाने दिलेल्या सूचनांनुसार कंपनीस केवळ यंत्रणांनी हप्त्याची हप्त्या. वा करिता सा. वा. विभागाने दिलेल्या जागास तीस दिवसांची नॉटिस दिली जाईल. नॉटिस दिल्यानंतर तीस दिवसांच्या आत ही केवल काढून न टाकण्यास सा. वा. विभागाने केवल काढून टाकण्यास येईल. असा रस्ता केंद्रीकरणाचे काम सुरू करण्यात येईल. प्रस्तावित नविन केवल रस्त्याच्या बाबीस हद्दीपलिकडे सा. वा. विभागाने दिलेल्या सूचनांनुसार यंत्रणांनी टाकण्यात येईल.

२५. रस्ता ठिकाणी खोदकाम करायला आहे. केंद्रीय अलभुल मंत्रालय मंत्रालय निमत सि. व इतर खाजगी केवल, विद्युत केवल पाईप लाईन इत्यादींचे नुकसान झाल्यास त्याची नुकसान भरपाई कंपनीने करावयाची आहे. होण-वा नुकसान भरपाई हे खाते जबाबदार राहणार नाही याची नोंद घेणे आवश्यक आहे.

२६. याद्वारे विभागाने ऑटोमॅटल कायबर केवलाची खोदाई करताना हप्त्याची रक्कम प्राप्त पुणे एकात्मक कंपनीची केवल खोदाई झाली असल्यास त्या खोदाईच्या यंत्रणेच्या नवीन केवळ टाकण्याच्यावेळी केंद्रीय अधिकारी यांचे मार्गदर्शनाखाली काम करणे कंपनीस बंधनकारक राहिल.

२७. इतर केवल ठिकाणीचे प्रस्तावित केवळ केंद्रीय अधिकारी यांनी परीक्षित करायला आहे. अगर दिसाभुल करायला आहे. असा रस्ता देण्यात येतो परवानगी तात्काळ न करण्यात येईल.

२८. सा. वा. विभागाचे केंद्रीय अधिकारी यांचे देखरेखीखाली ऑटोमॅटल कायबर केवल टाकण्यासाठी रस्ता कोणत्याही कामे हद्दी प्रत्ये. परांपर रस्ता खोदाई केंद्रीय केवल देण्यात येतो.

२९. वि.व.चे अभियंत्याखाली इतर विभाग मार्ग व केंद्रीय मार्ग व केंद्रीय केवलाचे खोदाईसाठी त्यांचेकडून परवानगी घ्यावी.

(स.रा.सायबुल)

मुख्य अभियंता

सांख्यिकीय व आर्थिक विभाग,

(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority



GOVERNMENT OF MAHARASHTRA
OFFICE OF THE EXECUTIVE ENGINEER
PW (West) Division, Satara
Public Works Department

Permission for laying utility

To.
RELIANCE JIO INFOCOMM LIMITED,
RELIANCE JIO INFOCOMM LIMITED (ABOVE RELIANCEMART), 2ND FLOOR, DTC DOWN TOWN-THE CITY CENTER
MAHATRE BRIDGE, ERANDWANE, PUNE-411004,
PUNE 411004

Subject :-

Permission for laying Network on VADUJ-PUSESAVLI-KARAD ROAD
ON MHASUR PHATA SAHAMGAON KHIND TO SHAMGAON PHATA
OGALEWADI VILLAGE SH-124 KM 158/600 TO 166/800 FOR TOTAL
LENGTH OF = 8.200 KM

Reference :-

Your Online Application No 3095, Dated 2019-03-29 15:19:02

With reference to your application for obtaining permission for laying Network, this office has received online amount for Rs 972,188 (Transaction No.:108562117334 dated 15-05-2019 02:00:01) as security deposit against restoration charges for VADUJ-PUSESAVLI-KARAD ROAD ON MHASUR PHATA SAHAMGAON KHIND TO SHAMGAON PHATA OGAWADI VILLAGE SH-124 KM 158/600 TO 166/800 FOR TOTAL LENGTH OF = 8.200 KM.

Based on the above, you are hereby granted permission with following terms and conditions, attached herewith.

Click here for printing Terms and Conditions document separately.



XEVYZ2B79N5LDW

Executive Engineer

Executive Engineer
PW (West) Div. Satara

No./ DB/ 4816 /2019

Executive Engineer,

P.W. (West) Division, Satara

Bandhkam Bhavan, satara

४९५००९

Date - 24 MAY 2019

Copy - Sub Divisional Engineer, P.W. Sub Division, Karad (North) For information and for Strict Action.

Copy - Account Branch for information and for action.

Copy - Tender Branch for information and for action.

(Shri. Rajiv Amidwar)
Jio Digital Life
Project Authority

42



मुख्य अभियंता

सा.बा. प्रादेशिक विभाग, पुणेबांधे कार्यालय

नवीन मध्यवर्ती इमारत (तळमजला), पुणे - ४११००१

(120)

दुरध्वनी - ०२०-२६१२४२१५

E-Mail: pune.c@mahapwd.com

फॅक्स नं. ०२०-२६१२६२६८

आ.क्र.मु.अ(पुणे)/सा.पु.वि.बा. ३७७/२०१९

प्रति,

कार्यकारी अभियंता,

सार्वजनिक बांधकाम परिषद विभाग,

सातारा.

विषय :- रस्त्याचे बाजूने व रस्ता क्रॉस करून ओ.एफ.सी.के.वेल टाकणेस परवानगी मिळणे बाबत. इच्छित काळस नातेपुते पुणेसायली कराड रस्ता राज्यमार्ग क्र.१२४ सि.सी. १५६/६०० ते १६६/६०० रुकून लांबी ८.९० कि.मी जि.सातारा

संदर्भ :- १. ONLINE APPLICATION ID NO: EP ३०१५

२. सा.बा.विभाग मंत्रालय, मुंबई शासन निर्णय क्र.संकीर्ण-२०१७/

प्र.क्र.१४६/रस्ते-७ दिनांक ३०/०५/२०१७.

३. सा.बा.विभाग मंत्रालय, मुंबई शासन परिपत्रक क्र.संकीर्ण-२०१७/

प्र.क्र.१४६/रस्ते-७ दिनांक ३०/०५/२०१७.

४. माहिती तंत्रज्ञान संचालनमंडळ पत्र क्र.GAD-मार्गसं०६५/प्र.क्र.१२६/से-४/२०१८ दिनांक २८/०८/२०१८.

उपरोक्त ऑनलाईन प्रस्तावास खालील अटीच्या अधीन राहून परवानगी देण्यात येत आहे.

१. विषयवर्षित रस्त्याच्या मध्यापासून १५ मीटर अंतराच्या पुढे किंवा जेथे प्रत्यक्ष रस्त्याची सातकीव हद्द अस्तित्वात आहे त्या ठिकाणी रस्त्याचे हद्दी लागत रस्ता हद्दीला वेटून त्या ठिकाणी रस्त्याच्या पृष्ठभागापासून १.२० मीटर खोल किंवा त्या पेक्षा जास्त खालून भुमिगत ऑप्टिकल फायबर केबल टाकणेस यादी.
२. जेथे रस्ता लांबीमध्ये वाटाचक भाग आहे त्या ठिकाणी सा.बा.विभागाचे रस्ते हद्दी लागत परवानगी घावी, व शासन निर्णयानुसार रस्त्या पूर्वीत करणाचे मुक्त आकारण्यात यावे.
३. इच्छित बांधकामे माहिती तंत्रज्ञान संचालनमंडळाचे स्पष्ट मंजूरीचे पत्रावधील रकमेचे प्रगणन तसेच माहिती तंत्रज्ञान संचालनमंडळाबाबत प्रत्येक बांधकामाबाबतचा मार्ग साताराबांधे परतून काढण्याची जबाबदारी संबंधीत कंपनी यांची राहिल.
४. बांधकामे कोरणाळ्याने जेथे रस्त्याच्या मध्यापासून काहीत कंपनी १५ मीटर अंतरावर ऑप्टिकल फायबर केबल टाकणे शक्य नसेल तेथे तेथेच्या लांबीत ऑप्टिकल फायबर केबल टाकण्यास शासन आ. बा. विभाग पत्र क्र. संकीर्ण - २००९/ प्र.क्र. १६ /रस्ते-७ दि. २३.१.२००९ अन्वये

(43)

- तात्पुरत्या स्वरूपात परवानगी देण्यात येत आहे व सा. बां. विभाग पत्र क्र. विपआ - २०१८/ प्र.क्र. ३८७ /रस्ते-७ दि. १६.२.२०१८ अन्वये सूचनानुसार उदयोत्पादन तेवढ्या लांबीत लवकरात लवकर स्वखर्चाने स्वताची पर्यायी व्यवस्था करून केबल १५ मीटर अंतरावर टाकणे आवश्यक आहे. या प्रकरणी शासन कोणतीही मुक्तता भरापाई संबंधितास देणार नाही.
५. ऑप्टिकल फायबर केबल ज्या ठिकाणी रस्त्यांना छेदून टाकण्याचे प्रस्तावित आहे, त्या ठिकाणी Horizontal drilling करून आर.सी.सी Conduit pipe टाकून काम करणे किंवा रस्ता खोदाई करून आवश्यक असल्यास अडचणीचे ठिकाणी रस्ता खोदाई न करता तेवढे ठिकाणी Parallel Drilling करण्यात यावे.
६. निचमनुसार ऑप्टिकल फायबर केबल रस्त्याच्या मध्यापासून कमीत कमी १५ मीटर अंतरावर टाकावी, पण प्रत्यक्षात जागेवर तेवढी जागा उपलब्ध नसल्यास अस्तित्वातील रस्त्याचे इडीला छेदून केबल टाकून घ्यावी. किंवा जेथे प्रत्यक्ष रस्त्याची शासकीय हद्द अस्तित्वात आहे त्या ठिकाणी रस्त्याचे हद्दी लगत सा.बा.विभागाचे मार्गदर्शनाखाली ऑप्टिकल फायबर केबल टाकावी रस्त्याच्या डांबरी पृष्ठभागाखालून बोअर घेऊन (एच.डी.डी) पध्दतीने रस्त्याच्या कडेने साईड पट्टी मधून १.२० मीटर खोल घर खोदून भुमिगत टाकणे त यावी. प्रत्यक्ष ऑप्टिकल फायबर केबल टाकताना रस्त्याच्या मध्यापासून योग्य अंतर सोडले जावत ऑप्टिकल फायबर केबल कंपनीने कार्यकारी अभियंता यांचे निदर्शनास आणून घ्यावे म्हणजे कामाबाबत कोणतीही तक्रार उदभवणार नाही.
७. ऑप्टिकल फायबर केबल टाकताना इतर कोणत्याही केबल अथवा जलवाहिनीस अथवा विद्युत वाहिनीस किंवा गॅस वाहिनीस इजा पोहचता काय नये. इजा झाल्यास त्याची संपूर्ण भरपाई अर्जदारास भरावी लागेल.
८. रस्त्याच्या कडेने साईड पट्टी मधून १.२० मीटर खोल घर खोदून भुमिगत केबल टाकत असताना कोणतेही प्रकारची माती उत्खनन होत नाही, त्यामुळे गॅंग्स्टी बाबत येणेचे काहीच कारण नाही.
९. केबल डबट साठी खोदकाम करताना उपयुक्त असे मुक्त खडी दगड यासारखे गौण खनिजावर सा. बां. विभागाची मालकी असेल असे गौण खनिज योग्य प्रकारे साठवून ते कार्यकारी अभियंता यांच्याकडे सुपूर्द करण्याची जबाबदारी संबंधित अभियंता कंपनीची राहिल.
१०. खोदकाम घालू असताना रस्त्याच्या कडेची झाडे तोडणे अनिवार्य असल्यास अधिकारी कंपनीने संबंधित शासन प्राधिकरणाची पूर्व परवानगी मिळवावी. तसेच पर्यावरणाचा समतोल राखण्यासाठी उचितपणे जागेवर पुन्हा वृक्षारोपण करणे कंपनीस बंधनकारक राहिल.
११. महाराष्ट्र सरकार व केंद्रीय जल भुतल परिवहन मंत्रालयाने नविन नियम, अटी व शर्ती प्रस्तुत केल्यास त्या अधिकारी कंपनीस बंधनकारक राहिल. तसेच भविष्यात रस्ता त्रैशिकरणासाठी केबल टाकावयाची झाल्यास त्याचा खर्च संबंधित कंपनीने करावा.
१२. कंपनीद्वारे ऑप्टिकल फायबर केबल टाकण्याचे काम सुरू करण्यापूर्वी संबंधित कंपनीने सांख्यिक बांधकाम खात्याशी संपर्क साधावा व संबंधित क्षेत्राच्या क्षेत्रीय अधिका-यांच्या मार्गदर्शनाखाली व देखरेखीखाली काम सुरू करावयाचे आहे.
१३. रस्त्याखालून ओ.एफ.सी. लाईन टाकण्याचे कामास सुरुवात करणेपूर्वी कामाच्या ठिकाणापासून दोन्ही दिशेस १०० मीटर अंतरावर सावधानतेच्या इजा-याचे बळकट निमित्तकरीत स्टीपका घापर करून लक्षवध्यात यावेत. तसेच रात्रीच्या वेळी काम सुरू अथवा अपूर्ण

राहिल्यास माहितीगार संतुष्टांसह रात्रभर तेवत राहणारा लाल प्रकाश झोताचा दिवा लावण्याची या तत्सम व्यवस्था कंपनीने करावी.

१४. रस्त्याचा पृष्ठभाग केवळ टाकणेसाठी खोदला असता मोकळा होऊन पोकळी निर्माण झालेल्या केवळ टाकलेल्या लाईन व्यतिरिक्त इतर सर्व भागांमध्ये संबंधित कंपनीने स्वखर्चाने सिमेंट लॉयडोईट अथवा तत्सम समांतर पातळीने बांधकाम साहित्याने भराव करून रस्त्याच्या पृष्ठभागाची Rigidity कायम ठेवायची आहे.

१५. प्रस्तावात केलेल्या कामाव्यतिरिक्त इतर काही जास्तीचे काम करावयाचे झाल्यास सा.बा.खात्याची पूर्ण परवानगी घेणे कंपनीला जबाबदार आहे.

१६. ऑप्टिकल फायबर केवळ टाकणेचे काम चालू असताना एखादा अपघात घडल्यास त्याची संपूर्ण जबाबदारी संबंधित कंपनीची राहिल.

१७. ऑप्टिकल फायबर केवळ टाकणेचे काम पूर्ण झाल्यानंतर कामाच्या ठिकाणी सा.बा.खात्याच्या मासिकीच्या आगेत संबंधित कंपनीच्या मासिकीचे किंवा त्यांच्या संबंधित ठेकेदारांच्या मासिकीचे कोणतेही अतिरिक्त साहित्य, पत्रिणरी अथवा शेड राहणार नाही याची दखता सवर कंपनीने घ्यावी.

१८. कंपनीच्या मासिकीचे हानीपासून संरक्षण करण्याची हमी शासन देत नाही.

१९. सहर काम चालू करवयापूर्वी संबंधित कंपनीने रस्त्याचा काटछंद नकाशा, पृष्ठभाग खोदण्यासाठी वापरात येणारी मशिनरी व निची यंत्रण तसेच खोदईच्या कामासाठी व प्रत्यक्ष काम पूर्ण होण्यासाठी लागणारा कालावधी इत्यादीबाबतचा सविस्तर कल्पना सा.बा.खात्याचे द्याव्यात अतिरिक्त बांध सावी.

२०. सहर कंपनी स्वतःच्या खर्चाने रस्त्याखाली घातलेल्या ऑप्टिकल फायबर केवळ देखभाल व दुरुस्ती करून ती योग्य स्थितीत ठेवतील आणि रस्त्याच्या बाजूकडील जमिनीच्या पृष्ठभागाचे किंवा शासनाच्या सा.बा.खात्याच्या मासिकीचे जे काही नुकसान होईल ते कार्यकारी अभियंता, सा.बा.विभाग किंवा त्यांचे प्रतिनिधी यांचे संपूर्णतः समाधान होईल अशाप्रकारे पुर्ववत दुरुवती करून व्यवस्थित करून द्यावे लागेल.

२१. करताराल कोणत्याही शक्तीचे संबंधित कंपनीने पालन न केल्यास तीन महिने आगाऊ दिलेल्या नोटीसची मुदत संपल्यावर जमीनीचीखालील केवळ काढून टाकण्याची कार्यकारी अभियंता सा.बा.विभाग यांना मोकळीक असेल, आणि कार्यकारी अभियंता यांचेद्वारे करण्यात आलेल्या खर्चास संबंधित कंपनी जबाबदार असेल.

२२. सहर ऑप्टिकल फायबर केवळ टाकणेचे काम चालू करवयापूर्वी केवळ टाकणेसाठी खोदण्यात आलेली रस्त्याची जमीन खणणे इ. सारकी भविष्यात घटना घडल्यास ती जमीन व रस्त्याचा पृष्ठभाग सुस्थितीत पुर्ववत आणण्यासाठी भरावयाची रक्कम व अनामत रक्कम कार्यकारी अभियंता कार्यालयात जमा करावयाची आहे.

२३. सहर रस्त्याच्या १५ मीटर इरीपलीकडे शेताकरी, संस्था, इतर खाजगी कंपनी व इतर खात्याची अथवा इतर कोणत्याही व्यक्तींची जमीन येत असल्यास केवळ टाकण्याकरिता त्यांची स्वतंत्र पत्रवानगी घेणे आवश्यक आहे व त्याच्या सहमतीने केवळ टाकण्याचे काम करण्यात येणे, जमिनीच्या काही तक्रारी ठेवल्यास सा.बा.विभाग जबाबदार राहणार नाही.

२४. सहर कामास सुरुवात करवयापूर्वी सा. बा. खात्याकडून घेतून दिलेल्या सर्व अटी मान्य असल्याचा कोटव स्वतःची करारनामा रु. ५००/- किमतीकड मुद्रांक घ्याव्यावर (दस्तावेज) तयार करून त्यावर कार्यकारी अभियंता यांचे स्वाक्षरीसह मंजूर करून घ्यावा.

२५. केवल खोदाई व केवल टाकण्याचे काम टप्पाटप्प्याने पूर्ण करणे आहे. सुमारे २०० तीटर अंतरापर्यंत खोदाई पूर्ण झाल्यावर केवल टाकणे व खोदाई बुजवून त्यावर दबाई करणे ही कामे करणे जरूरी आहे.

२६. सदरची परवानगी ही मुख्य अभियंता सा.वा.प्रादेशिक विभाग पुणे यांचे वतीने संबंधित कार्यकारी अभियंता सा.वा.विभाग खोनी न. ५००/- किंमतीच्या स्टॅम्पेवर कायदेशीर कारारनामा ऑटोमॅट फायवर केवल कंपनीसाठी करून दिल्यानंतर स्वाक्षरी अटी व शर्तीस अटीस राहून असेल.

२७. महाराष्ट्र सरकार व केंद्रीय आलभूतल परिवहन मंत्रालयाने भविष्यात नविन नियम, अटी / शर्ती प्रस्तुत केल्यास त्या अनुषंगाने कारक कंपनीस संयोजक राहिले.

२८. पुणे येथील रेल्वे क्षेत्र असलेल्या भागात ऑटोमॅट फायवर केवल टाकण्याची व्यवस्था राहिली असून त्याची व ऑटोमॅट फायवर केवल फुलवण्या वॉरंटेडच्या / रेल्वेच्या बाहेरच्या बाजूने लोखंडी कलॅम्पच्या सहाय्याने टाकण्यात यावी.

२९. रस्ता संदीकरणाच्या वेळी संदीकरणाच्या बाहेर हद्दीपर्यंतकडे सा. वा. विभागाने दिलेल्या सूचनाप्रमाणे कंपनीस केवल रस्त्याने हद्दीपर्यंत लागेल. या करिता सा. वा. विभागकडून आवश्यक तीस दिवसांची नोटीस दिली जाईल. नोटीस दिल्यानंतर तीस दिवसांच्या आत ही केवल काढून व टाकल्यास सा. वा. विभागकडून केवल काढून टाकण्यात येईल. अशा रस्त्या संदीकरणाचे काम सुरू करण्यात येईल. प्रत्येक नविन केवल रस्त्याच्या बाहेर हद्दीपर्यंतकडे सा. वा. विभागकडून पूर्ण परवानगीने खुल्याने टाकावी लागेल.

३०. ज्या ठिकाणी खोदकाम करावयाचे आहे तेथील अस्तित्वातील भारत संजय निवास नि. व इतर जागरी केवल, विद्युत केवल पाईप लाईन इत्यादींचे नुकसान झाल्यास त्याची नुकसान भरपाई कंपनीने करावयाची आहे. नुकसान भरपाई करून घ्यावे व नुकसान भरपाई देण्याचे प्रमाणानुसार नुकसान भरपाई याची सर्वोपमांनी नोंद घेणे आवश्यक आहे.

३१. कायदातील प्रमाण ऑटोमॅट फायवर केवलची खोदाई करताना शक्यतो त्याभागात पूर्वी एखाद्या कंपनीची केवल खोदाई झाली असल्यास त्या खोदाईच्या बराचसेपेक्षा नवीन केवल टाकण्याबाबत केंद्रीय अधिकारी यांचे मार्गदर्शनाखाली काम करणे कंपनीस संयोजक राहिले.

३२. सदर केवल प्रकरणीचे प्रस्तावांतर्गत कंपनीकडून वृत्तिने कामेपत्रे सोपे अकर दिशाभूल करणारे अशाकडून आल्यास इतरात येणारा परवानगी तात्काळ रद्द करण्यात येईल.

३३. सा. वा. विभागकडून केंद्रीय अधिकारी यांचे देखरेखीखाली ऑटोमॅट फायवर केवल टाकणेसाठी रस्त्या खोदाईचे काम इतरी असे. परस्पर रस्त्या खोदाई कंपनीस करून घेणार नाही.

३४. जि.प.चे अधिकार्याखाली इतर जि.प. नांव व जमिनी यांची बाबत केवलाचे खोदाईसाठी त्यांचेकडून परवानगी घ्यावी.

(स.शं.सादुल)

मुख्य अभियंता

कार्यनिष्ठ बांधकाम प्रादेशिक विभाग,

(Shri. Rajiv Amidwar)

Jio Digital Life
Project Authority