

कार्यालय महाप्रबंधक
मध्य प्रदेश जल निगम मर्यादित

(म.प्र. शासन का उपक्रम)

परियोजना क्रियान्वयन इकाई, सिंगरौली

कार्यालय : कक्ष क्र. 44, प्रथम तल, कलेक्ट्रेट भवन, वैदना

(Website: www.mpjalnigam.mp.gov.in)

CIN-U41000MP2012SGC028798

Email-gmsingrauli.mpjn@mp.gov.in

क्रमांक 490 /महा.प्रबं./म.प्र.ज.नि.मर्या./परि.क्रि.ई./2024
प्रति,

दिनांक 20/03/24

वन मण्डल अधिकारी

वन मण्डल सिंगरौली

विषय:- सिंगरौली जिले में गोंड देवसर ग्रामीण समूह जल प्रदाय योजना के अंतर्गत भूमिगत पाइप लाइन बिछाने हेतु 3.1519 हे० (Online proposed 3.2004 ha.) वनभूमि म०प्र० जल निगम मर्यादित सिंगरौली को उपयोग पर देने बावत्। प्रकरण क्रमांक-FP/MP/WATER/145025/2021

संदर्भ:- 1. आपका का पत्र क्र. 1478 दिनांक 28.02.2024
2. तकनीकी अधिकारी (वानिकी) पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय भोपाल का पत्र क्र० 6-एमपीबी/034/2023-बीएचओ/ दिनांक 14.02.2024

--00--

विषयांतर्गत लेख है सैद्धांतिक स्वीकृति में अधिरोपित शर्तों के पालन प्रतिवेदन (Part A & B) एवं वचन पत्र चाहा गया है जो निम्नानुसार है:-

A: Conditions which need to be complied prior to handing over of forest land by the State Forest Department		
1	Cost of compensatory afforestation on the CA land 3.1519 ha (out of 6.50 ha) non-forest land at the prevailing wage rates as per compensatory afforestation scheme (including the cost of survey, demarcation and erection of permanent pillars etc. as required for securing the land against encroachment) shall be deposited in advance with the State Forest Department by the project authority. The CA will be maintained for 10 years. The scheme may include appropriate provision for anticipated cost increase for the works scheduled for subsequent years.	Cost of Compensatory Afforestation amounting Rs. 54,98,381/- The above amount has been deposited through CAMPA fund through case no. (FP/MP/WATER/154588/2022) for total (6.5 ha.) and details have been uploaded on Parivesh portal. (Details enclosed)
2	Non-forest land shall be transferred and mutated in favour of State Forest department and documents shall be submitted.	Non Forest land transferred for CA to Forest Department in Village- Bhikhajhariya ,Tehsil- Sarai, Khasra- 289/2 Total Area Allotted – 6.5 ha., Area for Proposal – 3.1519 ha.
3	The non-forest land which is transferred and mutated in favour of the State Forest Department for the purpose of compensatory afforestation shall be declared as Reserved Forest under Section-4 or Protected Forest under Section-29 of the Indian Forest Act, 1927 or under the relevant Section(s) of the State Forest Act. Copy of PF/RF notification may be submitted in Stage-I compliance report.	The Proposal for declaring total CA land (6.5 ha.) as PF/RF is to be sent by DFO in prescribed format to PCCF land Management. Conversion of CA land to PF/RF is under process.

4	The State Government shall charge Net Present Value (NPV) for the 3.1519 ha. forest area to be diverted under this proposal from the User Agency as per orders of the Hon'ble Supreme Court of India dated 30/10/2002, 01/08/2003, 28/03/2008, 24/04/2008 and 09/05/2008 in IA No. 566 in WP (C) No. 202/1995 and as per the guidelines issued by the Ministry vide letters No. 5-1/1998-FC (Pt.II) dated 18/09/2003, as well as letter No. 5-2/2006-FC dated 03/10/2006, 5-3/2007-FC dated 05/02/2009 5-3/2011-FC(Vol-I) dated 06/01/2022 in this regard.	NPV value submitted and details filled in parivesh portal NPV-(Rs. 38,72,393/-) (Details Attached)
5	All the funds received from the user agency under the project shall be transferred / deposited in CAMPA fund only through e-portal (https://parivesh.nic.in).	NPV,CA submitted and details filled in parivesh portal NPV-(Rs. 38,72,393/-) CA-(Rs. 54,98,381/-) for (6.5 ha.land) (Details Attached)
6	The Complete compliance of the FRA, 2006 shall be ensured by way of prescribed certificate from the concerned District Collector.	FRA Certificate Submitted to District Forest Office. (Attached)
7	As per the Wildlife protection Act, Provisions made in 38 (O) (1) g "ensure that the tiger reserve and areas linking one protected area or tiger reserve with another protected area or tiger reserve are not diverted for ecologically unsustainable uses, except in public interest and with the approval of the National board for wildlife and on the advice of the tiger Conservation Authority" the requirement of approval of NBWL/NTCA may be worked out and taken, if applicable.	Accepted
8	Stage-I approval is given with the intention that work can be started only after the proposal under the provision of FCA,1980 submitted for construction of other components of the project is also approved.	Accepted
9	DFO shall ensure that no other forest land is utilized for non forestry purpose during the implementation of this project other than that approved in this project.	Related to Forest Department
10	The User Agency shall submit an undertaking that no muck shall be disposed off in forest land.	Undertaking Attached
11	The KML files of diverted area and CA areas shall be uploaded on the e-Green watch portal with all requisite details prior to Stage-II approval.	KML files of diverted area and CA areas uploaded
12	Violation of any of these conditions will amount to violation of Forest (Conservation) Act, 1980 and action would be taken as prescribed in para 1.21 of Chapter 1 of the Handbook of Comprehensive Guidelines of Forest (Conservation) Act, 1980 as issued by this Ministry's letter No.5-2/2017-FC dated 28.03.2019.	Accepted
13	The compliance report shall be uploaded on e-portal (https://parivesh.nic.in).	Compliance report uploaded


B: Conditions which need to be strictly complied on field after handing over of forest land to the user agency by the State Forest Department but the compliance in form of undertaking shall be submitted prior to stage-II approval		
01	Legal status of the forest land shall remain unchanged	Accepted (Undertaking Attached)
02	Compensatory afforestation shall be taken up by the Forest Department over 3.1519 ha (out of 6.5 ha) non-forest land at Khasra No. 289/2, Village- Bhikhajhariya, Tehsil- Sarai, District Singrauli at the cost of the user agency. As far as possible, a mixture of local native species shall be planted and monoculture of any species, especially non-native species should be avoided.	Related to Forest Department
03	Additional amount of the NPV of the diverted forest land, if any, becoming due after finalization of the same by the Hon'ble Supreme Court of India on receipt of the report from the Expert Committee, shall also be charged by the State Government from the User Agency. The User Agency shall furnish an undertaking to this effect.	Undertaking is enclosed
04	The User Agency shall restrict felling of trees to the enumerated 217 numbers/minimum numbers in the diverted forest land and trees shall be felled under the strict supervision of the State forest department or the Cost of felling of trees shall be deposited by the user Agency with State Forest Department and State Forest Department shall undertake the fellings.	Accepted (Undertaking Attached)
05	The State Government and user agency shall comply with the provisions of all the acts, rules, regulation, guidelines, NGT order and hon'ble court order (s) pertaining to this project, if any for the time being in force, as applicable to the project.	Accepted (Undertaking Attached)
06	The Pipeline shall be laid 1.5 meter below ground and after laying of pipe line the ground shall be properly levelled.	Pipeline will be laid 1.5m below ground level and GL will be properly levelled.
07	User Agency shall obtain Environmental Clearance as per the provisions of the Environmental (Protection) Act, 1986, if applicable.	Not Applicable
08	The Boundary of the diverted forest land shall be suitably demarcated on the ground at the project cost, as per directions of the concerned Divisional Forest Officer.	Accepted (Undertaking Attached)
09	Layout plan of the proposal shall not be changed without prior approval of Central Government.	Accepted (Undertaking Attached)
10	No labour camp shall be established on the forest land.	Accepted (Undertaking Attached)
11	The user agency shall provide alternate fuels preferably LPG to the labours and staff working at site so as to prevent any damage and pressure on the nearby forest areas.	Accepted (Undertaking Attached)
12	The period of diversion under this approval shall be co-terminus with the period of the project life.	Accepted (Undertaking Attached)
13	The forest land shall not be used for any purpose other than that specified in the project proposal.	Accepted (Undertaking Attached)
14	The forest land proposed to be diverted shall under no circumstances be transferred to any other agencies, department or person without prior approval of the Central Government.	Accepted (Undertaking Attached)
15	Any other condition that the Ministry of Environment, Forests & Climate Change may stipulate from time to time in the interest of conservation, protection and development of forests & wildlife.	Accepted (Undertaking Attached)

उपरोक्तानुसार एन.पी.व्ही. की राशि 38,72,393/- ई-पोर्टल के माध्यम से ऑनलाइन कैम्पा मद में जमा करा दी गई है चालान की प्रति अवलोकनार्थ संलग्न है एवं उसी पर यूटीआर नं० दर्ज है साथ ही गैर वनभूमि की खसरा प्रति (पी-2 फॉर्म) एवं कलेक्टर सिंगरौली द्वारा जारी एफ.आर.ए प्रमाण पत्र की प्रति संलग्न है।

अतः अनुरोध है कि कृपया शीघ्र कार्य अनुमति प्रदान करने का कष्ट करें।

संलग्न:-

1. एन.पी.व्ही राशि के चालान की प्रति।
2. गैर वनभूमि की खसरा (पी-2 फॉर्म) प्रति।
3. एफ.आर.ए. प्रमाण पत्र की प्रति।
4. एन.पी.व्ही राशि (अतिरिक्त) जमा करने हेतु प्रमाण पत्र


(पंकज वाधवानी)


महाप्रबंधक

म.प्र. जल निगम मर्यादित
परि.क्रिया.ई. सिंगरौली

क्रमांक 490 /महा.प्रबं/म.प्र.ज.नि.मर्या/परि.क्रि.ई / 2024
प्रतिलिपि:-

दिनांक 20/03/24

1. कलेक्टर एवं अध्यक्ष, जिला जल एवं स्वच्छता मिशन सिंगरौली की ओर सूचनार्थ।
2. अपर प्रधान मुख्य वन संरक्षक (भू-प्रबंध) एवं नोडल अधिकारी, वन विभाग, तुलसी नगर, भोपाल की ओर सूचनार्थ।
3. ओ.एस.डी. म.प्र. जल निगम मर्यादित, भोपाल की ओर सूचनार्थ।


महाप्रबंधक

म.प्र. जल निगम मर्यादित
परि.क्रिया.ई. सिंगरौली



कार्यालय वन मण्डल अधिकारी वन मण्डल सिंगरौली (म०प्र०)

माजुन मोड जिला पेयाजल के बगल में
ईमेल-dfot.sgl@mp.gov.in, फोन-07805-233336 फैक्स-233335

सूचना का
अधिकार

सिंगरौली, दिनांक 08-11-2023

क्र०/मा०चि०/5795

प्रति,

महाप्रबंधक
म०प्र० जल निगम
मर्यादित परिकर सिंगरौली

विषय:-

सिंगरौली जिले में बैद्वन-2 ग्रामीण समूह जल प्रदाय योजना के तहत पेयजल प्रदाय हेतु उच्च स्तरीय पानी की टंकी एवं वाटर पम्प निर्माण हेतु 1.608 हे० (ऑनलाईन आवेदित 1.693 हे०) वन भूमि मध्यप्रदेश जल निगम मर्यादित, सिंगरौली को उपयोग पर देने बाबत।
(Proposal No. FP/MP/WATER/154588/2022)

संदर्भ:-

1. भारत सरकार, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, क्षेत्रीय कार्यालय, भोपाल का पत्र क्रमांक/6-MBP008/2023-BHO दिनांक 21.10.2023
2. प्रधान मुख्य वन संरक्षक (भू-प्रबंध) मध्यप्रदेश, भोपाल का पृष्ठा. क्रमांक/एफ-5/1219/2023/10-11/4736 भोपाल, दिनांक 23.10.2023

-000-

भारत सरकार के उपरोक्त सन्दर्भित पत्र (1) से, बैद्वन-2 ग्रामीण समूह जल प्रदाय योजना के तहत पेयजल प्रदाय हेतु उच्च स्तरीय पानी की टंकी एवं वाटर पम्प निर्माण हेतु मध्यप्रदेश जल निगम मर्यादित, सिंगरौली में प्रभावित रकवा 1.608 हे० (ऑनलाईन आवेदित 1.693 हे०) वन भूमि वन संरक्षण अधिनियम 1980 के तहत प्रस्ताव में प्रथम चरण की (सैद्धांतिक) सशर्त स्वीकृति जारी की गयी है। जिसमें वन परिक्षेत्र कर्तुआ का कक्ष क्रमांक PF 873 वन परिक्षेत्र चितरंगी का कक्ष क्र० RF 14, 12, 07, 28, 35, 46 एवं PF 22, 06 रकवा 1.608 हे० वन भूमि प्रभावित हो रही है।

2. प्रथम चरण की (सैद्धांतिक) सशर्त स्वीकृति के अनुसार नेट प्रजेन्ट वैल्यू की राशि का

विवरण निम्नानुसार है :-

क्र०	मद का नाम	रकवा (हे० में)	कैम्पा मद में जमा की जाने योग्य राशि	पर्यवेक्षण शुल्क की राशि	कुल योग
1	क्षतिपूर्ती वनीकरण	6.5	49,98,528/-	4,99,853/-	54,98,381/-
2	नेट प्रजेन्ट वैल्यू	1.608	19,75,573/-	-	19,75,573/-
			69,74,101/-	4,99,853/-	74,70,954/-

3. क्षतिपूर्ती वनीकरण की राशि रु. 49,98,528/- (रु. उनचास लाख अठ्ठाठ्ठा हजार पाच सौ अठ्ठासी मात्र), पर्यवेक्षण शुल्क की राशि रु. 4,99,853/- (रु. चार लाख निचानवे हजार आठ सौ तिरपन मात्र) एवं एन.पी.व्ही. की राशि रु. 19,75,573/- (रु. उन्नीस लाख पचहत्तर हजार पांच सौ तिहत्तर मात्र) जिसे कैम्पा मद में भारत सरकार की वेबसाईट के माध्यम से जमा कराकर चालान एवं यू.टी.आर. की प्रति इस कार्यालय में प्रस्तुत करें।

4. प्रथम चरण की सैद्धांतिक स्वीकृति में अधिरोपित समस्त शर्तों का पालन प्रतिवेदन एवं वचन पत्र चार प्रतियों में टेबुलर फॉर्म में प्रस्तुत करें, साथ ही प्रकरण में प्राप्त गैर वनभूमि वन विभाग को हस्तांतरण/नामांतरण, फॉर्म पी-2, कब्जा रसीद की प्रति तथा वन अधिकार अधिनियम के तहत कलेक्टर सिंगरौली के प्रमाण पत्र की प्रति इस कार्यालय में प्रस्तुत करें, ताकि पालन प्रतिवेदन दखि कार्यालय की ओर प्रेषित किया जा सके।



वन मण्डल अधिकारी
वन मण्डल सिंगरौली
7/11/2023

कार्यालय वन मण्डल अधिकारी वन मण्डल सिंगरौली(म0प्र0)

माजन मोड़ जिला पंचायत के बगल में
ईमेल-dfot.sgl@mp.gov.in, फोन-07805-233336 फैक्स-233335

क्र०/तक०/ 1478
प्रति,

सिंगरौली, दिनांक 28-02-2024

महाप्रबंधक
म0प्र0 जल निगम
मर्यादित परि.कि.ई सिंगरौली

विषय:-

सिंगरौली जिले में गोंड देवसर ग्रामीण समूह जल प्रदाय योजना के भूमिगत पाईप लाईन बिछाने हेतु 3.1519 हे० (ऑनलाईन आवेदित 3.2004 हे०) वन भूमि मध्यप्रदेश जल निगम मर्यादित सिंगरौली को उपयोग पर देने बाबत। (Proposal No. FP/MP/WATER/145025/2021)

संदर्भ:-

1. भारत सरकार, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, क्षेत्रीय कार्यालय, भोपाल का पत्र क्रमांक/6-MBP 034/2022-BHO दिनांक 14.02.2024
2. प्रधान मुख्य वन संरक्षक (भू-प्रबंध) मध्यप्रदेश, भोपाल का पृष्ठा. क्रमांक/एफ-5/1171/2022/10-11/1126 भोपाल, दिनांक 19.02.2024

-000-

भारत सरकार के उपरोक्त सन्दर्भित पत्र (1) से गोंड देवसर ग्रामीण समूह जल प्रदाय योजना के भूमिगत पाईप लाईन बिछाने हेतु 3.1519 हे० (ऑनलाईन आवेदित 3.2004 हे०) वन भूमि वन संरक्षण अधिनियम 1980 के तहत प्रस्ताव में प्रथम चरण की (सैद्धांतिक) सशर्त स्वीकृति जारी की गयी है। जिसमें वन परिक्षेत्र बरगवाँ का कक्ष क्रमांक RF 227, 225, 232, 233, 235, 236, 247 एवं PF 224, 216, 215, 201, 202, 116 एवं वन परिक्षेत्र जियावन का कक्ष क्र० RF 757, 758, 759 एवं PF 777, 824, 825, 745, 746, 747, 778, 741, 739, 734, 743, 782 रकवा 3.1519 हे० वन भूमि प्रभावित हो रही है।

2. प्रथम चरण की (सैद्धांतिक) सशर्त स्वीकृति के अनुसार नेट प्रजेन्ट वैल्यू की राशि का विवरण निम्नानुसार है :-

क्र०	मद का नाम	रकवा (हे० में)	कैम्पा मद में जमा की जाने योग्य राशि	पर्यवेक्षण शुल्क की राशि	कुल योग
1	नेट प्रजेन्ट वैल्यू	3.1519	38,72,393/-	-	38,72,393/-
			38,72,393/-	-	38,72,393/-

3. क्षतिपूर्ति वनीकरण रकवा 3.1519 हे० (out of 6.50 हे०) की राशि, प्रकरण क्रमांक Proposal No. FP/MP/WATER/154588/2022 से जमा करने हेतु लेख किया गया है। एन.पी.व्ही. की राशि रु. 38,72,393/- (रु. अड़तीस लाख बहत्तर हजार तीन सौ बानवें मात्र) जिसे कैम्पा मद में भारत सरकार की वेबसाइट के माध्यम से जमा कराकर चालान एवं यू.टी.आर. की प्रति इस कार्यालय में प्रस्तुत करें।

4. प्रथम चरण की सैद्धांतिक स्वीकृति में अधिरोपित समस्त शर्तों का पालन प्रतिवेदन एवं वचन पत्र चार प्रतियों में टेबुलर फार्म में प्रस्तुत करें, साथ ही प्रकरण में प्राप्त गैर वनभूमि वन विभाग को हस्तांतरण/नामांतरण, फार्म पी-2, कब्जा रसीद की प्रति तथा वन अधिकार अधिनियम के तहत कलेक्टर सिंगरौली के प्रमाण पत्र की प्रति इस कार्यालय में प्रस्तुत करें, ताकि पालन प्रतिवेदन वरिष्ठ कार्यालय की ओर प्रेषित किया जा सके।



मू०क्र०/तक०/ 1479

प्रतिलिपि:-

1. अपर प्रधान मुख्य वन संरक्षक (भू-प्रबंध), मध्यप्रदेश, भोपाल की ओर सूचनार्थ सम्प्रेषित।
2. वन संरक्षक रीवा, वृत्त रीवा म0प्र0 की ओर सूचनार्थ सम्प्रेषित।

Shri
Anurag
n.a. Paraj

वन मण्डल अधिकारी

वन मण्डल सिंगरौली
सिंगरौली दिनांक 28-02-2024

वन मण्डल अधिकारी

वन मण्डल सिंगरौली



भारत सरकार / GOVERNMENT OF INDIA
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय
MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE
क्षेत्रीय कार्यालय, भोपाल / REGIONAL OFFICE, BHOPAL



Kendriya Paryavaran Bhavan, Link Road No.3, E-5, Ravi Shankar Nagar,
BHOPAL - 462016 (M.P.)

TEL: 0755-2466525 E-mail: rowz.bpl-mef@nic.in

क्रमांक 6-एमपीबी 034/2022-बीएचओ/

दिनांक : 14/02/2024.

प्रति,

प्रधान सचिव (वन)
मध्यप्रदेश शासन,
वल्लभ भवन, भोपाल ।

विषय: सिंगरौली जिले में गोण्ड देवसर ग्रामीण समूह जल प्रदाय योजना के अन्तर्गत भूमिगत पाईप लाईन बिछाने हेतु 3.1519 हेक्टेयर (Online proposed 3.2004 ha) आरक्षित एवं संरक्षित वनभूमि महाप्रबंधक, जल निगम मर्यादित, परियोजना क्रियान्वयन इकाई सिंगरौली को उपयोग पर देने बाबत (Online Proposal No. FP/MP/WATER/145025/2021).

Sir,

This refers to letter Nos. F-5/1171/2022/10-11/3518 dated 14/10/2022 and 594 dated 30/01/2024 of PCCF/ APCCF(LM) & Nodal Officer, Govt. of Madhya Pradesh on the above mentioned subject seeking prior approval of the Ministry of Environment, Forest and Climate Change under section 2 of Forest (Conservation) Act, 1980.

After due consideration of the proposal of the State Government, the "in-principle" approval of Central Government, is hereby conveyed for diversion of 3.1519 Ha (Online proposed 3.2004 ha) Reserved & Protected Forest land for laying of underground drinking water pipeline under Gond Devsar Multi Village Rural Water Supply Scheme in favour of General Manager, Jal Nigam Maryadit in Singrouli District of Madhya Pradesh, subject to following conditions and stipulations:

A: Conditions which need to be complied prior to handing over of forest land by the State Forest Department

- (1) The cost of compensatory afforestation on the CA land 3.1519 ha (out of 6.50 ha) non-forest land at prevailing wage rates as per compensatory afforestation scheme (including cost of survey, demarcation and erection of permanent pillars etc. as required for securing the land against encroachment) shall be deposited in advance with the State Forest Department by the project authority. The CA will be maintained for 10 years. The scheme may include appropriate provision for anticipated cost increase for the works scheduled for subsequent years.
- (2) Non-forest land shall be transferred and mutated in favour of the State Forest department and documents shall be submitted.
- (3) The non-forest land which is transferred and mutated in favour of the State Forest Department for the purpose of compensatory afforestation shall be declared as Reserved Forest under Section-4 or Protected Forest under Section-29 of the Indian Forest Act, 1927 or under the relevant Section(s) of the State Forest Act. A Copy of the same may be submitted in Stage-I compliance report.

- (4) The State Government shall charge Net Present Value (NPV) for the **3.1519 ha** forest area to be diverted under this proposal from the User Agency as per orders of the Hon'ble Supreme Court of India dated 30/10/2002, 01/08/2003, 28/03/2008, 24/04/2008 and 09/05/2008 in IA No. 566 in WP (C) No. 202/1995 and as per the guidelines issued by the Ministry vide letters No. 5-1/1998-FC (Pt.II) dated 18/09/2003, as well as letter No. 5-2/2006-FC dated 03/10/2006, 5-3/2007-FC dated 05/02/2009 & 5-3/2011-FC(Vol-I) dated 06/01/2022 in this regard in this regard.
- (5) All the funds received from the user agency under the project shall be transferred / deposited in CAMPA fund only through e-portal (<https://parivesh.nic.in/>).
- (6) The complete compliance of the FRA, 2006 shall be ensured by way of prescribed certificate from the concerned District Collector.
- (7) *As per the Wildlife Protection Act, 1972 provisions made in 38 (O) 1(g) " ensure that the tiger reserves and areas linking one protected area or tiger reserve with another protected area or tiger reserve are not diverted for ecologically unsustainable uses, except in public interest and with the approval of the National Board for Wild Life and on the advice of the Tiger Conservation Authority" the requirement of approval of NBWL/NTCA may be worked out and taken, if applicable.*
- (8) *Stage I approval is given with the intention that work can be started only after the proposal under the provision of FCA, 1980 submitted for construction of other components of the project is also approved.*
- (9) *DFO shall ensure that no other forest land is utilized for non forestry purpose during the implementation of this project other than that approved in this project.*
- (10) *The User Agency shall submit an undertaking that no muck shall be disposed off in forest land.*
- (11) The KML files of diverted and CA areas shall be uploaded on the e-Green watch portal with all requisite details prior to Stage-II approval.
- (12) Violation of any of these conditions will amount to violation of Forest (Conservation) Act, 1980 and action would be taken as prescribed in para 1.21 of Chapter 1 of the Handbook of Comprehensive Guidelines of Forest (Conservation) Act, 1980 as issued by this Ministry's letter No.5-2/2017-FC dated 28.03.2019.
- (13) The compliance report shall be uploaded on e-portal (<https://parivesh.nic.in/>).


B: Conditions which need to be strictly complied on field after handing over of forest land to the User Agency by the State Forest Department but compliance in the form of undertaking shall be submitted prior to Stage-II approval:

- (1) Legal status of the forest land shall remain unchanged.
- (2) Compensatory afforestation shall be taken up by the Forest Department over **3.1519 ha** (out of **6.50 ha**) non-forest land at Khasra No. **289/2**, Village- **Bhikhjhiria**, Tehsil- **Sarai**, District-**Singrauli** at the cost of the user agency. As far as possible, a mixture of local native species shall be planted and monoculture of any species, especially non-native species should be avoided.
- (3) Additional amount of NPV of the diverted forest land, if any, becoming due after finalization of the same by the Hon'ble Supreme Court of India on receipt of the report from the Expert Committee, shall also be charged by the State Government from the User Agency. The User Agency shall furnish an undertaking to this effect.

- (4) The User Agency shall restrict felling of trees to the enumerated **217 numbers/minimum** number in the diverted forest land and trees shall be felled under the strict supervision of the State Forest Department or the cost of felling of trees shall be deposited by the User Agency with the State Forest Department and State Forest Department shall undertake the fellings.
- (5) The State Government and user agency shall comply with the provisions of all the Acts, Rules, Regulation, guidelines, NGT order & Hon'ble Court Order (s) pertaining to this project, if any, for the time being in force, as applicable to the project.
- (6) The Pipeline shall be laid 1.5 meter below ground and after laying of pipe line, the ground shall be properly leveled.
- (7) User Agency shall obtain Environmental Clearance as per provisions of the Environmental (Protection) Act, 1986, if applicable.
- (8) Boundary of the diverted forest land shall be suitably demarcated on the ground at the project cost, as per the directions of the concerned Divisional Forest Officer.
- (9) Layout plan of the proposal shall not be changed without prior approval of the Central Government.
- (10) No labour camp shall be established on the forest land.
- (11) The User Agency shall provide alternate fuels preferably LPG to the labourers and staff working at the site so as to prevent any damage and pressure on the nearby forests.
- (12) The period of diversion under this approval shall be co-terminus with the project life.
- (13) The forest land shall not be used for any purpose other than that specified in the project proposal.
- (14) The forest land proposed to be diverted shall under no circumstances be transferred to any other agencies, department or person without prior approval of the Central Government.
- (15) Any other condition that the Ministry of Environment, Forest & Climate Change may stipulate from time to time in the interest of conservation, protection and development of forest & wildlife.

After receipt of the compliance report regarding fulfillment of the conditions as stipulated above, from the State Government, formal approval will be issued in this regard under Section 2 of Forest (Conservation) Act, 1980.


This has been issued with the approval of competent authority.


(डॉ. योगेश गैरोला)

तकनीकी अधिकारी(वानिकी)

प्रतिलिपि:

1. वन महानिरीक्षक(एफसी), पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, इंदिरा पर्यावरण भवन, नई दिल्ली ।
2. अपर प्रधान मुख्य वन संरक्षक(भू-प्रबंध) एवं नोडल अधिकारी, वन विभाग, तुलसी नगर, भोपाल ।
3. वनमण्डलाधिकारी, सामान्य वनमण्डल सिंगरौली, जिला-सिंगरौली, मध्यप्रदेश ।
4. महाप्रबंधक, मध्यप्रदेश जल निगम मर्यादित, परियोजना क्रियान्वयन इकाई, सिंगरौली, मध्यप्रदेश ।
5. आदेश पत्रावली ।


(डॉ. योगेश गैरोला)

तकनीकी अधिकारी(वानिकी)

मध्यप्रदेश शासन
लोक स्वास्थ्य यांत्रिकी विभाग
मंत्रालय, वल्लभ भवन भोपाल-462004

क्रमांक एफ 16-21/2020/2/34/(2951)

भोपाल, दिनांक 22 SEP 2020

प्रति,

प्रबंध संचालक
मध्यप्रदेश जल निगम मर्यादित
विन्ध्याचल भवन, भोपाल।

विषय - मध्यप्रदेश जल निगम मर्यादित द्वारा क्रियान्वित की जानेवाली समूह जलप्रदाय योजनाओं की प्रशासकीय स्वीकृति।

संदर्भ - प्रबंध संचालक, मध्यप्रदेश जल निगम मर्यादित, भोपाल का पत्र क्रमांक 6942 दिनांक 29.08.2020।

-0-

राज्य शासन एतद् द्वारा मध्यप्रदेश जल निगम मर्यादित द्वारा जल जीवन मिशन के अंतर्गत क्रियान्वित की जानेवाली निम्नानुसार 10 समूह जलप्रदाय योजनाओं की प्रशासकीय स्वीकृति प्रदान करता है :-

क्र.	समूह जलप्रदाय योजना का नाम	जिला	लागत (रु. करोड़ में)
1	राजौंद	धार	109.50
2	मडिया	सागर	336.02
3	आगर मालवा	आगर	557.35
4	मडीखेड़ा	शिवपुरी	1096.96
5	गोपीकृष्ण सागर	गुना	461.98
6	राजघाट	गुना एवं अशोकनगर	1942.90
7	नेमावर (हाटपिपलिया)	देवास	237.00
8	गोंड देवसर	सिंगरौली	470.49
9	वैढन-1	सिंगरौली	637.27
10	वैढन-2	सिंगरौली	261.53
योग			6111.00

- 2/ योजनाओं का क्रियान्वयन जल जीवन मिशन के मापदण्डों एवं दिशा निर्देशों के अनुसार किया जाये, विस्तृत सर्वेक्षण उपरांत डिजाईन/ड्राईंग तैयार कर करायी जाये तथा योजना पर होने वाले व्यय को स्वीकृत राशि तक सीमित रखा जाये।
- 3/ यह आदेश मंत्रि-परिषद निर्णय के आइटम क्रमांक-18 दिनांक 15, सितम्बर 2020 के संदर्भ में जारी किया गया है।
- 4/ दिनांक 03.09.2020 को संपन्न परियोजना परीक्षण समिति की बैठक, तथा दिनांक 18.09.2020 को संपन्न राज्य स्तरीय योजना स्वीकृति समिति की बैठक, में उपरोक्त योजनाओं का अनुमोदन किया गया है। बैठकों के कार्यवाही विवरण (प्रति संलग्न) में दिये गये निर्देशों का पालन सुनिश्चित किया जाये।

संलग्न - उपरोक्तानुसार।

मध्यप्रदेश के राज्यपाल के नाम से
तथा आदेशानुसार

(राजेश शाक्यवार)
22/09/2020


उप सचिव
मध्य प्रदेश शासन
लोक स्वास्थ्य यांत्रिकी विभाग

भोपाल, दिनांक 22 SEP 2020

पृ. क्रमांक एफ 16-21/2020/2/34/(2952)

प्रतिलिपि:-

1. निज सचिव, माननीय मंत्रीजी, लोक स्वास्थ्य यांत्रिकी विभाग।
2. सचिव, मध्यप्रदेश शासन, वित्त विभाग।
3. महालेखाकार, मध्यप्रदेश, ग्वालियर।
4. प्रमुख अभियंता, लोक स्वास्थ्य यांत्रिकी विभाग, म.प्र.भोपाल।
5. सलाहकार, राज्य योजना आयोग, भोपाल।
6. मुख्य अभियंता, लोक स्वास्थ्य यांत्रिकी विभाग, परिक्षेत्र.....।
7. आयुक्त, कोष एवं लेखा भोपाल।
8. संभाग आयुक्त, संभाग।
9. अधीक्षण यंत्री, लोक स्वास्थ्य यांत्रिकी विभागमण्डल.....।
10. कलेक्टर, जिला।
11. परियोजना निदेशक, मध्यप्रदेश जल निगम मर्यादित, विन्ध्याचल भवन, भोपाल।
12. कार्यपालन यंत्री, लोक स्वास्थ्य यांत्रिकी खंड,।
13. कोषालय अधिकारी, जिला।


मध्यप्रदेश शासन
लोक स्वास्थ्य यांत्रिकी विभाग

Application for RTGS/NEFT Remittance



SBI State Bank of India

Date 20.03.2024

Branch Code 3848



NEFT



RTGS

Branch Waidhan

Please remit the sum of

By debiting my/our account No. 405697007670 be way of (i) Transfer

(Only NEFT). (ii) Cash (Only NEFT) (iii) Cheque (NEFT/RTGS) using Cheque No. 743988 Dated 19.03.2024

for the total amount including your charges as per details given below.

Name of the beneficiary Madhya Pradesh CAMPA

Beneficiary Bank & Branch Union bank of india

IFSC Code

U	B	I	N	O	9	9	6	3	3	5
---	---	---	---	---	---	---	---	---	---	---

Beneficiary Account No.

1	5	0	7	6	5	3	1	4	5	0	2	5	1
---	---	---	---	---	---	---	---	---	---	---	---	---	---

Amount (In Words) Thirty - Eight lakh Seventy - Two Thousand Three Hundred and Ninety -

Amount (In Figures) Three Rupees only Charges Total 3872393/-

Name of Applicant General manager, M.P. Jal Nigam, Maryadit P.W. Singrauli

Address Office of the G.M. M.P. Jal Nigam P.W. Singrauli Collectret Waidhan

Mobile No. Tel. No.

UTR No. & Date SBINR52024032010192452

(Please see conditions on the reverse)

Parky
General Manager
Signature of Applicant(s) M.P. Jal Nigam Maryadit
Project Implementation Unit
Singrauli (M.P.)



AGENCY COPY



NEFT / RTGS CHALLAN for CAMPA Funds

Date : 19-03-2024

Agency Name.	MADHYA PRADESH JAL NIGAM MARYADIT SHAHDOL
Application No.	53145025151
MoEF/SG File No.	6-MPB034/2022-BHO
Location.	MADHYA PRADESH
Address.	O/o GM, MP Jal Nigam Maryadit, House No. 20, Ward No. 6, Pandav Nagar, ShahdolShahdol
Amount(in Rs)	3872393/-

Amount in Words :Thirty-Eight Lakh Seventy-Two Thousand Three Hundred and Ninety-Three Rupees Only

NEFT/RTGS to be made as per following details;

Beneficiary Name:	MADHYA PRADESH CAMPA
IFSC Code:	UBIN0996335
Pay to Account No.	1507653145025151 Valid only for this challan amount.
Bank Name & Address:	Union Bank Of India FCS Centre, 21/1, III Floor, Jelitta Towers, Mission Road, Bengaluru-560027

- This Challan is strictly to be used for making payment to CAMPA by NEFT/RTGS only

BANK COPY



NEFT / RTGS CHALLAN for CAMPA Funds

Date : 19-03-2024

Agency Name.	MADHYA PRADESH JAL NIGAM MARYADIT SHAHDOL
Application No.	53145025151
MoEF/SG File No.	6-MPB034/2022-BHO
Location.	MADHYA PRADESH
Address:	O/o GM, MP Jal Nigam Maryadit, House No. 20, Ward No. 6, Pandav Nagar, Shahdol Shahdol
Amount(in Rs)	3872393/-

Amount in Words :Thirty-Eight Lakh Seventy-Two Thousand Three Hundred and Ninety-Three Rupees Only

NEFT/RTGS to be made as per following details;

Beneficiary Name:	MADHYA PRADESH CAMPA
IFSC Code:	UBIN0996335
Pay to Account No.	1507653145025151 Valid only for this challan amount.
Bank Name & Address:	Union Bank Of India FCS Centre, 21/1, III Floor, Jelitta Towers, Mission Road, Bengaluru-560027

- This Challan is strictly to be used for making payment to CAMPA by NEFT/RTGS only

Note:After making the required payment through challan, if the payment status has not been updated even after 7 working days, then kindly mail a copy of your challan with transaction date and reference id to Email: fcsblr@unionbankofindia.bank , epurse@unionbankofindia.bank, ubin0903710@unionbankofindia.bank



Porty
General Manager
M.P.Jal Nigam Maryadit
Project Implementation Unit
Singrauli (M.P.)



भारतीय स्टेट बैंक
State Bank Of India

(03848)-WAIDHAN
NEAR POLICE STATION
WAIDHAN, DIST: SINGRAULI M.P. 486886
Tel : 7805 279202 Fax : IFS Code : SBIN003848 SWIFT :

कवल ३ महिन क लए बध / VALID FOR 3 MONTHS ONLY
1 9 0 3 2 0 2 4
D D M M Y Y Y Y

hpF6Ew

PAY your self/ या धारक को OR BEARER

रुपये RUPEES thirty eight lakh seventy two thousand three
hundred and ninety three rupees only/ अदा करें ₹ 3872393/-

खा. सं.
A/c No.

40569700767

VALID UPTO ₹ 10 LACS AT NON-HOME BRANCH FOR NON-CASH TRANSACTION ONLY

76700796504

SB ACCOUNT

PREFIX :
1515600013

Nitesh Singh
Deputy Manager
M.P. Jal Nigam Maryadit
Project Implementation Unit
Rewa (M.P.)

Ranaj
General Manager
M.P. Jal Nigam Maryadit
MADHYA PRADESH JAL NIGAM MYDT PIU
Project Implementation Unit
Singrauli (M.P.)

MULTI-CITY CHEQUE Payable at Par at All Branches of SBI

⑈743988⑈ 486002101⑈ 009715⑈ 31

Nitesh Singh
Deputy Manager
M.P. Jal Nigam Maryadit
Project Implementation Unit
Rewa (M.P.)

Ranaj
General Manager
M.P. Jal Nigam Maryadit
Project Implementation Unit
Singrauli (M.P.)



Application for RTGS/NEFT Remittance



SBI State Bank of India

Date 20.03.2024

Branch Code 3848



NEFT



RTGS

Branch Waidhan

Please remit the sum of

By debiting my/our account No. 40569700767 be way of (i) Transfer

(Only NEFT). (ii) Cash (Only NEFT) (iii) Cheque (NEFT/RTGS) using Cheque No. 763989 Dated 19.03.2024

for the total amount including your charges as per details given below.

Name of the beneficiary Madhya Pradesh CAMPA

Beneficiary Bank & Branch Union bank of India

IFSC Code

U B I N 0 9 9 6 3 3 5

Beneficiary Account No.

1 5 0 7 6 5 3 1 5 4 5 88241

Amount (In Words) fifty four lakh ninety eight thousand three hundred and eighty one rupees

Amount (In Figures) only Charges only Total 5498381/-

Name of Applicant General Manager, M.P. Jal Nigam, Maryadit P.W. Singrauli

Address Office of the G.M. M.P. Jal Nigam P.W. Singrauli Collectet Waidhan.

Mobile No. Tel. No.

UTR No. & Date SBINR5202403201094169

(Please see conditions on the reverse)

Pansy
General Manager
Signature of Applicant(s) Maryadit
Project Implementation Unit
Singrauli (M.P.)



AGENCY COPY

यूनियन बैंक ऑफ इंडिया  Union Bank of India



NEFT / RTGS CHALLAN for CAMPA Funds

Date : 19-03-2024

Agency Name.	MADHYA PRADESH JAL NIGAM MARYADIT
Application No.	53154588241
MoEF/SG File No.	6-MPB008/2023-BHO
Location.	MADHYA PRADESH
Address.	D- Wing, IInd floor, Vindhyachal Bhawan, BhopalBhopal
Amount(in Rs)	5498381/-

Amount in Words :Fifty-Four Lakh Ninety-Eight Thousand Three Hundred and Eighty-One Rupees Only

NEFT/RTGS to be made as per following details;

Beneficiary Name:	MADHYA PRADESH CAMPA
IFSC Code:	UBIN0996335
Pay to Account No.	1507653154588241 Valid only for this challan amount.
Bank Name & Address:	Union Bank Of India FCS Centre,21/1, III Floor, Jelitta Towers, Mission Road, Bengaluru-560027

- This Challan is strictly to be used for making payment to CAMPA by NEFT/RTGS only

BANK COPY

यूनियन बैंक ऑफ इंडिया  Union Bank of India



NEFT / RTGS CHALLAN for CAMPA Funds

Date : 19-03-2024

Agency Name.	MADHYA PRADESH JAL NIGAM MARYADIT
Application No.	53154588241
MoEF/SG File No.	6-MPB008/2023-BHO
Location.	MADHYA PRADESH
Address:	D- Wing, IInd floor, Vindhyachal Bhawan, Bhopal Bhopal
Amount(in Rs)	5498381/-

Amount in Words :Fifty-Four Lakh Ninety-Eight Thousand Three Hundred and Eighty-One Rupees Only

NEFT/RTGS to be made as per following details;

Beneficiary Name:	MADHYA PRADESH CAMPA
IFSC Code:	UBIN0996335
Pay to Account No.	1507653154588241 Valid only for this challan amount.
Bank Name & Address:	Union Bank Of India FCS Centre, 21/1, III Floor, Jelitta Towers, Mission Road, Bengaluru-560027

- This Challan is strictly to be used for making payment to CAMPA by NEFT/RTGS only

Note:After making the required payment through challan, if the payment status has not been updated even after 7 working days, then kindly mail a copy of your challan with transaction date and reference id to Email: fcsblr@unionbankofindia.bank , epurse@unionbankofindia.bank, ubin0903710@unionbankofindia.bank



Parkay
General Manager
M.P.Jal Nigam Maryadit
Project Implementation Unit
Singrauli (M.P.)



भारतीय स्टेट बैंक
State Bank Of India

(03848)-WAIDHAN
NEAR POLICE STATION
WAIDHAN, DIST: SINGRAULI M.P. 486886
Tel : 7805 279202 Fax : IFS Code : SBIN0003848 SWIFT :

क्यापल 3 महिन का 1015 वष / VALID FOR 3 MONTHS ONLY
19032024
D D M M Y Y Y Y

a55k6l

AY *your self* / ————— x ————— x —————

या धारक को OR BEARER

पये RUPEES *Fifty four lakh ninety eight thousand three hundred and eighty one rupees only* / ————— x ————— अदा करें ₹ *5498381/-*

खा. सं.
A/c No. 40569700767

VALID UPTO ₹ 10 LACS AT NON-HOME BRANCH FOR NON-CASH TRANSACTION ONLY

76700796504

SB ACCOUNT

PREFIX :
1515600013

Nitesh Singh
Deputy Manager

Parag
General Manager
M.P. Jal Nigam Maryadit

MADHYA PRADESH JAL NIGAM MYDT PIU
Singrauli (M.P.)

MULTI-CITY CHEQUE Payable at Par at All Branches of State Bank of India
M.P. Jal Nigam Maryadit
Project Implementation Unit
Rewa (M.P.)

⑈743989⑈ 486002101⑈ 009715⑈ 31

Nitesh Singh
Deputy Manager
M.P. Jal Nigam Maryadit
Project Implementation Unit
Rewa (M.P.)

Parag
General Manager
M.P. Jal Nigam Maryadit
Project Implementation Unit
Singrauli (M.P.)



FORM-I

(for linear projects)

Government of Madhya Pradesh

Office of the District Collector Singrauli

Ref. No. /7975/TRIBAL/FRA/2023

Date: 21-11-2023


TO WHOMSOEVER IT MAY CONCERN

In compliance of the Ministry of Environment and Forests (MoEF), Government of India's letter No. 11-9/ 98-FC (pt.) dated 3rd August 2009 wherein the MoEF issued guidelines on submission of evidences for having initiated and completed the process of settlement of rights under the Scheduled Tribes and Other Traditional Forest Dwellers (Recognition of Forest Rights) ACT, 2006 ('FRA', For short) on the forest land proposed to be diverted for non-forest purposes read with MoEF's letter dated 5th February 2013 wherein MoEF issued certain relaxation in respect of linear projects, it is certified that in Compartment No PF 116, PF 201, PF 207, PF 215, PF 216, PF 224, PF 710, PF 734, PF 743, PF 745, PF 747, PF 777, PF 778, PF 782, PF 824, PF 825, RF 233, RF 236, RF 247, RF 757, RF 758, RF 759 Total 3.2004 ha. of Area in **General Manager M.P. Jal Nigam Limited P.I.U. Singrauli** for the **Gound Devsar, Rural Water Supply Scheme** in Singrauli district falls within jurisdiction of **Deosar, Sub-Divison. Village** Kunda, Kohrakhoh, Deosar, Mudwa, Kolhua, Sajhar, Baghadih, Gidher, Majhigawa, Ghinahagaw, Baherhadand, Budhadand, Khairabada, Kursa, Kundwar, Karda, Bandha, Chahali, Looti, Chakuar, Devra, Dhonga, Langhadand, Pokhara.

It is further certified that:

- (a) The complete process for identification and settlement of rights under the FRA has been carried out for the entire 3.2004 hectares of forest area proposed for diversion. A copy of records of all consultations and meetings of the Forest Rights Committee(s), Gram Sabha(s), Sub-Division Level Committee(s) Deosar and the District Level Committee Singrauli are enclosed as annexure 1(1-8) to annexure 2(1-4).
- (b) The diversion of forest land for facilities managed by the Government as required under section 3 (2) of the FRA have been completed and the Gram Sabhas have given their consent to it;
- (c) The proposal does not involve recognised rights of Primitive Tribal Groups and Pre-agricultural communities.

Encl.: As Above


Collector 21/11/2023
Distt-Singrauli



12/11/57

प्रारूप एक (नियम 6 देखिए)

मध्य प्रदेश भू-राजस्व संहिता (भू-सर्वेक्षण तथा भू-अभिलेख) नियम, २०२०


CLR No.: 11101742302

ग्राम: भीखदिरिया			पटवारी हल्का: कोनी		तहसील: सरई		जिला: सिरौली		वर्ष: 2023-2024	
भूमि के भाग की युक्तिक आईडी	भूमि के भाग का प्रकार (सर्वेक्षण संख्यांक/ब्लॉक संख्यांक)	पू-खण्ड संख्यांक (ब्लॉक की संख्यांक देना में)	1. क्षेत्रफल (हेक्टेयर/वर्ग मीटर में) 2. भूमि उपयोग जिसके लिए निर्धारण किया गया है 3. पू-राजस्व/पू-भाटक (रु. में)	1. भूमिस्वामी का नाम, उसकी माता / पति का नाम तथा निवास का पता 2. शासकीय भूमि	प्रत्येक भूमि स्वामी का अंश	1. सरकारी पड़ेवार का नाम, उसकी माता/पिता/पति का नाम तथा निवास का पता 2. पड़े की अवधि 3. पड़े के अधीन क्षेत्र	माल्ही कृषक (यदि कोई हो) का नाम, उसकी माता/पिता/पति का नाम तथा निवास का पता	भूमि पर विद्यमान तथा प्रसार 1. बंधक 2. दुरुबोधक 3. पू-अर्जन प्रक्रियाधीन	फसल के खारे फसल के अधीन फसल 1. खरीफ 2. रबी 3. जायद 4. अन्य	1. भूमि के सिंचाई संबंधी प्रास्थिति 2. भूमि पर संरचना/वृक्ष 3. अन्य अभियुक्तियां 4. वर्ष के दौरान कॉलम संख्या (1) से (9) तक में प्रविष्टियों में सुधार के आदेश
1	2	3	4	5	6	7	8	9	10	11
153558 6862	289/2 (S)	6.5000 हेक्टेयर		(शासकीय) वन विभाग मध्यप्रदेश शासन शासकीय संस्था	1					
82042R DF749N H0		रु. 0.00								
न्यायालय कलेक्टर के प्रकरण क्र. 0010/अ-20(3)/2022-23, आदेश दि. 10/06/2022 के अनुसार भू-अभिलेख अद्यतित। म.प्र. शासन										

Muck Disposal Plan

Annexure-1.

- 1) KML files for the non forest area and forest area are uploaded along with 3.2004 hacs CA Land uploaded on Parivesh Web Portal.
- 2) Complete plan of water supply & KML depicting all components uploaded on Parivesh Web Portal.
- 3) No Objection Certificates from MPRDC and PMGSY is attached.
- 4) Component wise breakup for 32.004 kms of pipeline network 3.2004 hacs land detail uploaded on Parivesh portal along with layout plan attached.
- 5) After laying of pipe line, excavated quantity will be used for filling of trench and levelling purpose, therefore there will be no muck disposed outside.
Excavated Volume- $(32004 \times 1 \times 1) = 32004$ cum
Pipe Volume $-(3.14 \times 0.4 \times 0.4 \times 32004) = 16078$ cum
Backfilled Soil - $(32004 - 16078) = 15926$ cum
Remaining Muck (excavated soil – backfilled soil) = 16078 cum
Note: Excavated soil shall be backfilled and levelled. And remaining muck (Equal to pipe volume) will be disposed off at available surplus revenue land (20.8 – 17) 3.8 ha. located at village pipri, teh: chitrangi khasra no. 245 allotted to MPJNM.



General Manager
M.P. Jal Nigam Maryadit
Project Implementation Unit
Singrauli (M.P.)

Office of the General Manager
Madhya Pradesh Jal Nigam Maryadit
Project Implementation Unit, Singrauli


Office: Room No.44 1st floor collectorate office, Waidhan
(Website: www.mpjalnigam.mp.gov.in)

CIN-U41000MP2012SGC028798
E-mail-gmmpjnmsingrauli@gmail.com)

Annexure-1

CERTIFICATE OF UNDERTAKING

Pankaj Wadhwani, In capacity of General Manager M.P. Jal Nigam Maryadit, Project Implementation Unit, Singrauli on behalf of M.P. Jal Nigam Maryadit do hereby undertake that M.P. Jal Nigam Maryadit will pay "Additional amount of the NPV of the diverted forest land, if any, becoming due after finalization of the same by the Hon'ble Supreme Court of India on receipt of the report from the Expert Committee, shall be charged by the State government from the user agency".


**PANKAJ
WADH
WANI**
Digitally signed by
PANKAJ WADHWANI
Date: 2024.01.10
11:32:18 +05'30'

**Office of the General Manager
Madhya Pradesh Jal Nigam Maryadit
Project Implementation Unit, Singrauli**


Office: Room No.44 1st floor collectorate office, Waidhan
(Website: www.mpjalnigam.mp.gov.in)

CIN-U41000MP2012SGC028798
E-mail-gmmpjnmsingrauli@gmail.com)

Annexure-1

CERTIFICATE OF UNDERTAKING

Muck Disposal will be done on the revenue land provided by the District Collector Singrauli vide "Order no. 56/ 31-20(3)/2022-23 dated 18 Jan ,2023" Total 17 ha. Land has been transferred to forest department for CA land and rest will be used for muck disposal. &Kml file of rest of land is enclosed".




PANKAJ Digitally signed
WADH by PANKAJ
WANI WADHWANI
Date: 2024.01.10
11:55:49 +05'30'

शर्त क्रमांक B (01)

वनभूमि का वैधानिक स्वरूप अपरिवर्तित रहने का वचन पत्र

जल जीवन मिशन अन्तर्गत सिंगरौली जिले मे गोण्ड देवसर ग्रामीण समूह जल प्रदाय योजना के अन्तर्गत पाइप लाईन बिछाने का कार्य वन मण्डल सिंगरौली के परिक्षेत्र अन्तर्गत 3.2004 हे0 वन भूमि पर प्रस्तावित है। भारत सरकार पर्यावरण वन एवं जलवायु परिवर्तन मंत्रालय क्षेत्रिय कार्यालय भोपाल के पत्र क्रमांक-6-एमपीबी/034/2023-बीएचओ/ दिनांक 14.02.2024 द्वारा वन संरक्षण अधिनियम 1980 धारा-2 के अन्तर्गत वन प्रकरण मे प्राप्त सैद्धान्तिक स्वीकृति (प्रथम चरण) मे अधिरोपित शर्तों के बिन्दु क्रमांक B-01 के अनुपालन मे प्रमाणित किया जाता है कि वन भूमि का वैधानिक स्वरूप अपरिवर्तित रहेगा ।



(पंकज वाधवानी)


महाप्रबंधक

म.प्र. जल निगम मर्यादित

परि.क्रिया.ई. सिंगरौली

वृक्ष कटान ना होने का वचन पत्र

जल जीवन मिशन अन्तर्गत सिंगरौली जिले मे गोण्ड देवसर ग्रामीण समूह जल प्रदाय योजना के अन्तर्गत पाइप लाईन बिछाने का कार्य वन मण्डल सिंगरौली के परिक्षेत्र अन्तर्गत 3.2004 हे० वन भूमि पर प्रस्तावित है। भारत सरकार पर्यावरण वन एवं जलवायु परिवर्तन मंत्रालय क्षेत्रिय कार्यालय भोपाल के पत्र क्रमांक-6-एमपीबी/034/2023-बीएचओ/ दिनांक 14.02.2024 द्वारा वन संरक्षण अधिनियम 1980 धारा-2 के अन्तर्गत वन प्रकरण मे प्राप्त सैद्धान्तिक स्वीकृति (प्रथम चरण) मे अधिरोपित शर्तों के बिन्दु क्रमांक B-04 के अनुपालन मे आवेदक संस्था कार्य करते समय पेड़ों की कटाई को 217 संख्या/न्यूनतम संख्या तक सीमित रखेगी और पेड़ों को राज्य वन विभाग की सख्त निगरानी में काटा जाएगा एवं पेड़ों की कटाई की लागत उपयोगकर्ता एजेंसी द्वारा जमा की जाएगी। जिसके लिये आवेदक संस्था वचनबद्ध है।



(पंकज वाधवानी)

महाप्रबंधक

म.प्र. जल निगम मर्यादित
परि.क्रिया.ई. सिंगरौली

आवेदक संस्था इस प्रकरण के सन्दर्भ में माननीय न्यायालय
एवं नजीदी आदेश के पालन हेतु वचन पत्र

जल जीवन मिशन अन्तर्गत सिंगरौली जिले में गोण्ड देवसर ग्रामीण समूह जल प्रदाय योजना के अन्तर्गत पाइप लाईन बिछाने का कार्य वन मण्डल सिंगरौली के परिक्षेत्र अन्तर्गत 3.2004 हे० वन भूमि पर प्रस्तावित है। भारत सरकार पर्यावरण वन एवं जलवायु परिवर्तन मंत्रालय क्षेत्रीय कार्यालय भोपाल के पत्र क्रमांक-6-एमपीबी/034/2023-बीएचओ/ दिनांक 14.02.2024 द्वारा वन संरक्षण अधिनियम 1980 धारा-2 के अन्तर्गत वन प्रकरण में प्राप्त सैद्धान्तिक स्वीकृति (प्रथम चरण) में अधिरोपित शर्तों के बिन्दु क्रमांक B-05 के अनुपालन में आवेदक संस्था इस प्रकरण के सन्दर्भ में माननीय न्यायालय एवं नजीदी के समस्त आदेशों के पालन हेतु वचनबद्ध है।


(पंकज वाधवानी)

महाप्रबंधक

म.प्र. जल निगम मर्यादित
परि.क्रिया.ई. सिंगरौली

सीमा चिन्हांकन एवं पिलर लगाने बावत वचन पत्र

जल जीवन मिशन अन्तर्गत सिंगरौली जिले मे गोण्ड देवसर ग्रामीण समूह जल प्रदाय योजना के अन्तर्गत पाइप लाईन बिछाने का कार्य वन मण्डल सिंगरौली के परिक्षेत्र अन्तर्गत 3.2004 हे0 वन भूमि पर प्रस्तावित है। भारत सरकार पर्यावरण वन एवं जलवायु परिवर्तन मंत्रालय क्षेत्रिय कार्यालय भोपाल के पत्र क्रमांक-6-एमपीबी/034/2023-बीएचओ/ दिनांक 14.02.2024 द्वारा वन संरक्षण अधिनियम 1980 धारा-2 के अन्तर्गत वन प्रकरण मे प्राप्त सैद्धान्तिक स्वीकृति (प्रथम चरण) मे अधिरोपित शर्तों के बिन्दु क्रमांक B-08 के अनुपालन मे आवेदक संस्था सीमा चिन्हांकन एवं पिलर लगाने हेतु वचनबद्ध है।



(पंकज वाधवानी)

महाप्रबंधक

म.प्र. जल निगम मर्यादित

परि.क्रिया.ई. सिंगरौली

प्रकरण लेआउट प्लान में परिवर्तन नहीं किये जाने का वचन पत्र

जल जीवन मिशन अन्तर्गत सिंगरौली जिले में गोण्ड देवसर ग्रामीण समूह जल प्रदाय योजना के अन्तर्गत पाइप लाईन बिछाने का कार्य वन मण्डल सिंगरौली के परिक्षेत्र अन्तर्गत 3.2004 हे० वन भूमि पर प्रस्तावित है। भारत सरकार पर्यावरण वन एवं जलवायु परिवर्तन मंत्रालय क्षेत्रीय कार्यालय भोपाल के पत्र क्रमांक-6-एमपीबी/034/2023-बीएचओ/ दिनांक 14.02.2024 द्वारा वन संरक्षण अधिनियम 1980 धारा-2 के अन्तर्गत वन प्रकरण में प्राप्त सैद्धान्तिक स्वीकृति (प्रथम चरण) में अधिरोपित शर्तों के बिन्दु क्रमांक B-09 के अनुपालन में भारत सरकार की पूर्व अनुमति के बिना प्रकरण लेआउट प्लान में परिवर्तन नहीं किया जाएगा। जिसके लिये आवेदक संस्था वचनबद्ध है।


(पंकज वाधवानी)

महाप्रबंधक

म.प्र. जल निगम मर्यादित
परि.क्रिया.ई. सिंगरौली

वन भूमि पर श्रमिक कैप निर्माण नहीं किये जाने हेतु वचन पत्र

जल जीवन मिशन अन्तर्गत सिंगरौली जिले मे गोण्ड देवसर ग्रामीण समूह जल प्रदाय योजना के अन्तर्गत पाइप लाईन बिछाने का कार्य वन मण्डल सिंगरौली के परिक्षेत्र अन्तर्गत 3.2004 हे0 वन भूमि पर प्रस्तावित है। भारत सरकार पर्यावरण वन एवं जलवायु परिवर्तन मंत्रालय क्षेत्रिय कार्यालय भोपाल के पत्र क्रमांक-6-एमपीबी/034/2023-बीएचओ/ दिनांक 14.02.2024 द्वारा वन संरक्षण अधिनियम 1980 धारा-2 के अन्तर्गत वन प्रकरण मे प्राप्त सैद्धान्तिक स्वीकृति (प्रथम चरण) मे अधिरोपित शर्तों के बिन्दु क्रमांक B-10 के अनुपालन मे वन भूमि पर श्रमिकों हेतु कैप निर्माण नहीं किया जाएगा। जिसके लिये आवेदक संस्था वचनबद्ध है।



(पंकज वाधवानी)

महाप्रबंधक

म.प्र. जल निगम मर्यादित

परि.क्रिया.ई. सिंगरौली

प्रस्तावित क्षेत्र में श्रमिकों को जलाऊ ईंधन (एलपीजी) उपलब्ध कराये जाने का वचन पत्र

जल जीवन मिशन अन्तर्गत सिंगरौली जिले में गोण्ड देवसर ग्रामीण समूह जल प्रदाय योजना के अन्तर्गत पाइप लाईन बिछाने का कार्य वन मण्डल सिंगरौली के परिक्षेत्र अन्तर्गत 3.2004 हे० वन भूमि पर प्रस्तावित है। भारत सरकार पर्यावरण वन एवं जलवायु परिवर्तन मंत्रालय क्षेत्रिय कार्यालय भोपाल के पत्र क्रमांक-6-एमपीबी/034/2023-बीएचओ/ दिनांक 14.02.2024 द्वारा वन संरक्षण अधिनियम 1980 धारा-2 के अन्तर्गत वन प्रकरण में प्राप्त सैद्धान्तिक स्वीकृति (प्रथम चरण) में अधिरोपित शर्तों के बिन्दु क्रमांक B-11 के अनुपालन में वन भूमि पर श्रमिकों को जलाऊ ईंधन (एलपीजी) उपलब्ध कराया जाएगा। जिसके लिये आवेदक संस्था वचनबद्ध है।

(पंकज वाधवानी)

महाप्रबंधक

म.प्र. जल निगम मर्यादित

परि.क्रिया.ई. सिंगरौली

प्रत्यावित वनभूमि के उपयोग हेतु वचन पत्र

जल जीवन मिशन अन्तर्गत सिंगरौली जिले में गोण्ड देवसर ग्रामीण समूह जल प्रदाय योजना के अन्तर्गत पाइप लाईन बिछाने का कार्य वन मण्डल सिंगरौली के परिक्षेत्र अन्तर्गत 3.2004 हे० वन भूमि पर प्रस्तावित है। भारत सरकार पर्यावरण वन एवं जलवायु परिवर्तन मंत्रालय क्षेत्रीय कार्यालय भोपाल के पत्र क्रमांक-6-एमपीबी/034/2023-बीएचओ/ दिनांक 14.02.2024 द्वारा वन संरक्षण अधिनियम 1980 धारा-2 के अन्तर्गत वन प्रकरण में प्राप्त सैद्धान्तिक स्वीकृति (प्रथम चरण) में अधिरोपित शर्तों के बिन्दु क्रमांक B-12 के अनुपालन में डायवर्जन की अवधि परियोजना जीवन के साथ-साथ समाप्त होगी। जिसके पालन हेतु आवेदक संस्था वचनबद्ध है।




(पंकज वाधवानी)
महाप्रबंधक

म.प्र. जल निगम मर्यादित
परि.क्रिया.ई. सिंगरौली

शर्त क्रमांक B (13)

वन भूमि पर दर्शित कार्य के अतिरिक्त अन्य कार्य न कराये जाने हेतु वचन पत्र

जल जीवन मिशन अन्तर्गत सिंगरौली जिले मे गोण्ड देवसर ग्रामीण समूह जल प्रदाय योजना के अन्तर्गत पाइप लाईन बिछाने का कार्य वन मण्डल सिंगरौली के परिक्षेत्र अन्तर्गत 3.2004 हे0 वन भूमि पर प्रस्तावित है। भारत सरकार पर्यावरण वन एवं जलवायु परिवर्तन मंत्रालय क्षेत्रिय कार्यालय भोपाल के पत्र क्रमांक-6-एमपीबी/034/2023-बीएचओ/ दिनांक 14.02.2024 द्वारा वन संरक्षण अधिनियम 1980 धारा-2 के अन्तर्गत वन प्रकरण मे प्राप्त सैद्धान्तिक स्वीकृति (प्रथम चरण) मे अधिरोपित शर्तों के बिन्दु क्रमांक B-13 के अनुपालन मे आवेदक संस्था वन भूमि पर दर्शित कार्य के अतिरिक्त अन्य कार्य न करने हेतु वचनबद्ध है।




(पंकज वाधवानी)

महाप्रबंधक

म.प्र. जल निगम मर्यादित
परि.क्रिया.ई. सिंगरौली

प्रस्तावित वन भूमि को किसी अन्य संस्था/विभाग/व्यक्ति को हस्तांतरण न किये जाने हेतु वचन पत्र

जल जीवन मिशन अन्तर्गत सिंगरौली जिले मे गोण्ड देवसर ग्रामीण समूह जल प्रदाय योजना के अन्तर्गत पाइप लाईन बिछाने का कार्य वन मण्डल सिंगरौली के परिक्षेत्र अन्तर्गत 3.2004 हे0 वन भूमि पर प्रस्तावित है। भारत सरकार पर्यावरण वन एवं जलवायु परिवर्तन मंत्रालय क्षेत्रिय कार्यालय भोपाल के पत्र क्रमांक-6-एमपीबी/034/2023-बीएचओ/ दिनांक 14.02.2024 द्वारा वन संरक्षण अधिनियम 1980 धारा-2 के अन्तर्गत वन प्रकरण मे प्राप्त सैद्धान्तिक स्वीकृति (प्रथम चरण) मे अधिरोपित शर्तों के बिन्दु क्रमांक B-14 के अनुपालन मे प्रस्तावित वन भूमि को भारत सरकार के स्वीकृति के पूर्व किसी भी दशा में किसी अन्य संस्था/विभाग/व्यक्ति को हस्तांतरण न किये जाने हेतु आवेदक संस्था वचनबद्ध है।



(पंकज वाधवानी)

महाप्रबंधक

म.प्र. जल निगम मर्यादित
परि.क्रिया.ई. सिंगरौली

शर्त क्रमांक B (15)

पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय द्वारा वन एवं वन्यजीव संरक्षण, सुरक्षा एवं विकास हेतु समय-समय पर जारी दिशा निर्देशों के पालन हेतु वचन पत्र

जल जीवन मिशन अन्तर्गत सिंगरौली जिले में गोण्ड देवसर ग्रामीण समूह जल प्रदाय योजना के अन्तर्गत पाइप लाईन बिछाने का कार्य वन मण्डल सिंगरौली के परिक्षेत्र अन्तर्गत 3.2004 हे0 वन भूमि पर प्रस्तावित है। भारत सरकार पर्यावरण वन एवं जलवायु परिवर्तन मंत्रालय क्षेत्रिय कार्यालय भोपाल के पत्र क्रमांक-6-एमपीबी/034/2023-बीएचओ/ दिनांक 14.02.2024 द्वारा वन संरक्षण अधिनियम 1980 धारा-2 के अन्तर्गत वन प्रकरण में प्राप्त सैद्धान्तिक स्वीकृति (प्रथम चरण) में अधिरोपित शर्तों के बिन्दु क्रमांक B-15 के अनुपालन में पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय द्वारा वन एवं वन्यजीव संरक्षण, सुरक्षा एवं विकास हेतु समय-समय पर जारी दिशा निर्देशों के पालन हेतु आवेदक संस्था वचनबद्ध है।

(पंकज वाधवानी)

महाप्रबंधक

म.प्र. जल निगम मर्यादित

परि.क्रिया.ई. सिंगरौली

न्यायालय कलेक्टर, जिला सिंगरौली (म0प्र0)

प्रकरण क्रमांक 10 /अ-20(3)/2022-23

विषय:- जल जीवन मिशन योजना से प्रभावित हो रही 6.46 हे0 वन भूमियों के बदले में वैकल्पिक वृक्षारोपण हेतु ग्राम भीखाझिरिया तहसील सरई की राजस्व वन भूमियों का अंतरण वन विभाग को किए जाने बावत।

आदेश

(आज दिनांक 10 जून, 2022 को पारित एवं घोषित)

यह प्रकरण आवेदक महाप्रबंधक, म0प्र0 जल निगम मर्यादित, परियोजना क्रियान्वयन इकाई, सिंगरौली के पत्र क्रमांक 76/महा.प्रबं./म.प्र.ज.नि.मर्या./परि.क्रि.ई./2022 दिनांक 19/5/2022 पर संस्थित किया गया है। जिसमें यह दर्शाया गया है कि मध्य प्रदेश जल निगम मर्यादित द्वारा सिंगरौली जिले के 673 ग्रामों को जल प्रदाय हेतु 'जल जीवन मिशन योजना' के अंतर्गत गोण्ड देवसर, बैढ़न- 1, बैढ़न- 2 समूह जल प्रदाय योजनाओं का क्रियान्वयन किया जा रहा है। इन योजनाओं के क्रियान्वयन हेतु स्रोत से प्रत्येक ग्राम एवं ग्रामों के भीतर घरों तक पाईप लाईन बिछाई जानी है। पाईप लाईन बिछाने का कार्य सड़क के R.O.W., Alignment पर किया जाना है। जिले में वन क्षेत्र की बहुलता होने के कारण पाईप लाईन कई क्षेत्रों में वन क्षेत्र से होकर ले जाया जाना अपरिहार्य है, जिससे वन भूमियां प्रभावित होंगी। यह भी लेख किया गया है कि वन मण्डल अधिकारी, सिंगरौली के पत्र क्रमांक /मा0चि/ 110, 112 दिनांक 6/1/2022 द्वारा गोण्ड देवसर जल प्रदाय योजना में प्रभावित हो रही कुल 6.46 हे0 वन भूमि के बदले गैर वन भूमि वन विभाग को वैकल्पिक वृक्षारोपण हेतु अंतरण किए जाने की सहमति दी गई है। उपरोक्त संबंध में तहसील सरई अंतर्गत ग्राम भीखाझिरिया स्थित आराजी क्रमांक 289 अंश रकबा 6.47 हे0 राजस्व वन भूमि वैकल्पिक वृक्षारोपण हेतु वन विभाग को अंतरण किए जाने का अनुरोध किया गया है।

2- ग्रामीण क्षेत्रों में पेयजल की सतत आपूर्ति के उद्देश्य से संचालित अत्यन्त महत्वाकांक्षी योजना 'जल जीवन मिशन योजना' के क्रियान्वयन हेतु ली जाने वाली वन भूमियों के बदले में वैकल्पिक वृक्षारोपण हेतु वन विभाग को अन्य शासकीय भूमियां उपलब्ध कराए जाने की अपरिहार्यता के दृष्टिगत प्रकरण पंजीकृत किया जाकर उपखण्ड अधिकारी, देवसर को प्रस्तावित भूमि के अंतरण हेतु मध्य प्रदेश नजूल निर्वर्तन निर्देश, 2020 के तहत कार्यवाही हेतु निर्देशित किया गया। प्रकरण जिला नजूल निर्वर्तन समिति सिंगरौली के निर्णय हेतु प्रस्तुत किया गया। उपखण्ड अधिकारी, देवसर द्वारा जांच उपरांत आवेदित आराजी क्रमांक 289 रकबा 9.15 हेक्टर का अंश रकबा 6.50 हे0 वन विभाग को अंतरित किया जाना प्रस्तावित किया गया है। दिनांक 8.6.2022 सम्पन्न जिला स्तरीय नजूल निर्वर्तन समिति की बैठक में प्रस्तावित नजूल भूमि को वन विभाग को अंतरित किए जाने का निर्णय लिया गया है।

3- प्रकरण एवं उपलब्ध अभिलेखों का परिशीलन किया गया निम्नांकित तथ्य प्रकाश में आते हैं-

क्रमशः

(2)

प्रकरण क्रमांक 10/अ-20(3)/2022-23

(1) प्रस्तावित भूमि राजस्व विभाग की है, जिसकी किस्म जमीन 'वन' दर्ज अभिलेख है।

(2) वन परिक्षेत्र अधिकारी, सरई (पश्चिम) के पत्र क्रमांक 905 दिनांक 12/5/2022 जो वन मण्डल अधिकारी, सिंगरौली को सम्बोधित है, की प्रति प्रकरण में संलग्न है। उक्त पत्र में प्रतिवेदित किया गया है कि प्रकरण में अंतरण हेतु प्रस्तावित भूमि अतिक्रमण मुक्त है, वृक्षारोपण योग्य है एवं प्रस्तावित आराजी की पूर्वी व उत्तरी सीमा आरक्षित वन कक्ष क्रमांक 600 वनखण्ड ताल से लगी हुई है।

(3) वन मण्डल अधिकारी, सिंगरौली के पत्र पृष्ठांकन क्रमांक/मा0चि0/111 व 113 दिनांक 6/1/2022 में लेख किया गया है कि गोड़ देवसर ग्रामीण समूह जल प्रदाय योजना अंतर्गत वन भूमि पर पाईप लाइन के निर्माण हेतु वन संरक्षण अधिनियम, 1980 के अंतर्गत ऑनलाइन प्रस्तावित है, जिसमें वन मंडल सिंगरौली अन्तर्गत कुल 6.46 हे0 भूमि प्रभावित हो रही है, उक्त प्रकरण में प्रभावित वनभूमि के बदले गैर वन भूमि वन विभाग को प्रदाय करने हेतु कार्यवाही करने का कष्ट करें। उक्त पत्रों में यह भी लेख किया गया है कि कृपया यह सुनिश्चित कर लेवें कि उक्त वनभूमि के बदले प्रदान की जा रही गैर वनभूमि वनभूमि सीमा से लगी हो।

(4) चूंकि अन्तरण हेतु प्रस्तावित भूमि वैकल्पिक वृक्षारोपण हेतु वन विभाग को अंतरण हेतु प्रस्तावित उक्त भूमि वन कक्ष क्रमांक 600 वनखण्ड ताल से लगी हुई है। उपखण्ड अधिकारी, देवसर के प्रतिवेदन एवं अभिलेखों से यह भी स्पष्ट है कि प्रस्तावित आराजी पर महुआ, तेंदू, पलाश व अन्य प्रजाति के लगभग 200 से अधिक पेड स्थित हैं। उक्त दोनों कारणों से वन मण्डल अधिकारी, सिंगरौली के उक्त पत्रों में वर्णित अनुसार प्रस्तावित भूमि वनीकरण हेतु वन विभाग को अन्तरित किया जाना उचित होगा।

(5) प्रस्तावित भूमि पर कोई अतिक्रमण आदि नहीं है। अतएव वनीकरण हेतु उपयोग में लाए जाने में कोई असुविधा भी नहीं होगी।

4- अतएव प्रस्तुत प्रस्ताव एवं जिला नजूल निर्वतन समिति, सिंगरौली द्वारा लिए गए निर्णयानुसार ग्राम भीखाझिरिया तहसील सरई स्थित राजस्व-वन भूमि क्रमांक 289 रकबा 9.15 हेक्टर का अंश रकबा 6.50 हे0 जो नक्शे में लाल स्याही से बटा नंबर 289/2 के रूप में प्रदर्शित है एवं इस आदेश के साथ संलग्न अनुलम्बक-1 है, वैकल्पिक वृक्षारोपण हेतु वन विभाग को अंतरित की जाती हैं। तहसीलदार, तहसील सरई तदनुसार समस्त अभिलेख प्रविष्टियों में प्रासांगिक तब्दीलात दुरुस्त कराते हुए मौके पर वन मण्डल अधिकारी, सिंगरौली या उनके द्वारा नामित पदाधिकारी को अधिपत्य दिलावें एवं संशोधित अभिलेखों सहित पालन प्रतिवेदन प्रस्तुत करें।

(राजीव रजन मीना)

कलेक्टर

जिला सिंगरौली (म0प्र0)

(3)


प्रकरण क्रमांक 10/अ-20(3)/2022-23

सिंगरौली, दिनांक 10 जून, 2022

पृष्ठांकन क्रमांक 90/अभिलेख पासबुक/22-23
प्रतिलिपि:-

1. वन मण्डल अधिकारी, सिंगरौली
2. उपखण्ड अधिकारी/नजूल अधिकारी, देवसर।
3. तहसीलदार, तहसील सरई।
4. महाप्रबंधक, परियोजना क्रियान्वयन इकाई, सिंगरौली, म0प्र0 जल निगम मर्यादित।

की ओर सूचनार्थ एवं आवश्यक कार्यवाही हेतु।


कलेक्टर 10/6/22

जिला सिंगरौली (म0प्र0)

Proposal Number: FP/MP/WATER/145025/2021

32004


Office of the General Manager
Madhya Pradesh Jal Nigam Maryadit
Project Implementation Unit, Jabalpur

Regd. & Corp. Office: "D" Wing 2nd Floor, Vindhyachal Bhawan, Bhopal-462004
(Website: www.mpjalnigam.co.in)

CIN-U41000MP2012SGC028798
E-Mail-gmmppjnmsingrauli@gmail.com

Justification for locating the project component in forest land

The project namely "Gond Deosar Multi Village Scheme" is proposed to provide drinking water to 206 villages of Singrauli district taking Gond dam on river Gopad as source. To convey water to the villages, pipelines are required to be laid which passes through forest area at some places.


Counter-Signed
वन मण्डल अधिकारी
वन मण्डल सिंगरोली

General Manager
M.P. Jal Nigam Maryadit
P.I.U., Singrauli



MADHYA PRADESH ROAD DEVELOPMENT CORPORATION LIMITED

(Govt. of M.P. Undertaking)

OFFICE OF THE DIVISIONAL MANAGER MPRDC DivSidhi

Near MPEB Colony WARD No. 8, DistSidhi (M.P.) Pin No. 486661

E-mail - dm-rewa2@mp.gov.in

Letter No. 2147/MPRDC/APMS3224/2022

Sidhi, Date:- // / 11 / 2022

To,

✓ General Manager,
M.P. Jal Nigam Maryadit,
PIU Singrauli (M.P.)

Sub:- Regarding permission for laying pipeline along MP-MDR-12-12 (Parsauna-Mahua via Barka Road) on LHS from Ch.39+930 to Ch.41+000, Ch.43+000 to Ch.44+180, Ch.44+940 to Ch.46+260, Ch.50+920 to Ch.52+270, Ch.53+000 to Ch.53+990, Ch.57+550 to Ch.60+130, Ch.64+000 to Ch.64+556, Ch.65+000 to Ch.67+310 and on RHS from Ch.36+590 to Ch.38+830, Ch.40+000 to Ch.42+820, Ch.44+180 to Ch.44+940, Ch.48+000 to Ch.50+383, Ch.50+920 to Ch.54+588, Ch.65+530 to Ch.54+588, Ch.65+530 to Ch.67+770, Ch.75+000 to Ch.78+000 and Ch.80+000 to Ch.82+410 alongwith 03 road crossings at Ch.58+200, Ch.64+556 and Ch.70+030.

Ref:- 1. Chief General Manager (Admin.), MPRDC Bhopal letter no. 10735/291/OTH/APMS2022/3224/MPRDC/2022, Dated- 16.09.2022.
2. APMS Application No. APMS2022/3224, dated 15.02.2022.

With reference to the letter & subject cited above, proposal submitted for Grant of permission to lay water pipeline along MP-MDR-12-12 (Parsauna-Mahua via Barka) on LHS from Ch.39+930 to Ch.41+000, Ch.43+000 to Ch.44+180, Ch.44+940 to Ch.46+260, Ch.50+920 to Ch.52+270, Ch.53+000 to Ch.53+990, Ch.57+550 to Ch.60+130, Ch.64+000 to Ch.64+556, Ch.65+000 to Ch.67+310 and on RHS from Ch.36+590 to Ch.38+830, Ch.40+000 to Ch.42+820, Ch.44+180 to Ch.44+940, Ch.48+000 to Ch.50+383, Ch.50+920 to Ch.54+588, Ch.65+530 to Ch.54+588, Ch.65+530 to Ch.67+770, Ch.75+000 to Ch.78+000 and Ch.80+000 to Ch.82+410 alongwith 03 road crossings at Ch.58+200, Ch.64+556 and Ch.70+030 is approved in-principle with following conditions:-

1. Submission of X-Section at each crossing for crossing the road by HDD method showing depth of ground level and drilling level below road top level.
2. The execution of work will be done as per MoRT&H guidelines and to the satisfaction of this office (Divisional Manager, MPRDC).
3. The work shall be carried strictly in accordance with the provisions of the estimate & approved drawing.
4. Strict adherence to the safety requirements of IRC: SP-55 "Guidelines on Safety in road construction Zone" shall be ensured.
5. The execution of work will be done in accordance with the specification of Concession agreement and no diversion will be constructed.
6. You have to maintain the traffic for smooth movement.
7. The laying of Underground pipeline shall be strictly as per the MORTH Circular dated 22.11.2016 and as per the details indicated in the approved drawing. No change in the approved alignment of Underground pipeline will be entertained. Any deviation will result in automatic cancellation of the permission/approval.
8. All safety measures will be followed by you (GM, M.P Jal Nigam Maryadit, PIU Singrauli).



MADHYA PRADESH ROAD DEVELOPMENT CORPORATION LIMITED

(Govt. of M.P. Undertaking)

OFFICE OF THE DIVISIONAL MANAGER MPRDC DivSidhi

Near MPEB Colony WARD No. 8, DistSidhi (M.P.) Pin No. 486661

E-mail - dm-rewa2@mp.gov.in

9. It shall be ensured that no cross drainage Structure/Bridge shall be used to convey Underground water supply/Sewerage pipeline. Further, under no circumstances, the pipe line shall be allowed beneath existing carriageway except for road crossing permitted and no digging is permitted within carriageway.
10. All construction work shall be done under supervision of this office (Divisional Manager, MPRDC). This office will issue a completion certificate after completion of the work to the satisfaction of MPRDC.
11. You have to submit "As built drawing after the completion work, within 30 days from date of actual completion of work at site.
12. You will bear all costs related to construction, maintenance and other ancillary expenditure.
13. The road section to be made after completion of work should be in accordance to drawing and to the satisfaction of Divisional Manager, MPRDC. Work is to be carried out between sunrise and sunset.
14. As per IRC 98-2011 sewer lines or water supply lines should be laid at edge of ROW
15. The Guidelines mentioned in the IRC: 98-2011 should be strictly adhered during execution.
16. You will shift the pipeline within given time period from the date of issue of the notice by the MPRDC to shift / relocate the pipeline, in case it is so required for the purpose of improvement/ widening of the road/ route/ highway or construction of flyover/ bridge and restore the road/ land to its original condition at his own cost and risk.
17. Under no circumstances, the already laid Underground Utility (if any) shall be harmed or interrupted due to laying of proposed pipeline. In case. if any damage is caused to any previously laid utility service/s. then you will indemnify MPRDC against any such claim of concerned Agency.
18. The permission shall stand withdrawn automatically in the event of breach of any of the above mentioned conditions are not followed at site.

The Bank Guarantee submitted by you is valid up to 31.03.2023. Please make it sure that if the work is not completed within Bank Guarantee Validity period or stipulated time as per terms of Agreement and this letter, this office may be, informed one month in advance, so that necessary action may be initiated. You may be allowed to undertake the remaining work only after receiving permission from this office as well as the extension of Bank Guarantee.

Encl:-Agreement copy.

Divisional Manager
MPRDC Div. Sidhi (M.P.)

Sidhi, Date:- /11/2022

Endt. No...../MPRDC/APMS3224/2022

Copy to:-

1. The Chief General Manager (Admin.), MPRDC Bhopal for kind information Please.

-sd-
Divisional Manager
MPRDC Div. Sidhi (M.P.)



M.P. Road Development Corporation Ltd.

(M.P. State Highway Authority)

(Govt. of M.P. Undertaking)

45-A, Arera Hills, Bhopal-462011

☎ : 0755-2597290 / 2765205 Fax : 0755-2572643, Website : mprdc.gov.in

CIN : U45203MP2004SGC016758

No. 10735 / 291/OTH/APMS2022/3224/MPRDC/2022
Bhopal dated 16/09/2022

To,

Divisional Manager,
M.P Road Development. Cor. Ltd.,
Sidhi.

Sub: Regarding permission for laying pipeline along Parsona - Mahua via Barka road on LHS from Ch.39+930 to Ch.41+000, Ch.43+000 to Ch.44+180, Ch.44+940 to Ch.46+260, Ch.50+920 to Ch.52+270, Ch.53+000 to Ch.53+990, Ch.57+550 to Ch.60+130, Ch.64+000 to Ch.64+556, Ch.65+000 to Ch.67+310 and on RHS from Ch.36+590 to Ch.38+830, Ch.40+000 to Ch.42+820, Ch.44+180 to Ch.44+940, Ch.48+000 to Ch.50+383, Ch.50+920 to Ch.54+588, Ch.65+530 to Ch.67+770, Ch.75+000 to Ch.78+000 and Ch.80+000 to Ch.82+410 alongwith 03 road crossings at Ch.58+200, Ch.64+556 and Ch.70+030.

Ref: APMS Application No.APMS2022/3224, dated 15.02.2022.


In reference to the above mentioned subject in principle approval is hereby accorded and you are hereby authorized to issue the permission to General Manager, M.P Jal Nigam Maryadit, PIU Singrauli, regarding permission for laying pipeline along Parsona - Mahua via Barka road on LHS from Ch.39+930 to Ch.41+000, Ch.43+000 to Ch.44+180, Ch.44+940 to Ch.46+260, Ch.50+920 to Ch.52+270, Ch.53+000 to Ch.53+990, Ch.57+550 to Ch.60+130, Ch.64+000 to Ch.64+556, Ch.65+000 to Ch.67+310 and on RHS from Ch.36+590 to Ch.38+830, Ch.40+000 to Ch.42+820, Ch.44+180 to Ch.44+940, Ch.48+000 to Ch.50+383, Ch.50+920 to Ch.54+588, Ch.65+530 to Ch.67+770, Ch.75+000 to Ch.78+000 and Ch.80+000 to Ch.82+410 alongwith 03 road crossings at Ch.58+200, Ch.64+556 and Ch.70+030, subject to the fulfillment of following conditions:-

1. Submission of X-Section at each crossing for crossing the road by IIDD method showing depth of ground level and drilling level below road top level.
2. The execution of work will be done as per MoRT& H guidelines and to the satisfaction of Divisional Manager, MPRDC.
3. The work shall be carried strictly in accordance with the provisions of the estimate.
4. Strict adherence to the safety requirements of IRC: SP-55 "Guidelines on Safety in road construction Zone" shall be ensured.
5. The execution of work will be done in accordance with the specification of Concession agreement and no diversion will be constructed.
6. General Manager, M.P Jal Nigam Maryadit, PIU Singrauli, shall maintain the traffic for smooth movement.
7. The laying of Underground pipeline shall be strictly as per the MORTH Circular dated 22.11.2016 and as per the details indicated in the approved drawing. No change in the approved alignment of Underground pipeline will be entertained. Any deviation will result in automatic cancellation of the permission/approval.
8. It shall be ensured that no cross drainage Structure/Bridge shall be used to convey Underground water supply/Sewerage pipeline. Further, under no circumstances, the pipe line shall be allowed beneath existing carriageway except for road crossing permitted and no digging is permitted within carriageway.

Contd....2


9. All safety measures will be followed by General Manager, M.P Jal Nigam Maryadit, PIU Singrauli.
10. All construction work shall be done under supervision of Divisional Manager, MPRDC. Divisional Manager will issue a completion certificate after completion of the work to the satisfaction of MPRDC.
11. General Manager, M.P Jal Nigam Maryadit, PIU Singrauli, shall get the approval of drawings and specification from Divisional Manager MPRDC for execution and should submit "As built drawing" after the completion work, within 30 days from date of actual completion of work at site.
12. General Manager, M.P Jal Nigam Maryadit, PIU Singrauli, shall bear all costs related to construction, maintenance and other ancillary expenditure.
13. The road section to be made after completion of work should be in accordance to drawing and to the satisfaction of Divisional Manager, MPRDC. Work is to be carried out between sunrise and sunset.
14. As per IRC 98-2011 sewer lines or water supply lines should be laid at edge of ROW.
15. The Guidelines mentioned in the IRC: 98-2011 should be strictly adhered during execution.
16. General Manager, M.P Jal Nigam Maryadit, PIU Singrauli, shall shift the pipeline within given time period from the date of issue of the notice by the MPRDC to shift/ relocate the pipeline, in case it is so required for the purpose of improvement/ widening of the road/ route/ highway or construction of flyover/ bridge and restore the road/ land to its original condition at his own cost and risk.
17. Under no circumstances, the already laid Underground Utility (if any) shall be harmed or interrupted due to laying of proposed pipeline. In case, if any damage is caused to any previously laid utility service/s, then the General Manager, M.P Jal Nigam Maryadit, PIU Singrauli will indemnify MPRDC against any such claim of concerned Agency.
18. You are also required to execute the Agreement as per MORT&H circular dated 22.11.2016 before allowing the Applicant to start the work.
19. The permission shall stand withdrawn automatically in the event of breach of any of the above mentioned conditions are not followed at site.

The Bank Guarantee submitted by General Manager, M.P Jal Nigam Maryadit, PIU Singrauli is valid up to 03.06.2023. Please make it sure that if the work is not completed within Bank Guarantee Validity period or stipulated time as per terms of Agreement and this letter, this office may be, informed one month in advance, so that necessary action may be initiated. The applicant may be allowed to undertake the remaining work only after receiving permission from this office as well as the extension of Bank Guarantee. Please also ensure before signing agreement that all fee & Charges as per new guide lines are received & B.G. submitted by the General Manager, M.P Jal Nigam Maryadit, PIU Singrauli.


(Pradeep Jain)
Chief General Manager (Admin)
MPRDC, Bhopal
Bhopal, Dated 16/09/2022

Endt No. 10736/291/OTH/APMS2022/3224/MPRDC/2022
Copy forwarded to-

1. PA to Managing Director, MPRDC, Bhopal for information please.
2. General Manager, M.P Jal Nigam Maryadit, PIU Singrauli- for information


Chief General Manager (Admin)
MPRDC, Bhopal



MADHYA PRADESH ROAD DEVELOPMENT CORPORATION LIMITED

(Govt. of M.P. Undertaking)

OFFICE OF THE DIVISIONAL MANAGER MPRDC DivSidhi

Near MPEB Colony WARD No. 8, DistSidhi (M.P.) Pin No. 486661

E-mail - dm-rewa2@mp.gov.in

Letter No. 2143/MPRDC/APMS3226/2022

Sidhi, Date:- 11/11/2022

To,

✓ General Manager,
M.P. Jal Nigam Maryadit,
PIU Singrauli (M.P)

Sub:- Regarding permission for laying pipeline along MP-MDR-12-06 (Jhurai - Sarai road) for Distribution Pipe on LHS from Ch.1+100 to Ch.2+228, Ch.3+600 to Ch.4+963, Ch.4+963 to Ch.6+571, Ch.12+000 to Ch.13+178, Ch.30+117 to Ch.31+440 and on RHS from Ch.3+600 to Ch.5+079, Ch.9+000 to Ch.10+920, Ch.12+438 to Ch.13+800, Ch.16+494 to Ch.18+379, Ch.19+150 to Ch.20+500, Ch.27+900 to Ch.30+116 and for Gravity Main on RHS from Ch.0+000 to Ch.31+440 alongwith 03 road crossings at Ch.1+100, Ch.12+000 and Ch.30+116.

Ref:- 1. Chief General Manager (Admin.), MPRDC Bhopal letter no. 10733/292/OTH/APMS2022/3226/MPRDC/2022, Dated- 16.09.2022.
2. APMS Application No. APMS2022/3226, dated 15.02.2022.

-----*****-----

With reference to the letter & subject cited above, proposal submitted for Grant of permission to lay water pipeline along MP-MDR-12-06 (Jhurai - Sarai road) for Distribution Pipe on LHS from Ch.1+100 to Ch.2+228, Ch.3+600 to Ch.4+963, Ch.4+963 to Ch.6+571, Ch.12+000 to Ch.13+178, Ch.30+117 to Ch.31+440 and on RHS from Ch.3+600 to Ch.5+079, Ch.9+000 to Ch.10+920, Ch.12+438 to Ch.13+800, Ch.16+494 to Ch.18+379, Ch.19+150 to Ch.20+500, Ch.27+900 to Ch.30+116 and for Gravity Main on RHS from Ch.0+000 to Ch.31+440 alongwith 03 road crossings at Ch.1+100, Ch.12+000 and Ch.30+116 is approved in-principle with following conditions:-

1. Submission of X-Section at each crossing for crossing the road by HDD method showing depth of ground level and drilling level below road top level.
2. The execution of work will be done as per MoRT&H guidelines and to the satisfaction of this office (Divisional Manager, MPRDC).
3. The work shall be carried strictly in accordance with the provisions of the estimate & approved drawing.
4. Strict adherence to the safety requirements of IRC: SP-55 "Guidelines on Safety in road construction Zone" shall be ensured.
5. The execution of work will be done in accordance with the specification of Concession agreement and no diversion will be constructed.
6. You have to maintain the traffic for smooth movement.
7. The laying of Underground pipeline shall be strictly as per the MORTH Circular dated 22.11.2016 and as per the details indicated in the approved drawing. No change in the approved alignment of Underground pipeline will be entertained. Any deviation will result in automatic cancellation of the permission/approval.
8. All safety measures will be followed by you (GM, M.P Jal Nigam Maryadit, PIU Singrauli).

Contd...2



MADHYA PRADESH ROAD DEVELOPMENT CORPORATION LIMITED

(Govt. of M.P. Undertaking)

OFFICE OF THE DIVISIONAL MANAGER MPRDC DivSidhi

Near MPEB Colony WARD No. 8, DistSidhi (M.P.) Pin No. 486661

E-mail - dm-rewa2@mp.gov.in

9. It shall be ensured that no cross drainage Structure/Bridge shall be used to convey Underground water supply/Sewerage pipeline. Further, under no circumstances, the pipe line shall be allowed beneath existing carriageway except for road crossing permitted and no digging is permitted within carriageway.
10. All construction work shall be done under supervision of this office (Divisional Manager, MPRDC). This office will issue a completion certificate after completion of the work to the satisfaction of MPRDC.
11. You have to submit "As built drawing after the completion work, within 30 days from date of actual completion of work at site.
12. You will bear all costs related to construction, maintenance and other ancillary expenditure.
13. The road section to be made after completion of work should be in accordance to drawing and to the satisfaction of Divisional Manager, MPRDC. Work is to be carried out between sunrise and sunset.
14. As per IRC 98-2011 sewer lines or water supply lines should be laid at edge of ROW
15. The Guidelines mentioned in the IRC: 98-2011 should be strictly adhered during execution.
16. You will shift the pipeline within given time period from the date of issue of the notice by the MPRDC to shift / relocate the pipeline, in case it is so required for the purpose of improvement/ widening of the road/ route/ highway or construction of flyover/ bridge and restore the road/ land to its original condition at his own cost and risk.
17. Under no circumstances, the already laid Underground Utility (if any) shall be harmed or interrupted due to laying of proposed pipeline. In case, if any damage is caused to any previously laid utility service/s. then you will indemnify MPRDC against any such claim of concerned Agency.
18. The permission shall stand withdrawn automatically in the event of breach of any of the above mentioned conditions are not followed at site.

The Bank Guarantee submitted by you is valid up to 31.03.2023. Please make it sure that if the work is not completed within Bank Guarantee Validity period or stipulated time as per terms of Agreement and this letter, this office may be, informed one month in advance, so that necessary action may be initiated. You may be allowed to undertake the remaining work only after receiving permission from this office as well as the extension of Bank Guarantee.

Encl:-Agreement copy.

Divisional Manager
MPRDC Div. Sidhi (M.P.)

Sidhi, Date:- / 11 / 2022

Endt. No...../MPRDC/APMS3224/2022

Copy to:-

1. The Chief General Manager (Admin.), MPRDC Bhopal for kind information Please.

Divisional Manager
MPRDC Div. Sidhi (M.P.)

M.P. Road Development Corporation Ltd.**(M.P. State Highway Authority)**

(Govt. of M.P. Undertaking)

45-A, Arera Hills, Bhopal-462011

☎ : 0755-2597290 / 2765205 Fax : 0755-2572643, Website : mprdc.gov.in

RDCNo. 10737/292/OTH/APMS2022/3225/MPRDC/2022
Bhopal dated 16/09/2022

To,

Divisional Manager,
M.P Road Development. Cor. Ltd.,
Sidhi.

Sub: Regarding permission for laying pipeline along MP-MDR-12-13 (Mahua - Chuwahi road) for Distribution Main on LHS from Ch.0+000 to Ch.1+251, Ch.2+275 to Ch.3+294, Ch.3+569 to Ch.6+536, Ch.8+420 to Ch.9+648 and on RHS from Ch.0+000 to Ch.0+0275, Ch.6+000 to Ch.6+536 and for Gravity Main on RHS from Ch.0+000 to Ch.5+293 and Ch.7+234 to Ch.8+418 alongwith 02 road crossings at Ch.4+628 and Ch.7+234.

Ref: APMS Application No.APMS2022/3225, dated 15.02.2022.

In reference to the above mentioned subject in principle approval is hereby accorded and you are hereby authorized to issue the permission to General Manager, M.P Jal Nigam Maryadit, PIU Singrauli, regarding permission for laying pipeline along MP-MDR-12-13 (Mahua - Chuwahi road) for Distribution Main on LHS from Ch.0+000 to Ch.1+251, Ch.2+275 to Ch.3+294, Ch.3+569 to Ch.6+536, Ch.8+420 to Ch.9+648 and on RHS from Ch.0+000 to Ch.0+0275, Ch.6+000 to Ch.6+536 and for Gravity Main on RHS from Ch.0+000 to Ch.5+293 and Ch.7+234 to Ch.8+418 alongwith 02 road crossings at Ch.4+628 and Ch.7+234, subject to the fulfillment of following conditions:-

1. Submission of X-Section at each crossing for crossing the road by HDD method showing depth of ground level and drilling level below road top level.
2. The execution of work will be done as per MoRT& H guidelines and to the satisfaction of Divisional Manager, MPRDC.
3. The work shall be carried strictly in accordance with the provisions of the estimate.
4. Strict adherence to the safety requirements of IRC: SP-55 "Guidelines on Safety in road construction Zone" shall be ensured.
5. The execution of work will be done in accordance with the specification of Concession agreement and no diversion will be constructed.
6. General Manager, M.P Jal Nigam Maryadit, PIU Singrauli, shall maintain the traffic for smooth movement.
7. The laying of Underground pipeline shall be strictly as per the MORTH Circular dated 22.11.2016 and as per the details indicated in the approved drawing. No change in the approved alignment of Underground pipeline will be entertained. Any deviation will result in automatic cancellation of the permission/approval.
8. It shall be ensured that no cross drainage Structure/Bridge shall be used to convey Underground water supply/Sewerage pipeline. Further, under no circumstances, the pipe line shall be allowed beneath existing carriageway except for road crossing permitted and no digging is permitted within carriageway.
9. All safety measures will be followed by General Manager, M.P Jal Nigam Maryadit, PIU Singrauli.
10. All construction work shall be done under supervision of Divisional Manager, MPRDC. Divisional Manager will issue a completion certificate after completion of the work to the satisfaction of MPRDC.

Contd....2

Connecting People Through quality infrastructure

- General Manager, M.P Jal Nigam Maryadit, PIU Singrauli, shall get the approval of drawings and specification from Divisional Manager MPRDC for execution and should submit "As built drawing" after the completion work, within 30 days from date of actual completion of work at site.
12. General Manager, M.P Jal Nigam Maryadit, PIU Singrauli, shall bear all costs related to construction, maintenance and other ancillary expenditure.
 13. The road section to be made after completion of work should be in accordance to drawing and to the satisfaction of Divisional Manager, MPRDC. Work is to be carried out between sunrise and sunset.
 14. As per IRC 98-2011 sewer lines or water supply lines should be laid at edge of ROW.
 15. The Guidelines mentioned in the IRC: 98-2011 should be strictly adhered during execution.
 16. General Manager, M.P Jal Nigam Maryadit, PIU Singrauli, shall shift the pipeline within given time period from the date of issue of the notice by the MPRDC to shift/ relocate the pipeline, in case it is so required for the purpose of improvement/ widening of the road/ route/ highway or construction of flyover/ bridge and restore the road/ land to its original condition at his own cost and risk.
 17. Under no circumstances, the already laid Underground Utility (if any) shall be harmed or interrupted due to laying of proposed pipeline. In case, if any damage is caused to any previously laid utility service/s, then the General Manager, M.P Jal Nigam Maryadit, PIU Singrauli will indemnify MPRDC against any such claim of concerned Agency.
 18. You are also required to execute the Agreement as per MORT&H circular dated 22.11.2016 before allowing the Applicant to start the work.
 19. The permission shall stand withdrawn automatically in the event of breach of any of the above mentioned conditions are not followed at site.

The Bank Guarantee submitted by General Manager, M.P Jal Nigam Maryadit, PIU Singrauli is valid up to 03.06.2023. Please make it sure that if the work is not completed within Bank Guarantee Validity period or stipulated time as per terms of Agreement and this letter, this office may be, informed one month in advance, so that necessary action may be initiated. The applicant may be allowed to undertake the remaining work only after receiving permission from this office as well as the extension of Bank Guarantee. Please also ensure before signing agreement that all fee & Charges as per new guide lines are received & B.G. submitted by the General Manager, M.P Jal Nigam Maryadit, PIU Singrauli.

(Pradeep Jain)

Chief General Manager (Admin)
MPRDC, Bhopal
Bhopal, Dated 16/09/2022

Endt No. 10738/292/OTI/APMS2022/3225/MPRDC/2022
Copy forwarded to-

1. PA to Managing Director, MPRDC, Bhopal for information please.
2. General Manager, M.P Jal Nigam Maryadit, PIU Singrauli- for information.

Chief General Manager (Admin)
MPRDC, Bhopal



MADHYA PRADESH ROAD DEVELOPMENT CORPORATION LIMITED

(Govt. of M.P. Undertaking)

OFFICE OF THE DIVISIONAL MANAGER MPRDC DivSidhi

Near MPEB Colony WARD No. 8, DistSidhi (M.P.) Pin No. 486661

E-mail - dm-rewa2@mp.gov.in

Letter No. ...21.45/MPRDC/APMS3225/2022

Sidhi, Date:- 11 / 11 / 2022

To,

✓ General Manager,
M.P. Jal Nigam Maryadit,
PIU Singrauli (M.P)

Sub:- Regarding permission for laying pipeline along MP-MDR-12-13 (Mahua-Chuwahi road) for Distribution Main on LHS from Ch.0+000 to Ch.1+251, Ch.2+275 to Ch.3+294, Ch.3+569 to Ch.6+536, Ch.8+420 to Ch.9+648 and on RHS from Ch.0+000 to Ch.0+0275, Ch.6+000 to Ch.6+536 and for Gravity Main on RHS from Ch.0+000 to Ch.5+293 and Ch.7+234 to Ch.8+418 alongwith 02 road crossings at Ch.4+628 and Ch.7+234.

Ref:- 1. Chief General Manager (Admin.), MPRDC Bhopal letter no. 10737/292/OTH/APMS2022/3225/MPRDC/2022, Dated- 16.09.2022.
2. APMS Application No. APMS2022/3225, dated 15.02.2022.

-----*****-----

With reference to the letter & subject cited above, proposal submitted for Grant of permission to lay water pipeline along MP-MDR-12-13 (Mahua Chuwahi road) for Distribution Main on LHS from Ch.0+000 to Ch.1+251, Ch.2+275 to Ch.3+294, Ch.3+569 to Ch.6+536, Ch.8+420 to Ch.9+648 and on RHS from Ch.0+000 to Ch.0+0275, Ch.6+000 to Ch.6+536 and for Gravity Main on RHS from Ch.0+000 to Ch.5+293 and Ch.7+234 to Ch.8+418 alongwith 02 road crossings at Ch.4+628 and Ch.7+234 is approved in-principle with following conditions:-

1. Submission of X-Section at each crossing for crossing the road by HDD method showing depth of ground level and drilling level below road top level.
2. The execution of work will be done as per MoRT&H guidelines and to the satisfaction of this office (Divisional Manager, MPRDC).
3. The work shall be carried strictly in accordance with the provisions of the estimate & approved drawing.
4. Strict adherence to the safety requirements of IRC: SP-55 "Guidelines on Safety in road construction Zone" shall be ensured.
5. The execution of work will be done in accordance with the specification of Concession agreement and no diversion will be constructed.
6. You have to maintain the traffic for smooth movement.
7. The laying of Underground pipeline shall be strictly as per the MORTH Circular dated 22.11.2016 and as per the details indicated in the approved drawing. No change in the approved alignment of Underground pipeline will be entertained. Any deviation will result in automatic cancellation of the permission/approval.
8. It shall be ensured that no cross drainage Structure/Bridge shall be used to convey Underground water supply/Sewerage pipeline. Further, under no circumstances, the pipe line shall be allowed beneath existing carriageway except for road crossing permitted and no digging is permitted within carriageway.
9. All safety measures will be followed by you (GM, M.P Jal Nigam Maryadit, PIU Singrauli).

Contd...2

Connection records through quality information - Bhalendra



MADHYA PRADESH ROAD DEVELOPMENT CORPORATION LIMITED

(Govt. of M.P. Undertaking)

OFFICE OF THE DIVISIONAL MANAGER MPRDC DivSidhi


Near MPEB Colony WARD No. 8, DistSidhi (M.P.) Pin No. 486661

E-mail - dm-rewa2@mp.gov.in

10. All construction work shall be done under supervision of this office (Divisional Manager, MPRDC). This office will issue a completion certificate after completion of the work to the satisfaction of MPRDC.
11. You have to submit "As built drawing after the completion work, within 30 days from date of actual completion of work at site.
12. You will bear all costs related to construction, maintenance and other ancillary expenditure.
13. The road section to be made after completion of work should be in accordance to drawing and to the satisfaction of Divisional Manager, MPRDC. Work is to be carried out between sunrise and sunset.
14. As per IRC 98-2011 sewer lines or water supply lines should be laid at edge of ROW
15. The Guidelines mentioned in the IRC: 98-2011 should be strictly adhered during execution.
16. You will shift the pipeline within given time period from the date of issue of the notice by the MPRDC to shift / relocate the pipeline, in case it is so required for the purpose of improvement/ widening of the road/ route/ highway or construction of flyover/ bridge and restore the road/ land to its original condition at his own cost and risk.
17. Under no circumstances, the already laid Underground Utility (if any) shall be harmed or interrupted due to laying of proposed pipeline. In case. if any damage is caused to any previously laid utility service/s. then you will indemnify MPRDC against any such claim of concerned Agency.
18. The permission shall stand withdrawn automatically in the event of breach of any of the above mentioned conditions are not followed at site.

The Bank Guarantee submitted by you is valid up to 31.03.2023. Please make it sure that if the work is not completed within Bank Guarantee Validity period or stipulated time as per terms of Agreement and this letter, this office may be, informed one month in advance, so that necessary action may be initiated. You may be allowed to undertake the remaining work only after receiving permission from this office as well as the extension of Bank Guarantee.

Encl:-Agreement copy.



Divisional Manager
MPRDC Div. Sidhi (M.P.)

Endt. No...../MPRDC/APMS3224/2022

Sidhi, Date:- / 11 / 2022

Copy to:-

1. The Chief General Manager (Admin.), MPRDC Bhopal for kind information Please.


Divisional Manager
MPRDC Div. Sidhi (M.P.)



M.P. Road Development Corporation Ltd.

(M.P. State Highway Authority)

(Govt. of M.P. Undertaking)

45-A, Arera Hills, Bhopal-462011

☎ : 0755-2597290 / 2765205 Fax : 0755-2572643, Website : mprdc.gov.in



No. ^{13/7/}...../APMS2022/3427/MPRDC/PP/2022
Bhopal, dated 04/11/2022

To,

Divisional Manager,
M.P. Road Development Cor. Ltd.,
Sidhi

Sub:- Permission for constructions & use of approaches/access road for Proposed Retail Outlet on MP-MDR-11-13 (Mahua to Chuwahi road), Ch. 30.080, LHS, KH No. 292/1, Village Rampur, Tehsil Majhoul, Distt. Sidhi. (LOI Holders- Shri Ashwini Kumar Tiwari, Shri Ramlakhan Tiwari and Ku. Pooja Tiwari). "Regarding Demand Note for License Fees".

Ref: 1. Application No. APMS2022/3427, dated 26.07.2022
2. M/s HPCL LOI letter No. JRR/DS/LOI/LOC NO- 392, dated 17.03.2022.

This is in reference to your letter cited above, the Retail Outlet mentioned in subject is approved herewith in-principle and Provisional NOC is granted, subject to the fulfillment of the following conditions: -

1. Pavements of access road including acceleration & deceleration lanes should have 5.50 width and minimum pavement composition of 150 mm thick Granular Sub Base (GSB) overlaid by three layers of Water Bound Macadam (WBM) (other than WBM-Grading No.1), each of 75 mm thickness topped by 50 mm thick Bituminous Macadam (BM) and 25 mm thick Semi Dense Bituminous Carpet (SDBC). Interlocking Concrete Blocks as per IRC: SP:63-2004 can also be considered.
2. All pavement markings should be as per IRC:35-2015.
3. All traffic signs should be as per IRC:67-2012 and IRC:SP-55-2014. In case of a fuel station located on the other side of travel direction, the user should be informed of the location of the fuel station in his/her direction of travel through information sign.
4. All length of Separator Island should be determined as per site condition. Its minimum width should be 3 Metre. The separator island and buffer strip shall be turfed with provision of minimum 275 MM high kerbs.
5. While planning the layout for various facilities inside the fuel station it is to be ensured that the fuel pumps are located minimum at 40 m from the center line of the road.

Contd....2

Connecting People Through quality infrastructure

6. The provision of drinking water and toilet facilities at all fuel stations should be according to the approved drawings and specifications and to the full satisfaction of the Highway Administration. The drinking water and toilet facilities shall be accessible to the public, round the clock. In order to inform the public about these, a retro reflective display board showing availability of such facilities shall be installed before the entry to the fuel Stations.
7. Slab Culverts with gratings to be provided in the line of storm water drain on entry and exit approaches to cater to the expected discharge. The working drawing with hydraulic design shall be submitted to Divisional Manager, MPRDC for approval prior to the construction.
8. It has to be ensured that there shall be adequate drainage system on the access to the fuel station and inside its area so that surface water does not flow over the highway and no water logging takes place. For this purpose, the fuel station and access area would be at least 300 mm. below the level at the edge of the shoulder on the highway. The surface water from fuel station and access road would need to be collected in a suitable underground drainage system and led away to a natural course through culvert.
9. It has to be ensured that there shall be the provision of minimum 2.0 mtr span culvert with iron grating required as per IRC-SP:13-2004 in approaches at building lines.
10. Check the Stability of the abutment walls of the culvert before the execution and submit the details with "as built drawing".
11. The applicant will submit Land Diversion certificate before signing the agreement.
12. If any trees are falling in between proposed service road or Acceleration/Deceleration lane or if any trees are required to be cut for the construction of subjected RO, then the applicant shall seek the permission regarding the same from the concerned department. Divisional Manager, MPRDC shall ensure the re-plantation of the trees as per the applicable rules and shall issue the completion certificate once he/she has inspected the trees planted.
13. Initially the license deed is for a five-year period. On the expiry of the lease license, it has to be renewed on payment of fee specified in the licensee deed.

Contd....3

The Oil Company/Owner may construct the Fuel Station along with its access as per approved drawings at their own cost within 6 months of the issue of this Provisional NOC. After the construction as per approved drawings and to the satisfaction of the Highway Authority, the final approval may be given within 30 days of the receipt of communication along with the "As Built Drawing" from the applicant about the completion of construction work. License deed may be signed by the Divisional Manager, MPRDC. In case, the construction is not done in one year, the provisional approval shall be deemed to be cancelled, unless renewed by the Highway Authority.

Inspections for determining the deviations from prescribed Norms can be done at any time, even after signing of the License Deed, by the Highway Administration. In case of defaults/deviations found during inspections by Highway Authority, such deficiency shall have to be immediately rectified, which in no case should exceed 30 days from the date of inspection. The failure to rectify the identified deficiencies within the prescribed time would lead to de-energizing the fuel station by the concerned Oil Company. The re-energizing would be done only after rectification and on the authorization by the Highway Authority.


In case of non-compliance of any of the conditions mentioned in this letter, this provisional approval shall deemed to be cancelled.


(This letter shall be a part of agreement)

Encl.: Nil

Endt. No. 13/7-2 /APMS2022/3427/MPRDC/PP/2022
Copy to-

1. P.A. to Managing Director, MPRDC, Bhopal for information please.
2. Shri. Praveen Kumar, Deputy General Manager-Retail, M/s Hindustan Petroleum Cor. Ltd., Jabalpur for information and necessary action.


(Pradeep Jain)
Chief General Manager (Admin.)
MPRDC, Bhopal
Bhopal, Dated 04/11/2022


Chief General Manager (Admin.)
MPRDC, Bhopal