

कार्यालय
प्रधान मुख्य वन संरक्षक, हरियाणा,
वन विभाग, हरियाणा सरकार,

सी-18, वन भवन, सैक्टर 6, पंचकुला, दूरभाष/फैक्स +91 172 2563988, 2563861, E-mail: cffcpanchkula@gmail.com

क्रमांक : प्रशा-डी-तीन-9643 / 1174
सेवा में

दिनांक : 14/7/2022

क्षेत्रीय अधिकारी,
भारत सरकार, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय,
एकीकृत क्षेत्रीय कार्यालय,
चण्डीगढ़।

विषय : Diversion of 0.01463 ha. of forest land in favour Sukhbir Agro Energy Ltd for access to Biomass Power Plant in Dera Dillu Ram Link Road, VPO Kangthali On Kaithal -Cheeka Road, under Forest Division and Disitric Kaithal, Haryana. Online Proposal No. FP/HR/ROAD/49074/2020

संदर्भ : आपका पत्र क्रमांक 9-HRC008/2021-CHA दिनांक 10.02.2021।

उपरोक्त विषय पर संदर्भांकित पत्र द्वारा अपेक्षित मदवाईज सूचना निम्नप्रकार से आपको भेजी जाती है :-

- 1-5. प्रस्ताव में सी0ए0 स्कीम अनुसार प्रयोक्ता एजैन्सी ने प्रतिपूर्ति पौधारोपण, नैट प्रैजैन्ट वैल्यु आफ फौरेस्ट लैण्ड व अन्य चार्जिज सहित कुल 244692 /-- रूपये की राशि केम्पा के लेखा में जमा करवा दी है। ऑनलाईन पोर्टल अनुसार राशि का स्टेटस "Paid" होने उपरान्त प्रयोक्ता एजैन्सी द्वारा अपेक्षित ऑनलाईन कार्यवाही पूर्ण कर दी गई है।
6. सिंचाई विभाग द्वारा प्रस्तुत एन0ओ0सी0 की प्रति संलग्न है।
7. एफ0आर0ए0 प्रमाण पत्र की प्रति संलग्न है।
8. हरियाणा राज्य प्रदूषण नियन्त्रण बोर्ड द्वारा जारी एन0ओ0सी0 की प्रति संलग्न है।

कृपया प्रस्ताव में स्टेज-II स्वीकृति बारे आगामी कार्यवाही करने का कष्ट करें।

संलग्न / उपरोक्त ।

अति. प्रधान मुख्य वन संरक्षक (एफ0सी0ए0)
हरियाणा, पंचकुला।

11/7/22
12/7/22

9643
Kaithal

वन विभाग, हरियाणा
कार्यालय : वन मण्डल अधिकारी, कैथल।

फायर ब्रिगेड के सामने, नजदीक पेहवा चौक, कैथल-136027 फोन नं० 01746-228095
Email Address: dfoktl@rediffmail.com

क्रमांक:- 988

दिनांक:- 23/05/22

सेवा में

अतिरिक्त प्रधान मुख्य वन संरक्षक, (एफ0सी0ए0),
हरियाणा, पंचकूला।

विषय:-

Diversion of 0.01463 Ha. of Forest Land in favour Sukhbir Agro Energy Ltd. for access to Biomass Power Plant in Dera Dillu Ram, Link Road VPO Kangthali on Kaithal-Cheeka Road under Forest Division & Distt. Kaithal, Haryana. FP/HR/Approach/49074/2020.

संदर्भ:-

आपके कार्यालय का पत्र क्रमांक 2162-63 दिनांक 07.07.2021 व पत्र क्रमांक प्रशा-डी-तीन-9643/5910 दिनांक 03.01.2022.

उपरोक्त संदर्भांकित पत्रों के सम्बन्ध में भारत सरकार द्वारा जारी स्टेज-1 की स्वीकृति दिनांक 10.02.2021 के पैरा 2 (A) की मद संख्या vi, vii & viii से सम्बन्धित आप द्वारा मांगी गई सूचना यूजर एजेंसी से प्राप्त करके साथ सलंगन आपकी सेवा में भेजी जा रही है। अतः आपसे अनुरोध है कि प्रस्ताव में आगामी आवश्यक कार्यवाही करने की अनुकम्पा करें।

सलंगन/उपरोक्त।

उप वन संरक्षक,
कैथल।

पुं० क्रमांक:

दिनांक:

एक प्रति मुख्य वन संरक्षक, उत्तरी परिमण्डल, हरियाणा, अम्बाला को सूचनार्थ एवं आगामी आवश्यक कार्यवाही हेतु प्रेषित है।

-sd-
उप वन संरक्षक,
कैथल।



OFFICE OF SUPERINTENDING ENGINEER
BHAKRA WATER SERVICES CIRCLE KAITHAL

01746-224216


01746-224216

01746-224216

No. 8031 / 196-w

Dated: 12/10/2021

To



The Executive Engineer,
Kaithal W/S Division,
Kaithal.

Dy. Superintendent Engineer (ARC/SE) Kaithal

Sub: -

A form of O/L at RD 66500-R of Paharpur Mo. for fixing
perment O/L for supply of canal water to Sukbia Agro
Energy Ltd paddy straw based power plant at Kangthali

Ref: -

Your office letter No. 904/40-w dated 13/10/2021.

-000-

D.F.O. KAITHAL

Receipt No. 685

Date

Dy. Super 19/05/20
Branch

The rough A-Form cited as subject received vide your letter under reference is returned herewith duly approved subject to the following conditions:-

- 1- The cost of adjustment of outlets as well as remodeling of lined water course if any shall be borne by the beneficiaries.
- 2- All the process may be carried out under **Canal and Drainage Act, 1974**.
- 3- Fair copy of the A-Form be submitted for final approval at the earliest.

DA/A-Form

No 5604-06 / 40w of 19/10/2021

forwarded to SDO Cheeka/HRL/Sukbia agro energy Ltd Kangthali for implementation and further necessary action as per app. govt. policy.

DA/A form

Superintending Engineer,
Bhakra Water Services Circle,
Kaithal

Dy. Superintendent Engineer (ARC/SE) Kaithal

KAITHAL WATER SERVICES DIVISION, KAITHAL

**Permission for providing canal water 0.50 Cs. from RD. 66500-R of Paharpur
Minor for fixing permanent outlet for supply of canal water to Sukhbir Agro
Energy Limited Paddy straw based power plant at Kangthali.**

Design Calculation

$$\begin{aligned}
 \text{Discharge} &= 6.4 \times A \times \sqrt{FS D} \\
 0.50 &= \frac{6.4 \times \pi D^2 \times \sqrt{1.60}}{4} \\
 D^2 &= \frac{0.5 \times 4 \times 7}{6.4 \times 22 \times 1.26} \\
 D^2 &= 0.08 \\
 D &= 0.282' \text{ or } 3.38'' \\
 D &= \text{Say } 3.5'' \\
 D &=
 \end{aligned}$$

Hence OK


P. Singh
Sub-Divisional Officer
Cheeka W.S. Sub Division,
Cheeka

[Signature]
Executive Engineer,
Kaithal W.S. Division,
Kaithal.

COMPLIANCE OF THE SCHEDULE TRIBES AND OTHER TRADITIONAL FOREST DWELLERS (RECOGNITION OF FOREST RIGHTS) ACT, 2006
(CERTIFICATE TO BE GIVEN BY THE CONCERNED DISTRICT COLLECTOR)

TITLE OF THE CASE/PROJECT:- Diversion of 0.01463 Ha. of Forest Land for Biomass Power Plant in Dera Dillu Ram, Link Road VPO Kangthali on Kaithal-Cheeka Raod in Distt. Kaithal, under Forest Division & Distt. Kaithal, Haryana. FP/HR/APPROACH/49074/2020.

As per report of Divisional Forest Officer, Kaithal. It is certified that the forest land proposed to be diverted is plantation which was notified as "forest" less than 75 years prior to the 13th days of December 2005 and is located in village having no recorded population of Schedule Tribes, as per the Census-2001 and the Census-2011.


Deputy Conservator of Forest,
Kaithal.

Signature

Collector Kaithal
(Full name and Official seal of the District Collector)



HARYANA STATE POLLUTION CONTROL BOARD

SCF-32, sector 13, HUDA, Bhiwani Ph. 01664-240259
Website: www.hspcb.gov.in E-Mail - hspcb.pkl@sifymail.com
Telephone No.: 0172-2577870-73



91

No. HSPCB/Consent/ : 313103518KAICTE5667501

Dated: 25/11/2018

To.

M/s : sukhbir agro energy ltd
village kangthali and siwan hadbast No 73 and 77
KAITHAL
136033

Sub. : Grant of consent to Establish to M/s sukhbir agro energy ltd

Please refer to your application no. 5667501 received on dated 2018-11-19 in regional office Jind.

With reference to your above application for consent to establish, M/s sukhbir agro energy ltd is here by granted consent as per following specification/Terms and conditions.

Consent Under	AIR/WATER
Period of consent	25/11/2018 - 24/11/2023
Industry Type	Thermal Power Plants
Category	RED
Investment(In Lakh)	12246.0
Total Land Area (Sq. meter)	92460.0
Total Builtup Area (Sq. meter)	32160.0
Quantity of effluent	
1. Trade	30.0 KL/Day
2. Domestic	15.0 KL/Day
Number of outlets	2.0
Mode of discharge	
1. Domestic	public sewer
2. Trade	public sewer
Permissible Domestic Effluent Parameters	
1. BOD	0 mg/l
2. COD	0 mg/l
Permissible Trade Effluent Parameters	
1. BOD	0 mg/l
Number of stacks	1
Height of stack	
1. Chimney	50 Meter
Permissible Emission parameters	

- 12. That there is no discharge directly or indirectly from the unit or the process into any interstate river or Yamuna River or River Ghaggar.
- 13. That the industry or the unit concerned is not sited within any prohibited distances according to the Environmental Laws and Rules, Notification, Orders and Policies of Central Pollution control Board and Haryana State Pollution Control Board.
- 14. That of the unit is discharging its sewage or trade effluent into the public sewer meant to receive trade effluent from industries etc. then the permission of the Competent Authority owing and operating such public sewer giving permission letter to his unit shall be submitted at time of consent to operate.
- 15. That if at any time, there is adverse report from any adjoining neighbor or any other aggrieved party or Municipal Committee or Zila Parishad or any other public body against the unit's pollution; the Consent to Establish so granted shall be revoked.
- 16. That all the financial dues required under the rules and policies of the Board have been deposited in full by the unit for this Consent to Establish.
- 17. In case of change of name from previous Consent to Establish granted, fresh Consent to Establish fee shall be levied.
- 18. Industry should adopt water conservation measures to ensure minimum consumption of water in their Process. Ground water based proposals of new industries should get clearance from Central Ground Water Authority for scientific development of previous resource.
- 19. That the unit will take all other clearances from concerned agencies, whenever required.
- 20. That the unit will not change its process without the prior permission of the Board.
- 21. That the Consent to Establish so granted will be invalid, if the unit falls in Aravali Area or non conforming area.
- 22. That the unit will comply with the Hazardous Waste Management Rules and will also make the non-leachate pit for storage of Hazardous waste and will undertake not to dispose off the same except for pit in their own premises or with the authorized disposal authority.
- 23. That the unit will submit an undertaking that it will comply with all the specific and general conditions as imposed in the above Consent to Establish within 30 days failing which Consent to Establish will be revoked.
- 24. That unit will obtain EIA from MoEF, if required at any stage.
- 25. In case of unit does not comply with the above conditions within the stipulated period, Consent to Establish will be revoked.
- 26. That unit will obtain consent to operate from the board before the start of product activity.

Specific Conditions

Other Conditions :