

54

सेवा में,

अपर प्रधान मुख्य वन संरक्षक (कैम्पा)
—सह-नोडल पदाधिकारी (वन संरक्षण),
बिहार, पटना।

दिनांक—24/05/2024

विषय— श्री संजय राम द्वारा लखीसराय जिलान्तर्गत हलसी मौजा के खाता संख्या-331, प्लॉट संख्या-1830, अंचल-हलसी में लखीसराय-सिकन्दरा पथ के किनारे BPCL का रिटेल आउटलेट स्थापित करने के क्रम में पहुँच पथ निर्माण हेतु वन (संरक्षण) अधिनियम, 1980 के तहत 0.024 हे. वन भूमि अपयोजन प्रस्ताव पर सैद्धांतिक स्वीकृति में अधिरोपित शर्तों का अनुपालन प्रतिवेदन समर्पित करने के संबंध में।

प्रसंग— आपका पत्रांक 218, दिनांक 03.04.2024
महाशय,

उपयुक्त विषयक प्रसंगाधीन पत्र के संबंध में कहना है कि विषयान्तर्गत प्रस्ताव पर भारत सरकार, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, क्षेत्रीय कार्यालय, राँची के पत्रांक FP/BR/Approach/100781/2020/4812, दिनांक 10.08.2021 द्वारा दो भागों में (A में 1-7 शर्त एवं B में 1-9 शर्त) सैद्धांतिक स्वीकृति दी गयी है। उक्त का अनुपालन प्रतिवेदन निम्नवत् समर्पित कर रहा हूँ—

भाग-A: Conditions which need to be complied prior to handing over of forest land by the State Forest Department.

हरितावरण को बनाये रखने हेतु 100 वृक्षों के रोपण की 10 वर्षीय प्राक्कलन की राशि रु. 8,94,632.00 को मेरे द्वारा बिहार राज्य के लिये निर्धारित, BIHAR CAMPA A/c No. 1506270100781223, Union Bank of India, Bengaluru में फंड ट्रांसफर कर दिनांक 29.04.2024 को जमा करा दी गई है, जिसका UTR No.- SBINR52024042918979491 है, जो Ministry website पर प्रदर्शित है। (मूलप्रति संलग्न)।

NPV के मद में मेरे द्वारा द्वारा 0.024 हे० अपयोजित होने वाली वन भूमि के लिये रु० 9,57,780/- प्रति हे० की दर से कुल रु० 22,987/- को बिहार राज्य के लिये निर्धारित, BIHAR CAMPA A/c No. 1506270100781223, Union Bank of India, Bengaluru में फंड ट्रांसफर कर दिनांक 29.04.2024 को जमा करा दी गई है, जिसका UTR No.- SBINR52024042918979491 है, जो Ministry website पर प्रदर्शित है। (मूलप्रति संलग्न)।

3. मेरे द्वारा क्षतिपूरक वनरोपण एवं NPV की राशि को e-challan के माध्यम से फंड ट्रांसफर कर Union Bank of India, Bengaluru के खाता में दिनांक 29.04.2024 को जमा करा दी गयी है तथा उक्त राशि Ministry website पर प्रदर्शित है।
4. जिला पदाधिकारी, लखीसराय द्वारा निर्गत FRA-2006 प्रमाण-पत्र इस पत्र के साथ संलग्न है।
5. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
- a) इस शर्त का अनुपालन विभाग के द्वारा किया जाना है।
- b) टोपोशीट नक्शा पर प्रस्तावित स्थल को मेरे द्वारा चिह्नित करते हुए हस्ताक्षर अंकित कर दिया गया है। उक्त नक्शा पर वन प्रमंडल पदाधिकारी, मुंगेर द्वारा भी हस्ताक्षर/अनुमोदित कर दिया गया है।
- c) प्रपत्र-1 में अंकित 24 मानव दिवस का ही वास्तविक रूप से रोजगार सृजित किया जा सकेगा, जिसे ऑन लाईन में भी सुधार कर दिया गया है।
- d) BPCL द्वारा निर्गत "Letter Of Intent" इस पत्र के साथ संलग्न है।
- e) राज्य प्रदूषण नियंत्रण बोर्ड एवं पथ निर्माण विभाग के द्वारा निर्गत अनापत्ति प्रमाण-पत्र इस पत्र के साथ संलग्न है।



53

6. मेरे द्वारा वन (संरक्षण) अधिनियम, 1980 का उल्लंघन नहीं किया गया है।
7. मेरे द्वारा सभी शर्तों का Compliance report, Ministry ds Website- <http://parivesh.nic.in> पर अपलोड कर दिया गया है।

भाग-B: Conditions which need to be strictly complied on field after handing over of forest land to the Usr Agency by the State Forest Department but the compliance in form of undertaking shall be submitted prior to Stage - II approval:

1. अपयोजित होने वाली वन भूमि की वैधानिक स्थिति में कोई परिवर्तन नहीं करूंगा।
2. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
3. मेरे द्वारा वचनबद्धता दी गयी है कि प्रस्तावित वन भूमि के लिये अगर NPV की राशि में किसी प्रकार की वृद्धि या संशोधन होता है तो, उसका भुगतान करेंगे।
4. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
 - a. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
 - b. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
 - c. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
 - d. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
5. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
6. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
7. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
8. (a) इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
 - (b) इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
 - (c) इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।
9. इन शर्तों का अनुपालन मेरे द्वारा किया जायेगा।

इस प्रकार मेरे द्वारा सभी शर्तों का अनुपालन कर दिया गया है। अतः अनुरोध है कि मेरे द्वारा समर्पित परियोजना पर अन्तिम स्वीकृति प्रदान करने की कृपा की जाय।

अनु०-यथोक्त

विश्वासभाजन

Sanjay Ram

(संजय राम)

पिता-श्री अर्जुन राम,

ग्राम+पोस्ट+थाना-हलसी,

जिला-लखीसराय, पिन-811311

4/26/24, 2:22 PM

SBINR52024042918979491

AGENCY COPY

यूनियन बैंक ऑफ इंडिया Union Bank of India



NEFT / RTGS CHALLAN for CAMPA Funds

Date : 26-04-2024

Agency Name.	SHRI SANJAY RAM
Application No.	70100781223
MoEF/SG File No.	FP/BR/APPROACH/100781/2020
Location.	BIHAR
Address.	S/o Shri Arjun Ram, Vill+PO+PS-Halsi, Dist. LakhisaraiLakhisarai
Amount(in Rs)	917619/-

Amount in Words :Nine Lakh Seventeen Thousand Six Hundred and Nineteen Rupees Only

NEFT/RTGS to be made as per following details;

Beneficiary Name:	BIHAR CAMPA
IFSC Code:	UBIN0996335
Pay to Account No.	1506270100781223 Valid only for this challan amount.
Bank Name & Address:	Union Bank Of India FCS Centre,21/1, III Floor, Jelitta Towers, Mission Road, Bengaluru-560027

- This Challan is strictly to be used for making payment to CAMPA by NEFT/RTGS only

Note:After making the required payment through cha even after 7 working days, then kindly mail a copy of id to Email: fcsblr@unionbankofindia.bank , epurse@ubin0903710@unionbankofindia.bank



29-04-2024

(51)

समाहरणालय-लखीसराय

(जिला राजस्व शाखा)

पत्रांक 1921/रा0, दिनांक 27-12-2023

प्रेषक,

समाहर्ता,
लखीसराय।

सेवा में,

मुख्य वन संरक्षक-सह-
नोडल पदाधिकारी (वन संरक्षण)
बिहार, पटना।

विषय :-

लखीसराय जिलान्तर्गत मौजा-हलसी, खाता नं0-331, प्लॉट सं0-1830, थाना-हलसी, अंचल-हलसी, जिला-लखीसराय अन्तर्गत लखीसराय-सिकन्दरा पथ के किनारे BPCL का रिटेल आउटलेट स्थापित करने हेतु वन (संरक्षण) अधिनियम, 1980 के तहत 0.024 हे0 वन भूमि अपयोजन का प्रस्ताव से संबंधित FRA 2006 प्रमाण पत्र निर्गत करने के संबंध में।

प्रसंग :-

उप वन संरक्षक, पर्यावरण वन एवं जलवायु परिवर्तन विभाग बिहार, पटना का पत्रांक-1284 दिनांक-21.12.2022

महाशय,

उपर्युक्त विषयक प्रासंगिक पत्र के आलोक में कहना है कि प्रखंड विकास पदाधिकारी, हलसी के पत्रांक-47 दिनांक-13.01.2023 द्वारा भेजे गये ग्राम सभा की कार्यवाही प्रति एवं तदोपरांत अनुमण्डल पदाधिकारी, लखीसराय का ज्ञापक-1099 दिनांक-14.11.2023 द्वारा अनुमण्डल स्तर की वनाधिकार समिति द्वारा पारित प्रस्ताव उपलब्ध कराया गया है, जो निम्नवत है।

प्रस्ताव सं0-01 :- प्रखंड विकास पदाधिकारी, हलसी द्वारा भेजे गये ग्राम पंचायत राज हलसी के पंचायत भवन हलसी में मुखिया श्रीमती कुमारी आभा की अध्यक्षता में विशेष ग्राम सभा आयोजित किया गया जिसमें मौजा-हलसी, खाता सं0-331, खेसरा-1830, अंचल-हलसी में लखीसराय-सिकन्दरा पथ के किनारे BPCL का रिटेल आउटलेट स्थापित करने हेतु 0.024 हे0 वन भूमि का अपयोजन का प्रस्ताव से संबंधित FRA 2006 प्रमाण पत्र निर्गत किया जाना है। परन्तु वर्ष-2001 एवं 2011 के जनगणना के अनुसार उपरोक्त अंचल/थाना अन्तर्गत क्रमशः 01 एवं 06 अनुसूचित जनजाति के आबादी अभिलिखित है, जबकि अंचल अधिकारी, हलसी द्वारा प्रतिवेदित किया है कि वर्तमान में उपरोक्त मौजा हलसी अन्तर्गत अनुसूचित जनजाति का कोई आबादी निवास नहीं करता है।

प्रस्ताव सं0-02 :- ग्राम सभा का प्रस्ताव सं0-02 हलसी मौजा में खाता सं0-331, प्लॉट सं0-1830 रैयती जमीन है तथा इसके आस-पास कोई अनुसूचित जनजाति के लोग निवास नहीं करते हैं। प्रस्तावित भूमि पर अनुसूचित जाति के परिवार के अधिकार का हनन नहीं हो रहा है। साथ ही साथ प्रस्तावित क्षेत्र के अन्तर्गत एक भी अनुसूचित जनजाति के परिवारों का आवास नहीं है और न ही कोई परिवार विस्थापित हो रहा है।

प्राप्त ग्राम सभा द्वारा पारित प्रस्ताव, अंचल अधिकारी, हलसी एवं अनुमंडलीय स्तरीय वनाधिकार समिति द्वारा पारित प्रस्ताव एवं अनुशंसा के आलोक में उक्त स्थल पर FRA 2006 प्रमाण पत्र निर्गत किया जाता है। सहज सुलभ हेतु ग्राम सभा की प्रति, अनुमंडलीय वनाधिकार लखीसराय की कार्यवाही एवं FRA 2006 प्रमाण पत्र संलग्न।

अनुलग्नक-यथोक्त

विश्वासभाजन

समाहर्ता, लखीसराय।

कार्यालय, जिला पदाधिकारी, लखीसराय के तहत रैखिक परियोजना निर्माण
हेतु FRA 2006 का प्रमाण पत्र
(भारत सरकार, पर्यावरण, वन एवं जलवायु परिवर्तन, नई दिल्ली द्वारा दिनांक-28.10.2014 को
निर्गत दिशा निर्देश के तहत)

संख्या 1971, दिनांक 27-12-2023.

प्रमाणित किया जाता है कि लखीसराय जिले में प्रयोक्ता एजेंसी BPCL (वि0प्र0) बेगूसराय मंडल कार्यालय, पोस्ट-बरौनी ऑयल रिफाईनरी, जिला-बेगूसराय (बिहार) द्वारा रिटेल आउटलेट रैखिक परियोजना निर्माण स्थान मौजा-हलसी, अंचल-हलसी, लखीसराय-सिकन्दरा पथ में पड़ने वाले अवस्थित सुरक्षित वन भूमि के 0.024 हे० रकबा के अपयोजन (Diversion) हेतु प्रयोक्ता एजेंसी के आवेदन पर वन प्रमंडल पदाधिकारी, मुंगेर के पत्रांक-2730 दिनांक-30.12.2020, प्रखंड विकास पदाधिकारी, हलसी का पत्रांक-47 दिनांक-13.01.2023 एवं अनुमंडल पदाधिकारी, लखीसराय के ज्ञापक-1099/आ०, दिनांक-14.11.2023 द्वारा FRA 2006 प्रमाण पत्र निर्गत करने हेतु अनुशंसा समर्पित किया गया है। पर्यावरण वन एवं जलवायु परिवर्तन, भारत सरकार, नई दिल्ली द्वारा वन संरक्षण अधिनियम 1980 के तहत वन भूमि अपयोजन हेतु वनाधिकार अधिनियम 2006 के तहत प्रमाण पत्र निर्गत करने संबंधी अधिसूचना संख्या-190E, दिनांक-16.02.1994 के अनुसार FRA 2006 प्रमाण पत्र निर्गत किया जाता है।

तद्दालोक में प्रस्ताव के जॉचोपरान्त प्रमाणित किया जाता है कि प्रस्तावित रैखिक विकास परियोजना (कंडिका-1 में वर्णित) के लिये अपयोजित होने वाली भूमि पर अवस्थित वृक्षारोपण दिनांक-13.12.2005 के पूर्व 75 वर्षों से कम अवधि में वन भूमि के रूप में अधिसूचित किया गया है और परियोजना क्षेत्र के गाँवों में अनुसूचित जनजाति की अभिलिखित आबादी नहीं है।

स्थान-लखीसराय

तिथि:-.....

जिला पदाधिकारी
लखीसराय।

OR

Certified That Forest Land proposed to be diverted is a plantation which was notified as "forest" less than 75 years prior to the 13th day of December 2005 and is located in villages having no recorded populations of Scheduled Tribes.

Place : Lakhisarai

Date :

जिला पदाधिकारी,
लखीसराय।

राजस्थान
जिला पंचायत लखीसराय
कार्यालय अनुमंडल पदाधिकारी,
लखीसराय।
22 NOV 2023



Email ID:- sdmlakhisarai@gmail.com
Mob.No.- 9473191399
Tel.No.- 06346-232110

डॉ० निशांत, वि० प्र० से०, अनुमंडल पदाधिकारी, लखीसराय के अध्यक्षता में दिनांक 14.11.23 को 03.00 बजे अपराह्न में आयोजित अनुमंडल स्तरीय वनाधिकार समिति की सम्पन्न बैठक की कार्यवाही :-

उपस्थिति :- पंजी के अनुसार।

कार्यवाही :-

सर्वप्रथम अनुमंडल पदाधिकारी, लखीसराय द्वारा बैठक में उपस्थित सभी पदाधिकारी का स्वागत करते हुए बैठक की कार्यवाही प्रारंभ की गयी।

अनुमंडल पदाधिकारी, लखीसराय द्वारा समाहर्ता, लखीसराय के ज्ञापांक-193/रा०, दिनांक-28.01.2023 के आलोक में श्री संजय राम द्वारा लखीसराय जिलान्तर्गत हलसी मौजा के खाता सं०-331, प्लॉट, सं०-1830 अंचल-हलसी में लखीसराय-सिकन्दरा पथ के किनारे B.P.C.L का रिटेल आउटलेट स्थापित करने के क्रम में पहलू पथ निर्माण हेतु वन (संरक्षण) अधिनियम 1980 के तहत 0.024 हे० वन भूमि अपयोजन प्रस्ताव से संबंधित FRA 2006 प्रमाण पत्र के लिए प्रस्ताव पारित करने के संबंध में सभी सदस्यों को जानकारी दी गयी।

प्रस्ताव संख्या-01

प्रखंड विकास पदाधिकारी, हलसी के पत्रांक-47 दिनांक-13.01.2023 द्वारा उपलब्ध करायी गयी ग्राम पंचायत हलसी के दिनांक-09.01.2023 को आयोजित ग्राम सभा की कार्यवाही की प्रति पटल पर रखा गया। दिनांक-09.01.2023 को ग्राम पंचायत राज हलसी के पंचायत भवन हलसी में समाहर्ता, लखीसराय के पत्रांक-1523, दिनांक-31.12.2022 के आलोक में मुखिया श्रीमती कुमारी आभा की अध्यक्षता में विशेष ग्राम सभा आयोजन किया गया जिसमें मौजा-हलसी, खाता सं०-331, प्लॉट सं०-1830, अंचल+थाना-हलसी में लखीसराय-सिकन्दरा पथ के किनारे B.P.C.L का रिटेल आउटलेट स्थापित करने हेतु 0.024 हे० वन भूमि का आयोजन का प्रस्ताव से संबंधित FRA 2006 प्रमाण पत्र निर्गत किया जाना है, परन्तु वर्ष-2001 एवं 2011 के जन गणना के अनुसार उपरोक्त थाना अन्तर्गत क्रमशः 01 एवं 06 अनुसूचित जन जाति के आवादी अभिलिखित है। जबकि अंचल अधिकारी, हलसी द्वारा प्रतिवेदित किया गया है कि वर्तमान में उपरोक्त मौजा हलसी अन्तर्गत अनुसूचित जन जाति का कोई आवादी निवास नहीं करता है।

प्रस्ताव संख्या-02

ग्राम सभा का प्रस्ताव सं०-02 हलसी मौजा में खाता सं०-331, प्लॉट सं०-1830 रैयती जमीन है तथा इसके अंगल-बगल कोई अनुसूचित जन जाति के लोग निवास नहीं करते हैं। प्रस्ताव सं०-03 प्रस्तावित भूमि अनुसूचित जाति के परिवार के अधिकार का हनन नहीं हो रहा है। साथ ही साथ प्रस्तावित क्षेत्र के अन्तर्गत एक भी अनुसूचित जन-जाति के परिवारों का आवास नहीं है और न ही कोई परिवार विस्थापित हो रहा है।

अतः अंत में समिति के सदस्यों द्वारा दोनों प्रस्तावों को अनुमोदित करते हुए अध्यक्ष द्वारा सधन्यवाद बैठक की कार्यवाही समाप्त की गयी।

वन क्षेत्र पदाधिकारी,
लखीसराय।

अनुमंडल कल्याण पदाधिकारी,
लखीसराय।

अनुमंडल पदाधिकारी,
लखीसराय।

ज्ञापांक-1099/आ०, दिनांक-14-11-23

प्रतिलिपि:- सभी संबंधितों को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।

प्रतिलिपि:- वन क्षेत्र पदाधिकारी, लखीसराय को सूचनार्थ प्रेषित।

प्रतिलिपि:- समाहर्ता, लखीसराय के पत्रांक-193/रा० दिनांक-28.01.2023 के आलोक में सादर सूचनार्थ समर्पित।

अनुमंडल पदाधिकारी,
लखीसराय।

461

विशेष ग्राम सभा

पत्रांक 1523

दिनांक 31-12-2022

के. मालाविका मे

Page No.

37

Date

आज दिनांक 09-01-2023 को 01:00 PM को ग्राम
पंचायत राज हलसी के पंचायत भवन हलसी में
एक सभा हुई। लखीसराय के पत्रांक 1523 दिनांक 31-12-22
के आलोक में मुखिया श्रीमति कुमारी आशा कि
अध्यक्षता में विशेष ग्राम सभा का आयोजन
किया गया जिसमें मौजा-हलसी, खाना सं-331, एलॉट
सं-1830, कंचन+धाना-हलसी में लखीसराय-
सिंहपुरा पथ के किनारे B.P.C.L. का रिहल
काउन्सिल स्थापित करने हेतु 0.024 हेक्टर
भूमि का आयोजन का प्रस्ताव से संबंधित
FRA 2016 प्रमाण पत्र निर्गत किया जाता है
परन्तु वर्ष 2001 एवं 2011 की जनगणना के
अनुसार उपरोक्त धाना कानन क्रमवार 01 एवं
06 अनुसूचित जनजाति की आवेदी शामिलित
है जबकि कंचन अधिकारी हलसी द्वारा प्रतिवेदित
किया गया है कि वर्तमान में उपरोक्त मौजा-हलसी
कानन अनुसूचित जाति का कोई आवेदी निवास
नही करना है। इस विशेष ग्राम सभा में निम्न सभी
पंचायत राज हलसी एवं आश्रित उपस्थित हुए।

09-01-23

पंचायत सचिव

पंचायत राज हलसी

Executive
Assistance

Rakesh

कुमारी आशा

मुखिया

पंचायत राज हलसी

① Traind Mahesh

② अनुसूचित समाज

③ Pancham Kumar (12) वॉर्ड नं 012 सफ़थ

④ phutush Kumar

⑤ श्री मोहनलाल साहू

⑥ Mumukshu Kumar

⑦ Kishan Kumar

- (8) राजेश राणा
- (9) Deepak Khatun
- (10) कमलेश कुमार पाण्डे
- (11) पन्जन कुमार
- (12) पिकी देवी
- (13) राम रामदास
- (14) मोहन सिंह
- (15) मल्ल अशोक
- (16) राजेश यादव
- (17) हरेश शर्मा
- (18) राजेश कुमार
- (19) राजेश कुमार
- (20) राजेश कुमार
- (21) राजेश कुमार
- (22) राजेश कुमार
- (23) राजेश कुमार
- (24) राजेश कुमार
- (25) राजेश कुमार
- (26) राजेश कुमार
- (27) राजेश कुमार
- (28) राजेश कुमार
- (29) राजेश कुमार
- (30) राजेश कुमार
- (31) राजेश कुमार
- (32) राजेश कुमार
- (33) राजेश कुमार
- (34) राजेश कुमार
- (35) राजेश कुमार
- (36) राजेश कुमार

(37) Panshottam Kumar

(38) श्री दत्ता

(39) Vinod Kumar

(40) जिनंदर साव

(41) श्रीकांत राठ

(42) रामधवलदास पातयान

(43) गीता देवी

(44) लक्ष्मण बाबु

(45) लक्ष्मीर राठ

(46) मुकेश राठ

(47) [Redacted] शिबू राठ

(48) [Redacted] लुना शाह

(49) Ameer Khan

(50) आनिल परमान

(51) प्रजेश कुमार

(52) Ranjit Kumar

(53) विजय शंकर सिंह

(54) अश्विनी सिंह

(55) गिरजा कुमार

(56) शिवकान्त शर्मा

(57) रमेश कुमार शर्मा

(58) Makewell

(59) वराधी कुमा

प्रस्ताव सं० ०१ - सर्वप्रथम मुरिय्याजी श्रीमति कुमारी आता द्वारा बैंक में भाग लेने वाले ज्ञानिमा एवं जनप्रतिनिधि गण को स्वागत किया गया। मुरिय्याजी द्वारा भाग के विशेष बैंक के बारे में जानकारी दी गई। उपस्थित सदस्यों द्वारा ज्ञान हलसी में लखीसराय सिकन्दर पथ के किनारे B.P.C.L. डाइवर्टेड स्थापित होने का स्वागत किया गया।

प्रस्ताव सं० ०२ - हलसी मॉजा के खाता संख्या 331 एनए संख्या - 1830 ईयरी जमीन है तथा इसके आगल-बगल कोई अनुसूचित जनजाती के लोग निवास नहीं करते हैं।

प्रस्ताव संख्या ०३ - प्रस्तावित भूमि अनुसूचित जनजाती के परिवार के अधिकार का हक नहीं हो रहा है। साथ ही साथ प्रस्तावित क्षेत्र के आश्रित एक भी अनुसूचित जनजाती के परिवारों का आवास नहीं है। और न ही कोई भी परिवार विस्थापित हो रहा है।

प्रस्ताव संख्या ०४ - ज्ञान में खान्मवाद के पश्चात भाग कि बैंक की कार्यवाही समाप्त की जाती है।

कुमारी आता

मुरिय्या

ज्ञान पंचायत राज

हलसी (लखीसराय)

(42)

अनीस कुमारी

अनीस कुमार
सहदेव मांजी

शर्मा कुमार

सुरेश कुमार

रामनिवास सिंह

राजेश कुमार

ROHIE KUMAR

रतन सिंह

पौचू मांजी

पुजा कुमार

होतू कुमार

शक्ति कुमार

अजय सिंह

मालो देवी



(40)

Regional Office-Cum-Laboratories
Bihar State Pollution Control Board

Barauni Industrial area, P.O.- Tilrath, Dist.- Begusarai-851112
E-mail-bspceb@yahoo.com, Website-http://bspceb.bihar.gov.in

Ref. No.: ROB/Lakhisarai/31/22/5/0

Barauni, dated:- 5-5-22

'CONSENT-TO-ESTABLISH' (NOC)
UNDER SECTIONS 25/26 OF THE WATER (PREVENTION AND CONTROL OF POLLUTION) ACT, 1974 AND 21 OF THE AIR (PREVENTION AND CONTROL OF POLLUTION) ACT, 1981

Reference Online Application ID- 5931071, dated 28.03.2022 of M/s Priyansh Petroleum, BPCL Retail Outlet, Proponent- Sri Sanjay Ram, S/o- Sri Arjun Ram, resident of At+P.O.- Halsi, PS+Anchal- Halsi, Dist- Lakhisarai- 811311 (Bihar) for establishment of Retail Outlet manufactured by M/s BPCL, Barauni Retail Territory, NH-31, At & P.O.-Papraur, Dist-Begusarai- 851210 at Khata no.- 331, Kheshra no.- 1830, Mauza+At+P.O.- Halsi, PS+Anchal- Halsi, Dist- Lakhisarai- 811311 (Bihar) with a capital investment of Rs 51.0 Lacs approx. The storage capacity of the retail outlet will be MS-10 KL & HSD-20 KL.

AFTER CONSIDERING:

- (i) The facts stated in their application;
- (ii) Agreement on lease of Intent issued by BPCL, dated: 11.02.2020.
- (iii) Bihar State Pollution Control Board's Notification No. 26 dated 08.11.2003 and notification no- 07, dated 27-06-2011;
- (iv) Provisions of the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981 : and
- (v) Undertaking dated 17-03-2022 regarding distance of different land marks.

NOC IN FAVOUR OF THE PROPONENT AT THE SAID SITE IS HEREBY ACCORDED SUBJECT TO THE FOLLOWING CONDITIONS:

General Conditions:

1. The Retail Outlets (RO) shall not be located within a radial distance of 50 meters (from point/dispensing units/vent pipe whichever is nearest) from schools, hospitals (10 beds and above) and residential areas designated as per local laws. In case of constraints in providing 50 meters distance, the retail outlet shall implement additional safety measures as prescribed by Petroleum and Explosives Safety Organization (PESO). In no case the distance between new retail outlet from schools, hospitals (10 beds and above) and residential area designated as per local laws shall be less than 30 meters. No high tension line shall pass over the retail outlet.
2. The fuel Retail Outlets shall not be located within a radial distance of 50 meters (from fill point/dispensing units (DU)/vent pipe whichever is nearest) from nearest point of water bodies, schools, hospitals (10 beds and above) and residential areas designated as per local laws. No high tension line shall pass over the retail outlet.
3. The proponent shall obtain 'Consent-to-Operate' under sections 25 & 26 of the Water Act, 1974 and 21 of the Air Act, 1981 immediately from Pollution Control Board;
4. Sludge shall be collected, stored and disposed as per Rules 8 of Hazardous Waste (Management and Transboundary) Rules, 2016 and amendments thereof and records shall be maintained.
5. The effluent (domestic or trade) and emission, if any, shall conform to the standard as prescribed by the Board;

6. The diesel generator sets shall be provided with integral acoustic enclosure to meet the prescribed norms w.r.t noise as per the Gazette Notification dated of the Ministry of Environment & Forests, Government of India 12-07-2004. The acoustic enclosure/ acoustic treatment of room should be designed for minimum 25 dB (A) Insertion Loss or for meeting the ambient noise standards, whichever is on the higher. The measurement for Insertion Loss may be done at different points at 0.5 meter from the acoustic enclosure/room and then averaged. The Diesel Generator Sets should also be provided with proper exhausts muffler with Insertion Loss of minimum 25 dB (A).
7. The stack height for the Diesel Generator Sets shall be as below:
$$\text{Height of Stack (in Meters)} = \text{Height of Building} + 0.2\sqrt{\text{KVA of DG.Set}}$$
8. The occupier shall ensure that the noise from the operations in the unit does not exceed the prescribed ambient noise standards for the industrial area i.e. 75 dB (A) Leq during the day time and 70 dB (A) Leq during the night. The day time is reckoned in between 6 am and 9 pm the night time is reckoned between 9 pm and 6 am.
9. The unit shall submit approved On Site & Off Site Management Plan before operation.
10. The unit shall provide fire fighting arrangement as per Rule of Fire Fighting Department.
11. The unit shall obtain explosive license from the competent authority.
12. The unit shall have a display board near the site stating name of unit/industry with address/name of proprietor with address and ref memo no and date of consent with its validity period granted by the Board.
13. All workers engaged at retail outlets will be covered under ESI. Oil Marketing Company (OMC) dealers shall implement the personal protective equipment (PPE) as per labor laws.
14. IEC (Information Education Communication) activities should be organized by OMC dealers for workers at regular intervals in order to sensitize them about harmful impacts of VOC emissions.
15. PESO shall conduct audit of tanks and fuel equipment including pipes, overfill protection equipment and alarm system on annual basis and maintain records.
16. The petrol pumps/ Retail Outlets shall not be located within a radial distance of 50 meters (from fill point/ dispensing units (DU)/ vent pipe whichever is nearest) from schools, hospitals (10 beds and above) and residential areas designated as per local laws. No high tension line shall pass over the retail outlet.

Specific Conditions:

1. Petrol pumps located in areas with high groundwater table i.e. Ground water levels less than 04 meters shall have secondary containment by way of double walled tanks or concrete protection walls so as to minimize groundwater and soil contamination. It shall be the responsibility of OMC to properly get measured groundwater level at the site of proposed petrol pump and ensure implementation of these adequate protection measures for such sites. Details of measures taken by OMC shall be placed in public domain and in case of contradictory view; view of State/ Central Ground Water Board/ Authority will prevail.
2. Retail outlets shall have underground tanks/ above ground tank and its ancillary components such as pipes, flexible connectors, pumps, fittings etc. protected from leaks due to corrosion by adopting materials (HDPE/ Mild Steel etc.) with required protective coating, as applicable, duly approved by PESO.
3. They shall report any major leakage/ spillage of Petrol, Diesel, Lube Oil (more than 1 barrel-165 liters) to this Board, PESO and District Administration under intimation to CPCB within 24 hours of occurrence.
4. Operation of concerned Underground Storage Tank (UST) and its ancillary components shall be stopped immediately and not be resumed till corrective measures to contain and stop leakage/ spillages are implemented to the satisfaction of PESO and this Board.
5. OMCs will be held liable for Environmental Compensation (imposed by this Board) and assessment of environmental damage (depending on extent of contamination in soil and ground water) and site remediation. Consultant/ Expert agency appointed by OMCs for damage assessment and site remediation shall have minimum national/ international

NL

- experience of 5 years in this field. Various approved methods shall be considered for cleaning underground contaminants
6. The unit shall have Auto Cut off Nozzles which shuts dispensation of fuel if its level in customer fuel tank reaches full capacity.
 7. Breakaways to be installed for all the hoses of dispensing units to reduce spillage in the event of customer vehicles moves away with nozzle still in the fueling position.
 8. Single/ double plane swivel with breakaway coupling shall be installed for all the dispensing units for better positioning of nozzle while refueling so that it does not fall off accidentally.
 9. In pressurized dispensation, the DU shall be installed with shear valves to cut the fuel flow from pipe line immediately upon accidental knocking of dispensing units from its position.
 10. In pressurized system, all Submersible Turbine Pumps (STPs) are to be installed with line leak detectors and in the event of pipeline leaks STPs shall stop pumping fuel from underground tanks.
 11. Emergency stop button switch shall be provided on the Multi-Product Dispenser (MPD) to stop the dispensation in case of emergency.
 12. Automation system shall be installed at all new retail outlets to alert in case of tank leak by way of auto gauging system approved by PESO.
 13. The Retail Outlet shall provide overfill alarm through automation.
 14. Measures for spill containment in fill point chambers and forecourt area shall be implemented as prescribed by PESO.
 15. The retail outlets will have automation system installed which will provide reports on volume balance after every day operation and records shall be maintained.
 16. Manual gauging shall be done once in a month and compare the same with Automatic Tank Gauging for accuracy.
 17. Daily MS and HSD loss shall not exceed MoPNG prescribed limits. In case of leakage beyond such limits, matter shall be got analyzed by OMCs and further action shall be taken for ascertaining the reasons of losses. In case of leakage resulting in soil/ groundwater contamination:
 - a. The unit and the concerned OMC shall report to this Board, PESO and District Administration under intimation to CPCB within 24 hours of occurrence. Operation of such UST and its ancillary components shall be stopped immediately
 - b. Fuel shall be removed immediately from UST to prevent further release to environment. Measures to prevent explosion due to vapors released due to leakage as recommended by PESO shall be implemented immediately.
 - c. OMCs will be held liable of Environmental Compensation (imposed by SPCBs/PCCs) and assessment of environmental damage (depending on extent of contamination in soil and groundwater) and site remediation. Consultant and site remediation shall have minimum national/ international experience of 05 years in this field. Various approved methods shall be considered for cleaning underground contaminants.
 - d. Operation of Underground tank and its ancillary components shall not be resumed till corrective measures to contain and stop leakages are implemented to the satisfaction of PESO and concerned SPCB.
 18. All underground tanks and pipelines shall be subjected to test for leaks every 7 years.
 19. The retail outlet set up with sale potential of 300KL MS per month and setting up in cities with population more than 1 lakh will be provided with Vapour Recovery System (VRS). VRS should be functional by the time of sale of MS touch 300 KL. In case of failure of installation of VRS, Environment Compensation will be levied by this Board equivalent to the cost of VRS and this will further increase proportionate to the period of non-compliance.
 20. The retail outlet set up in cities having population more than 10 lakh and having sale potential of 100 KL MS per month will be provided with VRS. VRS should be installed within a period 03 months from the day of sale of MS touch 100 KL. In case of failure of installation of VRS, Environment Compensation will be levied by this Board equivalent to the cost of VRS and this will further increase proportionate to the period of non-compliance.
 21. In case of Stage-II VRS, nozzle shall be provided with flexible cover flap or other alternative system for proper covering of filling tank and therefore proper recovery of vapors.
 22. OMCs are responsible for maintaining installed VRS. They have to maintain periodic inspections for A/L regulator as prescribed by Legal Metrology. Proper record shall be maintained.

32

23. Working of dispenser unit shall be interlinked with VRS functioning. Online system shall be developed within 06 months to monitor status of operation of VRS. In case of non-operation of VRS, the same shall be automatically reported to concern OMC. VRS shall be brought into operation immediately within 24 hrs and in any case within 72 hrs falling which sale of MS shall be stopped from the fuelling station. Proper records of operation of VRS shall be maintained.
24. Work zone monitoring for Total VOC and Benzene shall be conducted by OMCs for petrol pumps selling more than 300 KL/ month and more than 10 lakh population (in first phase) by E(P) Act, 1986 approved labs once in a year to check compliance with OSHA norms (Time-Weighted Average) and report shall be submitted to this Board. In addition, pilot study shall be conducted by OMCs through expert institutions for online monitoring of VOCs.
25. Ground water and soil quality from the nearest source shall be monitored by OMCs once in a year through E(P) Act, 1986 approved labs or labs with national/international accreditation for the parameters mentioned in following table and reports shall be submitted to SPCB.

S.No.	Parameter	Screening value for groundwater(mg/L)	Screening value for soil sample mg/kg)
1.	Total Petroleum HC (C ₁₀ - C ₄₀)	0.6	5000
2.	BTEX		
	i. Benzene	0.01	5
	ii. Toluene	0.7	30
	iii. Xylene	0.5	50
3.	Methyl Tertiary Butyl Ether	13 µg/l	100
4.	Total PAH	0.0001 µg/l	40

26. Enforcement agencies including SPCB can collect samples in and around petrol pump to check contamination.

NOTE:

- Bihar State Pollution Control Board reserves the option to revise or add other conditions, if necessary, for protection of Environment in general and for Pollution Control in particular;
- The present NOC should not be construed as an assurance for the grant of 'Consent-to-Operate' the proposed plant but shall be subject to compliance of all the conditions indicated above;
- The NOC, for the Petrol Pump granted shall be valid for a period of twelve months from the date of issue.

S.P. Roy
05/5/2022
(S.P. Roy)
Regional Officer

Copy to:

- M/s Priyansh Petroleum, BPCL Retail Outlet,
Sri Sanjay Ram, S/o- Sri Arjun Ram,
At+P.O. - Haisi, PS+Anchal- Haisi,
Dist- Lakhisarai- 811311 (Bihar)
- M/s BPCL, Barauni Retail Territory,
NH-31, At & P.O.-Papraur,
Dist-Begusarai-851210 (Bihar)

Head Office: Patliputra Industrial Area, P.O- Sadakatasram, District- Patna- 800010
E-mail: msbspcb-bih@gov.in

(36)

**मुख्य अभियंता दक्षिण का कार्यालय
पथ निर्माण विभाग, बिहार, पटना।**

पत्रांक- 17/आउटलेट-04-10/2021 -1434 अनु0

पटना, दिनांक- 20/07/2021

प्रेषक,

मुख्य अभियंता दक्षिण
पथ निर्माण विभाग, बिहार, पटना।

सेवा में,

अधीक्षक अभियंता
पथ निर्माण विभाग,
पथ अंचल, मुंगेर।

विषय: पथ प्रमंडल, लखीसराय अन्तर्गत मौजा-हलसी, खाता सं0-331, खेसरा सं0-1830, थाना सं0-147 (हलसी), जिला-लखीसराय पर भारत पेट्रोलियम कॉरपोरेशन लिमिटेड द्वारा (ULP/HSD) रिटेल आउटलेट स्थापित करने हेतु अनापत्ति प्रमाण-पत्र के संबंध में

प्रसंग:- आपका पत्रांक-520 (अनु0) दिनांक-07.07.2021

महाशय,

उपर्युक्त विषयक पथ प्रमंडल, लखीसराय अन्तर्गत मौजा-हलसी, खाता सं0-331, खेसरा सं0-1830, थाना सं0-144 (हलसी), जिला-लखीसराय पर भारत पेट्रोलियम कॉरपोरेशन लिमिटेड द्वारा (ULP/HSD) रिटेल आउटलेट स्थापित करने के निमित्त पथ निर्माण विभाग की जमीन को पहुंच पथ के रूप में विकसित कर उपयोग करने हेतु निम्न शर्तों के साथ 5 वर्षों के लिये अनापत्ति प्रमाण पत्र निर्गत किया जाता है :-

- 1) 5-5 वर्षों के अन्तराल पर अनापत्ति प्रमाण पत्र का नवीनीकरण हेतु विभागीय संकल्प सं0-1921(S) दिनांक-08.03.2018 का अनुपालन सुनिश्चित करेंगे।
- 2) रिटेल आउटलेट की स्थापना मानक तथा अनुमोदित नक्शों के अनुरूप किये जाने की सूचना मुख्यालय को यथाशीघ्र देंगे। किसी प्रकार की विचलन की स्थिति में स्थानीय प्रशासन एवं ऑयल कम्पनी तथा इस विभाग को अवश्य सूचित करेंगे।
- 3) विभागीय पत्रांक-4770 (E) दिनांक-24.08.2017 एवं 7661(E) दिनांक-23.12.2015 तथा विभागीय ज्ञापक-8283(S) दिनांक-13.09.2019 का अनुपालन सुनिश्चित करते हुए अपने स्तर से भी जाँच कर ली जाय। अनु0-यथोक्त।

विश्वासभाजन

(Signature)
13/7/2021

मुख्य अभियंता, दक्षिण

पथ निर्माण विभाग, बिहार, पटना।



Ref : BNI.NRO.DC-REGULAR-316-15455673371437

Date : 11-02-2020

To

SHRI SANJAY RAM
S/o SHRI ARJUN RAM
VILL+PO+PS- HALSI
DIST.- LAKHISARAI
PIN-811311 (BIHAR)MOB:7004452150

LETTER OF INTENT

Dear Sir,

Sub : Proposed MS/HSD Retail Outlet Dealership at Location: WITHIN 4 KM FROM HALSI TOWARDS RAMGARH ON SH-8, District LAKHISARAI State BIHAR
Category : OPEN, Type of RO: REGULAR, Type of Site: DC


We refer to our advertisement dated 25-11-2018 and your application form No. 15456485371896 for the award of MS/HSD Retail Outlet dealership at the above location subsequent draw of lot held at Hotel Kapson, Dist.- Begusarai on 18.02.2019.

Please be informed that by this Letter of Intent, we propose to offer you a Retail outlet dealership of Bharat Petroleum Corporation Limited at the above location on the following terms & conditions:-

1. You have offered a suitable piece of land admeasuring 35 meters approx.(frontage) X 35 mtrs (depth) at Khata No. 331, Plot no. 1830 as indicated by you in the application for the development of the subject Retail Outlet. You have to make available this land within 2 months from the date of this letter failing which this offer is liable to be withdrawn. (For Group 1)

बरौनी (रिटेल) टेरिटरी, एन.एन.-31, पो.ऑ.-पपरा, जिला-बेगूसराय, पिन-851210 (बिहार)
फोन : (06243) 244722/243818/245473/242047, टेलि-फैक्स : (06243) 244722
पंजीकृत ऑफिस : भारत भवन, 4 - 6, करीमभोंव रोड, बेलार्ड इस्टेट, पोस्ट बॉक्स क्र० 688, मुंबई - 400 001

2. As and when advised by the Corporation, the site offered by you would be duly developed up to the road level by cutting/filling (as applicable), with good earth/murum, layer-wise compacted as per standard engineering practices. You shall also construct necessary retaining wall and compound wall of 1.5 meters height, designed as per site conditions as per approval of Corporation as committed under Clause 12 (e) of affidavit submitted by you along with application. Kindly note that in case the site as offered by you for putting up the Retail Outlet is not developed as per the advice of the Corporation, this Letter Of Intent will be withdrawn without any further notice.
3. You will provide at the retail outlet infrastructural facilities like Driveway, Sales Office, Show room, Store, Toilet, Generator, Compressor, with room, electrical connection up to the sales building, Yard lighting, water connection / bore well and staff room as mentioned in the Brochure and after obtaining necessary clearances/approvals/licences as applicable in each case.
5. In addition, you will also provide the following basic facilities at your cost at the Retail Outlet premises:-
 - a. Clean drinking water.
 - b. Free Air.
 - c. Clean toilet.
 - d. Telephone.
 - e. First aid kit with valid medicines.
 - f. Adequate illumination.
 - g. PUC facilities, wherever it is mandatory.
 - h. Other facilities as may be specified by the Corporation from time to time.
6. Additional facilities (site specific) like Canopy, Service Station or any other facility as may be decided by Bharat Petroleum Corporation Limited from time to time would also be required to be developed by you.
7. Bharat Petroleum Corporation Limited will provide storage tanks and pumps and other facilities considered necessary at the Retail Outlets.




8. For the facilities that may be provided by the Corporation as aforesaid, you will be required to pay license fee as may be decided by the Corporation and applicable to you from time to time. At present, the license fee (incl. GST) recoverable is Rs. 233.45/KL for MS and Rs. 194.54/KL for HSD.
9. The corporation will not be held liable for any loss or damage on account of delay that may be caused in providing you the facilities mentioned above whatever may be the cause of the failure or delay.

10. You will ensure all financial and other arrangements for operating the retail outlet dealership.


In case it is found that the funds stated in the application for the purpose of setting up and operation of the dealership are not made available as and when required, this LOI can be withdrawn and you will have no claim/damages whatsoever against the Oil company.

11. You shall not induct any partner(s) in case of individual (s) nor make any changes in the constitution of the partners as existing at the time of application without approval of the Company, except your spouse as per terms and conditions of the Bharat Petroleum Corporation Limited.
12. It will always be a basic condition for the award of MS / HSD retail outlet dealership that you shall be paying attention towards day to day working of the dealership by personally managing the affairs of the dealership you will give us a written undertaking to this effect and shall not assign or part with the same to any other person (s).
13. You will not be eligible for taking up any employment. If you are already employed you will have to resign from the employment and produce the letter of acceptance of resignation by the employer before the issuance of Letter of Appointment by the Oil Company.
14. You will deposit with us a Demand Draft for Rs 5,00,000 (Rupees Five Lakhs only) drawn on any scheduled bank in favour of Bharat Petroleum Corporation Limited payable at Begusarai towards security Deposit (after setting of the Initial Security Deposit amount) at the time of issuance of appointment letter after compliance of all



the requirements of LOI. Kindly note that the Security deposit will not carry an interest and is refundable at the time of expiry of agreement between you and the Corporation. However, if such expiry of agreement is consequent to proven adulteration/malpractice at the dealership, this amount will be forfeited. Moreover, this Corporation reserves its right to adjust this amount towards any dues to it.

15. You will also remit an amount of Rs. 15,00,000/- (Rupees Fifteen Lakhs only) towards Non-refundable Fixed fee, by way of a Demand Draft for Rs 15,00,000/- (Rupees Fifteen Lakhs only) drawn on any scheduled bank in favour of Bharat Petroleum Corporation Limited payable at Begusarai Within 15 days of receipt of NOC.
16. You will be notified by the corporation, in writing, after the facilities mentioned above are made available and are ready for commissioning the dealership. Immediately on receipt of the above notice from the corporation, you shall obtain each and every license necessary for operating your dealership as may be required under any central / state govt. / municipal or local authorities for the time being in force.
17. If we find that the progress made by you towards the above is not to our satisfaction, this offer is liable to be withdrawn.
18. Please note that you are required to fulfill the conditions with regard to inducting Spouse as Co-owner in the dealership before issuance of Letter of Appointment.
19. This letter of intent will stand automatically withdrawn and cancelled on the happening of any of the following events:-
 - a) In case you or any of your family members (as defined under disqualification criteria of dealer selection guidelines) receive anytime or have received a letter of intent for any other "A/CC" site RO dealership or LPG distributorship from our company or any other oil marketing company either in your individual capacity or in partnership with any other individual(s).
 - b) In case you or any of your family member gets inducted as partner or proprietor in "A/CC" site RO dealership or LPG distributorship of our company or any other oil marketing company.



- c) If it is found that you have suppressed and / or misrepresented any material facts in your application.
- d) In case you are found to be convicted for any criminal / economic offence involving moral turpitude.
- e) In the event of death if you are an individual/partner.

19. In case you are not able to provide the land / develop facilities within the specified time or fail to fulfill the terms & conditions of LOI, then LOI can be withdrawn. In such situations Initial Security Deposit (ISD) would be forfeited.


The Initial Security Deposit (ISD) would also be forfeited if you are unable to submit the total bidding amount within the stipulated time or withdraw for any reason, your selection would be treated as cancelled and LOI withdrawn.

The LOI would also be withdrawn and selection cancelled, if you are unable to submit the Non-refundable fixed fee within the stipulated time. In such situations Initial Security Deposit (ISD) would be forfeited.

20. You will not sell/lease/mortgage the said land to any third party without Bharat Petroleum Corporation Limited permission in writing, so long as the agreement (DPSL) is valid and Bharat Petroleum Corporation Limited facilities continue at the site.

21. In case of termination of / resignation from the dealership, within 3 months of disassociation from Bharat Petroleum Corporation Limited, you will execute a lease or will sub lease the land together with structures thereon to the company if the company so desires, for a period not exceeding 30 years at normal yearly rental (excluding Municipal Taxes) which shall not be more than 10 % of the then prevailing market value of the land and the structures standing thereon.

22. This letter is merely a letter of intent and is not to be construed as a 'firm offer' of dealership to you. The dealership will be allotted to you on your complying with the



terms and conditions spelt out herein above by issuance of appointment letter along with signing of our standard dealership agreement between you and us.

23. This allotment would be liable for cancellation in the event of adverse decision in the proceedings (Please specify the proceeding) pending against the dealership/distributorship held by you/member(s) of your family unit (as defined in the Dealership Selection Guidelines) under critical/major irregularities for violation of Marketing Discipline Guidelines/Dealership Agreement, Control Orders or ESMA. You will not be entitled for any claim, damages, etc. in case of cancellation of allotment in such an eventuality. (This clause is applicable for those dealerships/distributorships against whom proceedings are pending as confirmed in the application)

Should you require any further details / guidelines, please get in touch with our office at the address mentioned below :

Bharat Petroleum Corporation Limited
Barauni (Retail) Territory
NH-31, At & PO.- Papraur
Dist.- Begusarai, Bihar, Pin- 851210


Note : You have one time option to offer alternate land meeting all specifications in the advertised location/stretch within 90 days of this LOI provided you have not availed such opportunity of providing alternate land after FVC.

Please acknowledge receipt of this letter.

Thanking you,

Yours faithfully

For . Bharat Petroleum Corporation Limited


Abhishek Sharan
Territory Manager(Retail), Barauni

Not to be used for export

OPEN SERIES
MAP

No. G4504

Scale 1:50,000

Page G45N15 (72x18)	Page G45O3 (72x18)	Page G45O7 (72x18)
Page G45N16 (72x18)	Page G45O4 (72x18)	Page G45O8 (72x18)
Page G45T13 (72x18)	Page G45U1 (72x18)	Page G45U5 (72x18)

1st Edition 1971

CONVENTIONAL SYMBOLS

Water bodies (lakes, rivers, etc.)	...
Boundaries (national, district, etc.)	...
Settlements (villages, towns, etc.)	...
Transportation (roads, railways, etc.)	...
Vegetation (forests, etc.)	...
Topography (contour lines, etc.)	...
Other features (temples, etc.)	...

...

NOTES -

COMPLETION INDEX

Projection - UTM Datum - WGS 84

Magnetic Variation from True North about 1° East in 2005

Scale 1:50,000

...

...


...

...

...

...

...



...

...