

Madhya Pradesh Jal Nigam Maryadit

Project Implementation Unit, Guna

(A Govt. Of Madhya Pradesh Undertaking)

House No.59, ward no. 20 near Graphix Institute Patrakar Colony Dist.Guna (M.P.)

Email- gmguna.mpjalnigam@mp.gov.in 07542-350028

क./म.प्र.ज.नि.मर्या./परि.कि.ई./गुना/2024/898

गुना, दिनांक 11/03/2024

प्रति,

वनमण्डलाधिकारी, (सामान्य)

वन मण्डल गुना, (म.प्र.)

विषय:- राजघाट समूह जल प्रदाय योजनांतर्गत वन भूमि में भूमिगत पाईप लाईन बिछाने के संबंध में।
(FP/MP/WATER/146889/2021)

संदर्भ:- तकनीकी अधिकारी भारत सरकार पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय का पत्र
क्रमांक-6-एमपीबी 063/2023/बीएचओ दिनांक 22.10.2023

--00--

उपरोक्त विषयांतर्गत संदर्भित पत्र के माध्यम से प्रकरण में सैद्धांतिक अनुमति जारी की गई है। उक्त प्रकरण में सैद्धांतिक अनुमति में दी गई शर्तों का पालन प्रतिवेदन निम्नानुसार है:-

A: Conditions which need to be complied prior to handing over of forest land by the State Forest Department.

| S.N. | Query Raised | Reply of MPJNM |
|------|---|--|
| 1. | Cost of Compensatory afforestation on the CA land 4.089 ha (out of 10.00 ha) non-forest land at the prevailing wage rates as per compensatory afforestation scheme (including cost of survey, demarcation and erection of permanent pillars etc. as required for securing the land against encroachment) shall be deposited in advance with the State Forest Department by the project authority. The CA will be maintained for 10 years. The scheme may include appropriate provisions for anticipated cost increase for the works scheduled for subsequent years. | Cost of Compensatory afforestation on the CA Land 4.089 ha (out of 10.00 ha) non forest land, In reference to demand note issued by forest department via letter no. 10213 dated 30/11/2023 of Rs. 14963033/- in which NPV amount is 4110304/- for application No FP/MP/WATER/146889/2021 & Plantation charges is 10852729 /- for application No FP/MP/WATER/146483/2021, FP/MP/WATER/146486/2021, FP/MP/WATER/146889/2021 the same is deposited by this office in favour of forest department Madhya Pradesh CAMPA HEAD through RTGS UTR No SBIN52023120688161488 dated 06/12/2023, this office is agreed to pay anticipated cost increase. |
| 2. | Non-forest land shall be transferred and mutated in favour of State Forest Department and documents shall be submitted. | Non-forest land is transferred and mutated in favour of State Forest Department the documents of the same is attached. |
| 3. | The non-forest land which is transferred and mutated in favour of the State Forest Department for the purpose of compensatory afforestation shall be declared as Reserved Forest under Section-4 or Protected Forest under Section-29 of the Indian Forest Act, 1927 or under the relevant Section(s) of the State Forest Act. Copy of PF/RF notification may be sent in Stage-I compliance report. | Related to Forest Department. |

५

Madhya Pradesh Jal Nigam Maryadit

Project Implementation Unit, Guna

(A Govt. Of Madhya Pradesh Undertaking)

House No.59, ward no. 20 near Graphix Institute Patrakar Colony Dist.Guna (M.P.)

Email- gmguna.mpjalnigam@mp.gov.in 07542-350028

| | | |
|-----|---|---|
| 4. | The State Government shall charge Net Present Value (NPV) for the 4.089 ha forest area to be diverted under this proposal from the User Agency as per orders of the Hon'ble Supreme Court of India dated 30/10/2002, 01/08/2003, 28/03/2008,24/04/2008 and 09/05/2008 in IA No. 566 in WP (C) No. 202/1995 and as per the guidelines issued by the Ministry vide letters No. 5-1/1998-FC (Pt.II) dated 18/09/2003, as well as letter No. 5-2/2006-FC dated 03/10/2006, 5-3/2007-FC dated 05/02/2009 & 5-3/2011-FC(Vol-I) dated 06/01/2022 in this regard. | The State Government has charged NPV for the 4.089 ha via letter No 10213 dated 30/11/2023 of amount 41,10,304/- which is deposited in favour of forest department in Madhya Pradesh CAMPA Head via UTR NO. SBINR52023120688161488. |
| 5. | All the funds received from the user agency under the project shall be transferred/deposited in CAMPA fund only through e-portal (https://parivesh.nic.in/). | Agreed & PAID in favour of CAMPA fund. |
| 6. | Complete compliance of the FRA, 2006 shall be ensured by way of prescribed certificate from the concerned District Collector. | FRA Certificate from the concerned District Collector is attached. |
| 7. | The User Agency shall submit administrative approval/sanction letter of the project before granting of working permission. | AA copy attached. |
| 8. | The User Agency shall submit/upload full KML file of layout plan of forest area and non forest area (full Project KML file) before granting working permission. | KML File attached/uploaded on portal. |
| 9. | The User Agency shall submit justification for location of the project in forest land (counter signed by DFO) before granting working permission. | Justification letter counter sign by DFO is attached. |
| 10. | The User Agency shall submit no objection certificates of concerned department (Railway, WRD, Road, TL etc.) before granting working permission. | Permission letter's of concerning departments is attached. |
| 11. | The User Agency shall submit detailed muck calculation and muck disposal scheme as approved by concerned DFO before granting working permission. | Muck calculation and muck disposal plan is attached. |
| 12. | The proposed diversion area is a part of Elephant corridor, accordingly the CWLW comments shall be submitted before granting working permission. | Related to Forest Department. |
| 13. | The User Agency shall submit/upload revised diversion area KML file of 4.089 ha before granting working permission. | KML file attached. |
| 14. | As per DSS analysis some forest area is observed to be not included in the proposed diversion area. DFO to reassess the area proposed for diversion based on field position and Working plan forest boundaries and if there is a variation in area proposed for diversion, then the approval shall be deemed to be revoked and the proposal shall be deemed to be rejected. | Related to Forest Department. |

Madhya Pradesh Jal Nigam Maryadit

Project Implementation Unit, Guna

(A Govt. Of Madhya Pradesh Undertaking)

House No.59, ward no. 20 near Graphix Institute Patrakar Colony Dist.Guna (M.P.)


Email- gmguna.mpjalnigam@mp.gov.in 07542-350028

| | | |
|-----|--|---|
| 15. | The User Agency shall submit an undertaking that no muck shall be disposed off in forest land. | Undertaking of no muck disposed off in forest land is attached. |
| 16. | The KML files of diverted area and CA areas shall be uploaded on the e-Green watch portal with all requisite details prior to stage-II approval. | Related to Forest Department. |
| 17. | Violation of any of these conditions will amount to violation of Forest (Conservation) Act, 1980 and action would be taken as prescribed in para 1.21 of Chapter 1 of the Handbook of Comprehensive Guidelines of Forest (Conservation) Act, 1980 as issued by this Ministry's letter No.5-2/2017-FC dated 28.03.2019. | Accepted. |
| 18. | The compliance report shall be uploaded on e-portal (https://parivesh.nic.in/). | Done. |

B: Conditions which need to be strictly complied on field after handing over of forest land to the User Agency by the State Forest Department but the compliance in form of undertaking shall be Submitted prior to Stage-II approval.

| S.N. | Query Raised | Reply of MPJNM |
|------|--|--|
| 1. | Legal status of the forest land shall remain unchanged. | Agreed. |
| 2. | Compensatory afforestation shall be taken up by the Forest Department over 4.089 ha (out of 10.00 ha) non-forest land at Khasra No. 92/1, Village-Ramgirkhurd, Tehsil - Aaron, District-Guna at the cost of the user agency. As far as possible, a mixture of local native species shall be planted and monoculture of any species, especially non-native species shall be avoided. | Related to Forest Department. |
| 3. | Additional amount of NPV of the diverted forest land, if any, becoming due after finalization of the same by the Hon'ble Supreme Court of India on receipt of the report from the Expert Committee, shall also be charged by the State Government from the User Agency. The User Agency shall furnish an undertaking to this effect. | An undertaking for the same is attached. |
| 4. | The User Agency shall restrict felling of trees to the enumerated 77 numbers/minimum number in the diverted forest land and the trees shall be felled under the strict supervision of the State Forest Department or the cost of felling of trees shall be deposited by the User Agency with the State Forest Department and State Forest Department shall undertake the fellings. | Agreed. |
| 5. | The State Government and user agency shall comply with the provisions of all the Acts, Rules, Regulation, guidelines, NGT order & Hon'ble Court Order (s) pertaining to this project, if any, for the time being in force, as applicable to the project. | Agreed. |
| 6. | The Pipeline shall be laid 1.5 meter below ground and after laying of pipe line the ground shall be properly leveled. | Agreed. |
| 7. | User Agency shall obtain Environmental Clearance as per provisions of the Environmental (Protection) Act. 1986, if applicable. | Agreed. |
| 8. | Boundary of the diverted forest land shall be suitably demarcated on ground at the project cost, as per directions of the concerned Divisional Forest Officer. | Agreed. |


| | | |
|-----|--|---------|
| | Layout plan of the proposal shall not be changed without prior approval of the Central Government. | Agreed. |
| 10. | No labour camp shall be established on the forest land. | Agreed. |
| 11. | The User Agency shall provide alternate fuels preferably LPG to the labourers and staff working at the site so as to prevent any damage and pressure on the nearby forests. | Agreed. |
| 12. | The period of diversion under this approval shall be co-terminus with the project life. | Agreed. |
| 13. | The forest land shall not be used for any purpose other than that specified in the project proposal. | Agreed. |
| 14. | The forest land proposed to be diverted shall under no circumstances be transferred to any other agencies, department or person without prior approval of the Central Government. | Agreed. |
| 15. | Any other condition that the Ministry of Environment, Forest & Climate Change may stipulate from time to time in the interest of conservation, protection and development of forest & wildlife. After receipt of the compliance report regarding fulfillment of the conditions as stipulated above, from the State Government, formal approval will be issued in this regard under Section 2 of Forest (Conservation) Act, 1980. | Agreed. |


महाप्रबंधक

म.प्र. जल निगम मर्यादित
परि.कि.ई. गुना (म.प्र.)
दिनांक: 11 / 03 / 2024

पृ.क्र. 899 / म.प्र.ज.नि.मर्या. / प.क्रि.ई. / गुना / 2024
प्रतिलिपि:-

1. प्रधान मुख्य वनसंरक्षक (कक्ष भू-प्रबंध) सतपुड़ा भवन भोपाल की ओर सादर सूचनार्थ प्रेषित।
2. मुख्य महाप्रबंधक (सेंट्रल), म.प्र. जल निगम मर्यादित भोपाल की ओर सादर सूचनार्थ प्रेषित।
3. टीम लीडर, एसक्यूसी, वॉफ्कोस लिमिटेड गुना की ओर सूचनार्थ।
4. मैसर्स एल एण्ड टी लिमिटेड अशोकनगर की ओर सूचनार्थ।


महाप्रबंधक

म.प्र. जल निगम मर्यादित
परि.कि.ई. गुना (म.प्र.)

मध्यप्रदेश शासन
लोक स्वास्थ्य यांत्रिकी विभाग
मंत्रालय, वल्लभ भवन भोपाल-462004

क्रमांक एफ 16-21/2020/2/34/(2951)

भोपाल, दिनांक 22 SEP 2020

प्रति,

प्रबंध संचालक
मध्यप्रदेश जल निगम मर्यादित
विन्ध्याचल भवन, भोपाल।

विषय – मध्यप्रदेश जल निगम मर्यादित द्वारा क्रियान्वित की जानेवाली समूह जलप्रदाय योजनाओं की प्रशासकीय स्वीकृति।

संदर्भ – प्रबंध संचालक, मध्यप्रदेश जल निगम मर्यादित, भोपाल का पत्र क्रमांक 6942 दिनांक 29.08.2020।


-0-

राज्य शासन एतद् द्वारा मध्यप्रदेश जल निगम मर्यादित द्वारा जल जीवन मिशन के अंतर्गत क्रियान्वित की जानेवाली निम्नानुसार 10 समूह जलप्रदाय योजनाओं की प्रशासकीय स्वीकृति प्रदान करता है :-

| क्र. | समूह जलप्रदाय योजना का नाम | जिला | लागत (रु. करोड़ में) |
|------|----------------------------|------------------|----------------------|
| 1 | राजौद | धार | 109.50 |
| 2 | मडिया | सागर | 336.02 |
| 3 | आगर मालवा | आगर | 557.35 |
| 4 | मडीखेड़ा | शिवपुरी | 1096.96 |
| 5 | गोपीकृष्ण सागर | गुना | 461.98 |
| 6 | राजघाट | गुना एवं अशोकनगर | 1942.90 |
| 7 | नेमावर (हाटपिपलिया) | देवास | 237.00 |
| 8 | गोंड देवसर | सिंगरौली | 470.49 |
| 9 | वैढन-1 | सिंगरौली | 637.27 |
| 10 | वैढन-2 | सिंगरौली | 261.53 |
| योग | | | 6111.00 |

- 2/ योजनाओं का क्रियान्वयन जल जीवन मिशन के मापदण्डों एवं दिशा निर्देशों के अनुसार किया जाये, विस्तृत सर्वेक्षण उपरांत डिजाईन/ड्राईंग तैयार कर करायी जाये तथा योजना पर होने वाले व्यय को स्वीकृत राशि तक सीमित रखा जाये।
- 3/ यह आदेश मंत्रि-परिषद निर्णय के आइटम क्रमांक-18 दिनांक 15, सितम्बर 2020 के संदर्भ में जारी किया गया है।
- 4/ दिनांक 03.09.2020 को संपन्न परियोजना परीक्षण समिति की बैठक, तथा दिनांक 18.09.2020 को संपन्न राज्य स्तरीय योजना स्वीकृति समिति की बैठक, में उपरोक्त योजनाओं का अनुमोदन किया गया है। बैठकों के कार्यवाही विवरण (प्रति संलग्न) में दिये गये निर्देशों का पालन सुनिश्चित किया जाये।

संलग्न – उपरोक्तानुसार।


मध्यप्रदेश के राज्यपाल के नाम से
तथा आदेशानुसार

(राजेश शाक्यवार्) 22/09/2020
उप सचिव
मध्य प्रदेश शासन
लोक स्वास्थ्य यांत्रिकी विभाग

पृ. क्रमांक एफ 16-21/2020/2/34/(2952)

भोपाल, दिनांक 22 SEP 2020

प्रतिलिपि:-

1. निज सचिव, माननीय मंत्रीजी, लोक स्वास्थ्य यांत्रिकी विभाग।
2. सचिव, मध्यप्रदेश शासन, वित्त विभाग।
3. महालेखाकार, मध्यप्रदेश, ग्वालियर।
4. प्रमुख अभियंता, लोक स्वास्थ्य यांत्रिकी विभाग, म.प्र.भोपाल।
5. सलाहकार, राज्य योजना आयोग, भोपाल।
6. मुख्य अभियंता, लोक स्वास्थ्य यांत्रिकी विभाग, परिक्षेत्र.....।
7. आयुक्त, कोष एवं लेखा भोपाल।
8. संभाग आयुक्त, संभाग
9. अधीक्षण यंत्री, लोक स्वास्थ्य यांत्रिकी विभागमण्डल.....।
10. कलेक्टर, जिला
11. परियोजना निदेशक, मध्यप्रदेश जल निगम मर्यादित, विन्ध्याचल भवन, भोपाल।
12. कार्यपालन यंत्री, लोक स्वास्थ्य यांत्रिकी खंड,
13. कोषालय अधिकारी, जिला


सचिव

मध्यप्रदेश शासन
लोक स्वास्थ्य यांत्रिकी विभाग

8

Madhya Pradesh Jal Nigam Maryadit
Project Implementation Unit, Guna
(A Govt. Of Madhya Pradesh Undertaking)
House No.59, ward no. 20 near Graphix Institute Patrakar Colony Dist.Guna (M.P.)
Email- gmguna.mpjalnigam@mp.gov.in 07542-350028

Justification Letter For Laying of waterpipe Line Under Forest
Area


Project Name:- Rajghat Multi Village Scheme District Guna & Ashoknagar

Project Area:- 755 Villages of Guna District & Tapping at Aron Urban Under Madhya Pradesh

Project Scope:- Rajghat multi village scheme project was sanctioned under Jal Jeevan Mission provide potable drinking water to all households of 755 villages of Guna district. The implementi agency for the project is M.P Jal Nigam Maryadit. All blocks of Guna district Guna, Raghogarh, Chachoudha will receive potable drinking water in their homes through a functional tap.

As per the guidelines of JAL JEEVAN MISSION potable safe drinking water has to be provid to each and every household, in order to provide the same water lines has to be laid under the scope Rajghat MVS After topographical survey of pipe line it was observe that the alignment of the pipe lin are falling under forest area. As per design requirements and topographical compulsion these assests needed to be constructed & pipe lines has to be laid at desired locations, situated in forest area.

N
वसुंधरा अधिकारी
जलमण्डल, गुना (म.प्र.)


General Manager
M.P Jal Nigam Maryadit
PIU Guna

Madhya Pradesh Jal Nigam Maryadit

Project Implementation Unit, Guna

(A Govt. Of Madhya Pradesh Undertaking)

House No.59, ward no. 20 near Graphix Institute Patrakar Colony Dist.Guna (M.P.)


Email- gmguna.mpjalnigam@mp.gov.in 07542-350028

MUCK Restoration Plan

(FP/MP/WATER/146889/2021)

Pipeline of length 60634 KM will be laid underground in which muck excavated will be reused for filling of tranches after laying of pipeline. Restoration plan as shown as below :-

| S.N. | Length (In Mtr) | Width (In Mtr) | Depth (In Mtr) | Total Excavated Qty (In Cum) | Backfilling (In Cum) | Balance Muck for Disposal (In Cum) | Remarks |
|--------------|--------------------|-------------------|-------------------|---------------------------------------|-------------------------|--|---|
| 1 | 593 | 0.30 | 1.30 | 231 | 178 | 53 | It is good soil useful for the forest flora. Hence ,it is proposed to spread the soil in forest area. |
| 2 | 1800 | 0.35 | 1.30 | 819 | 630 | 189 | |
| 3 | 8824 | 0.39 | 1.30 | 4474 | 3442 | 1032 | |
| 4 | 15726 | 0.40 | 1.30 | 8178 | 6291 | 1887 | |
| 5 | 270 | 0.41 | 1.30 | 144 | 111 | 33 | |
| 6 | 7713 | 0.45 | 1.30 | 4512 | 3471 | 1041 | |
| 7 | 1058 | 0.50 | 1.30 | 688 | 529 | 159 | |
| 8 | 379 | 0.53 | 1.50 | 301 | 201 | 100 | |
| 9 | 4664 | 0.60 | 1.50 | 4197 | 2798 | 1399 | |
| 10 | 1284 | 0.79 | 1.50 | 1522 | 1015 | 507 | |
| 11 | 882 | 0.80 | 1.50 | 1052 | 701 | 351 | |
| 12 | 913 | 0.81 | 1.50 | 1109 | 739 | 370 | |
| 13 | 5885 | 0.85 | 1.50 | 7503 | 5002 | 2501 | |
| 14 | 882 | 0.86 | 1.50 | 1132 | 754 | 377 | |
| 15 | 3997 | 0.90 | 1.50 | 5397 | 3598 | 1799 | |
| 16 | 5513 | 0.93 | 1.50 | 7691 | 5127 | 2564 | |
| 17 | 250 | 0.94 | 1.50 | 353 | 235 | 118 | |
| Total | 60634 | | | 49302 | 34821 | 14481 | |



General Manager
M.P. Jal Nigam Maryadit
PIU Guna

मध्य प्रदेश कम्प्यूटरीकृत भू-अभिलेख
 खसरा
 प्रारूप एक (नियम 6 देखिए)
 मध्य प्रदेश भू-राजस्व संहिता (भू-सर्वेक्षण तथा भू-अभिलेख) नियम, 2020



111096650280

| भूमि के पंजीकरण की तिथि | | पटवारी हत्का: बनबीरछेडी | तहसील: आरंभ | | | जिला: गुना | वर्ष: 2023-2024 | | | | |
|-------------------------|---|----------------------------------|--|--|-----------------------------|---|---|---|---|----------------------|---|
| भूमि के पंजीकरण की तिथि | पंजीकरण का प्रकार (सर्वेक्षण/सहायक/सहायक) | प्लॉट संख्या (ब्लॉक की टांग में) | 1. हेक्टेयर (हेक्टेयर/वर्ग मीटर में) 2. भूमि उपयोग जिसके लिए निर्धारण किया गया है 3. भू-राजस्व/भू-भाटक (रु. में) | 1. भूमिस्वामी का नाम, उसकी माता/पिता / पति का नाम तथा निवास का पता 2. शासकीय भूमि | प्रत्येक भूमि स्वामी का अंश | 1. सरकारी पट्टेदार का नाम, उसकी माता/पिता/पति का नाम तथा निवास का पता 2. प्लॉट की अवधि 3. प्लॉट के अधीन क्षेत्र | श्री/श्री/श्री का नाम, उसकी माता/पिता/पति का नाम तथा निवास का पता | भूमि पर विद्यमान तथा प्रभार 1. बंधक 2. दृष्टिबंधक 3. भू-अर्जन प्रक्रियाधीन | फसल के ब्यारे फसल 1. खरीफ 2. रबी 3. जायद 4. अन्य | फसल के अधीन हेक्टेयर | 1. भूमि के सिवाई स्वामी प्रवृत्ति 2. भूमि पर सरचना/वृक्ष 3. अन्य अभियंतियों 4. वर्ष के दौरान कॉलेज सड़क (1) से (9) तक में प्रवृत्तियों में सुधार के आदेश |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| 157468 2906 | 92/1/2 (S) | | 10.0000 हेक्टेयर रु.0.00 | (शासकीय) यन विभाग मध्य प्रदेश शासन शासकीय संस्था | 1 | | | | | | कलेक्टर द्वारा क्र. 0031/अ-20(3)/2023-24 एवं अंटेम दिनांक 06/06/2023 के अनुसार दिनांक 17/10/2023 का खसरा टिप्पणी में परिवर्तन दर्ज। न्यायालय नाथन तहसीलदार के प्रकरण क्र. 0041/अ-3-2023-24, आदेश दि. 02/01/2024 के अनुसार भू-अभिलेख उद्यतित। क्र. वयू.सी. 88 वयू. भू. अ. सी. 88/34/64 आ. दि. 24.02.88 से कोला भूमि घोषित न्यायालय कलेक्टर (नजूल) गुना के प्रकरण क्र. 0031/अ-20(3)/2023-24 आ. दि. 6-06-2023 से 10.000 हे० भूमि वन विभाग को आवंटित |



Digitally signed by DS COMMISSIONER LAND RECORDS MADHYA PRADESH 1
 Date: 2024.02.28 17:47:31 IST
 Reason: Digital Extract of Land Record - Khasra Copy

FORM-1
(For linear projects)

Government of Madhya Pradesh
Office of the District Collector District Guna (M.P.)

No. 360.....

Dated: 22.2.2024

TO WHOMSOEVER IT MAY CONCERN

In compliance of the Ministry of Environment and Forest (MoEF), Government of India letter NO. 11-9/98-FC(pt.) dated 3rd August 2009 wherein the MoEF issued guidelines on submission of evidences for having initiated and completed the process of settlement of rights under the Scheduled Tribes and Other Traditional Forest Dwellers (Recognition of Forest Rights) Act. 2006 ('FRA', for short) on the forest land proposed to be diverted for non-forest purposes, it is certified that 4.0898 hectares of forest land proposed to be diverted in favour of MP Jal Nigam Guna for Pipe laying work under Rajghat Multi Village Scheme in Guna district falls within jurisdiction of following villages & Compartment no's in Raghogarh, Madhusudangarh & Aron Tehsil (Case no. 14689)


| S.N. | Compartment No. | Village | Total Area Required (Ha) |
|------|-----------------|---------------|--------------------------|
| 1. | P-168 | Gopalgarh | 0.0506 |
| 2. | P-168 | Seharkheda | 0.0221 |
| 3. | P-732 | Barkhedi | 0.0676 |
| 4. | P-736 | Barkhedi | 0.0578 |
| 5. | P-756 | Banjaripura | 0.0152 |
| 6. | P-157 | Thapna | 0.0063 |
| 7. | P-165 | Thapna | 0.0167 |
| 8. | P-720 | Barkhua | 0.0326 |
| 9. | P-729 | Thapna | 0.0387 |
| 10. | P-730 | Thapna | 0.0540 |
| 11. | P-731 | Thapna | 0.0340 |
| 12. | P-770 | Chandpura | 0.0337 |
| 13. | P-773 | Thuniyakundal | 0.0039 |
| 14. | P-787 | Gunjari | 0.0297 |
| 15. | P-156 | Sompur | 0.0522 |
| 16. | P-166 | Marothiya | 0.0480 |
| 17. | P-171 | Marothiya | 0.0151 |
| 18. | P-765 | Dongar | 0.0323 |
| 19. | P-743 | Ladaiya kheda | 0.5228 |
| 20. | P-747 | Pahadgarh | 0.2107 |
| 21. | P-762 | Jharpai | 0.2012 |
| 22. | P-739 | Kanthi | 0.2439 |
| 23. | P-739 | Laxmanpura | 0.0701 |
| 24. | P-740 | Laxmanpura | 0.0515 |
| 25. | P-782 | Choupna | 0.0611 |
| 26. | P-788 | Mau | 0.0457 |
| 27. | P-789 | Alampur | 0.0262 |
| 28. | P-767 | Chatarpura | 0.0026 |
| 29. | P-733 | Bhukani | 0.0178 |
| 30. | P-734 | Parsoliya | 0.0168 |
| 31. | P-735 | Bhukani | 0.0823 |

| | | | |
|--------------|-------|-----------------|---------------|
| 32. | P-735 | Parsoliya | 0.1216 |
| 33. | P-744 | Mudiyagarh | 0.1518 |
| 34. | P-745 | Mudiyagarh | 0.0982 |
| 35. | P-730 | Jaisalmer | 0.0166 |
| 36. | P-727 | Dilwarpur | 0.0165 |
| 37. | P-719 | Thikariya Kheda | 0.0761 |
| 38. | P-750 | Salota | 0.1836 |
| 39. | P-776 | Ukawad | 0.0056 |
| 40. | P-777 | Ukawad | 0.0152 |
| 41. | P-783 | Ukawad | 0.0272 |
| 42. | P-759 | Banjla | 0.6750 |
| 43. | P-757 | Ratanpur | 0.0808 |
| 44. | P-760 | Athaikheda | 0.0297 |
| 45. | P-765 | Jalalpur | 0.0253 |
| 46. | P-159 | Kolua | 0.0617 |
| 47. | P-160 | Kusman | 0.0289 |
| 48. | P-713 | Fathehpur | 0.3128 |
| Total | | | 4.0898 |

It is further certified that:

- (a) The complete process for identification and settlement of rights under the FRA has been carried out for the entire **4.0898** hectares of forest area proposed for diversion. A copy of records of all Consultations and meetings of the Forest Rights Committee(s), Gram Sabah(s), Sub Division Level Committee(s) and the District Level Committee are enclosed as annexure **1 to 3** annexure.
- (b) The diversion of forest land for facilities managed by the Government as required under section 3(2) of the FRA have been completed and the Gram Sabhas have given their consent to it.
- (c) The proposal does not involve recognized rights of Primitive Tribal Groups and Pre Agricultural Communities.

Encl: As above


(Amanbir Singh Bains)
 Collector
 District Guna (M.P.)



सत्यमेव जयते

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

परियोजना कार्यान्वयन ईकाई : डी-81, गोविन्दपुरी, सचिन तेन्दुलकर मार्ग, ग्वालियर (म. प्र.)-474011

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

Project Implementation Unit : D-81, Govindpuri, Sachin Tendulkar Marg, Gwalior (M.P.)-474011

फोन/Phone : 0751-2231485, ई-मेल/E-mail : gwalior@nhai.org; nhai@nhai.org; nhai@nhai.org



NHAI/PIU-GWL/NH-46/MPJNM/Rajghat/2023/9657

Date:30.01.2023

To,

The General Manager
MP Jal Nigam Maryadit ,PIU-Guna
House No. 59, ward No. 20
near Graphix Institute Patrakhar Colony, Dist-Guna
Email: mpjnmapiuguna@gmail.com



Sub: Proposal for laying of water pipeline along and across the NH-46 for Rajghat Multi Village Scheme (Guna and Ashoknagar) - Issuance of Working permission :Reg

Ref:

1. RO-Jabalpur letter no. 049 dated 06.08.2022
2. This office letter no. 7499 dated 17.08.2022
3. Gol, MoRTH Policy Guideline dated 22.11.2016

Sir,

Please refer Competent Authority's approval letter dated 06.08.2022 wherein the Permission for "laying of water pipeline along and across the NH-46 for Rajghat Multi Village Scheme (Guna and Ashoknagar)" has been accorded by Competent Authority under Section -38 of the Control of National Highways (Land and Traffic) Act, 2002 subject to the following:

1. The License fee of Rs.1,23,98,737/- for use of NH land as per MoRT&H Circular dated 22.11.2016 has been deposited by the applicant. As the policy for charges for utilization of NH land is under consideration for revision by NHAI. Thus, if the license fee/charges applicable for such permission is increased by NHAI in future, the same shall be payable by the applicant and no objection of the applicant and no objection in this regard will be considered.
2. Further BG for an amount of Rs. 85,70,250/- has been submitted by the Applicant as per circular for against restoration, maintenance work after laying of utilized. In case of receipt of direction of Competent Authority of NHAI regarding increase in the amount of BG, the same shall be submitted by the applicant and no objection in this regard shall be considered from Applicant.
3. The planning and execution of work shall be as per MoRT&H& IRC norms so that proposed laying of utility should meet the specification and guideline issued by IRC, as well as Ministry of Road Transport & Highway, Govt of India.
4. The proposed site shall be open for inspection of NHAI/ officials of Highway Administration and the instruction imparted by officials of NHAI/officials of Highway Administration has to be followed by the agency and the NHAI shall not be responsible for financial liability on this account.

(Signature)

5. The top of casing/conduit pipe containing the cables shall be least 1.20 meter below the top of subgrade or the existing ground level whichever is lower. The pipeline shall be mandatorily laid within the distance equal to dia of pipe from the edge of NH ROW and no deviation shall be permitted in laying the pipeline along the ROW. Removal of Encroachment if any shall be the responsibility of the applicant.
 6. The complete cost of utility laying and cost of shifting of utility (if any) has to be borne by the agency.
 7. Prior approval of the Highway authority shall be obtained before undertaking any work of installation, shifting or repairs, or alteration, to the utility lines located in the National Highway Right of way (ROW).
 8. Expenditure, if any incurred by the Highway Authority for repairing any damage caused to the National Highway by the laying, maintenance of shifting of the utility line will be borne by the agency owing the line.
 9. If the highway Authority consider it necessary in future to move the utility line for any work of improvement or repair to the road, it will be carried out as desired by the Highway Authority at the cost of the agency owing the utility line within a reasonable time (not exceeding 60 days) of the intimation given. Also, the road land shall be restored to its original condition by agency when required to do so by the Govt. of India or any person authorized on its behalf and agency shall not be entitled to any compensation on account of such removal or restoration.
 10. The road shall be kept in traffic worthy condition during construction/laying period. The traffic should continuously move safely and without hindrance during laying of utility lines.
 11. The permission would be valid for maximum for 5 years at a time, which can thereafter the considered for renewal shall be charged. Delay in deposition of renewal fee shall attract interest @ 15% per annum compound annually.
2. Highway Administrator has issued a notice no. 71 dated 27.08.2022 for damaging the avenue plants of Highway, hence, your working permission has not been issued due to non compliance of notice. Now, you have completed the plantation damaged by you and which is confirmed by the Concessionaire's letter no. 1977 dated 25.01.2023.
3. In light of the granted permission and considering the license Deed/Agreement signed on 30.01.2023 by exercising the power granted to Project Director, PIU-Gwalior, NHAI by the Govt. of India, Ministry of Road Transport and Highways order issued vide S.O. No. 3293 (E) Dt. 16.09.2019, the working permission is hereby granted for execution of work at site subjected to the conditions as mentioned above and it is also requested to ensure the following: -
- i. The performance Bank Guarantee no. 0999922BG0001272, submitted for an amount of Rs. 85,70,250/- has validity upto 30.09.2023. Accordingly, the suitable extension of the BG shall be submitted to this office, if the work programme for laying of pipeline extends beyond 30.09.2023.



- ii. The Methodology adopted for laying pipeline along and across the NH shall strictly be in accordance to the applicant's letter and as indicated in PIU letter and approval of Competent Authority dated 06.08.2022. Invariably the methodology shall conform to the MoRT&H Guideline dated 22.11.2016.
- iii. At all locations of crossroads, the laying shall be done through HDD and no dismantling of crossroad shall be allowed in any case, as these junctions has been developed by NHAI and thus any damage to the same shall not be allowed in any case. Further, in locations of bus lay bye/truck lay bye/bus shelters, the laying shall be done toward the extreme edge of ROW, and no damage shall be caused to these assets and no laying shall be done underneath the Bituminous Concrete. Further, during laying, it is possible that the access road of retail outlet may cause obstruction to the open trench laying. In such cases, the applicant shall be required to co-ordinate with concerned oil companies to allow laying.
- iv. No utility service shall be laid over existing culverts and bridges except through the utility ducts where such provision exists. In case of absence of such provisions, the Licensee shall make his own arrangement for crossing of cross drainage structure, rivers, etc. below the bed.
- v. No laying shall be allowed underneath the drain or service road of the NH in any case.
- vi. In case of crossing, the laying shall be done through HDD (trenchless technology) and the casing shall minimum, extend from drain to drain in cuts and toe of slope to toe of slope in the fills and shall be designed in accordance with the provision of IRC and executed following the Specifications of the Ministry. The pits for HDD, shall preferably be laid outside the NH ROW and in rare cases at the extreme edge of NH ROW.
- vii. Ensuring the safety of road users/public while laying the pipeline shall be the responsibility of the Applicant. Moreover, while laying of pipe line there shall be no hindrance to the Traffic Plying on NH and incident (if any) occurs during the execution of the work ,then the Agency owning to pipe line laying will be held responsible and actions as stipulated in Control of National Highways (Land and Traffic) Act 2002 shall be initiated against the applicant including but not limited to cancellation of Granted Permission/ termination of the License Agreement and encashment of Performance Bank guarantee.
- viii. No damage shall be caused to NH asset such as drain, embankment, carriageway or any road furniture on the NH for this proposed laying along/across the NH ROW.
- ix. For Each day, the extent of digging the trenches should be strictly regulated so that utility services is laid, and trenches filled up before the close of the work that day. Filling should be completed to the satisfaction of the Engineer of Project Highway Theme Engineering Services Pvt. Ltd. Guna for Guna-Biaora section of NH-46.
- x. Most importantly, the Applicant shall ensure that the plantation of NHAI in NH ROW (Bamboo Planted in Extreme Edge of NH ROW, and two more rows were planted at a distance of 3mtr and 6mtr from extreme edge of ROW respectively) should not be disturbed/damaged/removed in any case during laying of water pipeline. For any such incident during the execution of the work, the applicant shall be liable to pay damages @ Rs 2500/- Per plant and in case of failure of agency to deposit the same, it shall be recovered from the BG submitted by the applicant.
- xi. The bank guarantee is submitted as a security against (i) improper restoration of ground in terms of filling/unsatisfactory compaction (ii) damages caused to any asset of NHAI (inter alia including plantation) (iii) damage caused to any other underground installations/utility services & (iv) interference, interruption, disruption or failure caused



thereof to any services etc. The BG can be forfeited by the Authority in case the work is not carried out as per the conditions imposed by the Approving Authority, the conditions of working permission and executed licence deed for which the Licensee shall not have any right to make objections/claim in the matter.

- xii. In case of any damage caused to any asset if Authority (inter alia including plantation), the working permission shall be withdrawal till proper restoration to the satisfaction of Authority and in case of failure of applicant to ensure proper rectification, the amount shall be forfeited by the Authority from the Bank Guarantee submitted by the applicant for which the Licensee shall not have any right to make objections/claims.
- xiii. In case, the Performance Bank Guarantee is invoked as mentioned above, the Licensee shall be required to replenish and reinstate the required Performance Bank Guarantee within one month of such invoking failing which the permission may be cancelled by the Highway Administrator for which the Licensee shall neither be entitled to any claims, nor shall it be absolved from any liability already incurred.
- xiv. The Licensee shall be liable to pay full compensation to the Authority (as assessed by the Authority) for any damage sustained by the Authority by reason of the exercise of the RoW facility by the applicant.
- xv. The Licensee shall ensure the safety and security of already existing underground installations/utilities/ facilities etc. before commencement of the excavation/using the existing cable ducts and the Licensee shall procure insurance from a reputed insurance company against damages to already existing underground installations/utilities/facilities etc.
- xvi. The Licensee shall be solely responsible/ liable for full compensation/ indemnification of concerned agency / aggrieved Authority for any direct, indirect or consequential damage caused to them/claims or replacements sought for, at the cost and risk of the Licensee. The concerned agency in coordination with Authority shall also have a right make good such damages/ recover the claims by forfeiture of Bank Guarantee.
- xvii. In terms of clause-7 of MoRTH Guideline dated 22.11.2016, the utility services shall be made operational by the Licensee only after a completion certificate to the effect is issued by the Highway Administration that the utility services has been laid in accordance with the approved specifications and drawings and the trenches have been filled up to the satisfaction of the concerned agency in co-ordination with the Authority
- xviii. For the purpose of completion certificate, three copies of 'as laid drawings' of utilities (hard and soft copies) with geotagged photographs (@ every 100m interval and at each crossing) and geo-tagged video recordings (Date wise) of laying of cables in the trench (with respect to the NH) shall be submitted after complete restoration shall be submitted to the Authority for verification/record within a month of completion of works.
- xix. **The Bank Guarantee shall be returned only after issuance of completion certificate by the Highway Administration.**
- xx. The permission can be cancelled at any time by Authority for breach of any condition of the approval letter dated 06.08.2022 or licence agreement and the Licensee shall neither be entitled to any compensation for any loss caused to it by such cancellation not shall it be absolved from any liability already incurred.
- xxi. Ensure videography during the execution of the work and the same shall be compulsorily submitted to this office within 24 hrs. after completion of the work.




xxii. It is submitted that as per para 4 of the MoRTH Guideline dated 22.11.2016, the applicant is required to submit the various applicable statutory clearance from concerned Authorities. However, such details have not been submitted with the proposal. So, it shall be the sole responsibility of the applicant, to ensure clearance from all such statutory departments such as Forest Department, Water Resource Department etc as may be applicable.

This office finds it prudent to mention here that the un-authorized laying (if any, contrary to provisions of approval letter, working permission & license agreement) observed shall be considered as a violation of the "THE CONTROL OF NATIONAL HIGHWAYS (LAND AND TRAFFIC) ACT, 2002" and necessary legal proceeding may be initiated against erring officials/persons.

This is for your kind information and further necessary action please. It is requested to please intimate this office before taking up the work.

Encl: As Above.


30/11/2023
(R.C. Gupta)

Project Director/Highway Administrator
Project Implementation Unit -Gwalior

Copy to :-

1. The Commissioner, Gwalior- for kind information please.
2. The Chief Engineer, MoRTH, Bhopal - please find enclosed herewith copy of license fee (Rs. 12398737.00) submitted through Bharatkosh portal vide transaction no. 1410220015315 dt. 14.10.2022 for verification from record of RPAO please. (copy enclosed).
3. The Regional Officer, NHAI, RO-Jabalpur, for kind information please.
4. RE, M/s Theme Engineering Services Pvt. Ltd., Guna for kind information with the request to ensure laying as per approval and immediately intimate this office, if any deviations are observed on ground.
5. Concessionaire, M/s JDTL, for kind information with the request to ensure laying as per approval and immediately intimate this office, if any deviations are observed on ground.

कार्यालय महाप्रबंधक, म0प्र0ग्रामीण सड़क विकास प्राधिकरण
परियोजना क्रियान्वयन इकाई-1 गुना (म.प्र.) 473001

क्रं. 230 / मप्रग्रासविप्रा / तक. / 2022
प्रति

(Email ID- gmrrdaguna@rediffmail.com, Ph No. 07542-254735)

गुना, दिनांक 3/10/2022

महाप्रबंधक
म.प्र. जल निगम मर्यादित
पी.आई.यू. ग्वालियर,
खेडापति रोड फूलबाग, ग्वालियर (म.प्र.)

विषय: जल निगम अन्तर्गत पाईप लाइन (राजघाट डेम) विछाने हेतु मार्गों की क्रोसिंग के संबंध में।
संदर्भ: (1) आपका पत्र क्रमांक 993 / MPJNM/PIU/GWL/2021 ग्वालियर दिनांक 17.06.2021
(2) आपका पत्र क्र LTCD/RAJGHAT DAM-MVS/WET/RWS/SS/2021-22/31 Dt. 08-10-2021

उपरोक्त विषयान्तर्गत आपके संदर्भित पत्र के माध्यम से इकाई द्वारा निर्मित विभिन्न मार्गों पर पाईप लाइन डालने हेतु मार्गों की क्रोसिंग एवं कटिंग हेतु अनुमति चाही गई है। मार्गों की क्रोसिंग एवं कटिंग हेतु निम्न लिखित शर्तों की पूर्ति पर अनुमति दी जाती है :-

1. प्रस्तावित पाइप लाइन विछाने हेतु मार्गों पर कटिंग BT Edge से 1.50 मीटर छोड़कर की जावे जिससे भविष्य में मार्ग के चोड़ीकरण किये जाने पर पाईप लाइन डामरीकृत मार्ग के नीचे न दवे।
2. आबादी क्षेत्र में जगह उपलब्ध ना होने पर शोल्डर के नीचे पाइप लाइन डाली जा सकेगी, जिसका तत्काल संधारण / Restoration कार्य करना होगा।
3. जहाँ मार्ग को काँस किया जाना है। कार्य करने के उपरांत निर्मित मार्ग की मरम्मत कर मार्ग का स्वरूप निर्मित मार्ग के समरूप करना होगा। पुनः निर्मित कार्य PMGSY के लागू Specification अनुसार पूर्ण काटी गई लंबाई में पूर्ण करने होंगे।
4. मार्ग पर सार्वजनिक नल का च्याइंट न बनाया जावे। मार्ग के शोल्डर Edge से 1 मीटर दूरी पर ही प्लेट फार्म बनाकर जल निकासी हेतु नाली निर्माण करने क उपरांत ही बनाया जावे, जिससे किसी भी प्रकार की दुर्घटना अथवा मार्ग को क्षतिग्रस्त होने से बचाया जा सके।
5. मार्ग पर आवश्यक सुधार कार्य Restored ना करने पर प्रति क्रोसिंग 2.00 लाख रुपये एवं शोल्डर कटिंग हेतु प्रति कि.मी. मीटर 1.50 लाख रुपये मरम्मत कार्य की प्रतिभूति के रूप में कार्यालय में BG / FDR के रूप में जमा में से वसूली जायेगी।
6. लाइन विछाने के समय आवागमन में असुविधा न हो इसका विशेष ध्यान रखा जावे।

G:\Backup(Jun-09)\2011\Others\2019\general letter.docx

7. मार्ग पर कठिनाई कठिनाई एवं पाइप लाइन विघटन के दौरान होने वाली किसी भी दुर्घटना का सम्पूर्ण उत्तरदायित्व प्रापक होगा।
8. पाइप लाइन झूलने के पश्चात मरम्मत हेतु पुनः खुदाई की जाती है तो भी मार्ग के मरम्मत का निर्धारित मापदण्डों के अनुसार कराना होगा एवं अनुमति पुनः प्राप्त करना होगी।
9. अनुमति उपरांत कार्य प्रारंभ किये जाने की लिखित सूचना कार्यालय / प्रभारी सहायक प्रबंधक अथवा मासिक कार्य योजना से सूचित करना होगा।
10. कार्य पूर्ण हो जाने पर महाप्रबंधक अथवा मार्ग के सहायक प्रबंधक / उपयंत्री के साथ मार्ग का संयुक्त निरीक्षण, मरम्मत कार्य की गुणवत्ता का परीक्षण कराया जाना अनिवार्य होगा। मार्ग की स्थिति संतुष्टिपूर्ण होने पर प्रतिभूति राशि विमुक्त की जा सकेगी।

क्र. 23 / मप्रग्रासविप्रा / तक. / 2022
प्रतिलिपि-

1. कलेक्टर, जिला गुना की ओर सादर सूचनार्थ।

महाप्रबंधक
म.प्र. ग्रामीण सड़क विकास प्राधिकरण
परियोजना क्रियान्वयन इकाई गुना-1
गुना, दिनांक 31/01/2022

महाप्रबंधक
म.प्र. ग्रामीण सड़क विकास प्राधिकरण
परियोजना क्रियान्वयन इकाई गुना-1

कार्यालय महाप्रबंधक, म0प्र0 ग्रामीण सड़क विकास प्राधिकरण

परियोजना क्रियान्वयन इकाई गुना-2, पुराना कलेक्ट्रेट भवन गुना (म.प्र.) 473001

फोन नं. 07542-250330 E-Mail : gmrrdaguna2@rediffmail.com

क्रं 340 / मप्रग्रासविप्रा / तक. / 2022

गुना, दिनांक 25 / 03 / 2022

प्रति

महाप्रबंधक

म.प्र. जल निगम मर्यादित

पत्रकार कालोनी गुना (म.प्र.)

विषय:- जल निगम अन्तर्गत पाईप लाइन विछाने हेतु गावों की क्रॉसिंग के संबंध में।

संदर्भ:- (1) आपका पत्र क्रमांक 993 / MPJNM/PIU/GWL/2021 ग्वालियर दिनांक 17.06.2021

(2) आपका पत्र क्रमांक LTCD/RAJGHAT MVS/WET/RWS/SS/2021-22 /200 Dt. 06-12-2021

(3) मुख्य कार्यपालन अधिकारी, म.प्र. ग्रामीण सड़क विकास प्राधिकरण, भोपाल का पत्र क्रमांक

1340 / 22 / वि-12/QC/T-PG-309/RD/21 भोपाल दिनांक 19.01.2022


-----00-----

उपरोक्त विषयान्तर्गत आपके संदर्भित पत्र क्रमांक 1 एवं 2 के माध्यम से इकाई द्वारा निर्मित विभिन्न मार्गों पर पाईप लाइन डालने हेतु मार्गों की क्रॉसिंग एवं कटिंग हेतु अनुमति चाही गई थी। अतः निम्नानुसार उल्लेखित शर्तों के आधार पर आपको अनुमति प्रदान की जाती है। :-

1. पाईप लाइन कहीं पर भी रोड के Toe line के अंदर न डाली जाये। सभी पाईप लाईन रोड की Toe line से कम से कम 50 से.मी. छोड़कर डाली जावे तथा इसकी खुदाई की मिटटी रोड पर न डाली जावे।
2. जहां मार्ग को क्रॉस किया जाना है। कार्य करने के उपरांत निर्मित मार्ग की मरम्मत कर मार्ग का स्वरूप निर्मित मार्ग के समरूप करना है। पुनः निर्मित कार्य PMGSY के लागू Specification अनुसार पूर्ण काटी गई लंबाई में पूर्ण कराना होगा। मार्ग पर पाईप लाईन यथासम्भव HPC अथवा Slab culvert की ओपनिंग में से की जावे जिससे अनावश्यक मार्ग को क्षतिग्रस्त होने से बचाया जा सके।
3. आवादी क्षेत्र में जगह उपलब्ध ना होने पर शोल्डर को छोड़कर नीचे पाईप लाईन डाली जा सकेगी, जिसका तत्काल संधारण/Restoration कार्य करना होगा। यह कार्य संयुक्त निरीक्षण उपरांत ही किया जावे।
4. मार्ग पर सार्वजनिक नल का प्वाइंट न बनाया जावे। मार्ग की Toe Line से 1.50 मीटर दूरी पर ही प्लेट फार्म बनाकर जल निकासी हेतु नाली निर्माण करने के उपरांत ही बनाया जावे, जिससे किसी भी प्रकार की दुर्घटना अथवा मार्ग को क्षतिग्रस्त होने से बचाया जा सके।
5. मार्ग पर आवश्यक सुधार कार्य Restored ना करने पर प्रति क्रॉसिंग 2.00 लाख रुपये एवं शोल्डर कटिंग हेतु प्रति कि.मी. मीटर 1.50 लाख रुपये मरम्मत कार्य की प्रतिभूति के रूप में कार्यालय में BG No.-2103810IBGP00462 के रूप में जमा राशि में से वसूली जायेगी।
6. लाईन विछाने के समय आवागमन में असुविधा न हो इसका विशेष ध्यान रखा जावे।
7. मार्ग पर क्रॉसिंग/कटिंग एवं पाईप लाईन विछाने के दौरान होने वाली किसी भी प्रकार की दुर्घटना का सम्पूर्ण उत्तरदायित्व आपका होगा।
8. पाईप लाईन डालने के पश्चात मरम्मत हेतु पुनः खुदाई की जाती है तो भी मार्ग के मरम्मत का कार्य निर्धारित मापदण्डों के अनुसार कराना होगा एवं अनुमति पुनः प्राप्त करना होगी।
9. अनुमति उपरांत कार्य प्रारम्भ किये जाने की लिखित सूचना कार्यालय/प्रभारी सहायक प्रबंधक को अथवा मासिक कार्य योजना से सूचित करना होगा।
10. कार्य पूर्ण हो जाने पर महाप्रबंधक अथवा मार्ग के सहायक प्रबंधक/उपयंत्री के साथ मार्ग का संयुक्त निरीक्षण कर, मरम्मत कार्य की गुणवत्ता का परीक्षण कराया जाना अनिवार्य होगा। मार्ग की स्थिति संतुष्टिपूर्ण होने पर प्रतिभूति राशि विमुक्त की जा सकेगी।

11. आपके द्वारा पूर्व में सड़क पर बार-बार मना करने के बाद भी जां भी लाइन बछाई गई है मांग के घोडाकरण के समय आपको उन्हें अपने स्वयं के व्यय से हटाना होगा तथा मार्ग के संधारण के समय रोलर आदि के Vibration अथवा किसी अन्य कारण से आपके द्वारा विछाई गई लाइन क्षतिग्रस्त होती है तो इसकी भी पूर्ण जवाबदारी आपकी होगी तथा आपको संधारण का कार्य स्वयं के व्यय पर कराना होगा। शोल्डर पर जो पाईप लाईन डाली गयी है उसका संधारण भी अभी तक ठीक से नहीं किया है इस हेतु मार्ग के शोल्डर पर 15-15 से.मी. की मोटाई की लेयर में 12 CBR का मटेरियल डालकर लेयर वाईज Vibratory Roller से कम्पेक्शन कराये।
12. माननीय राज्यमंत्री महादेय लोकरवारथ्य यांत्रिकी विभाग तथा कलेक्टर महोदय, अशोकनगर द्वारा दिनांक 21.01.2022 को कलेक्टर सभागार में आयोजित समीक्षा बैठक में दिये गये निर्देशानुसार किसी भी स्थिति में पाईप लाईन विछाने का कार्य जलनिगम एवं लोक स्वास्थ्य यांत्रिकी विभाग द्वारा मार्ग के शोल्डर अथवा किसी भी भाग पर नहीं किया जाना है। पाईप लाईन Toe लाइन के बाहर ही डाली जाएगी।
13. प्रत्येक चलदेयक से सुरक्षा निधि के रूप में अग्रिम कटौती किया जाये एवं काटी गई राशि को संयुक्त निरीक्षण उपरांत NOC प्राप्त होने के उपरांत ही विमुक्त की जावेगी।
14. उपरोक्तानुसार सभी शर्तों का पालन किया जाना सुनिश्चित करेंगे यदि संविदाकार उपरोक्त किसी भी शर्त का उल्लंघन करता है तो उस परिस्थिति में दी गई अनुमति स्वतः निरस्त मानी जावेगी।
15. कार्य प्रारम्भ करने के पूर्व विभाग को समय पर सूचित करना जल निगम एवं संविदाकार की जवाबदारी होगी यदि संविदाकार द्वारा कार्य किसी स्थानीय या अन्य एंजेसी द्वारा कराया जाता है उस स्थिति में पूर्ण जानकारी विभाग को देना होगी एवं समय-समय पर संयुक्त निरीक्षण भी किया जावेगा तथा पूर्व में जारी अनुमति पत्र निरस्त समझा जावे।
16. आपके द्वारा पूर्व में वगैर अनुमति अथवा अनुमति का उल्लंघन कर डाली गई पाईप लाइन जो कि Carriage Way Width के Toe पर है उसे निकालकर शोल्डर के Toe पर डाली जावे।

उपरोक्त शर्तों अनुसार ही योजनान्तर्गत मार्गों पर कार्य कराया जावे अन्यथा की स्थिति में अनुमति स्वतः निरस्त मानी जावेगी।


महाप्रबंधक


म.प्र. ग्रामीण सड़क विकास प्राधिकरण
परियोजना क्रियान्वयन इकाई गुना-2

गुना, दिनांक 25/03/2022

पृ.क्र. 34.1- /मप्रग्रासविप्रा/तक./2022

प्रतिलिपि-

कलेक्टर महोदय, जिला गुना की ओर सादर सूचनाार्थ।


महाप्रबंधक

म.प्र. ग्रामीण सड़क विकास प्राधिकरण
परियोजना क्रियान्वयन इकाई गुना-2



M.P. Road Development Corporation Ltd.

(M.P. State Highway Authority)

(Govt. of M.P. Undertaking)

45-A, Arca Hills, Bhopal-462011

☎ : 0755-2597290 / 2765205 ☎ax : 0755-2572643, Website : mprdc.gov.in

CIN : U45203MP2004SGC016758

No. 4652 /MPRDC/DM BPL/Permission/2023 Bhopal, Dated 8/./09/2023

To,

✓ The General Manager,
M.P. Jal Nigam Maryadit..
PIU, Guna (M.P.)

Sub : Permission for laying pipeline along SH-10 from Ch. 2.210 to 45919.21 i.e. in a length of 45.917 Km alongwith 22 road crossings, at Ch. 2/109, Ch. 3/334, Ch. 4/562, Ch. 7/011, Ch. 8/557, Ch. 8/589, Ch. 11/373, Ch. 13/136, Ch. 13/136, Ch. 13/332, Ch. 13/411, Ch. 13/480, Ch. 16/234, Ch. 16/741, Ch. 17/981, Ch. 18/336, Ch. 19/236, Ch. 23/755, Ch. 25/433, Ch. 26/679, Ch. 33/426 and Ch. 33/720. (APMS No. 3200)


Ref : Chief General Manager (Admin) Letter No. 8228/312/OTH/APMS2022/3200 /MPRDC/2023 Bhopal dated 04.09.2023.

In reference to the above mentioned subject in principle approval is hereby accorded and permission to General Manager, M.P. Jal Nigam Maryadit, PIU Guna for laying pipeline along SH-10 from Ch. 2.210 to 45919.21 i.e. in a length of 45.917 Km alongwith 22 road crossings, at Ch. 2/109, Ch. 3/334, Ch. 4/562, Ch. 7/011, Ch. 8/557, Ch. 8/589, Ch. 11/373, Ch. 13/136, Ch. 13/136, Ch. 13/332, Ch. 13/411, Ch. 13/480, Ch. 16/234, Ch. 16/741, Ch. 17/981, Ch. 18/336, Ch. 19/236, Ch. 23/755, Ch. 25/433, Ch. 26/679, Ch. 33/426 and Ch. 33/720, subject to the fulfillment of following conditions:-

1. Submission of X-Section at each crossing the road by HDD method showing depth of ground level and drilling level below road top level.
2. The execution of work will be done as per MoRT&H guidelines and to the satisfaction of DM, MPRDC.
3. The work shall be carried strictly in accordance with the provision of the estimate.
4. Strict adherence to the safety requirements of IRC:SP-55 "Guidelines on Safety in road construction Zone" shall be ensured.
5. The execution of work will be done in accordance with the specification of Concession Agreement and no diversion will be constructed.
6. General Manager, M.P. Jal Nigam Maryadit, PIU Guna, shall maintain the traffic for smooth movement.
7. The laying of Underground sewerage pipeline shall be strictly as per the MoRT&H circular dated 22.11.2016 and as per the details indicated in the approved drawing. No change in the approved alignment of Underground sewerage pipeline will be entertained. Any deviation will result in automatic cancellation of the permission/approval.
8. It shall be ensure that no cross drainage structure/Bridge shall be used to convey Underground water supply/Sewerage pipeline. Further, under no circumstances, the pipe line digging is permitted within carriageway.
9. All safety measures will be followed by General Manager, M.P. Jal Nigam Maryadit, PIU Guna.
10. All construction work shall be done under supervision of Divisional Manager, MPRDC. Divisional Manager will issue a completion certificate after completion of the work to the satisfaction of MPRDC.
11. The General Manager, M.P. Jal Nigam Maryadit, PIU Guna shall get the approval of drawings and specification from Divisional Manager, MPRDC for execution and should submit "As built drawing" after the completion work, within 30 days from date of actual completion of work at site.

12. The General Manager, M.P. Jal Nigam Maryadit, PIU Guna shall bear all costs related to construction, maintenance and other ancillary expenditure.
13. The road section to be made after completion of work should be in accordance to drawing and to the satisfaction of Divisional Manager, MPRDC. Work is to be carried out between sunrise and sunset.
14. As per IRC 98-2011 sewer lines or water supply lines should be laid at edge of ROW.
15. The Guidelines mentioned in the IRC: 98-2011 should be strictly adhered during execution.
16. The General Manager, M.P. Jal Nigam Maryadit, PIU Guna, shall shift the pipeline within given time period, from the date of issue of the notice by the MPRDC to shift/relocate the pipeline, in case it is so required for the purpose of improvement/widening of the road/route/highway or construction of flyover/ bridge and restore the road/ land to its original condition as his own cost and risk.
17. Under no circumstances, the already laid underground utility (if any) shall be harmed or interrupted due to laying of proposed pipeline. In case, if any damage is caused to any previously laid utility service's, then the Project Manager, M.P. Urban Development Company Ltd., PIU, Gwalior will indemnify MPRDC against any such claim of concerned Agency.
18. To execute the Agreement as per MoRT&H circular dated 22.11.2016 before allowing to start the work.
19. It shall be ensured that before starting the excavation work, the details shall be entered on the CBud app.
20. The permission shall stand withdrawn automatically in the event of breach of any of the above mentioned conditions are not followed at site.

The Bank Guarantee submitted by General Manager, M.P. Jal Nigam Maryadit, PIU Guna, is valid up to 31.05.2024. If the work is not completed in time work can further be allowed on extended Bank Guarantee validity period or stipulated time as per terms of Agreement and this letter, this office may be informed one month in advance, so that necessary action may be initiated. The applicant may be allowed to undertake the remaining work only after receiving permission from this office as well as the extension of Bank Guarantee.



Divisional Manager
MPRDC, Bhopal

Bhopal, Dated/09/2023

Endt.No./MPRDC/DM BPL/Permission/2023

Copy to :-

1. PA to MD, MPRDC, Bhopal for information please.
2. Chief General Manager, MPRDC Bhopal for information please.
3. Shri S.K. Gautam, AGM, MPRDC, Division Bhopal for information and necessary action. Please make it sure that if the work is not completed within time period as per terms of agreement this office may be, informed on month in advance, so that further action may be initiated. The applicant may be allowed to undertaking the remaining work only after giving permission from this office as well as the extension of time.


Divisional Manager
MPRDC, Bhopal



M.P. Road Development Corporation Ltd.

(M.P. State Highway Authority)

(Govt. of M.P. Undertaking)

45-A, Arera Hills, Bhopal-462011

☎ : 0755-2597290 / 2765205 Fax : 0755-2572643, Website : mprdc.gov.in

CIN : U45203MP2004SGC016758



No. ⁴⁴⁵⁷...../311/OTH/APMS2023/3926/MPRDC/2023
Bhopal dated 23/06/2023

To,

Divisional Manager,
M.P Road Development. Cor. Ltd.,
Bhopal-2.

Sub: Regarding permission for laying pipeline along Maksudangarh to Berasia road from Ch.0.000 to Ch.18.310 alongwith 12 road crossings, at Ch.1/740, Ch.4/166, Ch.4/535, Ch.7/925, Ch.8/100, Ch.11/464, Ch.12/973, Ch.13/816, Ch.15/006, Ch.16/236, Ch.16/939 and Ch.17/650.

Ref: APMS Application No.APMS2023/3926.


In reference to the above mentioned subject in principle approval is hereby accorded and you are hereby authorized to issue the permission to General Manager, M.P Jal Nigam Maryadit, PIU Guna, regarding permission for laying pipeline along Maksudangarh to Berasia road from Ch.0.000 to Ch.18.310 alongwith 12 road crossings, at Ch.1/740, Ch.4/166, Ch.4/535, Ch.7/925, Ch.8/100, Ch.11/464, Ch.12/973, Ch.13/816, Ch.15/006, Ch.16/236, Ch.16/939 and Ch.17/650, subject to the fulfillment of following conditions:-

1. Submission of X-Section at each crossing for crossing the road by HDD method showing depth of ground level and drilling level below road top level.
2. The execution of work will be done as per MoRT& H guidelines and to the satisfaction of Divisional Manager, MPRDC.
3. The work shall be carried strictly in accordance with the provisions of the estimate.
4. Strict adherence to the safety requirements of IRC: SP-55 "Guidelines on Safety in road construction Zone" shall be ensured.
5. The execution of work will be done in accordance with the specification of Concession agreement and no diversion will be constructed.
6. General Manager, M.P Jal Nigam Maryadit, PIU Guna, shall maintain the traffic for smooth movement.
7. The laying of Underground pipeline shall be strictly as per the MORTH Circular dated 22.11.2016 and as per the details indicated in the approved drawing. No change in the approved alignment of Underground pipeline will be entertained. Any deviation will result in automatic cancellation of the permission/approval.
8. It shall be ensured that no cross drainage Structure/Bridge shall be used to convey Underground water supply/Sewerage pipeline. Further, under no circumstances, the pipe line shall be allowed beneath existing carriageway except for road crossing permitted and no digging is permitted within carriageway.
9. All safety measures will be followed by General Manager, M.P Jal Nigam Maryadit, PIU Guna.
10. All construction work shall be done under supervision of Divisional Manager, MPRDC. Divisional Manager will issue a completion certificate after completion of the work to the satisfaction of MPRDC.
11. General Manager, M.P Jal Nigam Maryadit, PIU Guna, shall get the approval of drawings and specification from Divisional Manager MPRDC for execution and should submit "As built drawing" after the completion work, within 30 days from date of actual completion of work at site.

Contd....2

12. General Manager, M.P Jal Nigam Maryadit, PIU Guna, shall bear all costs related to construction, maintenance and other ancillary expenditure.
13. The road section to be made after completion of work should be in accordance to drawing and to the satisfaction of Divisional Manager, MPRDC. Work is to be carried out between sunrise and sunset.
14. As per IRC 98-2011 sewer lines or water supply lines should be laid at edge of ROW.
15. The Guidelines mentioned in the IRC: 98-2011 should be strictly adhered during execution.
16. General Manager, M.P Jal Nigam Maryadit, PIU Guna, shall shift the pipeline within given time period from the date of issue of the notice by the MPRDC to shift/ relocate the pipeline, in case it is so required for the purpose of improvement/ widening of the road/ route/ highway or construction of flyover/ bridge and restore the road/ land to its original condition at his own cost and risk.
17. Under no circumstances, the already laid Underground Utility (if any) shall be harmed or interrupted due to laying of proposed pipeline. In case, if any damage is caused to any previously laid utility service/s, then the General Manager, M.P Jal Nigam Maryadit, PIU Guna will indemnify MPRDC against any such claim of concerned Agency.
18. You are also required to execute the Agreement as per MORT&H circular dated 22.11.2016 before allowing the Applicant to start the work.
19. The permission shall stand withdrawn automatically in the event of breach of any of the above mentioned conditions are not followed at site.

The Bank Guarantee submitted by General Manager, M.P Jal Nigam Maryadit, PIU Guna is valid up to 31.01.2024. Please make it sure that if the work is not completed within Bank Guarantee Validity period or stipulated time as per terms of Agreement and this letter, this office may be, informed one month in advance, so that necessary action may be initiated. The applicant may be allowed to undertake the remaining work only after receiving permission from this office as well as the extension of Bank Guarantee. Please also ensure before signing agreement that all fee & Charges as per new guide lines are received & B.G. submitted by the General Manager, M.P Jal Nigam Maryadit, PIU Guna.




(Pradeep Jain)

Chief General Manager (Admin)
MPRDC, Bhopal
Bhopal, Dated 23/06/2023

Endt No. **4458**/311/OTII/APMS2023/3926/MPRDC/2023

Copy forwarded to-

1. PA to Managing Director, MPRDC, Bhopal for information please.
2. General Manager, M.P Jal Nigam Maryadit, PIU Guna- for information.



Chief General Manager (Admin)
MPRDC, Bhopal



M.P. Road Development Corporation Ltd.

CIN : U45203MP2004SGC016758

(M.P. State Highway Authority)

(Govt. of M.P. Undertaking)

45-A, Arera Hills, Bhopal-462011

☎ : 0755-2597290 / 2765205 Fax : 0755-2572643, Website : mprdc.gov.in

No. ¹³⁴³.../297/OTH/APMS2021/2996/MPRDC/2022
Bhopal dated 27/09/2022

To,

Divisional Manager,
M.P Road Development. Cor. Ltd.,
Gwalior.

Sub: Regarding permission for laying pipeline along SH-04 from Ch. 31+050 to Ch. 69+600, i.e. total length 38.550 Km. alongwith 10 road crossings (1st in b/w Ch.36/4 and Ch.36/6, 2nd in b/w Ch.38/2 to Ch.38/6, 3rd in b/w Ch.47/6 and Ch.48, 4th in b/w Ch.48/6 to Ch.49, 5th in b/w Ch.50 and Ch.50/4, 6th in b/w Ch.52/2 and Ch.52/4, 7th in b/w Ch.53 and Ch.53/4, 8th in b/w Ch.55/4 and Ch.55/6, 9th in b/w Ch.62/2 and Ch.62/5, and 10th in b/w Ch.68/2 and Ch.68/6).

Ref: APMS Application No.APMS2021/2996, dated 19.10.2021.


In reference to the above mentioned subject in principle approval is hereby accorded and you are hereby authorized to issue the permission to General Manager, M.P Jal Nigam Maryadit, PIU Guna, regarding permission for laying pipeline along SH-04 from Ch. 31+050 to Ch. 69+600, i.e. total length 38.550 Km. alongwith 10 road crossings (1st in b/w Ch.36/4 and Ch.36/6, 2nd in b/w Ch.38/2 to Ch.38/6, 3rd in b/w Ch.47/6 and Ch.48, 4th in b/w Ch.48/6 to Ch.49, 5th in b/w Ch.50 and Ch.50/4, 6th in b/w Ch.52/2 and Ch.52/4, 7th in b/w Ch.53 and Ch.53/4, 8th in b/w Ch.55/4 and Ch.55/6, 9th in b/w Ch.62/2 and Ch.62/5, and 10th in b/w Ch.68/2 and Ch.68/6), subject to the fulfillment of following conditions:-

1. Submission of X-Section at each crossing for crossing the road by HDD method showing depth of ground level and drilling level below road top level.
2. The execution of work will be done as per MoRT& H guidelines and to the satisfaction of Divisional Manager, MPRDC.
3. The work shall be carried strictly in accordance with the provisions of the estimate.
4. Strict adherence to the safety requirements of IRC: SP-55 "Guidelines on Safety in road construction Zone" shall be ensured.
5. The execution of work will be done in accordance with the specification of Concession agreement and no diversion will be constructed.
6. General Manager, M.P Jal Nigam Maryadit, PIU Guna, shall maintain the traffic for smooth movement.
7. The laying of Underground pipeline shall be strictly as per the MORTH Circular dated 22.11.2016 and as per the details indicated in the approved drawing. No change in the approved alignment of Underground pipeline will be entertained. Any deviation will result in automatic cancellation of the permission/approval.
8. It shall be ensured that no cross drainage Structure/Bridge shall be used to convey Underground water supply/Sewerage pipeline. Further, under no circumstances, the pipe line shall be allowed beneath existing carriageway except for road crossing permitted and no digging is permitted within carriageway.
9. All safety measures will be followed by General Manager, M.P Jal Nigam Maryadit, PIU Guna.
10. All construction work shall be done under supervision of Divisional Manager, MPRDC. Divisional Manager will issue a completion certificate after completion of the work to the satisfaction of MPRDC.

Contd....2

11. General Manager, M.P Jal Nigam Maryadit, PIU Guna, shall get the approval of drawings and specification from Divisional Manager MPRDC for execution and should submit "As built drawing" after the completion work, within 30 days from date of actual completion of work at site.
12. General Manager, M.P Jal Nigam Maryadit, PIU Guna, shall bear all costs related to construction, maintenance and other ancillary expenditure.
13. The road section to be made after completion of work should be in accordance to drawing and to the satisfaction of Divisional Manager, MPRDC. Work is to be carried out between sunrise and sunset.
14. As per IRC 98-2011 sewer lines or water supply lines should be laid at edge of ROW.
15. The Guidelines mentioned in the IRC: 98-2011 should be strictly adhered during execution.
16. General Manager, M.P Jal Nigam Maryadit, PIU Guna, shall shift the pipeline within given time period from the date of issue of the notice by the MPRDC to shift/ relocate the pipeline, in case it is so required for the purpose of improvement/ widening of the road/ route/ highway or construction of flyover/ bridge and restore the road/ land to its original condition at his own cost and risk.
17. Under no circumstances, the already laid Underground Utility (if any) shall be harmed or interrupted due to laying of proposed pipeline. In case, if any damage is caused to any previously laid utility service/s, then the General Manager, M.P Jal Nigam Maryadit, PIU Guna will indemnify MPRDC against any such claim of concerned Agency.
18. You are also required to execute the Agreement as per MORT&H circular dated 22.11.2016 before allowing the Applicant to start the work.
19. The permission shall stand withdrawn automatically in the event of breach of any of the above mentioned conditions are not followed at site.

The Bank Guarantee submitted by General Manager, M.P Jal Nigam Maryadit, PIU Guna is valid up to 31.07.2023. Please make it sure that if the work is not completed within Bank Guarantee Validity period or stipulated time as per terms of Agreement and this letter, this office may be, informed one month in advance, so that necessary action may be initiated. The applicant may be allowed to undertake the remaining work only after receiving permission from this office as well as the extension of Bank Guarantee. Please also ensure before signing agreement that all fee & Charges as per new guide lines are received & B.G. submitted by the General Manager, M.P Jal Nigam Maryadit, PIU Guna.



27/9/22

(Pradeep Jain)
Chief General Manager (Admin)
MPRDC, Bhopal
Bhopal, Dated 27/09/2022

Endt No. 11344/297/OTH/APMS2021/2996/MPRDC/2022

Copy forwarded to-

1. PA to Managing Director, MPRDC, Bhopal for information please.
2. General Manager, M.P Jal Nigam Maryadit, PIU Guna- for information


27/9/22

Chief General Manager (Admin)
MPRDC, Bhopal



CIN : U45203MP2004SGC016758
MADHYA PRADESH ROAD DEVELOPMENT CORPORATION LIMITED

(Govt. of M.P. Undertaking)

OFFICE OF THE DIVISIONAL MANAGER M.P.R.D.C. LTD. GWALIOR

Office Campus of Chief Engineer P.W.D., Thatipur, Gwalior (M.P.)

Web site: www.mprdc.nic.in,

E-mail: dmmprdcgw1@gmail.com

Phone: 07514728185

No. 1433 /MPRDC/2022/

Gwalior. Date 02/11/22

To,

General Manager
M.P. Jal Nigam Maryadit
PIU. Guna (M.P)

Sub:- Regarding Permission for laying pipe line along MP-MDR-08-11 AshokNagar-Vidisha Road .

Ref:- 1. CGM Letter No.10160/298/OTH/APMS 2021/2997/MPRDC/2022 Bhopal Dated 06.09.2022.
2. APMS Reference No. APMS2021/2997.

.....000.....

With reference to the above, in-principal approval has been granted with certain conditions to lay water pipe line along MP-MDR-08-11 AshokNagar-Vidisha Road vide CGM Letter no. 10160/298/OTH/APMS 2021/2997/MPRDC/2022 Bhopal Dated 06.09.2022.

(Copy of above reference letter is enclosed).

You are requested to go through the above letter and ensure the compliance of the conditions given in the permission letter.


This is in favour of your kind information and necessary action please.


Encl:- As above.

Endt. No. /MPRDC/2022

Copy to.

1. Chief General Manager (Admin) MPRDC Bhopal for information please.
2. Shri Deepak Namdev, Manager MPRDC, Guna for information and necessary action.


Divisional Manager
MPRDC Gwalior
Gwalior, Date.....


Divisional Manager
MPRDC Gwalior

No. L.O./60/298/OTH/APMS2021/2997/MPRDC/2022
Bhopal dated 06/09/2022

To,

Divisional Manager,
M.P Road Development, Cor. Ltd.,
Gwalior.

Sub: Regarding permission for laying pipeline along MP-MDR-08-11 from Ch. 4/2 to Ch. 10/4, Ch.31/2 to Ch.33/2 and Ch.33/4 to Ch.36/4, i.e. total length 11.200 Km alongwith 05 road crossings (1st in b/w Ch.5/0 and Ch.5/2, 2nd in b/w Ch.8/8 to Ch.9/2, 3rd in b/w Ch.16/4 to Ch.16/8, 4th in b/w Ch.33/0 and Ch.33/2 and 5th in b/w Ch.33/4 and Ch.33/6).

Ref: APMS Application No.APMS2021/2997, dated 19.10.2021.

In reference to the above mentioned subject in principle approval is hereby accorded and you are hereby authorized to issue the permission to General Manager, M.P Jal Nigam Maryadit, PIU Guna, regarding permission for laying pipeline along MP-MDR-08-11 from Ch. 4/2 to Ch. 10/4, Ch.31/2 to Ch.33/2 and Ch.33/4 to Ch.36/4, i.e. total length 11.200 Km alongwith 05 road crossings (1st in b/w Ch.5/0 and Ch.5/2, 2nd in b/w Ch.8/8 to Ch.9/2, 3rd in b/w Ch.16/4 to Ch.16/8, 4th in b/w Ch.33/0 and Ch.33/2 and 5th in b/w Ch.33/4 and Ch.33/6), subject to the fulfillment of following conditions:-

1. Submission of X-Section at each crossing for crossing the road by HDD method showing depth of ground level and drilling level below road top level.
2. The execution of work will be done as per MoRT& H guidelines and to the satisfaction of Divisional Manager, MPRDC.
3. The work shall be carried strictly in accordance with the provisions of the estimate.
4. Strict adherence to the safety requirements of IRC: SP-55 "Guidelines on Safety in road construction Zone" shall be ensured.
5. The execution of work will be done in accordance with the specification of Concession agreement and no diversion will be constructed.
6. General Manager, M.P Jal Nigam Maryadit, PIU Guna, shall maintain the traffic for smooth movement.
7. The laying of Underground pipeline shall be strictly as per the MORTH Circular dated 22.11.2016 and as per the details indicated in the approved drawing. No change in the approved alignment of Underground pipeline will be entertained. Any deviation will result in automatic cancellation of the permission/approval.
8. It shall be ensured that no cross drainage Structure/Bridge shall be used to convey Underground water supply/Sewerage pipeline. Further, under no circumstances, the pipe line shall be allowed beneath existing carriageway except for road crossing permitted and no digging is permitted within carriageway.
9. All safety measures will be followed by General Manager, M.P Jal Nigam Maryadit, PIU Guna.
10. All construction work shall be done under supervision of Divisional Manager, MPRDC. Divisional Manager will issue a completion certificate after completion of the work to the satisfaction of MPRDC.

1. General Manager, M.P Jal Nigam Maryadit, PIU Guna, shall get the approval of drawings and specification from Divisional Manager MPRDC for execution and should submit "As built drawing" after the completion work, within 30 days from date of actual completion of work at site.
12. General Manager, M.P Jal Nigam Maryadit, PIU Guna, shall bear all costs related to construction, maintenance and other ancillary expenditure.
13. The road section to be made after completion of work should be in accordance to drawing and to the satisfaction of Divisional Manager, MPRDC. Work is to be carried out between sunrise and sunset.
14. As per IRC 98-2011 sewer lines or water supply lines should be laid at edge of ROW.
15. The Guidelines mentioned in the IRC: 98-2011 should be strictly adhered during execution.
16. General Manager, M.P Jal Nigam Maryadit, PIU Guna, shall shift the pipeline within given time period from the date of issue of the notice by the MPRDC to shift/ relocate the pipeline, in case it is so required for the purpose of improvement/ widening of the road/ route/ highway or construction of flyover/ bridge and restore the road/ land to its original condition at his own cost and risk.
17. Under no circumstances, the already laid Underground Utility (if any) shall be harmed or interrupted due to laying of proposed pipeline. In case, if any damage is caused to any previously laid utility service/s, then the General Manager, M.P Jal Nigam Maryadit, PIU Guna will indemnify MPRDC against any such claim of concerned Agency.
18. You are also required to execute the Agreement as per MORT&H circular dated 22.11.2016 before allowing the Applicant to start the work.
19. The permission shall stand withdrawn automatically in the event of breach of any of the above mentioned conditions are not followed at site.

The Bank Guarantee submitted by General Manager, M.P Jal Nigam Maryadit, PIU Guna is valid up to 31.07.2023. Please make it sure that if the work is not completed within Bank Guarantee Validity period or stipulated time as per terms of Agreement and this letter, this office may be, informed one month in advance, so that necessary action may be initiated. The applicant may be allowed to undertake the remaining work only after receiving permission from this office as well as the extension of Bank Guarantee. Please also ensure before signing agreement that all fee & Charges as per new guide lines are received & B.G. submitted by the General Manager, M.P Jal Nigam Maryadit, PIU Guna.



6/9/22
(Pradeep Jain)

Chief General Manager (Admin)
MPRDC, Bhopal
Bhopal, Dated 06/09/2022

Endt No. 10160/298/OTH/APMS2021/2997/MPRDC/2022

Copy forwarded to-

1. PA to Managing Director, MPRDC, Bhopal for information please.
2. General Manager, M.P Jal Nigam Maryadit, PIU Guna- for information


6/9/22
Chief General Manager (Admin)
MPRDC, Bhopal



CIN : U45203MP2004SGC016758

M.P. Road Development Corporation Ltd.

(M.P. State Highway Authority)

(Govt. of M.P. Undertaking)

45-A, Arera Hills, Bhopal-462011

☎ : 0755-2597290 / 2765205 Fax : 0755-2572643, Website : mprdc.gov.in

No. 1332/299/OTH/APMS2022/3201/MPRDC/2022
Bhopal dated 27/09/2022

To,

Divisional Manager,
M.P Road Development. Cor. Ltd.,
Gwalior.

Sub: Regarding permission for laying pipeline along SH-18 along Maksudangarh to Janjali road from Ch. 0+000 to Ch. 37+600 and along Manoharthana to Khatakiya road from Ch.23+600 to Ch.30+500, Ch.34+500 to Ch.44+700 and from Ch.51+800 to Ch.60+300 i.e. total length 63.2 Km. alongwith 29 road crossings at Ch.1+900, Ch.3+600, Ch.4+800, Ch.7+100, Ch.8+900, Ch.11+300, Ch.12+100, Ch.14+300, Ch.18+200, Ch.20+700, Ch.23+600, Ch.24+100 (02 no. crossing), Ch.24+400, Ch.25+700, Ch.28+300, Ch.29+800, Ch.30+400, Ch.33+800, Ch.34+000, Ch.37+300, Ch.37+400, Ch.37+500, Ch.39+600, Ch.42+600, Ch.42+900, Ch.44+600, Ch.53+800 and Ch.59+200.

Ref: APMS Application No.APMS2022/3201, dated 05.02.2022.

In reference to the above mentioned subject in principle approval is hereby accorded and you are hereby authorized to issue the permission to General Manager, M.P Jal Nigam Maryadit, PIU Guna, regarding permission for laying pipeline along SH-18 along Maksudangarh to Janjali road from Ch. 0+000 to Ch. 37+600 and along Manoharthana to Khatakiya road from Ch.23+600 to Ch.30+500, Ch.34+500 to Ch.44+700 and from Ch.51+800 to Ch.60+300 i.e. total length 63.2 Km. alongwith 29 road crossings at Ch.1+900, Ch.3+600, Ch.4+800, Ch.7+100, Ch.8+900, Ch.11+300, Ch.12+100, Ch.14+300, Ch.18+200, Ch.20+700, Ch.23+600, Ch.24+100 (02 no. crossing), Ch.24+400, Ch.25+700, Ch.28+300, Ch.29+800, Ch.30+400, Ch.33+800, Ch.34+000, Ch.37+300, Ch.37+400, Ch.37+500, Ch.39+600, Ch.42+600, Ch.42+900, Ch.44+600, Ch.53+800 and Ch.59+200, subject to the fulfillment of following conditions:-

1. Submission of X-Section at each crossing for crossing the road by HDD method showing depth of ground level and drilling level below road top level.
2. The execution of work will be done as per MoRT& H guidelines and to the satisfaction of Divisional Manager, MPRDC.
3. The work shall be carried strictly in accordance with the provisions of the estimate.
4. Strict adherence to the safety requirements of IRC: SP-55 "Guidelines on Safety in road construction Zone" shall be ensured.
5. The execution of work will be done in accordance with the specification of Concession agreement and no diversion will be constructed.
6. General Manager, M.P Jal Nigam Maryadit, PIU Guna, shall maintain the traffic for smooth movement.
7. The laying of Underground pipeline shall be strictly as per the MORTH Circular dated 22.11.2016 and as per the details indicated in the approved drawing. No change in the approved alignment of Underground pipeline will be entertained. Any deviation will result in automatic cancellation of the permission/approval.
8. It shall be ensured that no cross drainage Structure/Bridge shall be used to convey Underground water supply/Sewerage pipeline. Further, under no circumstances, the pipe line shall be allowed beneath existing carriageway except for road crossing permitted and no digging is permitted within carriageway.

Contd....2

9. All safety measures will be followed by General Manager, M.P Jal Nigam Maryadit, PIU Guna.
10. All construction work shall be done under supervision of Divisional Manager, MPRDC. Divisional Manager will issue a completion certificate after completion of the work to the satisfaction of MPRDC.
11. General Manager, M.P Jal Nigam Maryadit, PIU Guna, shall get the approval of drawings and specification from Divisional Manager MPRDC for execution and should submit "As built drawing" after the completion work, within 30 days from date of actual completion of work at site.
12. General Manager, M.P Jal Nigam Maryadit, PIU Guna, shall bear all costs related to construction, maintenance and other ancillary expenditure.
13. The road section to be made after completion of work should be in accordance to drawing and to the satisfaction of Divisional Manager, MPRDC. Work is to be carried out between sunrise and sunset.
14. As per IRC 98-2011 sewer lines or water supply lines should be laid at edge of ROW.
15. The Guidelines mentioned in the IRC: 98-2011 should be strictly adhered during execution.
16. General Manager, M.P Jal Nigam Maryadit, PIU Guna, shall shift the pipeline within given time period from the date of issue of the notice by the MPRDC to shift/ relocate the pipeline, in case it is so required for the purpose of improvement/ widening of the road/ route/ highway or construction of flyover/ bridge and restore the road/ land to its original condition at his own cost and risk.
17. Under no circumstances, the already laid Underground Utility (if any) shall be harmed or interrupted due to laying of proposed pipeline. In case, if any damage is caused to any previously laid utility service/s, then the General Manager, M.P Jal Nigam Maryadit, PIU Guna will indemnify MPRDC against any such claim of concerned Agency.
18. You are also required to execute the Agreement as per MORT&H circular dated 22.11.2016 before allowing the Applicant to start the work.
19. The permission shall stand withdrawn automatically in the event of breach of any of the above mentioned conditions are not followed at site.

The Bank Guarantee submitted by General Manager, M.P Jal Nigam Maryadit, PIU Guna is valid up to 31.07.2023. Please make it sure that if the work is not completed within Bank Guarantee Validity period or stipulated time as per terms of Agreement and this letter, this office may be, informed one month in advance, so that necessary action may be initiated. The applicant may be allowed to undertake the remaining work only after receiving permission from this office as well as the extension of Bank Guarantee. Please also ensure before signing agreement that all fee & Charges as per new guide lines are received & B.G. submitted by the General Manager, M.P Jal Nigam Maryadit, PIU Guna.


27/9/22
(Pradeep Jain)

Chief General Manager (Admin)
MPRDC, Bhopal
Bhopal, Dated 27/09/2022

Endt No. 1.333./297/OTH/APMS2021/320/MPRDC/2022

Copy forwarded to-

1. PA to Managing Director, MPRDC, Bhopal for information please.
2. General Manager, M.P Jal Nigam Maryadit, PIU Guna- for information.


27/9/22
Chief General Manager (Admin)
MPRDC, Bhopal