

75/c

Format -I
Office of the Deputy Conservator of Forest
Social Forestry Division Sabarkantha (North)

No. C/FCA/T-15/22 U 3²/16-17

Date: 03/08/2016

To,
Sabarmati Gas Ltd
Plot No. 907, Sector-21,
Gandhinagar-382021

વન સંરક્ષકશ્રી, મહેસાણા વર્તુળ
આવક નંબર: 2335
ટેબલ નં.: ૫
તારીખ: ૫/૮/૧૬

- Sub: **Permission for laying natural gas (PNG) Pipeline parallel and crossing in forest land (area 0.4100 ha.) of Taluka Prantij, Talod, Dis-Sabarkantha.**
- Ref. 1. Government of Gujarat Forest & Environment Department letter no. FCA/1015/101/15/SF-83F (1) Dt. 04.02.2016
2. Government of Gujarat Forest & Environment Department letter no. FCA/29/A/1062-1135 Dt. 10.03.2016
3. અધિક અગ્ર મુખ્ય વન સંરક્ષકશ્રી, જમીન, ગુજરાત રાજ્ય, ગાંધીનગરના પત્રાંક: જમન/૨૯-એ/બ/૧૬૯૦-૧૭૬૦, તા-૨૦-૦૫-૨૦૧૬
4. Sabarmati Gas Ltd Limited letter no. SGL/PF/2015-1, DT: 03/08/2015

15 AUG 2016
T.S.
S/P
Sir,

I am directed to invite a reference to your letter no. SGL/PF/2015-1, DT: 03/08/2015 on the above mentioned subject seeking prior approval of the Government under section-2 Of the Forest (Conservation) Act. 1980 as per following

2

Sr. No	Particular	Length (M)	Width (M)	Area (HA.)
1	PARALLEL FROM NH-8 UPTO RAILWAY LEFT SIDE 1000 METER & RIGHT SIDE 1200 METERS AND 6 NO.S OF CROSSINGS.	2200	0.5	0.1100

77/c

2	PARALLEL TO HIMATNAGAR- NAVA VILLAGE RAMPURA-KHED SH ROAD LENGTH-3000 METERS.	3000	0.5	0.1500
3	PARALLEL FROM TALOD TO GIDC TALOD ROAD LENGTH 3000 METERS.	3000	0.5	0.1500
TOTAL				0.4100

Government of Gujarat Forest & Environment Department Gandhinagar vide its circular Mentioned under reference has delegates power under "General Approval" to the concerned Divisional forest officer to grant approval under Forest (Conservation) Act. 1980 for laying of underground optical fiber cable, Telephone lines, drinking water, electric line, CNG/PNG Pipeline along the roads within existing right of way not falling in National Park and Wildlife Sanctuary, without felling of trees, where the maximum size of trench is not more Than 2.00 meter depth and 1.00 meter width subject to certain conditions.

AND whereas, the user agency while applying and through the documents Submitted has Confirmed that its FCA proposal falls along the roads within existing Right of Way not Falling in National Park & Wildlife Sanctuary without felling of trees where the maximum Size of trench is not more than 2.00 meter depth and 1.00 meter width and hence fulfills all the above Specified conditions & eligibility as laid down in circular mentioned as ref (1) and falls Under the category of proposal eligible for "General Approval"

AND whereas having verified on the site that above facts are correct and fulfill the above Specific conditions of "General Approval" the following order is issued.

In view of the above the undersigned is pleased to convey its "in-principle" approval for Diversion of **0.4100 HA** of Protected Forest subject to the following conditions:-

1. The permissions is granted only for the use of the forest land for the purpose specified in the proposal. The legal status of the forest land shall remain unchanged.
2. The cost of NPV, registration fees, processing fees etc. as per demand note attached herewith shall be deposited in advance with the forest department by the project authority.
3. The user agency shall generate challan through OSFMWC portal before making payment for Stage-II clearance process. All the fund shall be deposited through OSMFWC portal by the user agency.

- 791
3. In future if any amount regarding net present value for compensatory afforestation is required, the user agency is bounded to pay in favour of Deputy Conservator of Forest.
 5. The forest land shall not be used for any propose other than that specified in the FCA proposal.
 6. The user agency will have to obtain permission from the under signed for carrying out any maintenance works in future
 7. The user agency will have to make good the forest land after use / maintenance works. No tree shall be cut.
 8. The user agency will be liable to make good any loss to forest / environment cause due to use of the said land by the user agency.
 9. The user agency will seek permission from Road & Building Department /Science and Technology Department. Sachivalay Gandhinagar if required so.
 10. The line will be laid underground in a trench of the depth 2.00 meter & width 1.00 meter in between rows of road side plantation.
 11. The user agency shall submit the detail regarding compliance of MoEF's guidelines dated 03.08.2009 & 05.02.2013 with regard to the schedule tribes & other forest dwellers (Recognition of Forest Rights Act.,-2006)
 12. The additional condition under chapter 5 of Forest Conservation Act., 1980 shall be applicable to this proposal as the Government of Gujarat resolutions no. FCA-1013/11-10/11 /SF-24/F, dated 12.06.2015. The user agency shall comply additional condition as per aforementioned resolutions.
 13. Another condition with the Nodal Officer (FCA) / the state Government may stipulate from time to time.

After receipt of compliance report on the fulfillment of conditions no. (2),(3),(5) & (12) mentioned above, from you, order of formal approval will be issued by this department.

Yours faithfully


(G.A.BRAHMBHATT)
Dy. Conservator of Forests
Extension Division North Social
S.K. Himatnagar

Copy submitted to:

- (1) The Principal Secretary, Forest & Environment Department, Gujarat State Gandhinagar
- (2) Additional Principal Chief Conservator of Forest, Land Gujarat State, Gandhinagar
- (3) Conservator of Forests , Circle Office(SF)- Mehsana