



सत्यमेव जयते

भारत सरकार
Government of India
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय
Ministry of Environment, Forest & Climate Change
एकीकृत क्षेत्रीय कार्यालय, गुवाहाटी/Integrated Regional office, Guwahati
चौथी मंजिल, हौसेफेड इमारत, जी एस रोड, रुक्मिणी गाँव, गुवाहाटी- ७८१०२२
4th Floor, Housefed building, GS Road, Rukmini gaon, Guwahati -781022
दूरभाष /Tel Fax: 0361-2330984, E-mail: iro.guwahati-mefcc@gov.in



F.No.3 AN A 112/2019-SHI/2031-2032

25th February, 2021

सेवा मे,

प्रमुख सचिव सह प्रधान मुख्य वन संरक्षक /
Principal Secretary - Cum- The Principal Chief Conservator of Forests
अरुणाचल प्रदेश सरकार/ Govt of Arunachal Pradesh
पर्यावरण और वन विभाग /Dept of Forests & Environment
ईटानगर/ Itanagar- 791111.

Sub: Proposal for diversion of 110.817 ha of forest land for construction for laying of 132 KV transmission line from Namsai to Miao under Comprehensive Scheme for strengthening of T & D system in Changlang and Namsai District of Arunachal Pradesh by Power Department Govt of Arunachal Pradesh.

Sir,

This has got reference to the State Government's letter State Government's letter No.FOR.816/CONS/2018/2516-21 dated 05.11.2019 and No. FOR.816/ CONS/ 2018/685-89 dated 23.02.2022 on the subject seeking prior approval for the Central Government under Section 2 of the FCA, 1980 and to say that the proposal has been examined by the Regional Empowered Committee constituted by Central Government under Section 3 of aforesaid Act.

2. After careful examination of the proposal of the State Govt and on the basis of the recommendations of Regional Empowered Committee on 19.02.2021 and State Govt letter No. FOR.816/CONS/2018/685-89 dated 23.02.2022, "In Principle Approval/Stage-I" clearance of the Central Government is hereby granted for diversion of 110.817 ha of forest land for construction for laying of 132 KV transmission line from Namsai to Miao under Comprehensive Scheme for strengthening of T & D system in Changlang and Namsai District of Arunachal Pradesh by Power Department Govt of Arunachal Pradesh, subject to the following conditions:

A. Conditions which need to be complied prior to handing over of forest land by the State Forest Department.

- 1) The user agency shall transfer, the Net Present Value (NPV) of the forest land being diverted under this proposal, as per the orders of the Hon'ble Supreme Court of India dated 28/03/2008, 24/04/2008 and 09/05/2008 in Writ petition (Civil) No.

202/1995 and as per the guidelines issued by the Ministry vide letters No 5-3/2007- FC dated 05.02.2009. The requisite funds shall be transferred through online portal into CAMPA account of the State concerned.

- 2) An original notification declaring Longliang Village Forest Reserve in accordance of the provisions of the Arunachal Pradesh Anchal and Village Forest Reserve (Constitution and Maintenance) Act, 1975, as amended from time to time and the Assam Forest Regulation, 1891 may be submitted to this Regional Office of MoEF & CC, Shillong, prior to State-II approval.
- 3) The user agency shall transfer the cost of raising and maintaining the compensatory afforestation at the current wage rate in consultation with State Forest Department in the account of CAMPA of the concerned State through online portal. The scheme may include appropriate for anticipated cost increase for works scheduled for subsequent years;
- 4) All the funds received from the user agency (CA and dwarf plantation cost, NPV, etc) under the project shall be transferred/ deposited to Compensatory Afforestation Fund of Arunachal Pradesh State managed by the Ad-hoc CAMPA only through *e-portal* (<https://parivesh.nic.in/>). Amount deposited through other mode will not be accepted as compliance of the Stage-I clearance.
- 5) The compliance report shall be uploaded on *e-portal* (<https://parivesh.nic.in/>).
- 6) The KML files of the area to be diverted, the CA areas, the proposed SMC work, the proposed Catchment Area Treatment area and the WLMP area shall be uploaded on the e-Green watch portal with all requisite details before issuing working permission towards linear projects or submitting compliance report for seeking Stage II approval, as the case may be.
- 7) The boundary of the diverted forest land, mining lease and safety zone, as applicable, shall be demarcated on ground at the project cost, by erecting four feet high reinforced cement concrete pillars, each inscribed with its serial number, distance from the pillar to pillar and GPS co-ordinates as per the directions of the concerned Divisional Forest Officer;
- 8) The recommendation of the Standing Committee of National Board for Wildlife in its 66th meeting held on 31.12.2021 i.e.
 - (i) Implementation of the Wildlife Mitigation Plan prepared in respect of the proposed project.
 - (ii) Insulated cables, if feasible, may be used along the entire stretch of the proposed transmission line so as to avoid electrocution to avifauna and other arboreal species.
 - (iii) Height above the ground at the lowest point of the lowest conductor or grounding wires (i.e., at maximum sag point) of power lines should be:
 - (a) A minimum of 10m above ground on level terrain (slope <20 degrees) so that no elephant can reach it even with raised trunk.

- (b) A minimum of 15m above ground on steeper terrain (slope > 20 degrees)
- (iv) The entire length of the proposed power line between Miao and Namsai should be marked with appropriate bird diverters spaced at 10m intervals. The bird diverters shall be regularly checked and maintained by the power company.
 - (v) Width of the right of way for the 132 KK DC transmission line on forest land should not be over 27 m (vide MoEFCC Guideline F.No 7-25/2012-Fc dated 5th May, 2014). The alignment of the powerline should be made such that minimum numbers of trees are felled. Any felling/pollarding/pruning of trees for allowing electrical clearance/maintenance will be done with the permission of the local DFO, Namdapha Tiger Reserve. Only those trees that are of sufficient height to compromise the requirements of minimal vertical and horizontal clearance from the conductor wires at maximum sag point should be lopped.
 - (vi) Periodic clearing of vegetation along the power-line may bring up invasive species. The plantation of native, palatable species should be actively promoted by the user agency in collaboration with Arunachal Pradesh Forest Department below the power line. This will not only provide fodder for wild ungulates in form of its leaves and fruits.
 - (vii) No construction/maintenance work shall be permitted within forest and wildlife areas in between 6 PM to 7 AM. Labour camps should be at least 1 km away from the boundaries of the Tiger Reserve.
 - (viii) No construction material (including soil, stones etc.) should be collected from the forest. Top soil to a depth of 30 cm should be first gathered, piled aside and covered with a tarpaulin or suitable other material. The top soil should be re-spread as early as possible over the disturbed or excavated area after completion of work to a depth of 30cm. Construction debris should not be dumped inside the forest areas and they should be transported by the user agency to suitable dumping sites outside the forest.
 - (ix) In compliance with MoEF&CC's guidelines, construction of new approach/access routes in forest lands would require prior approval under the Forest (Conservation) Act, 1980.
 - (x) The Chief Wildlife Warden, Arunachal Pradesh State should constitute a monitoring committee comprising members from local forest officials, NTCA regional Office and the user agency to oversee the implementation of the project in compliance to the mitigation measures suggested herein.
 - (xi) The area below the transmission line shall be managed in accordance with the management plan approved by the Chief Wildlife Warden.
 - (xii) An annual compliance certificate on the stipulated conditions shall be submitted by the project proponent to the State Chief Wildlife Warden and an

annual compliance certificate shall be submitted by the State Chief Wild Life Warden to Government of India.

- 9) The user agency shall bear the cost for the Wildlife Mitigation Plan as per the approved financial outlay submitted by the State Govt in respect of the proposed project.
- 10) The user agency shall explore the possibility of successful translocation of maximum number of trees identified to be felled and shall ensure that any tree felling shall be done only when it is unavoidable and that too under strict supervision of the State Forest Department;
- 11) The charges for felling, logging and transportation of project affected trees should be collected from the User Agency at the rates approved by the State Govt and deposited with the DFO concerned for utilization immediately following the diversion of forest land.
- 12) The expenditure like boundary walls, stone pillars, demarcation charges, cost of damage of trees the funds on these accounts should, be deposited with the DFO concerned.
- 13) The User Agency shall restrict the felling of trees to minimum number in the diverted forest land and the trees shall be felled under the strict supervision of the State Forest Department and the cost of felling of trees shall be deposited by the User Agency with the State Forest Department.
- 14) The complete compliance of the FRA, 2006 shall be ensured by way of prescribed certificate from the concerned District Collector.
- 15) Violation of any of these conditions will amount to violation of Forest (Conservation) Act, 1980 and action would be taken as prescribed in para 1.21 of Chapter 1 of the Handbook of comprehensive guidelines of Forest (Conservation) Act, 1980 as issued by this Ministry's letter No. 5-2/2017-Fc dated 28.03.2019.
- 16) The User Agency in consultation with the State Forest Department prepare a detailed scheme for creation and maintenance of plantation of dwarf species (preferably medicinal plants) in right of way under the transmission line for execution of the said scheme to the State Forest Department.

B: Conditions which need to be strictly complied on field after handing over of forest land to the user agency by the State Forest Department but the compliance in form of undertaking shall be submitted prior to Stage-11 approval:

- (1) Legal status of the forest land shall remain unchanged.
- (2) The compensatory afforestation shall be taken up on double the area i.e. 221.90 ha identified at 2¹ locations i.e 117.00 ha at Miao RF & Diyun ARF, Namphai Range, Nampong Forest Division, Changlang District and 104.90 ha at Longliang VFR in Khonsa Forest Division in Tirap District of Arunachal Pradesh within three years from the date of Stage -II Clearance and maintained thereafter by the State Forest Department at

the cost of the User Agency. As far as possible, a mixture of local indigenous species shall be planted and monoculture of any species may be avoided. The CA will be maintained for 10 years.

- (3) The proposed OB labour Sheds & MB type quarter in the Compensatory afforestation scheme should be of temporary structure and to be dismantled within 10 years from the 1st year of plantation. State Govt shall adhere to Section 5(4)(e) of CAF rules and other relevant Rules as applicable while implementing the Compensatory afforestation scheme; and accordingly technically approved and duly signed revised CA estimate scheme is to be submitted.
- (4) At the time of payment of the Net Present Value (NPV) at the then prevailing rate, the User Agency shall furnish an undertaking to pay the additional amount of NPV, if so determined, as per the final decision of the Hon'ble Supreme Court of India;
- (5) The User Agency shall obtain the Environment Clearance as per the provisions of Environment (Protection) Act, 1986, if required;
- (6) No labour camp shall be established on the forest land and the User Agency shall provide fuels preferably alternate fuels to the labourers and the staff working at the site so as to avoid any damage and pressure on the nearby forest areas;
- (7) The forest land proposed to be diverted shall under no circumstances be transferred to any other agencies, department or person without prior approval of Govt. of India.
- (8) No damage to the flora and fauna of the adjoining area shall be caused;
- (9) The lay out of the proposal shall not be changed without the prior approval of the Central Government.
- (10) The concerned Divisional Forest Officer, will monitor and take necessary mitigative measures to ensure that there is no adverse impact on the forests in the surrounding area.
- (11) The User Agency at its cost shall provide bird deflectors, which are to be fixed on upper conductor of transmission line at suitable intervals to avoid bird hits.
- (12) The user agency shall comply all the provisions of the all Acts, Rules, Regulations, Guidelines, Hon'ble Court Order (s) and NGT Order (s) pertaining to this project, if any, for the time being in force, as applicable to the project.
- (13) The User Agency shall comply with the guidelines for laying transmission through forest areas issued by Ministry vide letter no. 7-25/2012-FC dated 05/05/2014 & 19/11/2014.
- (14) No additional or new path will be constructed inside the forest area for transportation of construction materials for execution of the project work.
- (15) The period of diversion under this approval shall be co-terminus with the period of lease to be granted in favour of the user agency or the project life, whichever is less.
- (16) The forest land shall not be used for any purpose other than that specified in the project proposal.

- (17) As per Ministry's letter No 11-30/96-FC(Pt) dt 14.9.2001, if the compliance of stipulated conditions is awaited from the State Govt for more than 5(five) years, the in-principle approval would be summarily revoked considering that the user agency is no longer interested in the project.
- (18) Any other conditions that the Integrated Regional Office, Guwahati, Ministry of Environment, Forest & Climate Change may stipulate from time to time in the interest of conservation, protection and development of forests & wildlife.
3. After the receipt of the compliance report from the State Government on fulfillment of the conditions mentioned above, final/stage-II approval of the Central Government, in accordance with Section 2 of the Forest (Conservation) Act, 1980, will be considered. Till the receipt of the Final / Stage-II approval of the Central Government for diversion of the said forest land from this Ministry, transfer of the said forest land to the User Agency shall not be affected by the State Government.

भवदीय,

(W. Longvah)

वन महानिरीक्षक (केंद्रीय)
Inspector General of Forests(C)

Copy to:

1. प्रधान मुख्य वन संरक्षक/ Principal Chief Conservator of Forests (Cons) & Nodal Officer (FCA), अरुणाचल प्रदेश सरकार/ Government of Arunachal Pradesh, पर्यावरण और वन विभाग / Department of Env. & Forests, ईटानगर/Itanagar.

वन महा निरीक्षक (केंद्रीय)
Inspector General of Forests(C)

9/2