

C.No.TS3/45980/2021

Office of the Principal Chief Conservator
of Forests (Head of Forest Force),
Panagal Maaligai, Saidapet, Chennai-15.

Dated: 27.09.2022.

Sub Forest (Conservation) Act, 1980 - Proposal for diversion of 4.27 ha of forest land in Social Forestry plantation area in Othivakkam for erection of 230 kv DC line on MC tower by making LILO of existing Ottiyambakkam to Omega feeder 2 at the proposed Mambakkam 230/110 kv Substation in Chengalpattu District - Proposal forwarded by the Circle through on-line - Regarding.

- Ref 1 Online forest clearance proposal uploaded by the Executive Engineer, TANTRANSCO, General Construction Circle II 230 kv GIS SS TNEB, Alandur Chennai 16 - Proposal No. FP/TN/Trans/150320/2021, dated 23.12.2021 and resubmission of proposal on 11.01.2022 and 09.02.2022
- 2 Principal Chief Conservator of Forests letter No. TS3/45980/2021 dated 22.02.2022
- 3 Part-II of Form-A uploaded by the District Forest Officer, Kancheepuram Division on 18.04.2022
- 4 Part-III of Form-A uploaded by the Conservator of Forests, Chennai Circle on 10.08.2022
- 5 Conservator of Forests, Chennai Circle Ref. No. 2729/2022/D, dated 10.08.2022
- 6 Principal Chief Conservator of Forests letter No. TS3/45980/2021 dated 07.09.2022
- 7 Resubmission of proposal by the Conservator of Forests through web portal on 16.09.2022

* * *

Attention of the Conservator of Forests is invited to the references cited.

1) On the forest clearance proposal uploaded by the Executive Engineer, TANTRANSCO, General Construction Circle II, 230 kv GIS SS TNEB, Alandur, Chennai under Section 2 of Forest (Conservation) Act, 1980 for diversion of 4.27 ha of forest land in Social Forestry plantation area in Othivakkam for erection of 230 kv DC line on MC tower by making LILO of existing Ottiyambakkam to Omega feeder 2 at the proposed Mambakkam 230/110 kv Substation in Chengalpattu District, shortcomings noticed on the proposal had been informed to the Conservator of Forests vide Principal Chief Conservator of Forests reference 6th cited above for rectification

