

No.D.IV.596/ 5045  
H.P. Forest Department

Dated: Kullu, the 24.11.2021

From: CCF Kullu.

To: DFO, Kullu.

**Subject:**

**Diversion of 4.8639 ha. of forest land in favour of M/s Bollot Hydro Pvt. Ltd. for the construction of (5 MW) Bloop Fozal SHEP within the jurisdiction of Kullu Forest Division, Distt. Kullu, H.P. (Proposal No.FP/HP/HYD/38741/2019)**

Memo:

Refer to your memo No.3845 dated 05.10.2021 on the above cited P-1 subject.

2. From the perusal of proposal received vide your memo under reference, following shortcomings have been noticed:-


1. As per documents placed in proposal folders, the proposed forest area is 4.8639 ha, whereas in online Part-I, the U/A has proposed 4.864 ha forest area. Also, in Checklist No.8 and Joint Inspection report, the proposed non-forest land is 0.0628 ha, whereas in online Part-I, the proposed non-forest land is 0.063 ha. The proposed forest/non-forest land in hard copy as well as in online proposal should tally.
2. Various documents have been shown enclosed in Part-I but the page number of the same have not been mentioned.
3. Non-availability certificate placed in the proposal folders at (page-29) is not in original.
4. FRA certificate placed in the proposal folders at (pages-40-56) is a photocopy. FRA certificate alongwith all level proceedings is required to be provided in original or duly authenticated by the issuing authority.
5. CA Scheme placed in the proposal folders at (pages-81-84) is not on current norms.
6. Checklist No.19 & 20 placed in the proposal folders at (pages-85 & 86) respectively may not be issued by the U/A.

7. Distance certificate placed in the proposal folders at (page-145A) is not legible.
8. As per Checklist No.7, HRT, Adit-I, Adit-II & Foreway have been proposed underground but the Tukda/Khasra Nos. of the same have not been mentioned.
9. R/Plan placed in the proposal folders at (pages-88-89) is not on current wage rate.
10. The date and placed has not been mentioned in hard copy of Part-II.
11. The proposed area is 4.8639 ha. but against column No.8 of Part-II, the proposed area has been mentioned as 0.8520 ha.
12. TEC in this case was issued in 2009 which is valid only for three years. The status of fresh TEC may be provided.

The proposal folders (3 Nos.) as received vide your memo under reference are returned herewith for needful action.

Encl: As above.

  
**Chief Conservator of Forests  
Kullu Forest Circle, Kullu.**

  
28/10/14

9c