

GOVERNMENT OF TELANGANA
OFFICE OF THE CHIEF ENGINEER, TDWSP HYDERABAD

From
Sri M. Jagan Mohan Reddy
Chief Engineer
TDWSP Hyderabad

To
The Principal Chief Conservator of Forests
Aranya Bhavan , Hyderabad

Sir,

Letter No AEE/CE3/TDWSP/Forest proposals/ MB Seg/2016/ Date: 04-06-2016

Sub: TDWSP Hyderabad- Manthani Segment in karimnagar Dist-Segment no 15/7- Diversion of forest land for 7.762 Ha in WLM-proposals submitted -request for process & approval - regarding

Ref: SE TDWSP Karimnagar Dist Letter No /SE/TDWSP/MB seg/Forest proposals/2016 Date: 20-5-2016

With reference to the above, I am here with submitting proposals in 18 sets for diversion of Wild life forest land for an area of 7.762 Hectares to the TDWSP under Manthani Segment(No: 15/7) in Karimnagar and Warangal Districts for laying of pipe lines and construction of structures required for providing drinking water supply to all the people in the state up to kitchen level under Telanagana state government.

The proposals have been verified and the details of the land is as follows.


MANTHANI SEGMENT - 15 /7- KARIMNAGAR							
Set	Structure type	Pipe Dia	width in m	Length in m	Area Ha	Total area in Ha	REMARKS
1	PIPELINE	250	0.900	5815.213	0.523	0.758	Wild life Management
	PIPELINE	110	0.700	2905.327	0.203		
	PIPELINE	250	1.400	4.677	0.001		
	BPT	-	-	-	0.031		
2	PIPELINE	90	0.700	3536.886	0.248	0.477	Eco-Sensitive Zone
	PIPELINE	110	0.700	3268.723	0.229		
3	PIPELINE	250	2.000	3997.323	0.799	0.976	Eco-Sensitive Zone
	PIPELINE	90	0.700	1514.957	0.106		
	OHBR	-	-	-	0.071		
4	PIPELINE	200	0.900	1663.964	0.150	0.282	Eco-Sensitive Zone
	PIPELINE	110	0.700	1891.281	0.132		
5	PIPELINE	225	1.200	5145.473	0.617	0.617	Eco-Sensitive Zone
6	PIPELINE	200	1.200	4952.342	0.594	0.701	Eco-Sensitive Zone
	PIPELINE	200	1.200	893.194	0.107		
7	PIPELINE	180	0.900	6307.507	0.568	0.678	Eco-Sensitive Zone
	PIPELINE	180	0.900	1227.658	0.110		

A. S. S. S. S.
4/6/16
DA to A.P.C.F. (C.A.)
G.P.C.A.

8	PIPELINE	150	0.900	689.309	0.062	0.129	Eco-Sensitive Zone
	PIPELINE	63	0.700	963.501	0.067		
9	PIPELINE	110	0.700	4128.894	0.289	0.709	Eco-Sensitive Zone
	PIPELINE	63	0.700	3551.315	0.249		
	PIPELINE	63	0.700	2439.250	0.171		
10	PIPELINE	140	0.700	4564.279	0.319	0.629	Eco-Sensitive Zone
	PIPELINE	110	0.700	3972.164	0.278		
	PIPELINE	140	0.700	457.436	0.032		
11	PIPELINE	125	0.700	11445.407	0.801	1.218	Eco-Sensitive Zone
	PIPELINE	90	0.700	3749.964	0.262		
	PIPELINE	125	0.700	1010.955	0.071		
	PIPELINE	90	0.700	1199.794	0.084		
12	PIPELINE	110	0.700	4552.491	0.319	0.319	Eco-Sensitive Zone
13	PIPELINE	140	0.700	3839.980	0.269	0.269	Eco-Sensitive Zone
TOTAL				89689.264	7.762	7.762	

Therefore it is requested to accord permission to divert the forest land of **7.762 Ha** area to the TDWSP for taking up the construction activities.

Yours faith fully


Chief Engineer
TDWSP Hyderabad

Encl: As above

Copy submitted to the

Engineer-in Chief RWS&S Hyderabad for kind information

Copy to Superintending Engineer TDWSP Circle Karimnagar for information & Necessary action