

OFFICE OF THE DIVISIONAL FOREST OFFICER : ANGUL DIVISION:ANGUL.

Memo No. 6870/68/DRP/2021/Dated. 01.09.21

To

The Regional Chief Conservator of Forests,
Angul Circle.

Proposal for seeking re-diversion of 2.45 ha of forest land (out of already diverted 168.232 ha forest land) for laying iron Ole Slurry Pipeline over Water pipeline corridor (already diverted) from village Balangi to Integrated Plant at Nisa, Angul by M/S JSPL.

Ref:

1. Proposal No. FP/OR/OTHERS /26114/2017
2. Memo No. 2228 dt. 01.02.2021 of Special Secretary to Govt.
3. Memo No. 2118 dt. 02.02.2021 of PCCF, Nodal.
4. Your memo No. 2406 dtd. 24.06.2021.

With reference to the above cited correspondence on the subject, it is to inform that the point wise compliance of the observations made by the GoI, MoEF & CC vide their letter No. 5-ORB430/2020-BHU dtd. 17.01.2021 received from the User Agency vide his letter No. 44 dt. 26.08.2021 is furnished below .

Point No	Observations made by GoI, MoEF & CC	Compliance
i	The State Government has reported that slurry Pipeline, involving RoW of 5.0mtr. over a length of 20.54Km will be constructed comprising of 4.81Km in forest area. Given the RoW of 5.0mtr. total area required for the project will be 10.27Ha instead of 10.575Ha as reported by the user agency in the online proposal. Discrepancy in the area may be rectified by the State and area calculation statement, in tabular form, may be provided by the state.	In connection to this observations made by GoI, MoEF & CC, the compliance received from the User agency vide his letter No.44 dt. 26.08.2021 is furnished as ANNEXURE-I & II
ii	Alignment of the Slurry Pipeline depicted on the SoI toposheet has been referred as Layout Plan of the project in the online proposal. Detailed layout plan of the project in the forest area indicating the dimension of RoW and its breakup for various uses such as laying of slurry pipeline movement of earth movers, temporary storage of excavated soil, etc needs to be provided by the state.	In connection to this observations made by GoI, MoEF & CC, the compliance received from the User agency vide his letter No.44 dt. 26.08.2021 is furnished as ANNEXURE-III.

iii	Extant of slurry Pipeline has been proposed in the corridor earmarked for laying out a water Pipeline for the said project. The State Government may comment whether the course of water pipeline has also been proposed to be altered or the Slurry pipeline is compatible with the water pipeline. A layout map indicating the slurry pipeline vis-à-vis water pipeline in the forest area may also be furnished.	In connection to this observations made by GoI, MoEF & CC, the compliance received from the User agency vide his letter No.44 dt. 26.08.2021 is furnished as ANNEXURE-III.
iv	Status of compliance of conditions, stipulated in the approval dated 28.10.2010, may also be furnished.	<ol style="list-style-type: none"> 1. In compliance to this condition, it is to mentioned here that the Stage-II compliance of the said project has already been submitted to the Regional Chief Conservator of Forests, Angul Circle vide this Office Memo No. 545 dt. 19.01.2011 under intimation to the CCF (F.D & Nodal Officer FC Act) O/o the PCCF, Odisha. 2. In connection to this observations made by GoI, MoEF & CC, the compliance received from the User agency vide his letter No.44 dt. 26.08.2021 is furnished as ANNEXURE-IV.


In view of the above, the compliance received from the User Agency in 5(five) sets are submitted herewith for kind information and necessary action.

Encl:- As above.


Divisional Forest Officer
Angul Division.


Memo No. 6871 / Dated. 01-09-21

Copy submitted to the Principal Chief Conservator of Forests, Forest Diversion & Nodal Officer, F.C. Act, O/o the Principal Chief Conservator of Forests, Odisha for favour of kind information and necessary action with reference to memo No. 2407 dt. 24.06.2021 of RCCF, Angul.


Divisional Forest Officer
Angul Division

Memo No. 6872 / Dated. 01-09-21

Copy forwarded to Sri Pradeep Nanda) Authorised signatory Asst. General Manager, Slurry Pipeline Project, Jindal Steel & Power Limited, Chhendipada Road, SH-63, At/Po-Jindal Nagar, Dist-Angul , Odisha for information and necessary action with reference to his letter No.44 dt. 26.08.2021.


Divisional Forest Officer
Angul Division