

कार्यालय वन मण्डल अधिकारी, सिरसा।

हिसार बाईपास रोड़, सिरसा टेलिफोन न० 01666-243307

Email:- forest_sirsa@yahoo.com&dfo.sir-hry@nic.in

क्रमांक: 1347
सेवा में,

दिनांक: 06-09-2023

अति० प्रधान मुख्य वन संरक्षक (एफ०सी०ए०),
हरियाणा, पंचकुला।

विषय: Diversion of 0.945 ha. (2100 mtr) forest land for Laying of underground OFC by Jio Digital Fibre Pvt. Ltd., Ground Floor, Reliance House RK4 Square, Building No. 4, DLF Cyber City, Gurugram, Haryana 12202, Starting Near from Magh Auto agency to Sihag Children Hosp. to Metro Hosp. to Amritsar Hosp. to Khanna Skin Care 170 mtrs. & etc./others in Sirsa City, Tehsil & Distt. Sirsa under Forest Division. Total Leanth of Route is 2100 Mtrs. (0.945 Ha.) in Forest Division, Sirsa, Haryana. (Proposal No- FP/HR/OFC/154299/2022)

संदर्भ: आपका पत्र क्रमांक FCA/e-939881/275 दिनांक 04.05.2023

उपरोक्त विषय पर सन्दर्भांकित पत्र के सम्बंध में विषयांकित केस से संबंधित त्रुटियों को दुर करते हुए रिपोर्ट बिंदु वाईज निम्न प्रकार से आपकी सेवा में आगामी आवश्यक कार्यवाही हेतु प्रेषित है:-

1. बिंदु संख्या 1 अनुसार लगाई आपति को दुरुस्त करते हुए परिवेश पोर्टल पर आनलाईन अपलोड कर दिया गया है, प्रति साथ संलग्न है।
2. बिंदु संख्या 2 अनुसार लगाई आपति को प्रयोक्ता एजैन्सी द्वारा दुरुस्त करते हुए परिवेश पोर्टल पर आनलाईन अपलोड कर दिया गया है, प्रति साथ संलग्न है।

वन मण्डल अधिकारी,
सिरसा। 06/09/23

पृ० क्रमांक 1348 दिनांक 06-09-2023

इसकी एक प्रति वन संरक्षक, पश्चिमी परिमण्डल, हिसार को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित है।

वन मण्डल अधिकारी,
सिरसा। 06/09/23



DIGITAL
LIFE

UNDERTAKING

We, Jio Digital Fibre Private Limited having its Circle Office at B-93, Industrial Area Phase – 8 Mohali- 160071, Punjab and Registered Office at 101, saffron Nr. Centre Point, Panchwati 5 Rasta, Ambawadi, Ahmedabad – 380006, Haryana, thru Mr Chitram Gajendra, Authorized Signatory undertake below.

1. We undertake that as and when required, we will submit the FRA certificate to respective DFO.

In the light of our undertaking, we hereby request you for forward our case for Higher Authorities for clearance.

We shall be thankful to you

Deponents

Chitram Gajendra
(Authorized Signatory)

Jio Digital Fibre Private Limited: CIN U64200GJ2018PTC105652

Registered Office: Office - 101, Saffron, Nr. Centre Point, Panchwati 5 Rasta, Ambawadi, Ahmedabad-380006, Gujarat, India.
Tel no: 079-35600100



PUBLIC WORKS DEPARTMENT, HARYANA
(Buildings and Roads Branch)

Office of the Executive Engineer,
Provl. Division No. II,
PWD (B&R) Br., Sirsa
(Haryana)-125055
Tel. - 01666-222959
Email: pwd-eepd2-sirsa@hry.nic.in
No. 5324 Dated 31/08/23

To
Jio Digital Fibre Private Limited,
Reliance House, RK 4 Square, building No.4 DLF Cyber City
Phase-II Gurugram, Haryana-122002

Sub : Application for permission of communication and connectivity permissions/renewal (Below ground) underground cable by on Jio Digital Fibre Private Limited. (CAF Pin: 1317243915 Dated 03.04.2023) on SIRS0102 - 20 MH 1710 MTRS TO BE DONE JINDAL BUILDING MATE , HOTEL IRIS, MENDANTA HOSPITAL, PNB, DABWALI ROAD, RSD SCHOOL, SANGWAN ROAD, SANHGWAN CHOWNK, HARYANA , SIRS0111 - 28 MH 1 KM TO BE DONE CH0.470 KM CHABRA CAR ZONE, AMBULANCE SERVICE BHAI KANHAIYA, CH0.355 KM TOWN PARK ROAD, CH0.0 SANGWAN CHOWNK, CH0.350 KM JAGDEV SINGH CHOWNK, CH0.654 KM SHIV CONSTRUCTION , HARYANA SIRSA , SIRS0112 - 2 MH 335 MTRS HDD NEAR BLOOD BANK HARYANA SIRSA , SIRS0115 - 12 MH 1100 Mtrs WILL BE DONE GANAGA LABORATORY CH 0.0 KM, ISKY SIRSA IELTS INSTITUTE M/S VISHU PAINT, BRAR AUTOMOBILES, SIRSA PAINT AND LIME STORE, BAJAJ SWEET & BAKERS, AGGARWAL FEED STORE, UNIQUE CAFE, VM SHUTTERING STORE, MHA RANA PARTAP CHOWNK, JAI BHARAT , AMBEY MOTORS HARYANA (Total Length=4149 Mtr.)

Ref.:- Your Cafpin : 1317243915 Dated 03.04.2023.

In accordance with approval received from Worthy Deputy Commissioner, Sirsa and City Magistrate, Sirsa dated 03.07.2023, permission for laying underground optical fibre cable is hereby granted as requested vide your application, as per your vide CAF No. 1317243915 as per CCIP Policy, 2017 as per Notification No. Admn./368/ISIT/7337 dated 24th August 2018 & amended notification No. Admn./368/ISIT/9487 dated 07.08.2019 of information Technology ROW applied 4149 Mtr of various reaches Length 4149 Mtr. Distt. Sirsa as per site plan attached . The NOC issued on the following condition:-

1. The work will be done with consultation with the representative of the department.
2. The OFC cable may be laid on extreme edge of PWD land boundary according to the plans/route chart submitted by your company and trenches may be refilled properly after laying OFC cable.
3. Cable must be laid at least 1.65mtr. Below the road level in Horizontal directional drilling (HDD) method in the presence of SDE/ASDE/JE Incharge of the work.
4. If the land is required for Widening or any other work done by PWD then OFC will be replaced/shifted at your own cost by your company. This department will not be responsible for any type of damage to OFC.
5. If any mis-happening occurs during the road cut/laying underground OFC cable, this department will not be responsible for the same, so the proper safety measures to taken for traffic regularization by your company,

DA/NIL

Executive Engineer
Provl. Division No.II,
PWD (B&R) BR., SIRSA.

Endst. No.:-

Dated:-

Copy of above is forwarded to the Worthy Deputy Commissioner, Sirsa for information and further necessary action please.

D.A. / NIL

Executive Engineer,
Provl. Division No.II,
PWD B&R BR., Sirsa

Endst. No.:-

Dated:-

Copy of above is forwarded to the Sub Divisional Engineer, Provl. Sub Division No.1, PWD B&R Br., Sirsa for information and necessary action.

D.A. / NIL

Executive Engineer,
Provl. Division No.II,
PWD B&R BR., Sirsa