

SITE INSPECTION REPORT

आक्षेप क्रि-3 संख्या - 6

Proposal No. : FP/RJ/OFC/150331/2020/01

Name of the Project: Diversion of 0.2986 of forest land for Laying of Underground Optical Fiber Cable along the road within the existing ROW from garhi to pipalkhunt District - Banswara (Raj.).

A proposal has been received from M/s Reliance Jio Infocom Ltd. Jaipur (Rajasthan) for diversion (under FCA-1980) of 0.2986 Ha. of forest land for non forestry purpose. The subject envisages the use of forest land for Laying of Underground Optical Fiber Cable along the road within the existing ROW from garhi to peepalkhunt District - Banswara (Raj.).

The site inspection of the land involved in the proposal has been done by me on dated 03-01-2021. On inspection of the site; it is found that the land required by the user agency is a protected forest land measuring 0.2986 Ha.

The requirement of forest land as proposed by the user agency in Col. 2 of part-I is unavoidable and is barest minimum required for the project.

Whether any rare/endangered/unique species of flora and fauna found in the area. If so, the details thereof : NO.

Whether any protected archaeological/heritage site/defense establishment or any other important monument is located in the area. If so, the details thereof with NOC from competent authority, if required : NO.


(a) The user agency has not violated the provisions of Forest (Conservation) Act, 1980 and no work has been started without proper sanction.

(b) It has been found that the user agency has not violated the Forest (Conservation) Act, 1980 provisions. A detailed report as per Para 1.9 of Chapter 1, Part C of Hand book of Forest (Conservation) Act, 1980 is attached).

Legal status of Forest land proposed for Diversion is : Protected Forest.

Specific recommendation for acceptance or otherwise of the proposal : There is no any other alternative is available for laying of OFC except using ROW of the Road passing through Protected Forest Land. Hence 0.2986 ha. of forest land is recommended for diversion as proposed by the user agency.

Place: Banswara
Date: 28-02-2023


(Jignesh Sharma)
Dy. Conservator of Forests,
Banswara

OFFICE OF THE CHIEF ENGINEER, PWD, RAJASTHAN, JAIPUR.

No. F. 18(572)/CE/OFC/21/D- 3814

Dated :- 24.1.2022

Authorized Signatory,
M/s. Jio Digital Fibre Pvt. Ltd.
Anand Bhawan, 1st Floor
Sansar Chandra Road,
JAIPUR

Sub :- Permission for laying underground OFC along roads from Lohariya to Semari via Ganoda Nazarpura, Umarjhala, Rooppura, Regniya, Dungariya, Badliya and Malikheda =40.00 Km.

Sir,

A copy of the Agreement for laying underground optical fiber cables as detailed below, duly executed, is sent enclosed herewith to you for your further needful:-

Along road from Lohariya to Semari via Ganoda Nazarpura, Umarjhala, Rooppura, Regniya, Dungariya, Badliya and Malikheda =40.00 Km.

2. The work will be taken up strictly as per the lay out route plan submitted by you and assessed/ approved by the PWD and/ or local authorities.
3. The trenches should be dug at the extreme end of the road boundary in a width of 0.500 mtrs. only.
4. Since you have deposited the restoration cost estimate for BT/WBM road cuts with the following authorities:-

I EE PWD Dn. Ghatol = Rs. 9,73,943/-

The restoration cost of the BT/WBM road cuts shall be done by PWD/RSRDCC/RIDCOR, but the earthen kutchha and any damaged BT/Gravel layer restoration beyond the estimate, shall be done by you, at the earliest of the digging of the trenches.

5. Prior to start of any work the applicant should obtain permission from Forest Department, if applicable.
6. The work will be completed within 3 months period.

7. While digging the trenches, all safety measures shall be taken by you.
8. As soon as the OFC trenching work and cable testing is completed by you, this office, as well as the concerned authority should be informed immediately.

Encl:- A/a.

Yours faithfully,

Sanjiv Mathur
24/1/2022
(SANJIV MATHUR)

**CHIEF ENGINEER & ADDL. SECY.
PWD, RAJASTHAN, JAIPUR.**

No. F. 18(572)/CE/OFC/21/D- 3814

Dated :- 24.1.22

Copy to the following for information and necessary action :-

1. Superintending Engineer, PWD Circle Banswara
2. EE PWD Dn. Ghatol

As soon as the work is completed, the restoration should be completed out of the funds deposited with them by the Entrepreneur.

Encl:- A/a.

Sanjiv Mathur
24/1/2022
(SANJIV MATHUR)

**CHIEF ENGINEER & ADDL. SECY.
PWD, RAJASTHAN, JAIPUR**