M31.24-08-2018

ਵਣ ਮੰਡਲ ਅਫਸਰ, ਹੁਸ਼ਿਆਰਪੁਰ।

ਵਧੀਕ ਪ੍ਰਧਾਨ ਮੁੱਖ ਵਣ ਪਾਲ (ਐਫ.ਸੀ.), ਅਤੇ ਨੋਡਲ ਅਫਸਰ (ਐੱਫ.ਸੀ.ਏ), ਪੰਜਾਬ, ਐੱਸ.ਏ.ਐੱਸ. ਨਗਰ।

ਵਿਸ਼ਾ-

ਵਲੋਂ

Diversion of 0.003742 Ha. of Forest Land for access road to the Saw Mill Namely Sharma Saw Mill on Hoshiarpur-Dasuya road Km 6-7 R/s Village Bassi Mudha, Tehsil Hoshiarpur under Forest Division & Distt. Hoshiarpur. (Proposal No. FP/PB/ROAD/ 30040/2017 dated 03/11/2017)

ਸੇਵਾ ਵਿਖੇ

ਹਵਾਲਾ:

ਆਪ ਜੀ ਦਾ ਪੱਤਰ ਨੰ: FCA/1980/106/2018/1450 ਮਿਤੀ 12-07-2018.

ਉਪਰੋਕਤ ਵਿਸ਼ੇ ਅਤੇ ਹਵਾਲੇ ਅਧੀਨ ਪੱਤਰ ਦੇ ਸਬੰਧ ਵਿੱਚ ਬੇਨਤੀ ਕੀਤੀ ਜਾਂਦੀ ਹੈ ਕਿ ਪ੍ਰਦੂਸ਼ਣ ਵਿਭਾਗ ਦਾ ਐੱਨ.ਓ.ਸੀ. ਇਸ ਦਫਤਰ ਦੀ ਪੱਤਰ ਨੰ: 437 ਮਿਤੀ 27-04-2018 ਨਾਲ ਆਪ ਜੀ ਨੂੰ ਭੇਜੀ ਗਈ ਪ੍ਰੋਪੋਜਲ ਵਿੱਚ ਸ਼ਾਮਲ ਕਰਕੇ ਭੇਜਿਆ ਹੋਇਆ ਹੈ ਅਤੇ ਐੱਫ.ਆਰ.ਏ. 2006 ਸਰਟੀਫਿਕੇਟ ਮੂਲ ਰੂਪ ਵਿੱਚ ਇਸ ਦਫਤਰ ਦੇ ਪੱਤਰ ਨੰ: 814 ਮਿਤੀ 04-06-2018 ਨਾਲ ਭੇਜਿਆ ਜਾ ਚੁੱਕਾ ਹੈ। ਫਿਰ ਵੀ ਆਪ ਜੀ ਦੇ ਆਦੇਸ਼ਾਂ ਨੂੰ ਮੁੱਖ ਰੱਖਦੇ ਹੋਏ ਪ੍ਰਦੂਸ਼ਣ ਵਿਭਾਗ ਦੇ ਐੱਨ.ਓ.ਸੀ. ਅਤੇ ਐੱਫ.ਆਰ.ਏ. 2006 ਸਰਟੀਫਿਕੇਟ ਦੀ ਫੋਟੋਕਾਪੀ ਨਾਲ ਨੱਥੀ ਕਰਕੇ ਸੂਚਨਾ ਤੇ ਅਗਲੇਰੀ ਯੋਗ ਕਾਰਵਾਈ ਲਈ ਭੇਜੀ ਜਾਂਦੀ ਹੈ ਜੀ।

ਸਹਿਪੱਤਰ:ਉੱਪਰਵਾਂਗ।

1)

2)

3)

ਪਿੱਠ ਔਕਣ ਨੰਬਰ 1517 - 19 ਮਿਤੀ 34-08-2011 ਇਸ ਦੀ ਇਕ ਨਕਲ :-



ਵਣ ਪਾਲ, ਨਾਰਥ ਸਰਕਲ, ਪੰਜਾਬ, ਹੁਸ਼ਿਆਰਪੁਰ ਜੀ ਨੂੰ ਸਮੇਤ ਸਹਿਪੱਤਰ ਉਨ੍ਹਾ ਦੇ ਪਿੱਠ ਐਕਣ ਨੰ: 1918 ਮਿਤੀ 19-07-2018 ਦੇ ਹਵਾਲੇ ਵਿੱਚ ਸੂਚਨਾ ਤੇ ਅਗਲੇਰੀ ਯੋਗ ਕਾਰਵਾਈ ਲਈ ਭੇਜੀ ਜਾਂਦੀ ਹੈ। ਵਣ ਰੇਂਜ ਅਫਸਰ, ਹਰਿਆਣਾ ਨੂੰ ਭੇਜ ਕੇ ਲਿਖਿਆ ਜਾਂਦਾ ਹੈ ਕਿ ਐੱਫ ਸੀ.ਏ 1980 ਤਹਿਤ ਪ੍ਰਵਾਨਗੀ ਤੋਂ ਬਿਨ੍ਹਾਂ ਯੂਜਰ ਏਜੰਸੀ ਨੂੰ ਵਣ ਰਕਬਾ ਗੈਰ ਵਣ ਮੰਤਵ ਲਈ ਵਰਤਣ ਨਾ ਦਿੱਤਾ ਜਾਵੇ।

Sh. Dinesh Sharma S/o Sh. Ruda Mall, Proprietor of Sharma Saw Mill, Village Bassi Mudha, Tehsil & District Hoshiarpur ਨੂੰ ਭੇਜ ਕੇ ਲਿਖਿਆ ਜਾਂਦਾ ਹੈ ਕਿ ਐੱਫ ਸੀ.ਏ 1980 ਤਹਿਤ ਪ੍ਰਵਾਨਗੀ ਪ੍ਰਾਪਤ ਹੋਣ ਤੋਂ ਬਿਨ੍ਹਾ ਵਣ ਰਕਬਾ ਗੇਰ ਵਣ ਮੰਤਵ ਲਈ ਨਾ ਵਰਤਿਆ ਜਾਵੇ।

ਵਣ ਮੰਡਲ ਅਫ਼ਸਰ, 8

D:\FCA (Santosh)\Forests Clearance.nic.in\F.C.A\_Sham\_LG.doc

1807

-		
PUNJAB PUNJ	JAB POLLUTION CONTI	ROL BOARD
1	Zonal Office Jalandhar	
	Website:- www.ppcb.gov.in	
Office Dispatch No :	Registered/Speed Post	D
Industry Registration ID: 017HSP6018633		Date:
		Application No: 60
To, DINESH SHAMRA BASSI MUDDA HOSHIARPUR,PUNJAB-146001		
Subject: Grant of 'Consent to Operate'an outl discharge of effluent.	et u/s 25/26 of Water (Prevention	& Control of Pollution) Act.
With reference to your application for ob of Water (Prevention & Control of Poll fordischarge of the effluent(s) arising ou Certificate.	t of your premises subject to the Ter	et for discharge of the effluent authorized to operate an indus ms and Conditions as mention
Consent to Operate Certificate No.		
Date of issue :	CTOW/Fresh/HSP/2017/	6018645
Date of expiry :	31/08/2017	and the second particular second
Certificate Type :	30/09/2021	
2. Particulars of the Industry           Name & Designation of the Applicant           Address of Industrial premises	DINESH SHARMA, (PRO	PRIETOR)
	Sharma saw mill, Vpo bassi muda, baghpur, Hoshiarpur,Hoshiarpur-1-	16001
Capital Investment of the Industry	41.1 lakhs	10001
Category of Industry	Orange	
Type of Industry	Other	
Scale of the Industry	' Small	73.2 43.49.4.5.2 mm
ffice District	Hoshiarpur	
Consent Fee Details	Rs. 28800/- vide receipt Nc water consent fee, Rs. 2880 dated 28.07 2017 m pices	. 42/4602 dated 28.07.2017 as 0/- vide receipt No. 41/4602 sent fee & Rs. 500/- vide rece
Raw Materials(Name with quantity per day)	uned 20.07.20	J1 / as form fee.
Products (Name with quantity per day)	FINE WOOD & WOOD @	30000Kgs/day
By-Products, if any,(Name with quantity per day)	WOOD VENEER & SAW N	IILL @30000Kgs/day
y and the second s	10 0000	
Details of the machinary and processes	As per project report	
Details of the machinary and processes	Doment DO	D
Details of the machinary and processes Details of the Effluent Treatment Plant	cr generated accument from OCMMS by PP(	SINGH SAHOTA P.F.S. B <sup>F</sup> orest Officer g, baghpuy:Hoshiarpur, Hoshiarpur, J.

Onto land for plantation after septic tank Mode of Disposal As prescribed by Board Standards to be achieved under Water(Prevention & Control of Pollution) Act, 1974 Er Amandeep Singh For & on behalf of (Punjab Pollution Control Board) Dated: Endst. No.: A copy of the above is forwarded to the following for information and necessary action please: EERO Hoshiarpur Er Amandeep Singh For & on behalf of (Punjab Pollution Control Board) POT SHARMA SAW MILL Prop "This is computer generated document from OCMMS by PPCB" Sharma saw mill, Vpo bassi muda, baghpur, Hoshiarpur, Hoshiarpur, 14600 Page

		TERMS AND CONDITIONS
	- A.	GENERAL CONDITIONS
	1.	This consent is not valid for getting power load from the Punjab State Power Corporation Limited or for getting loan from the financial institutions.
	2.	The industry shall apply for renewal/further extension in validity of consent atleast two months before expiry of the consent.
	3.	The industry shall ensure that the effluent discharging through the authorized outlet shall confirm to the prescribed standards as applicable from time to time.
	4.	The industry shall plant minimum of three suitable varieties of trees at the density of not less than 1000 trees per hectare all along the boundary of the industrial premises.
	5.	The achievement of the adequacy and efficiency of the effluent treatment plant/pollution control devices/re- circulation system installed shall be the entire responsibility of the industry.
	6.	The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of the Hazardous Wastes(Management, Handling and Trans boundary Movement) Rules, 2008 as amended time to time, without any adverse effect on the environment, in any manner
	7.	The responsibility to monitor the effluent discharged from the authorized outlet and to maintain a record of the same rests with the industry. The Board shall only test check the accuracy of these reports for which the industry shall deposit the samples collection and testing fee with the Board as and when required.
	8.	The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30th June of every year.
100	9.	The industry shall submit a yearly certificate to the effect that no addition/up-gradation/ modification/ modernization has been carried out during the previous year otherwise the industry shall apply for the varied consent.
	10.	During the period beginning from the date of issuance and the date of expiration of this consent, the applicant shall not discharge floating solids or visible foam.
	11.	Any amendments/revisions made by the Board in the tolerance limits for discharges shall be applicable to the industry from the date of such amendments/revisions.
	12.	The industry shall not change or alter the manufacturing process(es) so as to change the quality and/or quantity of the effluents generated without the written permission of the Board.
	13.	Any upset conditions in the plant/plants of the factory, which is likely to result in increased effluent and/or result in violation of the standards lay down by the Board shall be reported to the Environmental Engineer, Punjab Pollution Control Board of concerned Regional Office immediately failing which any stoppage and upset conditions that come to the notice of the Board/its officers, will be deemed to be intentional violation of the conditions of consent.
	14	The industry shall provide terminal manhole(s) at the end of each collection system and a manhole upstream of final outlet (s) out of the premises of the industry for measurement of flow and for taking samples.
	15	The industry shall for the purpose of measuring and recording the quantity of water consumed and effluent discharged, affix meters of such standards and at such places as approved by the Environmental Engineer, Punjab Pollution Control Board of the concerned Regional Office.
	16.	The industry shall maintain record regarding the operation of effluent treatment plant i.e. record of quantity of chemicals and energy utilized for treatment and sludge generated from treatment so as to satisfy the Board regarding regular and proper operation of pollution control equipment.
T	17	The industry shall provide online monitoring equipment's for the parameters as decided by concerned Regional Office with the effluent treatment plant/air pollution control devices installed, if applicable.
	18	The pollution control devices shall be interlocked with the manufacturing process of the industry.
	19	The authorized outlet and mode of disposal shall not be changed without the prior written permission of the Board
	20	The industry shall comply with the conditions imposed by the SEIAA / MOEF in the environmental clearance granted to it as required under EIA notification dated14/9/06, if applicable.
	21.	The industry shall obtain and submit Insurance cover as required under the Public Liability Insurance Act, 1991.
	22.	The industry shall not use any unauthorized out-let(s) for discharging effluents from its premises. All unauthorized outlets, if any, shall be connected to the authorized outlet within one month from the date of issue of this consent.
		SURJIT SINGH SAHOTA P "This is computer generated document from OCMMS by PPCBonal Forest Chicer Sharma saw mill, Vpo bassi milai böghpur, Hoshiarpur, I Hoshiarpur, Q

23.	The industry shall make necessary arrangements for the monitoring of effluent being discharged by the industry and shall monitor its effluents:-
	(i) Once in Year for Small Scale Industries.
	(ii) Four in a Year for Large/Medium Scale Industries.
	(iii) The industry will submit monthly reading/ data of the separate energy meter installed for running of effluent treatment plant/re-circulation system to the concerned Regional Office of the Board by the 5th of the following month.
24.	The industry shall provide electromagnetic flow meters at the source of water supply, at inlet/outlet of effluent treatment plant within one month and shall maintain the record of the daily reading and submit the same to the concerned Regional Office by the 5th of the following month.
25.	The Board reserves the right to revoke this consent at any time in case the industry is found violating any of the conditions of this consent and/or the provisions of Water (Prevention & Control of Pollution) Act, 1974 as amended from time to time.
26.	The issuance of this consent does not convey any property right in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights nor any infringement of Central, State or Local Laws or Regulations.
27.	The consent does not authorize or approve the construction of any physical structures or facilities to undertaking of any work in any natural watercourse.
28.	Nothing in this consent shall be deemed to neither preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities or penalties to which the applicant is or may be subjected under this or any other Act.
29.	The industry shall make necessary and adequate arrangements to hold back the effluent in case of failure of sentic tank.
30.	The diversion or bye pass of any discharge from facilities utilized by the applicant to maintain complianc with the terms and conditions of this consent is prohibited except.
	(i) Where unavoidable to prevent loss of life or some property damage or
	(ii) Where excessive storm drainage or run off would damage facilities necessary for compliance with terms and conditions of this consent. The applicant shall immediately notify the consen issuing authority in writing of each such diversion or bye-pass.
31.	The industry shall ensure that no water pollution problem is created in the area due to discharge of effluen from its industrial premises.
32.	The industry shall comply with the code of practice as notified by the Government/ Board for the type of industries where the siting guidelines/ code of practice have been notified.
33.	Solids, sludge, filter backwash or other pollutant removed from or resulting from treatment or control of waste waters shall be disposed off in such a manner to prevent any pollutants from such materials fro entering into natural water.
34.	The industry shall re-circulate the entire cooling water and shall also re-circulate/reuse to the maximu extent the treated effluent in processes
35.	The industry shall make necessary and adequate arrangements to hold back the effluent in case of failure re-circulation system/ effluent treatment plant.
36.	The industry shall make proper disposal of the effluent so as to ensure that no stagnation occurs inside a outside the industrial premises during rainy season and no demand period.
37.	Where excessive storm water drainage or run off, would damage facilities necessary for compliance will terms and conditions of this consent, the applicant shall immediately notify the consent issuing authority writing of each such diversion or bye-pass.
38.	The industry shall submit a detailed plan showing therein the distribution system for conveying waste-wa for application on land for irrigation along with the crop pattern for the year.
39.	The industry shall ensure that the effluent discharged by it is toxicity free.
40.	raw
41.	Drains causing oil & grease contamination shall will be segregated. Oil & grease trap shall be provided recover oil & grease from the effluent.
	"This is computer generated document from OCMMS by PPCB" Sharma saw mill, Vpo bassi muda, baghpur, Hoshiarpur, Hoshi

DUNIAT	
PUNJAB PUNJAB	<b>3 POLLUTION CONTROL BOARD</b>
	Zonal Office Jalandhar
	Website:- www.ppcb.gov.in
Office Dispatch No : Bog	a a di emissione sua spine di fondiciano belerati tu bu sobolicat anno 2, inter e aslum di
Kegi	istered/Speed Post Date:
Industry Registration ID: 017HSP6018633	Application No : 601864
То,	Service and the service of the servi
DINESH SHARMA	
BASSI MUDDA HOSHIARPUR,PUNJAB-146001	
	Air (Prevention & Control of Pollution) Act, 1981 for discharg
emissions arising out of premises.	an (revention & Control of Pollution) Act, 1981 for discharg
With reference to your application for ob-	to initial Cases and a
Pollution) Act, 1981, you are hereby, authori	taining 'Consent to Operate' u/s 21 of Air (Prevention & Contro ized to operate an industrial unit for discharge of the emission(s) ari d Conditions as mentioned in this Cartification
Sur of your premises subject to the Terms an	ized to operate an industrial unit for discharge of the emission(s) ari d Conditions as mentioned in this Certificate.
	needen het het gebruik in der eine eine eine eine eine eine eine ei
1. Particulars of Consent to Operate under Air Act, 19	81 granted to the industry
Consent to Operate Certificate No.	
Date of issue :	CTOA/Fresh/HSP/2017/6018643
Date of expiry :	31/08/2017
Certificate Type :	30/09/2021 Fresh
. Particulars of the Industry	
Name & Designation of the Applicant	DINESH SHARMA, (PROPRIET.)R)
	DINESH SHARMA, (PROPRIETOR) Sharma saw mill,
Name & Designation of the Applicant Address of Industrial premises	Sharma saw mill, Vpo bassi muda, baghnur
Name & Designation of the Applicant Address of Industrial premises Capital Investment of the Industry	Sharma saw mill
Name & Designation of the Applicant Address of Industrial premises Capital Investment of the Industry Category of Industry	Sharma saw mill, Vpo bassi muda, baghpur, Hoshiarpur,Hoshiarpur-146001
Name & Designation of the Applicant Address of Industrial premises Capital Investment of the Industry Category of Industry Type of Industry	Sharma saw mill, Vpo bassi muda, baghpur, Hoshiarpur,Hoshiarpur-146001 41.1 lakhs
Name & Designation of the Applicant Address of Industrial premises Capital Investment of the Industry Category of Industry Type of Industry Scale of the Industry	Sharma saw mill, Vpo bassi muda, baghpur, Hoshiarpur,Hoshiarpur-146001 41.1 lakhs Orange
Name & Designation of the Applicant Address of Industrial premises Capital Investment of the Industry Category of Industry Type of Industry	Sharma saw mill, Vpo bassi muda, baghpur, Hoshiarpur,Hoshiarpur-146001 41.1 lakhs Orange Other Small
Name & Designation of the Applicant Address of Industrial premises Capital Investment of the Industry Category of Industry Type of Industry Scale of the Industry	Sharma saw mill,       Vpo bassi muda, baghpur,         Vpo bassi muda, baghpur,       Hoshiarpur-146001         41.1 lakhs       Orange         Other       Small         Hoshiarpur       Rs. 28800/- vide receipt No. 42/4602 det 128.02 roll2
Name & Designation of the Applicant         Address of Industrial premises         Capital Investment of the Industry         Category of Industry         Type of Industry         Scale of the Industry         Office District	Sharma saw mill,         Vpo bassi muda, baghpur,         Hoshiarpur,Hoshiarpur-146001         41.1 lakhs         Orange         Other         Small         Hoshiarpur         Rs. 28800/- vide receipt No. 42/4602 dated 28.07,2017 as         water consent for Rs. 28800/- under consent for Market and Market
Name & Designation of the Applicant         Address of Industrial premises         Capital Investment of the Industry         Category of Industry         Type of Industry         Scale of the Industry         Office District         Consent Fee Details	Sharma saw mill,         Vpo bassi muda, baghpur,         Hoshiarpur,Hoshiarpur-146001         41.1 lakhs         Orange         Other         Small         Hoshiarpur         Rs. 28800/- vide receipt No. 42/4602 dated 28.07.2017 as water consent fee, Rs. 28800/- vide receipt No. 41/4602 dated 28.07.2017 as water consent fee, Rs. 2880/- vide receipt No. 41/4602 dated 28.07.2017 as water consent fee, Rs. 2880/- vide receipt No. 41/4602 dated 28.07.2017 as water consent fee, Rs. 2880/- vide receipt No. 41/4602 dated 28.07.2017 as water consent fee, Rs. 2880/- vide receipt No. 41/4602 dated 28.07.2017 as water consent fee, Rs. 2880/- vide receipt No. 41/4602 dated 28.07.2017 as water consent fee, Rs. 2880/- vide receipt No. 41/4602 dated 28.07.2017 as water consent fee, Rs. 2880/- vide receipt No. 41/4602 dated 28.07.2017 as water consent fee, Rs. 2880/- vide receipt No. 41/4602 dated 28.07.2017 as water consent fee, Rs. 2880/- vide receipt No. 41/4602 dated 28.07.2017 as water consent fee, Rs. 2880/- vide receipt No. 41/4602 dated 28.07.2017 as water consent fee, Rs. 2880/- vide receipt No. 41/4602 dated 28.07.2017 as water consent fee, Rs. 2880/- vide receipt No. 41/4602 dated 28.07.2017 as water consent fee, Rs. 2880/- vide receipt No. 41/4602 dated 28.07.2017 as water consent fee, Rs. 2880/- vide receipt No. 41/4602 dated 28.07.2017 as water consent fee, Rs. 2880/- vide receipt No. 41/4602 dated 28.07.2017 as water consent fee, Rs. 280/- vide receipt No. 41/4602 dated 28.07.2017 as water consent fee, Rs. 280/- vide receipt No. 41/4602 dated 28.07.2017 as water consent fee, Rs. 280/- vide receipt No. 41/4602 dated 28.07.2017 as water consent fee, Rs. 280/- vide receipt No. 41/- 400/- vide recei
Name & Designation of the Applicant         Address of Industrial premises         Capital Investment of the Industry         Category of Industry         Type of Industry         Scale of the Industry         Office District         Consent Fee Details         Raw Materials (Name with Quantity per day)	Sharma saw mill,         Vpo bassi muda, baghpur,         Hoshiarpur,Hoshiarpur-146001         41.1 lakhs         Orange         Other         Small         Hoshiarpur         Rs. 28800/- vide receipt No. 42/4602 dated 28.07.2017 as water consent fee, Rs. 28800/- vide receipt No. 41/4602 dated 28.07.2017 as on consent fee & Rs. 500/- vide receipt No. 40/4602 dated 28.07.2017 as form fee.
Name & Designation of the Applicant         Address of Industrial premises         Capital Investment of the Industry         Category of Industry         Cype of Industry         Scale of the Industry         Office District         Consent Fee Details         Raw Materials (Name with Quantity per day)         Products (Name with Quantity per day)	Sharma saw mill,         Vpo bassi muda, baghpur,         Hoshiarpur,Hoshiarpur-146001         41.1 lakhs         Orange         Other         Small         Hoshiarpur         Rs. 28800/- vide receipt No. 42/4602 dated 28.07.2017 as water consent fee, Rs. 28800/- vide receipt No. 41/4602 dated 28.07.2017 as form fee.         FINE WOOD & WOOD @30000Kgs day
Name & Designation of the Applicant         Address of Industrial premises         Capital Investment of the Industry         Category of Industry         Type of Industry         Scale of the Industry         Office District         Consent Fee Details         Raw Materials (Name with Quantity per day)         Products (Name with Quantity per day)         By-products, if any, (Name with Quantity per day)	Sharma saw mill,         Vpo bassi muda, baghpur,         Hoshiarpur,Hoshiarpur-146001         41.1 lakhs         Orange         Other         Small         Hoshiarpur         Rs. 28800/- vide receipt No. 42/4602 dated 28.07.2017 as water consent fee, Rs. 28800/- vide receipt No. 41/4602 dated 28.07.2017 as onsent fee & Rs. 500/- vide receipt No. 40/4602 dated 28.07.2017 as form fee.
Name & Designation of the Applicant         Address of Industrial premises         Capital Investment of the Industry         Category of Industry         Cype of Industry         Scale of the Industry         Office District         Consent Fee Details         Raw Materials (Name with Quantity per day)         Products (Name with Quantity per day)	Sharma saw mill,         Vpo bassi muda, baghpur,         Hoshiarpur,Hoshiarpur-146001         41.1 lakhs         Orange         Other         Small         Hoshiarpur         Rs. 28800/- vide receipt No. 42/4602 dated 28.07.2017 as water consent fee, Rs. 28800/- vide receipt No. 41/4602 dated 28.07.2017 as form fee.         FINE WOOD & WOOD @30000Kgs day
Name & Designation of the Applicant         Address of Industrial premises         Capital Investment of the Industry         Category of Industry         Type of Industry         Scale of the Industry         Office District         Consent Fee Details         Raw Materials (Name with Quantity per day)         Products (Name with Quantity per day)         By-products, if any, (Name with Quantity per day)	Sharma saw mill,         Vpo bassi muda, baghpur,         Hoshiarpur,Hoshiarpur-146001         41.1 lakhs         Orange         Other         Small         Hoshiarpur         Rs. 28800/- vide receipt No. 42/4602 dated 28.07.2017 as         water consent fee, Rs. 28800/- vide receipt No. 41/4602         dated 28.07 2017 as air consent fee & Rs. 500/- vide receipt No. 40/4602 dated 28.07.2017 as form fee.         FINE WOOD & WOOD @30000Kgs day         WOOD VENEER & SAW MILL (@ 30000Kgs/day)
Name & Designation of the Applicant         Address of Industrial premises         Capital Investment of the Industry         Category of Industry         Type of Industry         Scale of the Industry         Office District         Consent Fee Details         Raw Materials (Name with Quantity per day)         Products (Name with Quantity per day)         By-products, if any, (Name with Quantity per day)	Sharma saw mill,         Vpo bassi muda, baghpur,         Hoshiarpur,Hoshiarpur-146001         41.1 lakhs         Orange         Other         Small         Hoshiarpur         Rs. 28800/- vide receipt No. 42/4602 dated 28.07,2017 as water consent fee, Rs. 28800/- vide receipt No. 41/4602 dated 28.07.2017 as ir consent fee & Rs. 500/- vide receipt No. 40/4602 dated 28.07.2017 as form fee.         FINE WOOD & WOOD @30000Kgs day         WOOD VENEER & SAW MILL @ 30000Kgs/day         As per project report
Name & Designation of the Applicant         Address of Industrial premises         Capital Investment of the Industry         Category of Industry         Type of Industry         Scale of the Industry         Office District         Consent Fee Details         Raw Materials (Name with Quantity per day)         Products (Name with Quantity per day)         By-products, if any, (Name with Quantity per day)         Details of the machinery and process	Sharma saw mill, Vpo bassi muda, baghpur, Hoshiarpur,Hoshiarpur-146001 41.1 lakhs Orange Other Small Hoshiarpur Rs. 28800/- vide receipt No. 42/4602 dated 28.07.2017 as water consent fee, Rs. 28800/- vide receipt No. 41/4602 dated 28.07.2017 as air consent fee & Rs. 500/- vide receipt No. 40/4602 dated 28.07.2017 as form fee. FINE WOOD & WOOD @30000Kgs day WOOD VENEER & SAW MILL (@ 30000Kgs/day As per project report SURJIT SINCH SAHOTA PES
Name & Designation of the Applicant         Address of Industrial premises         Capital Investment of the Industry         Category of Industry         Type of Industry         Scale of the Industry         Office District         Consent Fee Details         Raw Materials (Name with Quantity per day)         Products (Name with Quantity per day)         By-products, if any, (Name with Quantity per day)         Details of the machinery and process	Sharma saw mill,         Vpo bassi muda, baghpur,         Hoshiarpur,Hoshiarpur-146001         41.1 lakhs         Orange         Other         Small         Hoshiarpur         Rs. 28800/- vide receipt No. 42/4602 dated 28.07,2017 as water consent fee, Rs. 28800/- vide receipt No. 41/4602 dated 28.07.2017 as ir consent fee & Rs. 500/- vide receipt No. 40/4602 dated 28.07.2017 as form fee.         FINE WOOD & WOOD @30000Kgs day         WOOD VENEER & SAW MILL @ 30000Kgs/day         As per project report





## TERMS AND CONDITIONS

## **GENERAL CONDITIONS**

This consent is not valid for getting power load from the Punjab State Power Corporation Ltd. or for getting loan from the financial institutions.

The industry shall apply for renewal /extension of consent at least two months before expiry of the consent. The industry shall not violate any of the norms prescribed under the Air (Prevention & Control of Pollution) Act, 1981, failing which, the consent shall be cancelled / revoked.

- The achievement of adequacy and efficiency of the air pollution control devices installed shall be the entire responsibility of the industry
- The authorized fuel being used shall not be changed without the prior written permission of the Board.
- The industry shall not discharge any fugitive emissions. All gases shall be emitted through a stack of suitable height, as per the norms fixed by the Board from time to time.

The industry shall provide port-holes, platforms and/or other necessary facilities as may be required for collecting samples of emissions from any chimney, flue or duct or any other outlets. Specifications of the port-holes shall be as under:-

The sampling ports shall be provided atleast 8 times chimney diameter downstream and 2 times upstream from the flow disturbance. For a rectangular cross section the equivalent diameter (De) shall be calculated from the following equation to determine upstream, downstream distance:-De = 2 LW / (L+W)

i)

ii)

Where L= length in mts. W= Width in mts.

The sampling port shall be 7 to 10 cm in diameter

The industry shall put display Board indicating environmental data in the prescribed format at the main entrance gate.

The industry shall discharge all gases through a stack of minimum height as specified in the following standards laid down by the Board. (i) Stack height for boiler plants

S.NO.	Boiler with Steam Generating Capacity	Stack heights
. 1.	Less than 2 ton/hr.	9 meters or 2.5 times the height of neighboring building which ever is more
2.	More than 2 ton/hr. to 5 ton/hr.	12 meters
3.	More than 5 ton/hr. to 10 ton/hr	15 meters
4.	More than 10 ton/hr. to 15 ton/hr	18 meters
5.	More than 15 ton/hr. to 20 ton/hr	21 meters
6.	More than 20 ton/hr. to 25 ton/hr.	24 meters
7.	More than 25 ton/hr. to 30 ton/hr.	27 meters
8.	More than 30 ton/hr.	30 meters or using the formula H = 14  Qg0.3or H = 74 (Qp)0.24 Where $Qg = $ Quantity of SO2 in Kg/hr. Qp = Quantity of particulate matter in Ton/day.

Note : Minimum Stack height in all cases shall be 9.0 mtr. or as calculated from relevant formula whichever is more.

(ii) For industrial furnaces and kilns, the criteria for selection of stack height would be based on fuel used for the corresponding steam generation. (iii) Stack height for diesel generating sets:

SURJIT SINGH, SAHOTA

This is computer generated document from OCMMSDy PPCB Sharma saw mill Vpo bassi muda, buch Sharma saw mill, Vpo bassi muda ha

na Hoshiarpur Hoshiarpur 146001

Pages

<ol> <li>The existing pollution control equipment shall be altered or replaced in accordance with the directions of Board, and no pollution control equipment or chimney shall be altered or as the case may be erected or erected except with the prior approval of the Board.</li> <li>The industry will provide canopy and adequate stack with the D.G sets so as to comply with the provision notification No GSR-371 E dated 17-5-2002(amended from time to time) issued by MOEF und Environment (Protection) Act, 1986.</li> <li>The Govt, of Punjab, Department of Science, Technology &amp; Environment vide its notification no.4/46/9 35T/2839 dt. 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except t following:-</li> <li>"In the form of briquettes and use of rice husk in fluidized bed combustion.So the industry shall ma the necessary arrangement to comply with the above notification."</li> <li>The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30 June of every year</li> <li>That the industry shall submit a yearly certificate to the effect that no addition / up-gradation/ modificatio modernization has been carried out during the previous year otherwise the industry shall apply for the varie consent.</li> <li>a) The industry shall ensure that at any time the emission do not exceed the prescribed emission standards laid down by the Board from time to time for such type of industry /emissions.</li> <li>b) The industry shall ensure that the emissions from each stack shall conform to the following emission standards laid down by the Board in respect of the Industrial Boilters.</li> <li>Steam Generating capacity A.</li> <li>Area upto 5 Km from Other than 'A' class Other than the periphery of 1 and Class-II town</li> <li>Less than 2 ton/hr. 800 mg/NM3 1000 mg/NM3 Above 10 ton to 15 ton/hr 350 mg/NM3 500 mg/NM3</li> <li>Above 10 ton to 15 ton/hr 350 mg/NM3 500 mg/NM3</li> <li>Above 10 ton to 15 ton/hr 350 mg/NM</li></ol>	0-50 KVA       Height of the building       +1.5 mt         50-100 KVA       -do-       +2.0 mt         100-150 KVA       -do-       +2.5 mt         150-200 KVA       -do-       +3.5 mt         200-250 KVA       -do-       +3.5 mt         200-250 KVA       -do-       +3.5 mt         200-250 KVA       -do-       +3.5 mt         For higher KVA rating stack height H (in meter) shall be worked out according to the formula:         II = h+0.2 (KVA)0.5       where h = height of the building in meters where the generator set is installed.         10. The pollution control devices shall be interlocked with the manufacturing process of the industry to ensitis regular operation.         11. The existing pollution control equipment or chimmey shall be altered or as the case may be crected or erected except with the provide canopy and adequate stack with the D.G sets so as to comply with the provision notification No GSR-371 E dated 17-5-2002(ameted from time to time) issued by MOEF and Environment (Protection) Act, 1986.         12. The industry will population control Science, Technology & Environment vide if ander 1.4.1995 except 1 following:-         "In the form of briquettes and use of rice husk in fluidized bed combastion.So the industry shall may the necessary arrangement to comply with the above notification.".         13. The industry shall ensure that at any time the emission do not exceed the prescribed emission standards laid down by the Board form time to time for such type of industry shall apply for t						
50-100 KVA       -do-       + 2.0 mt         100-150 KVA       -do-       + 2.5 mt         150-200 KVA       -do-       + 3.5 mt         250-300 KVA       -do-       + 3.5 mt         100-150 kXA rating stack height H (in meter) shall be worked out according to the formula:       H - h-0.2 (KVA)0.5         where h = height of the building in meters where the generator set is installed.       10         11       The existing pollution control equipment or chinney shall be altered or replaced in accordance with the directions of Boord, and no pollution control equipment or chinney shall be altered or as the case may be erected or erected except with the provaporal of the Board.         12       The industry shall sput prohibition on the use of rice hucks a fuel after 1.4.1995 except to following:      <	50-100 KVA       -do       + 1.5 mit         100-150 KVA       -do       + 2.5 mit         150-200 KVA       -do       + 3.5 mit         200-250 KVA       -do       + 3.5 mit         210-300 KVA       -do       + 3.5 mit         210-100 control devices shall be interlocked with the manufacturing process of the industry to ensitive and and no pollution control equipment or chimely shall be altered or as the case may be erected or erected except with the prior approval of the Board.         12.       The industry will provide of Science, Technology & Environment vide its notification no.44667 35172839 dt. 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except 1         13.       The Govt of Punjab. Department of Science, Technology & Environment vide its notification nodificatio mod/fic			ing set	Heigh	nt of the Stack	
100-150 KVA       -do-       + 2.0 mL         150-200 KVA       -do-       + 3.0 mL         200-250 KVA       -do-       + 3.0 mL         200-250 KVA       -do-       + 3.5 mL         For higher KVA rating stack height H (in meter) shall be worked out according to the formula:       H = h=0.2 (KVA)0.5         where h = height of the building in meters where the generator set is installed.       In         10. The pollution control devices shall be interlocked with the manufacturing process of the industry to ensitis regular operation.       In         11. The existing pollution control equipment shall be adtered or replaced in accordance with the directions of Board, and no pollution control equipment or chimney shall be altered or as the case may be erected or receted except with the prior aproval of the Board.         12. The industry will provide canopy and adequate stack with the D.G sets so as to comply with the provision notification No GSR-371 E dated 17-5-2002(amended from time to time) issued by MOEF unc Environment (Protection) Act, 1986.         13. The Govt, of Punjab, Department of Science, Technology & Environment vide its notification no.4/46/3 35172839 dt. 29/12/1993 has put prohibition on the use of rice hask as fuel after 1.4.1905 except t following:         ***       "In the form of briquettes and use of rice hask in fluidized bed combustion So the industry shall and the necessary arrangement to comply with the above notification."         14. The industry shall submit a yearly certificate to the effect that no addition / up-gradation/ modification moderization has been carri	100-150 KVA       -do       + 2.5 mt.         150-200 KVA       -do       + 3.0 mt.         200-250 KVA       -do       + 3.5 mt.         250-300 KVA       -do       + 3.5 mt.         250-300 KVA       -do       + 3.5 mt.         250-300 KVA       -do       + 3.5 mt.         For higher KVA rating stack height H (in meter) shall be worked out according to the formula: H = h+0.2 (KVA)0.5			Height of the	he building	+ 1.5 mt	
150-200 KVA       -do- $\pm 3.5 \text{ mt}$ 200-250 KVA       -do- $\pm 3.5 \text{ mt}$ 250-300 KVA       -do- $\pm 3.5 \text{ mt}$ 350-300 KVA       -do- $\pm 3.5 \text{ mt}$ For higher KVA rating stack height H (in meter) shall be worked out according to the formula: $H = h + 0.2$ (KVA)0.5         where h = height of the building in meters where the generator set is installed.         10       The pollution control equipment shall be altered or replaced in accordance with the directions of Board, and no pollution control equipment shall be altered or replaced in accordance with the directions of Board, and no pollution control equipment of the Board.         11       The existing pollution control equipment of form time to time) issued by MOEF uncentret (Protection) Act, 1986.         12       The industry will provide canopy and adequate stack with the D.G sets so as to comply with the provision notification no 4/46/3         3517.2839 dt. 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except tfollowing:         "In the form of briquettes and use of rice husk in fluidized bed combustion. So the industry shall malt the necessary arrangement to comply with the above notification.         14       The industry shall submit aleance sheet of every financial year to the concerned Regional Office by 30 June of every year         15       That the industry shall ensure that at any time the emission do not exceed the prescribed emissi	150-200 KVA       -do-       + 3.0 mt.         200-250 KVA       -do-       + 3.0 mt.         200-250 KVA       -do-       + 3.5 mt.         200-300 KVA       -do-       + 3.5 mt.         200-300 KVA       -do-       + 3.5 mt.         For higher KVA rating stack height II (in meter) shall be worked out according to the formula:       H = h=0.2 (KVA)0.5         where h = height of the building in meters where the generator set is installed.       In the cristing pollution control equipment shall be altered or replaced in accordance with the directions of Board, and no pollution control equipment or chinney shall be altered or as the case may be erected or erected except with the provised and pollution and the board.         12. The industry will provide canopy and adequate stack with the D.G sets so as to comply with the provision notification No GSR-371 E dated 17-5-2002(amended from time to time) issued by MOEP und Environment (Protection) Act, 1986.         13. The Govt, of Punjab, Department of Science, Technology & Environment vide its notification no.4/46/3 357(238) dt. 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except to following:         ***       ***         ***       The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30 June of every year         14. The industry shall submit a yearly certificate to the effect that no addition /up-gradation/modification modernization has been carried out during the previsors year otherwise the aditastry femissions.         1			-do	)-	+ 2.0 mt.	
200-250 KVA       do-       + 3.5 mt.         250-300 KVA       do-       + 3.5 mt.         For higher KVA rating stack height H (in meter) shall be worked out according to the formula:       H = h+0.2 (KVA)0.5         where h = height of the building in meters where the generator set is installed.       Image: the pollution control devices shall be interlocked with the manufacturing process of the industry to ensitis regular operation.         10. The pollution control equipment shall be altered or replaced in accordance with the directions of Board, and no pollution control equipment or chimmey shall be altered or as the case may be erected or erected except with the provision and the Board.         12. The industry will provide canopy and adequate stack with the D.G sets so as to comply with the provision motification No GSR-371 E dated 17-5-2002(amended from time to time) issued by MOEF untervironment (Protection) Act, 1986.         13. The Cover of Punjab, Department of Science, Technology & Environment vide its notification no 4/46/6/3517/2839 dt. 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except the following:-         14. The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30 June of every year         15. That the industry shall ensure that at any time the emission from each stack shall conform to the following emission standards laid down by the Board from time to time for such type of industry / emissions.         16. a) The industry shall submit a yearly certificate to the effect that no addition / up-gradation/ modification modernization has been camited out during the prevision standards laid down by th	200-250 KVA       -do-       + 3.5 mt.         250-300 KVA       -do-       + 3.5 mt.         For higher KVA rating stack height H (in meter) shall be worked out according to the formula:         II = h+0.2 (KVA)0.5       where h = height of the building in meters where the generator set is installed.         10. The pollution control devices shall be interlocked with the manufacturing process of the industry to ensits regular operation.         11. The existing pollution control equipment or chimney shall be altered or as the case may be erected or erected except with the provide caupyment or chimney shall be altered or as the case may be erected or notification No GSR-371 E dated 17-5-2002(amended from time to time) issued by MOEF und Environment (Protection) Act, 1986.         13. The form of briquettes and use of rice husk in fluidized bed combustion. So the industry shall matter necessary arrangement to comply with the above notification.         14. The industry shall submit a yearly certificate to the effect that no addition / up-gradation/ modification has been carried out during the previous year otherwise the industry shall apply for the varie consent.         16. a)       The industry shall submit a yearly certificate to the effect that no addition / up-gradation/ modification hod/with yshall submit a yearly certificate to the effect that no addition / up-gradation/ modification in during the previous year otherwise the industry shall apply for the varie consent.         16. a)       The industry shall ensure that the demissions from each stack shall conform to the following emission standards laid down by the Board irrom tirec to time for such type of industry / emi			-do	-	+ 2.5 mt.	
250-300 KVA       do       + 3.5 mt         For higher KVA rating stack height H (in meter) shall be worked out according to the formula:	250-300 KVA     -do-     + 3.5 mt.       For higher KVA rating stack height H (in meter) shall be worked out according to the formula: H = h+0.2 (KVA)0.5       Where h = height of the building in meters where the generator set is installed.       10. The pollution control devices shall be interlocked with the manufacturing process of the industry to ensitis regular operation.       10. The cristing pollution control equipment shall be altered or replaced in accordance with the directions of Board, and no pollution control equipment or chimney shall be altered or as the case may be erected or erected except with the prior approval of the Board.       12. The industry will provide canopy and adequate stack with the D G sets so as to comply with the provision notification on QSR-371 E dated 17-5-2002(amended from time to time) issued by MOEF und Environment (Protection) Act, 1986.       13. The Govt. of Punjab, Department of Science, Technology & Environment vide its notification no.4466// 3STT2839 dt. 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except to following:-       "In the form of briquettes and use of rice husk in fluidized bed combustion. So the industry shall ma the necessary arrangement to comply with the above notification."       14. The industry shall submit a yearly certificate to the effect that no addition /up-gradation/ modification modernization has been carried out during the previous year otherwise the industry shall apply for the vari consent.       16       17. The industry shall submit a yearly certificate to the effect that no addition /up-gradation/ modification modernization has been c		positivo etti to stutto onche etter	-do	- Terrener and the state of the second	+ 3.0 mt.	
<ul> <li>For higher KVA rating stack height H (in meters) shall be worked out according to the formula: H = h+0.2 (KVA)0.5 where h = height of the building in meters where the generator set is installed.</li> <li>The pollution control devices shall be interlocked with the manufacturing process of the industry to ensitis regular operation.</li> <li>The existing pollution control equipment shall be altered or replaced in accordance with the directions of Board, and no pollution control equipment or chimmey shall be altered or as the case may be erected or erected except with the provide canopy and adequate stack with the D.G sets so as to comply with the provision notification No GSR-371 E dated 17-5-2002(amended from time to time) issued by MOEF und Environment (Protection) Act, 1986.</li> <li>The Govt. of Punjab, Department of Science, Technology &amp; Environment vide its notification no.4/46/3 3ST/2839 dt. 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except to following:- "In the form of briquettes and use of rice husk in fluidized bed combustion.So the industry shall mal the necessary arrangement to comply with the above notification."</li> <li>The industry shall submit a yearly certificate to the effect that no addition / up-gradation/ modification modernization has been carried out during the previous year otherwise the industry shall apply for the varie consent.</li> <li>a) The industry shall ensure that at any time the emission do not exceed the prescribed emission. So the following emission standards hald down by the Board from time to time for such type of industry 'emissions."</li> <li>b) The industry shall ensure that at any time the emission do not exceed the prescribed emission. So the following emission standards hald down by the Board from time to time for such type of industry 'emissions.</li> <li>b) The industry shall ensure that at any time the emission do not exceed the prescribed emission. So the following emission standards hald down by the Board from time to t</li></ul>	<ul> <li>For higher KVA rating stack height H (in meter) shall be worked out according to the formula: H = h+0.2 (KVA)0.5         where h = height of the building in meters where the generator set is installed.     </li> <li>The pollution control equipment shall be altered or replaced in accordance with the directions of Board, and no pollution control equipment or chinney shall be altered or as the case may be erected or erected except with the prior approval of the Board.     </li> <li>The existing pollution control equipment and a deguate stack with the D G sets so as to comply with the provision notification No GSR-371 E dated 17-5-2002(amended from time to time) issued by MOEF une Environment (Protection) Act, 1986.     </li> <li>The Govt of Punjab, Department of Science, Technology &amp; Environment vide its notification no.4/466 3ST/2839 dt. 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except to following:         <ul> <li>"In the form of briquettes and use of rice husk in fluidized bed combastion."</li> <li>The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30 June of every year</li> </ul> </li> <li>That the industry shall submit a jearly certificate to the effect that no addition / up-gradation/ modification modernization has been carried out during the previous year otherwise the industry shall apply for the varie consent.</li> <li>a) The industry shall ensure that at any time the emission do not exceed the prescribed emission standards laid down by the Board in respect of the Industry aball conform to the following emission standards laid down by the Board in respect of the Industry aball ensure that the emissions from each stack shall Conform to the following emission standards laid down by the Board in respect of the Industry aball ensure that the emission from each stack shall Conform to the following emission standards laid down by the Board in respect</li></ul>			-do	To Mana and Source	+ 3.5 mt.	
H = h=0.2 (KVA)0.5         where h = height of the building in meters where the generator set is installed.         10.       The pollution control devices shall be interlocked with the manufacturing process of the industry to ensits regular operation.         11.       The existing pollution control equipment shall be altered or replaced in accordance with the directions of Board, and no pollution control equipment or chimmey shall be altered or as the case may be erected or erected except with the prior approval of the Board.         12.       The industry will provide canopy and adequate stack with the D.G sets so as to comply with the provision notification No GSR-371 E dated 17-5-2002(amended from time to time) issued by MOEF und Environment (Protection) Act, 1986.         13.       The Govt, of Punjab, Department of Science, Technology & Environment vide its notification no.4/46/9 38T(72839 dt, 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except t following:         "In the form of briquettes and use of rice husk in fluidized bed combustion. So the industry shall main the necessary arrangement to comply with the above notification."         14.       The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30 June of every year         15.       That the industry shall ensure that at any time the emission do not exceed the prescribed emission. standards laid down by the Board from time to time for such type of industry /emissions.         b)       The industry shall ensure that that mainter B <i>Capacity A.</i> Area upto 5 Km from Other than 'A' class Other than the	H = h+0.2 (KVA)0.5         where h = height of the building in meters where the generator set is installed.         10.       The pollution control devices shall be interlocked with the manufacturing process of the industry to ensits regular operation.         11.       The existing pollution control equipment shall be altered or replaced in accordance with the directions of Board, and no pollution control equipment or chimney shall be altered or as the case may be erected or erected except with the prior approval of the Board.         12.       The industry will provide canopy and adequate stack with the D G sets so as to comply with the provision notification No GSR-371 E dated 17-5-2002(amended from time to time) issued by MOEF untervironment (Protection) Act, 1986.         13.       The Govt. of Punjab, Department of Science, Technology & Environment vide its notification no.4/46// 3S17/2839 dt. 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except the following:-         "In the form of briquettes and use of rice husk in fluidized bed combustion.So the industry shall mat the necessary arrangement to comply with the above notification."         14.       The industry shall submit a yearly certificate to the effect that no addition / up-gradation/ modificatio modernization has been carried out during the previous year otherwise the industry shall apply for the vario consent.         15.       The industry shall ensure that at any time the emission do not exceed the prescribed emission standards laid down by the Board from time to time for such type of industry /emission.         16.       a)       The industry shall ensure that any time the emissi						
H = h=0.2 (KVA)0.5         where h = height of the building in meters where the generator set is installed.         10.       The pollution control devices shall be interlocked with the manufacturing process of the industry to ensits regular operation.         11.       The existing pollution control equipment shall be altered or replaced in accordance with the directions of Board, and no pollution control equipment or chimmey shall be altered or as the case may be erected or erected except with the prior approval of the Board.         12.       The industry will provide canopy and adequate stack with the D.G sets so as to comply with the provision notification No GSR-371 E dated 17-5-2002(amended from time to time) issued by MOEF und Environment (Protection) Act, 1986.         13.       The Govt, of Punjab, Department of Science, Technology & Environment vide its notification no.4/46/9 38T(72839 dt, 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except t following:         "In the form of briquettes and use of rice husk in fluidized bed combustion. So the industry shall main the necessary arrangement to comply with the above notification."         14.       The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30 June of every year         15.       That the industry shall ensure that at any time the emission do not exceed the prescribed emission. standards laid down by the Board from time to time for such type of industry /emissions.         b)       The industry shall ensure that that mainter B <i>Capacity A.</i> Area upto 5 Km from Other than 'A' class Other than the	H = h+0.2 (KVA)0.5         where h = height of the building in meters where the generator set is installed.         10.       The pollution control devices shall be interlocked with the manufacturing process of the industry to ensits regular operation.         11.       The existing pollution control equipment shall be altered or replaced in accordance with the directions of Board, and no pollution control equipment or chimney shall be altered or as the case may be erected or erected except with the prior approval of the Board.         12.       The industry will provide canopy and adequate stack with the D G sets so as to comply with the provision notification No GSR-371 E dated 17-5-2002(amended from time to time) issued by MOEF untervironment (Protection) Act, 1986.         13.       The Govt. of Punjab, Department of Science, Technology & Environment vide its notification no.4/46// 3S17/2839 dt. 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except the following:-         "In the form of briquettes and use of rice husk in fluidized bed combustion.So the industry shall mat the necessary arrangement to comply with the above notification."         14.       The industry shall submit a yearly certificate to the effect that no addition / up-gradation/ modificatio modernization has been carried out during the previous year otherwise the industry shall apply for the vario consent.         15.       The industry shall ensure that at any time the emission do not exceed the prescribed emission standards laid down by the Board from time to time for such type of industry /emission.         16.       a)       The industry shall ensure that any time the emissi		For higher KVA rating stat	ck height H (in meter) s	shall be worked o	out according to the	formula:
<ol> <li>The pollution control devices shall be interlocked with the manufacturing process of the industry to ensits regular operation.</li> <li>The existing pollution control equipment shall be altered or replaced in accordance with the directions of Board, and no pollution control equipment or chimmey shall be altered or as the case may be erected or erected except with the prior approval of the Board.</li> <li>The industry will provide canopy and adequate stack with the D.G sets so as to comply with the provision notification No GSR-371 E dated 17-5-2002(amended from time to time) issued by MOEF und Environment (Protection) Act, 1986.</li> <li>The fort, of Punjab, Department of Science, Technology &amp; Environment vide its notification no 4/46// 3517/2839 dt. 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except t following:-</li> <li>"In the form of briquettes and use of rice husk in fluidized bed combustion.So the industry shall mat the necessary arrangement to comply with the above notification."</li> <li>The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30 June of every year</li> <li>The industry shall ensure that at any time the emission do not exceed the prescribed emission. standards laid down by the Board from time to time for such type of industry financials and the direction with the following:</li> <li>b) The industry shall ensure that the the amater B.</li> <li>Steam Generating Required particulate matter B.</li> <li>Steam Generating Required particulate matter B.</li> <li>Steam 2 ton/hr. 800 mg/NM3 1200 mg/NM3 2 ton to 10 ton/hr. 500 mg/NM3 150 mg/NM3 Above 10 ton to 15 ton/hr 350 mg/NM3 150 mg/NM3 150 mg/NM3 Above 15 ton/hr 150 mg/NM3 150 mg/NM3</li> <li>All emissions normalized to 12% carbon dioxide.</li> </ol>	<ol> <li>The pollution control devices shall be interlocked with the manufacturing process of the industry to ensitis regular operation.</li> <li>The existing pollution control equipment shall be altered or replaced in accordance with the directions of Board, and no pollution control equipment or chimney shall be altered or as the case may be erected or erected except with the prior approval of the Board.</li> <li>The industry will provide canopy and adequate stack with the D.G sets so as to comply with the provision notification No GSR-371 E dated 17-5-2002(amended from time to time) issued by MOEF une Environment (Protection) Act, 1986.</li> <li>The Govt. of Punjab, Department of Science, Technology &amp; Environment vide its notification no.4/46// 3ST/2839 dt. 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except the following:-</li> <li>"In the form of briquettes and use of rice husk in fluidized bed combustion. So the industry shall mat the necessary arrangement to comply with the above notification."</li> <li>The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30 June of every year</li> <li>That the industry shall submit a yearly certificate to the effect that no addition / up-gradation/ modification modernization has been carried out during the previous year otherwise the industry shall apply for the varie consent.</li> <li>a) The industry shall ensure that any time the emission do not exceed the prescribed emission.</li> <li>b) The industry shall ensure that the cmissions from each stack shall conform to the following enacting Required particulate matter <i>B</i>.</li> <li><i>Area upto 5 Km from Other than 'A' class Other than the periphery of 1 and Class-II town</i></li> <li><i>Less than 2 ton/hr</i>. 800 mg/NM3 1200 mg/NM3 150 mg/NM3 Above 15 ton/hr 150 mg/NM3 150 mg/NM3 150 mg/NM3 Above 15 ton/hr 150 mg/NM3 150 mg/NM3 200 mg/NM3 200</li></ol>			H = h + 0.2	2 (KVA)0.5		
11. The existing pollution control equipment shall be altered or replaced in accordance with the directions of Board, and no pollution control equipment or chimney shall be altered or as the case may be erected or erected except with the prior approval of the Board.         12. The industry will provide canopy and adequate stack with the D.G sets so as to comply with the provision notification No GSR-371 E dated 17-5-2002(amended from time to time) issued by MOEF und Environment (Protection) Act, 1986.         13. The Govt, of Punjab, Department of Science, Technology & Environment vide its notification no.4/46/9 35T/2839 dt. 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except t following:-         **In the form of briquettes and use of rice husk in fluidized bed combustion.So the industry shall mal the necessary arrangement to comply with the above notification."         14. The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30 June of every year         15. That the industry shall submit a yearly certificate to the effect that no addition / up-gradation/ modification modernization has been carried out during the previous year otherwise the industry shall apply for the varie consent.         16. a) The industry shall ensure that at any time the emission do not exceed the prescribed emission. Standards laid down by the Board in respect of the Industrial Boilers.         17. The industry shall ensure that the emissions from each stack shall conform to the following emission standards laid down by the Board in respect of the Industrial Boilers.         16. a) The industry shall ensure that the emissions from each stack shall conform to the following emission standards laid down by the Board in resp	11. The existing pollution control equipment shall be altered or replaced in accordance with the directions of Board, and no pollution control equipment or chimney shall be altered or as the case may be erected or erected except with the prior approval of the Board.         12. The industry will provide canopy and adequate stack with the D.G sets so as to comply with the provision notification No GSR-371 E dated 17.5-2002(amended from time to time) issued by MOEF une Environment (Protection) Act, 1986.         13. The Govt. of Punjab, Department of Science, Technology & Environment vide its notification no.4/46// 3ST/2839 dt. 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except to following:         "In the form of briquettes and use of rice husk in fluidized bed combustion. So the industry shall matthe necessary arrangement to comply with the above notification."         14. The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30 June of every year         15. That the industry shall ensure that at any time the emission do not casced the prescribed emission standards laid down by the Board from time to time for such type of industry /emissions.         16. a)       The industry shall ensure that at any time the emission from each stack shall conform to the following emission standards laid down by the Board in respect of the Industry and Boilers.         b)       The industry shall ensure that the emission from each stack shall conform to the following emission standards laid down by the Board in respect of the Industrial Boilers.         5       Steam Generating       Required particulate matter B. <i>Capacity A</i> .       A	10	where h = height of the build	ing in meters where the	generator set is ins	stalled.	
erected except with the prior approval of the Board.         12       The industry will provide canopy and adequate stack with the D.G sets so as to comply with the provision notification No GSR-371 E dated 17-5-2002(amended from time to time) issued by MOEF und Environment (Protection) Act, 1986.         13       The Govt. of Punjab, Department of Science, Technology & Environment vide its notification no.4/46/9 3ST/2839 dt. 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except t following:-         "In the form of briquettes and use of rice husk in fluidized bed combustion.So the industry shall main the necessary arrangement to comply with the above notification."         14       The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30 June of every year         15       That the industry shall ensure that at any time the emission do not exceed the prescribed emission. So the industry shall apply for the varie consent.         16       a)       The industry shall ensure that at any time the emission do not exceed the prescribed emission. So the following emission standards laid down by the Board from time to time for such type of industry /emissions.         b)       The industry shall ensure that the emissions from each stack shall conform to the following emission standards laid down by the Board in respect of the Industrial Boilers.         5       Steam Generating Required particulate matter B. <i>Area upto 5 Km from Other than 'A' class Other than the periphery of 1 and Class-II town</i> Less than 2 ton/hr.       800 mg/NM3	<ul> <li>erected except with the prior approval of the Board.</li> <li>12. The industry will provide canopy and adequate stack with the D.G sets so as to comply with the provision no GSR-371 E dated 17-5-2002(amended from time to time) issued by MOEF untervironment (Protection) Act, 1986.</li> <li>13. The Govt, of Punjab, Department of Science, Technology &amp; Environment vide its notification no 4/46// 3ST/2839 dt. 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except to following:-</li> <li>"In the form of briquettes and use of rice husk in fluidized bed combustion. So the industry shall ma the necessary arrangement to comply with the above notification."</li> <li>14. The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30 June of every year</li> <li>15. That the industry shall submit a yearly certificate to the effect that no addition / up-gradation/ modificatio modernization has been carried out during the previous year otherwise the industry shall apply for the varie consent.</li> <li>16. a) The industry shall ensure that at any time the emission do not exceed the prescribed emission.</li> <li>b) The industry shall ensure that the emissions from each stack shall conform to the following:</li> <li><i>Steam Generating Required particulate matter B.</i></li> <li><i>Steam Generating Required particulate matter B.</i></li> <li><i>Area upto 5 Km from Other than 'A' class Other than the periphery of 1 and Class-II town</i></li> <li><i>Less than 2 ton/hr.</i> 800 mg/NM3 1200 mg/NM3</li> <li><i>Above 10 ton to 15 ton/hr</i> 350 mg/NM3 150 mg/NM3</li> <li>All emissions normalized to 12% carbon dioxide.</li> <li>17 The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of theHazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008 without any adverse effect on the environment, in any manne.</li> </ul>						
<ul> <li>12. The industry will provide canopy and adequate stack with the D.G sets so as to comply with the provision notification No GSR-371 E dated 17-5-2002(amended from time to time) issued by MOEF und Environment (Protection) Act, 1986.</li> <li>13. The Govt. of Punjab, Department of Science, Technology &amp; Environment vide its notification no.4/46/9 3ST/2839 dt. 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except t following:-</li> <li>"In the form of briquettes and use of rice husk in fluidized bed combustion. So the industry shall main the necessary arrangement to comply with the above notification."</li> <li>14. The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30 June of every year</li> <li>15. That the industry shall submit a yearly certificate to the effect that no addition / up-gradation/ modification modernization has been carried out during the previous year otherwise the industry shall apply for the varie consent.</li> <li>16. a) The industry shall ensure that at any time the emission do not exceed the prescribed emission. Standards laid down by the Board from time to time for such type of industry /emissions.</li> <li>b) The industry shall ensure that the emissions from each stack shall conform to the following emission standards laid down by the Board in respect of the Industrial Boilers.</li> <li>Steam Generating Required particulate matter B.</li> <li>Steam Generating Required particulate matter B.</li> <li>Area upto 5 Km from Other than 'A' class Other than the periphery of 1 and Class-II town</li> <li>Less than 2 ton/hr. 800 mg/NM3 1200 mg/NM3</li> <li>Above 10 ton to 15 ton/hr 350 mg/NM3 500 mg/NM3</li> <li>Above 10 ton to 15 ton/hr 350 mg/NM3 150 mg/NM3</li> <li>All emissions normalized to 12% carbon dioxide.</li> <li>The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provision of the Hazardous Wastes Marcated from the premises are handled as per the previs</li></ul>	<ol> <li>The industry will provide canopy and adequate stack with the D.G sets so as to comply with the provision notification No GSR-371 E dated 17-5-2002(amended from time to time) issued by MOEF und Environment (Protection) Act, 1986.</li> <li>The Govt. of Punjab, Department of Science, Technology &amp; Environment vide its notification no.4/46/S 35T/2839 dt. 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except to following:-         <ul> <li>"In the form of briquettes and use of rice husk in fluidized bed combustion. So the industry shall matthe necessary arrangement to comply with the above notification."</li> </ul> </li> <li>The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30 June of every year</li> <li>That the industry shall submit a yearly certificate to the effect that no addition / up-gradation/ modificatio modernization has been carried out during the previous year otherwise the industry shall apply for the variations at a did down by the Board from time to time for such type of industry /emissions.</li> <li>b) The industry shall ensure that at any time the emission do not exceed the prescribed emission standards laid down by the Board in respect of the Industrial Boilers.</li> <li>Steam Generating Required particulate matter B.</li> <li>Steam Generating Required particulate matter B.</li> <li>Area upto 5 Km from Other than 'A' class Other than the periphery of I and Class-II town</li> <li>Less than 2 ton/hr. 800 mg/NM3 1200 mg/NM3 4bove 10 ton 15 ton/hr 350 mg/NM3 500 mg/NM3 Above 10 ton to 15 ton/hr 150 mg/NM3 150 mg/NM3</li> <li>All emissions normalized to 12% carbon dioxide.</li> <li>The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of theHazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008 without any adverse effect on the environment, in any manne.</li> </ol>	11.	The existing pollution contro Board, and no pollution cont erected except with the prior	l equipment shall be alter rol equipment or chimne approval of the Board.	red or replaced in ey shall be altered	accordance with the or as the case may b	directions of be erected or
<ul> <li>13. The Govt. of Punjab, Department of Science, Technology &amp; Environment vide its notification no.4/46/9 3ST/2839 dt. 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except t following:-</li> <li>"In the form of briquettes and use of rice husk in fluidized bed combustion.So the industry shall mal the necessary arrangement to comply with the above notification."</li> <li>14. The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30 June of every year</li> <li>15. That the industry shall submit a yearly certificate to the effect that no addition / up-gradation/ modification modernization has been carried out during the previous year otherwise the industry shall apply for the varie consent.</li> <li>16. a) The industry shall ensure that at any time the emission do not exceed the prescribed emission standards laid down by the Board from time to time for such type of industry /emissions.</li> <li>b) The industry shall ensure that the emissions from each stack shall conform to the following emission standards laid down by the Board in respect of the Industrial Boilers.</li> <li>Steam Generating Required particulate matter B.</li> <li>Steam Generating Required particulate matter B.</li> <li><i>Steam Generating Required particulate matter B.</i></li> <li><i>Less than 2 ton/hr.</i> 800 mg/NM3 1200 mg/NM3</li> <li>2 ton to 10 ton/hr. 500 mg/NM3 1000 mg/NM3</li> <li><i>Above 10 ton to 15 ton/hr</i> 350 mg/NM3 150 mg/NM3</li> <li>All emissions normalized to 12% carbon dioxide.</li> </ul>	<ul> <li>13. The Govt of Punjab, Department of Science, Technology &amp; Environment vide its notification no.4/46//35T/2839 dt. 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except to following:</li> <li>"In the form of briquettes and use of rice husk in fluidized bed combustion. So the industry shall mathenecessary arrangement to comply with the above notification."</li> <li>14. The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30 June of every year</li> <li>15. That the industry shall submit a yearly certificate to the effect that no addition / up-gradation/ modification modernization has been carried out during the previous year otherwise the industry shall apply for the varie consent.</li> <li>16. a) The industry shall ensure that at any time the emission do not exceed the prescribed emission standards laid down by the Board from time to time for such type of industry /emissions.</li> <li>b) The industry shall ensure that the emissions from each stack shall conform to the following emission standards laid down by the Board in respect of the Industrial Boilers.</li> <li>Steam Generating Required particulate matter B.</li> <li>Steam Generating Required particulate matter B.</li> <li>Area upto 5 Km from Other than 'A' class Other than the periphery of 1 and Class-II town</li> <li>Less than 2 ton/hr. 800 mg/NM3 1200 mg/NM3</li> <li>Above 10 ton to 15 ton/hr 350 mg/NM3 500 mg/NM3</li> <li>All emissions normalized to 12% carbon dioxide.</li> <li>17. The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of the Hazardous Wastes generated from the premises are handled as per the provisions of the Hazardous Wastes generated from the premises are handled as per the provisions of the Hazardous Wastes generated from the premises are handled as per the provisions of the Hazardous Wastes generated from the premises are handled as per the provisions of the Hazardous Wastes generated fro</li></ul>	12.	The industry will provide can notification No GSR-371 I	opy and adequate stack v E dated 17-5-2002(am	with the D.G sets s ended from time	so as to comply with to time) issued by	the provision MOEF und
<ul> <li>"In the form of briquettes and use of rice husk in fluidized bed combustion. So the industry shall mat the necessary arrangement to comply with the above notification."</li> <li>14. The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30 June of every year</li> <li>15. That the industry shall submit a yearly certificate to the effect that no addition / up-gradation/ modification modernization has been carried out during the previous year otherwise the industry shall apply for the varie consent.</li> <li>16. a) The industry shall ensure that at any time the emission do not exceed the prescribed emission. Standards laid down by the Board from time to time for such type of industry /emissions.</li> <li>b) The industry shall ensure that the emissions from each stack shall conform to the following emission standards laid down by the Board in respect of the Industrial Boilers.</li> <li>Steam Generating Required particulate matter B.</li> <li>Steam Generating Required particulate matter B.</li> <li>Area upto 5 Km from Other than 'A' class Other than the periphery of 1 and Class-II town</li> <li>Less than 2 ton/hr. 800 mg/NM3 1200 mg/NM3 1000 mg/NM3 Above 10 ton to 15 ton/hr 350 mg/NM3 150 mg/NM3 150 mg/NM3</li> <li>All emissions normalized to 12% carbon dioxide.</li> </ul>	<ul> <li>"In the form of briquettes and use of rice husk in fluidized bed combustion. So the industry shall ma the necessary arrangement to comply with the above notification."</li> <li>14. The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30 June of every year</li> <li>15. That the industry shall submit a yearly certificate to the effect that no addition / up-gradation/ modification modernization has been carried out during the previous year otherwise the industry shall apply for the varie consent.</li> <li>16. a) The industry shall ensure that at any time the emission do not exceed the prescribed emission standards laid down by the Board from time to time for such type of industry /emissions.</li> <li>b) The industry shall ensure that the emissions from each stack shall conform to the following emission standards laid down by the Board in respect of the Industrial Boilers.</li> <li>Steam Generating Required particulate matter B.</li> <li>Steam Generating Required particulate matter B.</li> <li>Area upto 5 Km from Other than 'A' class Other than the periphery of 1 and Class-II town</li> <li>Less than 2 ton/hr. 800 mg/NM3 1200 mg/NM3 4bove 10 ton to 15 ton/hr 350 mg/NM3 500 mg/NM3 4bove 15 ton/hr 150 mg/NM3 150 mg/NM3</li> <li>All emissions normalized to 12% carbon dioxide.</li> <li>17 The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of theHazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008 without any adverse effect on the environment, in any manner.</li> </ul>	13.	The Govt of Puniah Departs	ment of Science Teshus	ology & Environm e use of rice husl	nent vide its notificat k as fuel after 1.4.1	ion no.4/46/9 995 except t
<ul> <li>14. The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30 June of every year</li> <li>15. That the industry shall submit a yearly certificate to the effect that no addition / up-gradation/ modification modernization has been carried out during the previous year otherwise the industry shall apply for the varie consent.</li> <li>16. a) The industry shall ensure that at any time the emission do not exceed the prescribed emission. standards laid down by the Board from time to time for such type of industry /emissions.</li> <li>b) The industry shall ensure that the emissions from each stack shall conform to the following emission standards laid down by the Board in respect of the Industrial Boilers.</li> <li>b) Steam Generating Required particulate matter B.</li> <li>Steam Generating Required particulate matter B.</li> <li>Area upto 5 Km from Other than 'A' class Other than the periphery of 1 and Class-II town</li> <li>Less than 2 ton/hr. 800 mg/NM3 1200 mg/NM3 1000 mg/NM3 Above 10 ton to 15 ton/hr 350 mg/NM3 150 mg/NM3 150 mg/NM3</li> <li>All emissions normalized to 12% carbon dioxide.</li> <li>17. The industry shall ensure that the Hazardous Waste generated from the premises are handled as per the provisions of the Hazardous Waste (Manceroter Under the provisions of the Hazardous Waste (Manceroter Hamilton) is provided to 12% carbon dioxide.</li> </ul>	<ul> <li>14. The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30 June of every year</li> <li>15. That the industry shall submit a yearly certificate to the effect that no addition / up-gradation/ modificatio modernization has been carried out during the previous year otherwise the industry shall apply for the varia consent.</li> <li>16. a) The industry shall ensure that at any time the emission do not exceed the prescribed emission standards laid down by the Board from time to time for such type of industry /emissions.</li> <li>b) The industry shall ensure that the emissions from each stack shall conform to the following emission standards laid down by the Board in respect of the Industrial Boilers.</li> <li>Steam Generating Required particulate matter B.</li> <li>Steam Generating Required particulate matter B.</li> <li>Area upto 5 Km from Other than 'A' class Other than the periphery of 1 and Class-II town</li> <li>Less than 2 ton/hr. 800 mg/NM3 1200 mg/NM3 Above 10 ton to 15 ton/hr 350 mg/NM3 150 mg/NM3</li> <li>Alove 10 ton to 15 ton/hr 150 mg/NM3 150 mg/NM3</li> <li>All emissions normalized to 12% carbon dioxide.</li> <li>17 The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008 without any adverse effect on the environment, in any manner.</li> </ul>		"In the form of briquettes a	nd use of rice busk in fl	uldized bad		
<ul> <li>15. That the industry shall submit a yearly certificate to the effect that no addition / up-gradation/ modification modernization has been carried out during the previous year otherwise the industry shall apply for the varie consent.</li> <li>16. a) The industry shall ensure that at any time the emission do not exceed the prescribed emission. standards laid down by the Board from time to time for such type of industry /emissions.</li> <li>b) The industry shall ensure that the emissions from each stack shall conform to the following emission standards laid down by the Board in respect of the Industrial Boilers.</li> <li>b) The industry shall ensure that the emissions from each stack shall conform to the following emission standards laid down by the Board in respect of the Industrial Boilers.</li> <li>Steam Generating Required particulate matter B.</li> <li>Area upto 5 Km from Other than 'A' class Other than the periphery of 1 and Class-II town</li> <li>Less than 2 ton/hr. 800 mg/NM3 1200 mg/NM3 2 ton to 10 ton/hr. 500 mg/NM3 500 mg/NM3 Above 10 ton to 15 ton/hr 350 mg/NM3 150 mg/NM3</li> <li>All emissions normalized to 12% carbon dioxide.</li> <li>17. The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of theHazardous Waste (Manneavent Less the provisions of theHazardous Waste Manneavent Less the provisions of theHazardous Waste Manneavent Less the provisions of the Hazardous Waste Manneavent Less the provisions of the the matter the the the test of the provisions of the the provisions of the the provisions of the the provisions of the test provisions of the test of the t</li></ul>	<ul> <li>15. That the industry shall submit a yearly certificate to the effect that no addition / up-gradation/ modification modernization has been carried out during the previous year otherwise the industry shall apply for the variations.</li> <li>16. a) The industry shall ensure that at any time the emission do not exceed the prescribed emission standards laid down by the Board from time to time for such type of industry /emissions.</li> <li>b) The industry shall ensure that the emissions from each stack shall conform to the following emission standards laid down by the Board in respect of the Industrial Boilers.</li> <li>b) The industry shall ensure that the emissions from each stack shall conform to the following emission standards laid down by the Board in respect of the Industrial Boilers.</li> <li>Steam Generating Required particulate matter B.</li> <li>Steam Generating Cher than 'A' class Other than the periphery of I and Class-II town</li> <li>Less than 2 ton/hr. 800 mg/NM3 1200 mg/NM3 2 ton to 10 ton/hr. 500 mg/NM3 500 mg/NM3 Above 10 ton to 15 ton/hr 350 mg/NM3 150 mg/NM3</li> <li>All emissions normalized to 12% carbon dioxide.</li> <li>17 The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008 without any adverse effect on the environment, in any manner.</li> </ul>		the necessary arrangement f	a comply with the share	ATC ALL CONTRACTOR		J Judil IIIdi
16. a)       The industry shall ensure that at any time the emission do not exceed the prescribed emission. standards laid down by the Board from time to time for such type of industry /emissions.         b)       The industry shall ensure that the emissions from each stack shall conform to the following emission standards laid down by the Board in respect of the Industrial Boilers. <i>Steam Generating Required particulate matter B. Area upto 5 Km from Other than 'A' class Other than the periphery of I and Class-II town Less than 2 ton/hr.</i> 800 mg/NM3         1000 mg/NM3 <i>Above 10 ton to 15 ton/hr</i> 350 mg/NM3         150 mg/NM3       150 mg/NM3         All emissions normalized to 12% carbon dioxide.	16. a)       The industry shall ensure that at any time the emission do not exceed the prescribed emissions standards laid down by the Board from time to time for such type of industry /emissions.         b)       The industry shall ensure that the emissions from each stack shall conform to the following emission standards laid down by the Board in respect of the Industrial Boilers.         Steam Generating       Required particulate matter B.         Area upto 5 Km from Other than 'A' class Other than the periphery of 1 and Class-II town       Area upto 5 Km from Other than 'A' class Other than the periphery of 1 and Class-II town         Less than 2 ton/hr.       800 mg/NM3       1200 mg/NM3         Above 10 ton to 15 ton/hr       350 mg/NM3       500 mg/NM3         All emissions normalized to 12% carbon dioxide.       17       The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of theHazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008 without any adverse effect on the environment, in any manner	14.	The industry shall submit bal	to comply with the abov	e nouncation.		
Other than the periphery of I and Class-II town         Less than 2 ton/hr.       800 mg/NM3         2 ton to 10 ton/hr.       500 mg/NM3         Above 10 ton to 15 ton/hr       350 mg/NM3         Above 15 ton/hr       150 mg/NM3         All emissions normalized to 12% carbon dioxide.	Other than the periphery of I and Class-II town         Less than 2 ton/hr.       800 mg/NM3         2 ton to 10 ton/hr.       500 mg/NM3         Above 10 ton to 15 ton/hr       350 mg/NM3         Above 10 ton to 15 ton/hr       150 mg/NM3         Above 15 ton/hr       150 mg/NM3         All emissions normalized to 12% carbon dioxide.         17       The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of theHazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008 without any adverse effect on the environment, in any manner.	15.	The industry shall submit bal June of every year That the industry shall submit modernization has been carrie consent. a) The industry shall of standards laid down b) The industry shall	ance sheet of every fina a yearly certificate to th d out during the previous ensure that at any time th by the Board from tim	e effect that no ad e effect that no ad s year otherwise th he emission do no e to time for such	concerned Regional ldition / up-gradation ic industry shall apply of exceed the prescrit type of industry /en	Office by 30 / modification y for the varient bed emissions.
2 ton to 10 ton/hr.     500 mg/NM3     1200 mg/NM3       2 ton to 10 ton/hr.     500 mg/NM3     1000 mg/NM3       Above 10 ton to 15 ton/hr     350 mg/NM3     500 mg/NM3       Above 15 ton/hr     150 mg/NM3     150 mg/NM3       All emissions normalized to 12% carbon dioxide.     17     The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of theHazardous Wastes generated from the premises are handled as per the provisions of theHazardous Wastes generated from the premises are handled as per the provisions of theHazardous Wastes generated from the premises are handled as per the provisions of theHazardous Wastes generated from the premises are handled as per the provisions of theHazardous Wastes generated from the premises are handled as per the provisions of theHazardous Wastes generated from the premises are handled as per the provisions of theHazardous Wastes generated from the premises are handled as per the provisions of theHazardous Wastes generated from the premises are handled as per the provisions of theHazardous Wastes generated from the premises are handled as per the provisions of theHazardous Wastes generated from the premises are handled as per the provisions of theHazardous Wastes generated from the premises are handled as per the provisions of theHazardous Wastes generated from the premises are handled as per the provisions of theHazardous Wastes generated from the premises are handled as per the provisions of theHazardous Wastes generated from the premises are handled as per the provisions of the previsions of the p	2 ton to 10 ton/hr.       500 mg/NM3       1200 mg/NM3         2 ton to 10 ton/hr.       500 mg/NM3       1000 mg/NM3         Above 10 ton to 15 ton/hr       350 mg/NM3       500 mg/NM3         Above 15 ton/hr       150 mg/NM3       150 mg/NM3         All emissions normalized to 12% carbon dioxide.       17       The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of theHazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008 without any adverse effect on the environment, in any manner.	15.	The industry shall submit bal         June of every year         That the industry shall submit         modernization has been carrier         consent.         a)       The industry shall down         b)       The industry shall emission standards         b)       The industry shall emission standards         Steam Generating       Reference	ance sheet of every fina a yearly certificate to th d out during the previous ensure that at any time th by the Board from tim ensure that the emission laid down by the Board	encial year to the order offect that no ad e effect that no ad s year otherwise th he emission do no e to time for such ns from each stac d in respect of the	concerned Regional ldition / up-gradation ic industry shall apply of exceed the prescrit type of industry /en	Office by 30 / modification y for the varient bed emissions.
2 ton to 10 ton/hr.       500 mg/NM3       1000 mg/NM3         Above 10 ton to 15 ton/hr       350 mg/NM3       500 mg/NM3         Above 15 ton/hr       150 mg/NM3       150 mg/NM3         All emissions normalized to 12% carbon dioxide.       17       The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of theHazardous Wastes	2 ton to 10 ton/hr.       500 mg/NM3       1000 mg/NM3         Above 10 ton to 15 ton/hr       350 mg/NM3       500 mg/NM3         Above 15 ton/hr       150 mg/NM3       150 mg/NM3         All emissions normalized to 12% carbon dioxide.       17       The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of theHazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008 without any adverse effect on the environment, in any manner.	15.	The industry shall submit bal         June of every year         That the industry shall submit         modernization has been carrier         consent.         a)       The industry shall of standards laid down         b)       The industry shall emission standards         b)       The industry shall emission standards         Steam Generating capacity A.       Reference of the periphery	ance sheet of every fina a yearly certificate to th d out during the previous ensure that at any time th by the Board from tim ensure that the emission laid down by the Boar equired particulate matte	encial year to the order offect that no ad e effect that no ad s year otherwise th he emission do no e to time for such ns from each stac d in respect of the	concerned Regional ldition / up-gradation ic industry shall apply of exceed the prescrit type of industry /en	Office by 30 / modification y for the varient bed emissions.
Above 10 ton to 15 ton/hr       350 mg/NM3       500 mg/NM3         Above 15 ton/hr       150 mg/NM3       150 mg/NM3         All emissions normalized to 12% carbon dioxide.       17       The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of theHazardous Wastes	Above 10 ton to 15 ton/hr       350 mg/NM3       500 mg/NM3         Above 15 ton/hr       150 mg/NM3       150 mg/NM3         All emissions normalized to 12% carbon dioxide.       17       The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of theHazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008 without any adverse effect on the environment, in any manner.	15.	The industry shall submit bal June of every year         That the industry shall submit modernization has been carrie consent.         a)       The industry shall of standards laid down b)         The industry shall emission standards         Steam Generating Capacity A.         Area upto 5 Km from Of Other than the periphery of 1 and Class-II town	ance sheet of every fina a yearly certificate to th d out during the previous ensure that at any time th a by the Board from tim ensure that the emission laid down by the Boar equired particulate mattee ther than 'A' class	ancial year to the or the effect that no ad syear otherwise the he emission do no e to time for such ns from each stac d in respect of the er B.	concerned Regional ldition / up-gradation le industry shall apply ot exceed the prescrit type of industry /en ik shall conform to t e Industrial Boilers.	Office by 30 / modification y for the varient bed emissions.
Above 15 ton/hr         150 mg/NM3           All emissions normalized to 12% carbon dioxide.           17           The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of theHazardous Wastes.	Above 15 ton/hr     150 mg/NM3       All emissions normalized to 12% carbon dioxide.       17       The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of theHazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008 without any adverse effect on the environment, in any manner.	15.	The industry shall submit ball june of every year         That the industry shall submit modernization has been carrier consent.         a)       The industry shall submit modernization has been carrier consent.         a)       The industry shall submit modernization has been carrier consent.         a)       The industry shall submit modernization has been carrier consent.         b)       The industry shall emission standards         b)       The industry shall emission standards         Steam Generating       Recapacity A.         Area upto 5 Km from Of Other than the periphery of I and Class-II town       Less than 2 ton/hr.	ance sheet of every fina a yearly certificate to th d out during the previous ensure that at any time th by the Board from tim ensure that the emission laid down by the Board equired particulate mattee ther than 'A' class 800 mg/NM3	ancial year to the or the effect that no ad syear otherwise the he emission do no e to time for such ns from each stac d in respect of the er B.	concerned Regional dition / up-gradation le industry shall apply of exceed the prescrit type of industry /en ik shall conform to e Industrial Boilers.	Office by 30 / modification y for the varient bed emissions.
All emissions normalized to 12% carbon dioxide. The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of theHazardous Waste (Management Hagh).	<ul> <li>All emissions normalized to 12% carbon dioxide.</li> <li>The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of theHazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008 without any adverse effect on the environment, in any manner.</li> </ul>	15.	The industry shall submit ball june of every year         That the industry shall submit modernization has been carrier consent.         a)       The industry shall submit modernization has been carrier consent.         a)       The industry shall submit modernization has been carrier consent.         a)       The industry shall submit modernization has been carrier consent.         b)       The industry shall emission standards         b)       The industry shall emission standards         Steam Generating       Recapacity A.         Area upto 5 Km from Of Other than the periphery of 1 and Class-II town       Less than 2 ton/hr.         2 ton to 10 ton/hr.       2 ton to 10 ton/hr.	ance sheet of every fina a yearly certificate to th d out during the previous ensure that at any time th t by the Board from tim ensure that the emission laid down by the Board equired particulate mattee ther than 'A' class 800 mg/NM3 500 mg/NM3	ancial year to the output of the entry of the output of the entry of the output of the entry of	concerned Regional ldition / up-gradation le industry shall apply of exceed the prescrift type of industry /en ik shall conform to t e Industrial Boilers.	Office by 30 / modification y for the varient bed emissions.
17 The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the	17 The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of theHazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008 without any adverse effect on the environment, in any manner.	15.	The industry shall submit bal June of every year         That the industry shall submit modernization has been carrier consent.         a)       The industry shall of standards laid down b)         b)       The industry shall emission standards         b)       The industry shall emission standards         Steam Generating capacity A.       Reference Content than the periphery of I and Class-II town         Less than 2 ton/hr.       2 ton to 10 ton/hr.         Above 10 ton to 15 ton/hr	ance sheet of every fina a yearly certificate to th d out during the previous ensure that at any time th by the Board from tim ensure that the emission laid down by the Board equired particulate mattee ther than 'A' class 800 mg/NM3 500 mg/NM3 350 mg/NM3	ancial year to the or e effect that no ad s year otherwise the he emission do no e to time for such ns from each stac d in respect of the er B.	concerned Regional dition / up-gradation ie industry shall apply of exceed the prescrift type of industry /en ik shall conform to t e Industrial Boilers.	Office by 30 / modification y for the varient bed emissions.
	18 The air pollution control equipments shall be kept at all time in good running condition and:	15.	The industry shall submit ballune of every year         That the industry shall submit modernization has been carrier consent.         a)       The industry shall down the industry shall submit modernization has been carrier consent.         a)       The industry shall submit modernization has been carrier consent.         a)       The industry shall submit modernization has been carrier consent.         a)       The industry shall submit modernization has been carrier consent.         b)       The industry shall emission standards         b)       The industry shall emission standards         Steam Generating capacity A.       Recapacity A.         Area upto 5 Km from O.       Other than the periphery of I and Class-II town         Less than 2 ton/hr.       2 ton to 10 ton/hr.         Above 10 ton to 15 ton/hr       Above 15 ton/hr	ance sheet of every fina a yearly certificate to th d out during the previous ensure that at any time th 1 by the Board from tim ensure that the emission laid down by the Board equired particulate mattee ther than 'A' class 800 mg/NM3 500 mg/NM3 150 mg/NM3	ancial year to the or e effect that no ad s year otherwise the he emission do no e to time for such ns from each stac d in respect of the er B.	concerned Regional dition / up-gradation ie industry shall apply of exceed the prescrift type of industry /en ik shall conform to t e Industrial Boilers.	Office by 30 / modification y for the varient bed emissions.
		15. 16.	The industry shall submit bal June of every year         That the industry shall submit modernization has been carrier consent.         a)       The industry shall down standards laid down b)         b)       The industry shall emission standards         b)       The industry shall emission standards         Steam Generating Recapacity A.       Recapacity A.         Area upto 5 Km from O. Other than the periphery of I and Class-II town       Less than 2 ton/hr.         Less than 2 ton/hr.       2 ton to 10 ton/hr.         Above 10 ton to 15 ton/hr       Above 15 ton/hr         All emissions of theHazardous W without any adverse effect on the standards of t	ance sheet of every fina a yearly certificate to th d out during the previous ensure that at any time th a by the Board from tim ensure that the emission laid down by the Board equired particulate mattee ther than 'A' class 800 mg/NM3 500 mg/NM3 150 mg/NM3 150 mg/NM3 we carbon dioxide.	ancial year to the or e effect that no ad syear otherwise the he emission do no e to time for such ns from each stac d in respect of the er B.	concerned Regional ldition / up-gradation le industry shall apply of exceed the prescrit type of industry /en ik shall conform to t e Industrial Boilers.	Office by 30 w/ modification y for the varie bed emissions. the following where the foll
		15. 16.	The industry shall submit bal June of every year         That the industry shall submit modernization has been carrier consent.         a)       The industry shall down standards laid down b)         b)       The industry shall emission standards         b)       The industry shall emission standards         Steam Generating Recapacity A.       Recapacity A.         Area upto 5 Km from O. Other than the periphery of I and Class-II town       Less than 2 ton/hr.         Less than 2 ton/hr.       2 ton to 10 ton/hr.         Above 10 ton to 15 ton/hr       Above 15 ton/hr         All emissions of theHazardous W without any adverse effect on the standards of t	ance sheet of every fina a yearly certificate to th d out during the previous ensure that at any time th a by the Board from tim ensure that the emission laid down by the Board equired particulate mattee ther than 'A' class 800 mg/NM3 500 mg/NM3 150 mg/NM3 150 mg/NM3 we carbon dioxide.	ancial year to the or e effect that no ad syear otherwise the he emission do no e to time for such ns from each stac d in respect of the er B.	concerned Regional ldition / up-gradation le industry shall apply of exceed the prescrit type of industry /en ik shall conform to t e Industrial Boilers.	Office by 30 w/ modification y for the varie bed emissions. the following where the foll
ATOHAR, HOVIS TR. SUL		15. 16.	The industry shall submit bal June of every year         That the industry shall submit modernization has been carrier consent.         a)       The industry shall down standards laid down b)         b)       The industry shall emission standards         b)       The industry shall emission standards         Steam Generating Recapacity A.       Recapacity A.         Area upto 5 Km from O. Other than the periphery of I and Class-II town       Less than 2 ton/hr.         Less than 2 ton/hr.       2 ton to 10 ton/hr.         Above 10 ton to 15 ton/hr       Above 15 ton/hr         All emissions of theHazardous W without any adverse effect on the standards of t	ance sheet of every fina a yearly certificate to th d out during the previous ensure that at any time th a by the Board from tim ensure that the emission laid down by the Board and the emission laid down by the Board equired particulate mattee ther than 'A' class 800 mg/NM3 500 mg/NM3 500 mg/NM3 150 mg/NM3 150 mg/NM3 we carbon dioxide.	ancial year to the or e effect that no ad syear otherwise the he emission do no e to time for such ns from each stac d in respect of the er B.	concerned Regional ldition / up-gradation le industry shall apply of exceed the prescrit type of industry /en ik shall conform to t e Industrial Boilers.	Office by 30 w/ modification y for the varie bed emissions. the following where the foll
ALUHAE HOMB TILSUS		15. 16.	The industry shall submit bal June of every year         That the industry shall submit modernization has been carrier consent.         a)       The industry shall down standards laid down b)         b)       The industry shall emission standards         b)       The industry shall emission standards         Steam Generating Recapacity A.       Recapacity A.         Area upto 5 Km from O. Other than the periphery of I and Class-II town       Less than 2 ton/hr.         Less than 2 ton/hr.       2 ton to 10 ton/hr.         Above 10 ton to 15 ton/hr       Above 15 ton/hr         All emissions of theHazardous W without any adverse effect on the standards of t	ance sheet of every fina a yearly certificate to th d out during the previous ensure that at any time th a by the Board from tim ensure that the emission laid down by the Board and the emission laid down by the Board equired particulate mattee ther than 'A' class 800 mg/NM3 500 mg/NM3 500 mg/NM3 150 mg/NM3 150 mg/NM3 we carbon dioxide.	ancial year to the or e effect that no ad syear otherwise the he emission do no e to time for such ns from each stac d in respect of the er B.	concerned Regional ldition / up-gradation le industry shall apply of exceed the prescrit type of industry /en ik shall conform to t e Industrial Boilers.	Office by 30 w/ modification y for the varie bed emissions. the following where the foll
		15. 16.	The industry shall submit bal June of every year That the industry shall submit modernization has been carrier consent. a) The industry shall down b) The industry shall emission standards Steam Generating Ref capacity A. Area upto 5 Km from Order Other than the periphery of I and Class-II town Less than 2 ton/hr. 2 ton to 10 ton/hr. Above 10 ton to 15 ton/hr Above 15 ton/hr All emissions normalized to 12 <sup>o</sup> The industry shall ensure that provisions of theHazardous W without any adverse effect on the formation of the start of	ance sheet of every fina a yearly certificate to th d out during the previous ensure that at any time th a by the Board from tim ensure that the emission laid down by the Boar equired particulate mattee ther than 'A' class 800 mg/NM3 500 mg/NM3 150 mg/NM3 150 mg/NM3 % carbon dioxide. the Hazardous Wastes g aste (Management, Han the environment, in any hents shall be kept at all t	ancial year to the original system of the emission do not be effect that no adding system otherwise the emission do not e to time for such ans from each state d in respect of the err <i>B</i> .	concerned Regional dition / up-gradation ie industry shall apply of exceed the prescrift type of industry /en ik shall conform to t e Industrial Boilers. 2000 mg/NM3 000 mg/NM3 50 mg/NM3 50 mg/NM3 big premises are handl bundary Movement) ng condition and;	Office by 30 w/ modification y for the varie bed emissions. the following where the foll
This is computer generated document from OCMMS by PPCB <sup>++</sup> Sharma saw mill Vpo bassi muda, baghpur Hoshiarpur, Hoshiarpur,	This is computer generated document from OCMMS by PPCB"	15. 16.	The industry shall submit bal June of every year That the industry shall submit modernization has been carrier consent. a) The industry shall down b) The industry shall emission standards Steam Generating Ref capacity A. Area upto 5 Km from Order Other than the periphery of I and Class-II town Less than 2 ton/hr. 2 ton to 10 ton/hr. Above 10 ton to 15 ton/hr Above 15 ton/hr All emissions normalized to 12 <sup>o</sup> The industry shall ensure that provisions of theHazardous W without any adverse effect on the formation of the start of	ance sheet of every fina a yearly certificate to th d out during the previous ensure that at any time th b by the Board from tim ensure that the emission laid down by the Board coursed particulate matter ther than 'A' class 800 mg/NM3 500 mg/NM3 500 mg/NM3 150 mg/NM3 150 mg/NM3 150 mg/NM3 matter than the environment, in any hents shall be kept at all to This is computer generated dow	ancial year to the original year of the original ye	concerned Regional dition / up-gradation ie industry shall apply of exceed the prescrift type of industry /en- ik shall conform to the industrial Boilers. 1200 mg/NM3 1000 mg/NM3 1000 mg/NM3 1000 mg/NM3 100 mg/N	Office by 30 // modification y for the varie bed emissions. the following // modification // modificat

## Forest Right Act (FRA) Certificate

It is certified that the Forest Land Measuring 0.003742 hectare Located on approach road to Sharma Saw Mill, Hoshiarpur-Dasuya road K.M. 6-7, strip forest, proposed to be diverted, is plantation, which was notified as "Forest" less than 75 years prior to the 13th day of December, 2005 and located in village Bassi Mudha, Tehsil & District Hoshiarpur having no recorded population of Scheduled Tribes as per the Census 2001 and the Census 2011.

Place: Hoshiarpur. Dated: -29-05-2018 Deputy Commissioner, Hoshiarpur.

SURJIT SINGH SAHOTA of Divisional Forest Officer Hoshiarpur Forest Dubling Hoshiarpur.