

कार्यालय संभागीय मुख्य वन संरक्षक, जोधपुर
क्रमांक एफ () एफसीए/मुवसजो/2022-23/ 4494

दिनांक 09/06/2022

अति प्रधान मुख्य वन संरक्षक (प्रोटेक्शन)
एवं नोडल अधिकारी, एफसीए,
राजस्थान जयपुर

विषय : Diversion of 1.5840 Ha Forest Land for Laying of underground optical fibre Cable along the road within the existing Row from Abu Road to Gujrat Border on Ambaji Road, Gujrat Border (Ambaji) to Boribooj Fanta on NH-927A And Bhoola to Kot, M/S Telesonic networks limited, District- Sirohi (Rajasthan) Proposal No.- (FP/RJ/OFC/150722/2022)

संदर्भ : श्रीमान के कार्यालय का ईडीएस दिनांक 20-5-2022, उप वन संरक्षक, सिरौही का पत्रांक 1989 दिनांक 25-5-22

महोदय,

उपरोक्त विषयान्तर्गत निवेदन है कि विषयांकित वनभूमि प्रत्यावर्तन प्रकरण में श्रीमान के कार्यालय के संदर्भित ईडीएस द्वारा लगाये गये आक्षेपों का प्रत्युत्तर उप वन संरक्षक, सिरौही ने संदर्भित पत्र से प्रेषित किया है, जो निम्नानुसार है :-

क्र स	ईडीएस	अनुपालना
1	DCF has uploaded recommendations instead of CA scheme in part II.	प्रयोक्ता अभिकरण के अण्डरटेकिंग अनुसार एवं उप वन संरक्षक की संदर्भित पत्र से प्रेषित रिपोर्ट अनुसार केबल प्रस्तावित मार्ग के राईट ऑफ वे में ही डाली जानी है। अतः भारत सरकार के पत्रांक एफसी-11/165/2019-एफसी दिनांक 27-7-2020 के अनुसार क्षतिपूर्ति वृक्षारोपण योजना लागू नहीं है।
2	Instead of Topo sheet and DGPS map CA DFL, DCF has uploaded the topo sheet and DGPS of land asked for diversion.	चूंकि प्रस्ताव में क्षतिपूर्ति वृक्षारोपण लागू नहीं है। अतः आक्षेप पूर्ति की जा चुकी है।
3	Recommendation has been uploaded in place of land suitability certificate.	चूंकि प्रस्ताव में क्षतिपूर्ति वृक्षारोपण लागू नहीं है। अतः आक्षेप पूर्ति की जा चुकी है।
4	Gazette notification of land asked for diversion is not uploaded and attached.	आवेदित वनभूमि का गजट नोटिफिकेशन की छायाप्रति संलग्न है।
5	CA scheme, topo sheet, DGPS, land suitability and CA estimate for planting of 100 plants should be uploaded and attached.	चूंकि प्रस्ताव में क्षतिपूर्ति वृक्षारोपण लागू नहीं है। अतः आक्षेप पूर्ति की जा चुकी है।

संलग्न - उक्तानुसार

भयदीय

(एस. आर. वी. मूर्थी)
संभागीय मुख्य वन संरक्षक
जोधपुर
दिनांक

क्रमांक एफ () एफसीए/मुवसजो/2022-23/

प्रतिलिपि:-निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित है:-

1. उप वन संरक्षक, सिरौही
2. Telesonic Networks Limited, K-21, Sunny house, Malviya Marg, C-Scheme, Jaipur

संभागीय मुख्य वन संरक्षक
जोधपुर

कार्यालय उप वन संरक्षक, सिरोही, (राजस्थान) 307001

E-Mail ID :- dcf.sirohi.forest@rajasthan.gov.in, & dfosirohi@gmail.com, Ph. & Fax :- 02972-22277

क्रमांक: एफ () FCA / उवसं / 2022-23 / 1989

दिनांक 25/05/2022

निमित्त

संभागीय मुख्य वन संरक्षक

जोधपुर।

विषय :- "LAYING OF UNDERGROUND OPTICAL FIBER CABLE ALONG THE ROAD WITHIN THE EXISTING ROW FROM ABU ROAD TO GUJRAT BORDER ON AMBAJI ROAD, GUJRAT BORDER (AMBAJI) TO BORIBOOJ FANTA ON NH-927A AND BHOOLA TO KOT, M/S TELESONIC NETWORKS LIMITED. DISTRICT -SIROHI (RAJASTHAN)" AREA: 1.5840 Ha. PROPOSAL NO. FP/RJ/OFC/150722/2022.

संदर्भ :-आप के द्वारा परिवेश पोर्टल पर लगायी गयी EDS दिनांक 20.05.2022।

महोदय,

उपरोक्त विषयान्तर्गत एवं संदर्भित EDS के क्रम में निवेदन है कि भारत सरकार के पत्रांक FC-11/165/2019-FC दिनांक 27.07.2020 (प्रति संलग्न) के बिन्दु संख्या 3 के अनुसार


"After thorough deliberation on the issue, FAC recommended that CA may not be levied in case of laying of underground Optical Fiber Cables (OFC), telephone lines, drinking water supply pipelines, electricity cables, CNG/PNG and Slurry pipelines within the RoW of existing roads (trench size not more than two meter in depth and one meter in width) not falling in National Parks and Wildlife Sanctuaries without felling of trees."

उक्त वन भूमि प्रत्यावर्तन OFC CABLE PROPOSAL के अनुसार CABLE Right of Way (RoW) में ही डाली जानी है। जिसके संबंध में प्रयोक्ता अभिकरण द्वारा Undertaking भी दी गई है (प्रति संलग्न)।

अतः इस संबंध में निवेदन है कि उक्त प्रकरण में आपके द्वारा लगाये गये आक्षेपो की पूर्ति कर प्रकरण आपको सूचनार्थ एवं आवश्यक कार्यवाही हेतु भिजवाया जा रहा है।

संलग्न :- उपरोक्तानुसार।

F.C.A
6/6/22
t



भवदीय
शुभम जैन
उप वन संरक्षक
सिरोही।

(26)

Title of the Project: "Laying of Underground Optical Fiber Cable Along the Road Within the Existing Row from Abu Road ToGujrat Border onAmbaji Road, Gujrat Border (Ambaji) to Boriboojsanta on NH-927A and Bhoola To Kot,M/s Telesonic Networks Limited. District -Sirohi(Rajasthan)"

Proposal No. : FP/RJ/OFC/150722/2022

Date of Proposal :04-02-2022


Diverslon Area :1.5840Ha.

UNDERTAKING FOR VARIOUS POINTS

Sub: Laying of Underground Optical Fiber Cable along the road within the existing ROW from KMS - 0/0 to KMS 48.780 = 48.780km Abu Road ToGujrat Border and Gujrat Border to Bhoola, by M/s Telesonic Networks Limited.Sir weherby under take:


1. OFC laying work will be execute within the Right of Way on road Side. No work will be executed outside the ROW.
2. The Soil work done during execution of OFC work will make good the land after use/ maintenance
3. During laying of OFC, We will not cut any tree or damage any tree.
4. For maintenance work in OFC line will take the prior permission from Forest department.
5. The Width of Trench will be 0.45 Meter and depth will not be more than 1.65 meter's.

Place: Jaipur
Date: 04-02-2022


Countersigned (Shubham Jain)
Deputy Conservator of Forest
Divisional Forest officer
Forest Division _____
Office Seal _____

Authorized Signatory

For Telesonic Networks Limited


Authorized Signatory

Government of India
Ministry of Environment Forests & Climate Change
(Forest Conservation Division)

Indira Paryavaran Bhawan
Jor Bagh Road, Aliganj
5th Floor, Agni Wing
New Delhi-110003
Dated: 27th July, 2020

To,
The Principal Secretary (Forests)
All States/UTs

Sub: Clarification regarding guidelines for diversion of forest land for non-forest purpose as per the general approval, under Section-2 of the Forest (Conservation) Act, 1980, for laying of underground CNG/PNG and Slurry pipelines-reg.

Sir,

I am directed to refer to the representation received from the Government of Punjab through Regional Office Chandigarh vide letter no. 1-2Misc/2019-ROC dated 08.01.2020 on the above mentioned subject and to inform that the matter was considered by the Forest Advisory Committee (FAC) in its meeting held on 23.04.2020.

2. FAC observed that as per existing guidelines dated 28.03.2019, condition mentioned in Para 4.1 (f) is also applicable on the proposals mentioned in Para 4.2. It further observed that laying of underground CNG/PNG and Slurry pipelines in RoW of the existing road is an activity being taken up in forest area which is already under non forest use.

3. After thorough deliberation on the issue, FAC recommended that CA may not be levied in case of laying of underground Optical Fiber Cables (OFC), telephone lines, drinking water supply pipelines, electricity cables, CNG/PNG and Slurry pipelines within the RoW of existing roads (trench size not more than two meter in depth and one meter in width) not falling in National Parks and Wildlife Sanctuaries without felling of trees.

4. In view of the above, Para 4.2 of the Comprehensive Guidelines issued on 28.03.2019 may be read as:

Laying of Underground Optical Fiber Cables (OFC), telephone lines, drinking water supply pipelines, electricity cables, CNG/PNG and Slurry pipelines. General approval is accorded for taking up these projects within RoW of existing roads (trench size not more than two meter in depth and one meter in width) not falling in National Parks and Wildlife Sanctuaries' without felling of trees. Approval, in addition to general conditions mentioned above under para 4.1 (***except condition "f"***), subject to the following specific conditions:

- a. *No tree felling is involved for the proposed work*
- b. *After completion of the project the area under RoW should be reclaimed suitably.*
- c. *UA agrees to make good of any loss to Forest/Environment.*

- d. *The UA will seek permission from the local FD for carrying out any maintenance.*
- e. *In case, the proposed area falls in the RoW of the road passing through National Parks and Wildlife Sanctuaries, General Approval is subject to prior permissions from the State Board for Wildlife.*
- f. *In case of project involve tree felling, ten trees for each tree marked for removal shall be planted at the cost of user agency in consultation with the local forest department.*

This issues with the approval of the competent authority.

Your faithfully,

(Sandeep Sharma)
Asst. inspector General of Forests

Copy to:

1. The PCCF (HoFF), Department of Forest, All States/UTs.
2. The DDGFs(Central), MoEF&CC, All Regional Offices.
3. The Nodal officer (FCA), Department of Forest, All states/UTs.
4. Monitoring cell of FC Division with request to upload on PARIVESH portal