

**Office of the Principal Chief Conservator of Forests (Head of Forests Force),
Maharashtra State, Nagpur**

Additional Principal Chief Conservator of Forests & Nodal Officer, M.S.Nagpur
1st Floor, B Wing, VanBhavan, Ramgiri Road, Civil Lines, Nagpur- 440 001
Tel.No.: 0712- 2556916 , E-mail: apccfnodal@mahaforest.gov.in

Speed-Post

No. Desk-17/Nodal/Yavatmal/ID-13183/3326/2022-23
Nagpur – 440 001 Date - 08/03/2023

To,

✓ The Principal Secretary (Forests)
Revenue & Forests Department,
Mantralaya, Mumbai – 32

Sub – Diversion of 0.45 ha. forest land in favour of EHV Project Division MSETCL, Amravati for construction of LILO on 132 KV Yavatmal- Yavatmal MIDC line for 132 Kv Darwha Sub-Station Transmission line in Taluka-Darwha, District-Yavatmal in the State of Maharashtra – regarding

Ref – 1) Govt. of India, MoEF& CC, Integrated Regional Office, Nagpur vide letter no. FC-I/MH-297/2022-NGP/10637, dt. 24/11/2022
2) The Conservator of Forest (T) Yavatmal letter No. Desk-CF(Y)/Desk-10/FC/1230/2022-23, dt. 24/2/2023


Government of India, MoFF& CC, Integrated Regional Office, Nagpur vide letter under reference No. 1 has raised queries on 4 points. Accordingly the User Agency has submitted their compliance to Dy. Conservator of Forest (T) Yavatmal. The same is submitted by Conservator of Forest (T) Yavatmal to this office vide letter under reference 2 has submitted query compliance as desired by Government of India vide letter dt.24/11/2022. The same compliance is as under :-

Sr.No.	Point raised	Compliance
i	The detail report on violation of FCA, 1980 including nature and extent of violation, name of official persons responsible for violation and action taken thereof needs to be submitted.	As per the compliance report submitted by Dy. Conservator of Forest (T) Yavatmal & forwarded by Conservator of Forest (T) Yavatmal. The copy of the violation report is enclosed herewith as Annexure-I.
ii	KML file of alternative alignment explored is not submitted along with the proposal. Soft copy of the same shall be submitted.	As per the compliance report submitted by Dy. Conservator of Forest (T) Yavatmal & forwarded by Conservator of Forest (T) Yavatmal. The KML File is enclosed herewith as Annexure-II.

iii	Complete enumeration list of trees proposed to be felled in the proposal is not submitted along with the proposal. The same needs to be submitted.	As per the compliance report submitted by Dy. Conservator of Forest (T) Yavatmal & forwarded by Conservator of Forest (T) Yavatmal. The list of trees proposed to be felled is enclosed herewith as Annexure-III.
iv	Details of employment potential in terms of man days of skilled, semiskilled and unskilled persons on permanent (direct and indirect) and temporary (direct and indirect) basis have not been provided.	As per the compliance report submitted by Dy. Conservator of Forest (T) Yavatmal & forwarded by Conservator of Forest (T) Yavatmal. The User Agency has submitted details of employment potential. The copy of same is enclosed herewith as Annexure-IV.

The compliance report as submitted above may kindly be forwarded to the Central Government for further consideration of the proposal.

Encl.- As above (Two copies)

 8/3/23

(Naresh Zurmure)

Additional Principal Chief Conservator of Forests
& Nodal Officer, Nagpur

Copy to the Conservator of Forests (T) Yavatmal for information.

Copy to the Deputy Conservator of Forests (T) Yavatmal for information.

Copy to the Office of Executive Engineer, EHV construction Division, M.S.E.T.C.L. Amravati for information.



महाराष्ट्र शासन

वनसंरक्षक (प्रादेशिक) यवतमाळ वनवृत्त यवतमाळ यांचे कार्यालय

वनभवन, चर्च रोड, अप्सरा नगर, मिर्झापूर, यवतमाळ

महाराष्ट्र वन विभाग

०७२३२-२४२८९४



०७२३२-२४२९९४



ccft.yavatmal@maharashtra.gov.in, ccft.yavatmal@gmail.com

क्रमांक-वसं(य)/कक्ष-10/वनसंवर्धन/1230 /2022-23,

[2 MAR 2023]

यवतमाळ दि. 24/02/2023.

प्रति,

मा.अपर प्रधान मुख्य वनसंरक्षक व केंद्रस्थ अधिकारी,
महाराष्ट्र राज्य, नागपुरआवक क्र. 37952
दि. 17

विषय :- Diversion of 0.45 ha. forest land in favour of EHV Project Division MSETCL, Amravati for construction of LILO on 132 KV Yavatmal- Yavatmal MIDC line for 132 KV Darwha sub-station Transmission line in Taluka- Darwha, District Yavatmal in the State of Maharashtra regarding.

- संदर्भ :-** १) शासन पत्र क्र.एफसी-1/E,P-२९७/२०२२/१०६३६, दिनांक-२४/११/२०२२.
२) मा.अप्रमुखसं, तथा केंद्रस्थ अधिकारी, म.रा.नागपुर यांचे पत्र क्र.कक्ष-१७/नोडल/यवतमाळ/आय.डी १३१८३/२१८९, दिनांक-२९/११/२०२२
३) उपवनसंरक्षक, यवतमाळ यांचे पत्र क्र./उवसं(य)/कक्ष/सर्व्हे/१६०७, दिनांक-१७.०२.२०२३

---ooo---

उपरोक्त संदर्भित पत्र क्र. १ अन्वये सदर प्रस्तावामध्ये १ ते ४ त्रट्या असल्याचे संदर्भित पत्र क्र. २ अन्वये या कार्यालयास कळविण्यात आले आहे. संदर्भित पत्र क्र. ३ अन्वये उपवनसंरक्षक, यवतमाळ यांनी सदर त्रटीची पुर्तता प्रकल्प यंत्रणेकडून करून घेऊन पुर्तता अहवाल या कार्यालयास सादर केला आहे. तरी सदर त्रटी पुर्तता अहवाल खालीलप्रमाणे यासोबत सादर करण्यात येत आहे.

Sr.No.	Observation	Compliance
1	The detail report on violation of FCA, 1980 including nature and extent of violation, name of official persons responsible for violation and action taken thereof to be submitted.	Violation report enclosed herewith.
2	KML File of alternative alignments explored is not submitted along with the proposal. Soft copy of the same shall be submitted.	KML file submitted in soft copy CD enclosed herewith.
3	Complete enumeration list of trees proposed to be felled in the proposal is not submitted along with the proposal. The same needs to be submitted.	List of trees proposed to be felled is attached herewith.


5507
21/3/23

4	Details of employment potential in terms of man days of skilled, semiskilled and unskilled persons on permanent (direct and indirect) basis have not been provided.	Details of employment potential attached herewith.
---	---	--

करीता माहिती व पुढील कार्यवाहीसाठी सविनय सादर

सहपत्र :- वरीलप्रमाणे (पुर्तता अहवाल ३ प्रतीत)

सहपत्रासह


(यु. एम. फड)

विभागीय वन अधिकारी (दक्षता)

यवतमाळ वनवृत्त.

प्रतिलिपी :- उपवनसंरक्षक, यवतमाळ वनविभाग, यवतमाळ यांना माहितीसाठी अग्रेषित.

प्रतिलिपी:- कार्यकारी अभियंता, अ.उ.दा. प्रकल्प विभाग, म.रा.वि.पा.कं. मर्या. "प्रकाश सरीता" प्रशासकीय इमारत, ए-विंग, तळमजला, २२० KV उपकेंद्र परीसर, मोर्शी रोड, अमरावती यांना माहितीकरीता करीता अग्रेषित.

FCA Violation Note

A Note regarding the circumstances under which the work has undertaken in violation of Forest (Conservation) Act, 1980.

The Maharashtra State Electricity Transmission Company Limited (MSETCL), Government of Maharashtra Undertaking, has decided to take up construction of LILO 132 KV Yavatmal-Yavatmal MIDC line for 132 KV Darwha S/Stn Transmission for augmentation of the electricity grid network towards increasing demand of power in the Yavatmal & Darwha region.

The total length of the project stretch selected for construction of the line is 166.5 mtr. Part of this line is passing through reserved forest area of Gut No. 31, Compt. No. 96 of Village Pandhurna in Yavatmal Forest Division. P.O.R. for the same proposal is issued with no. 128/16 dated 26/11/2020. The proposed line requires diversion of 0.45 Ha in Yavatmal Forest Division. Therefore the construction of this line requires forest clearance from Ministry of Environment Forest and Climate change (GOI).

The diversion of reserved forest area has been limited to the minimum that satisfies the standards of Central Board of Irrigation and Power. As the project line is passing through the middle of the reserved forest area, avoiding reserved forest area is not possible. Alternatives have been examined and found that no better option is available.

The construction of this line is commenced in year 2017 and no construction activities have been conducted in the forest patch. During stringing work of transmission lines, 166.5mtr length of forest patch is violated with the said overhead transmission line. There are no tower foundations within this land. Details of violations are as follows.

Sr.No.	Name of person responsible for violation	Designation & Address of person responsible for violation	Action taken against the person responsible for violation
1	Shreem engineering Ltd.	Contractor	Terminated
2	B.S. Amale	Assistant Engineer	Intimation were given for further work
3	G.L.Mane	Line Foreman	Intimation were given for further work


The work in this area is stopped and proposal for approval under Forest (Conservation) Act is submitted by the Project Authority.

The project authority has given undertaking to bear the cost of Compensatory Afforestation as directed by Forest Department.

As the proposal is for construction of transmission line and there is no suitable alternative for the same and project authority has submitted the proposal for obtaining approval from Government of India. Gut No. 31, Compt. No. 96 of Village Pandhurna is reserved Forest as per this office record, the proposal is recommended subject to agency shall pay penalty for violation equal to Net Present Value (NPV) of forest land per hector for each year of violation

of actual diversion reported in violation report of MSCTCL, with maximum upto 5
times the NPV plus 12% simple interest till the deposit is made.

Date :- 01/12/2021
Place:- Yavatmal


(K.J. Wable)
Deputy Conservator of Forests
Yavatmal Forest Division Yavatmal

132 KV MSETCL Valuation of non-schedule enumeration of tress list.

Sr. No.	Species	Girth in cm.
1.	<u>Hiwar</u>	52
2.	<u>Hiwar</u>	50
3.	<u>Hiwar</u>	46
4.	<u>Neem</u>	20
5.	<u>Hiwar</u>	40
6.	<u>Hiwar</u>	35
7.	<u>Hiwar</u>	40
8.	<u>Neem</u>	22
9.	<u>Tembhurni</u>	21
10.	<u>Tembhurni</u>	23
11.	<u>Tembhurni</u>	35
12.	<u>Tembhurni</u>	20
13.	<u>Tembhurni</u>	40
14.	<u>Neem</u>	20
15.	<u>Tembhurni</u>	25
16.	<u>Palas</u>	25
17.	<u>Tembhurni</u>	22
18.	<u>Tembhurni</u>	35
19.	<u>Tembhurni</u>	20
20.	<u>Tembhurni</u>	25
21.	<u>Tembhurni</u>	26
22.	<u>Tembhurni</u>	21
23.	<u>Palas</u>	21
24.	<u>Tembhurni</u>	25
25.	<u>Tembhurni</u>	15
26.	<u>Tembhurni</u>	35
27.	<u>Tembhurni</u>	25

28.	<u>Palas</u>	25
29.	<u>Hiwar</u>	22
30.	<u>Palas</u>	20
31.	<u>Palas</u>	15
32.	<u>Neem</u>	57
33.	<u>Palas</u>	15
34.	<u>Palas</u>	17
35.	<u>Palas</u>	21
36.	<u>Neem</u>	16
37.	<u>Palas</u>	35
38.	<u>Hiwar</u>	45
39.	<u>Tembhurni</u>	35
40.	<u>Palas</u>	40
41.	<u>Tembhurni</u>	25
42.	<u>Tembhurni</u>	22
43.	<u>Tembhurni</u>	24
44.	<u>Tembhurni</u>	20
45.	<u>Tembhurni</u>	22
46.	<u>Tembhurni</u>	26
47.	<u>Palas</u>	27
48.	<u>Palas</u>	25
49.	<u>Palas</u>	26
50.	<u>Palas</u>	21
51.	<u>Palas</u>	20
52.	<u>Palas</u>	16
53.	<u>Neem</u>	28
54.	<u>Hiwar</u>	45
55.	<u>Neem</u>	25
56.	<u>Palas</u>	26
57.	<u>Palas</u>	26

Species-wise local/scientific names and girth-wise enumeration of tress at FRL:-
(English Translation Goshwara)

Sr. No.	Scientific Name	Local Name	(0-30) cm.	(31-60)cm.	(61-90)cm.	(90-120)cm.	(120-150)cm.	(>150)cm.
1.	Acacia Leucophloea	Hiwar	1	8	0	0	0	0
2.	Azadirachta Indica	Neem	6	1	0	0	0	0
3.	Diaspours Melanoxylon	Tendu	19	4	0	0	0	0
4.	Butea Monosperma	Palas	15	3	0	0	0	0
Total			41	16	0	0	0	0
Sub Total (No of Tress)			57					


Dy. Conservator of Forests
Yavatmal Division



वनपरिक्षेत्र अधिकारी (प्रादे.) दारव्हा यांचे कार्यालय

अंबादेवी मंदिरासमोर, आठवडी बाजार दारव्हा पिन कोड नं. 445202

दूरध्वनी क्रमांक 07238-255134

Email Id - rfodarwha123@gmail.com

क्रमांक/वपअ/2616/2020-29

दारव्हा दिनांक - 26-02-2029

प्रति,

मा. उपवनसंरक्षक

यवतमाळ वनविभाग यवतमाळ

मार्फत : मा. उपविभागीय वनअधिकारी, दारव्हा

विषय :- मौजा पांडुर्णा कक्ष क्र. 96 सर्व्हे नं. 31 मधुन जाणाऱ्या 132 के.व्ही. विद्युत लाईनबाबत.

संदर्भ :- 1. या कार्यालयातचे पत्र क्र./2465/2020-21/दिनांक 29.01.2021

2. अधिकक्ष अभियंता अऊदा, प्रकल्प मंडळ यांचे पत्र क्र./महापारेषण/का.अ./अऊदा/
प्र.वि./अम/ तांत्रिक 462/दिनांक 08.02.2021

विषयांकीत प्रकरणामध्ये म.रा.वि.पा. 132 के.व्ही. दारव्हा यवतमाळ लिलो विद्युत वाहीनीच्या कामाकरीता दारव्हा वनपरिक्षेत्रातील कक्ष क्र. 96 मधील 0.45 हे. वनजमीनीच्या मागणीचा प्रस्ताव आपल्या कार्यालयास प्राप्त झाला होता, त्यानुषंगाने आपल्या समवेत दिनांक 07.11.2020 रोजी प्रकल्प बाधीत वनक्षेत्राची मौका पाहणी केली. मोक्यावर प्रकल्प बाधीत वनक्षेत्रावरून विद्युत तारा टाकण्याचे काम प्रकल्प यंत्रणेकडून पूर्ण केल्याचे निदर्शनास आले. यासाठी प्रकल्प यंत्रणेकडून पुर्व परवानगी घेण्यात आली नव्हती, त्यास्तव वनसंवर्धन अधिनियम 1980 मधील तरतुदीनुसार भंग झालेला आहे.

त्यानुषंगाने संदर्भ क्र. 1 नुसार सदर प्रकल्प यंत्रणेला वनकायदयाचे उल्लंघन बाबत म्हणणे सादर करण्यास सांगण्यात आले होते, त्यानुसार संदर्भ क्र. 2 अन्वये सदर प्रकल्प यंत्रणेने सदर काम अनावधानाने पूर्ण केल्याचे कळविले आहे.

क्षेत्रसहाय्यक पाथ्रड यांनी याबाबतचा पंचनामा नोंदविला असून अहवालही सादर केला आहे, त्या अहवालानुसार सदर बाधीत क्षेत्रामधील उभ्या झाडांचा गोषवारा खालील प्रमाणे.

गोषवारा

अ.क्र	प्रकार	15/30	31/45	46/60	61/75	एकुण	घ.मी.	किंमत
1	हिवर	1	5	3	0	9	0.350	1575/-
2	निम	6	0	1	0	7	0.163	733.5/-
3	टेंबुर्णा	19	4	0	0	23	0.443	1993.5/-
4	पळस	15	3	0	0	18	0.345	1552.5/-
	एकुण	41	12	4	0	57	1.301	5854.5/-

तरी पुढील उचीत कार्यवाहीस सविनय सादर.

सहपत्र :- वरिल प्रमाणे.

(अक्षय सु. करमळकर)

वनपरिक्षेत्र अधिकारी (प्रादे.)

दारव्हा

② ਤਾਂ ਜੂਨ ਮਾਰਚੀ ਤਾਪਮਾਨ ਵਧ ਪਵੇਗਾ ਤਾਂ ਫਲਦਰੇਸ਼ਾਂ ਨੂੰ ਫਲ ਦੇਣਾ ਸ਼ੁਰੂ ਹੋਵੇਗਾ।

[illegible]

विभुत वादिलीलिळ भाड्यात वाड्यात गोपबारा-


क्र.सं.	परीक्षा क्र.	15/30	21/45	46/60	पूरा करने का समय	कुल अंक
1) आसानी से		1	5	3	- 9	
2) गिनती		6	-	1	- 7	
3) छोटी		19	4	-	- 23	
4) पढ़ना		15	3	-	- 18	
		41	12	4	57	

41 2.870 12.0.12 4.024 57 3.306 4429 1-
 वनीक प्रमोद अमान साहे उमी असुन विष्णु पारेषन 1.301 5.884 1-
 धाम कुलपने केलेले आहे आह जेम् हे वनविभागात 0.45 हे 0.000 विभागात काम
 करीत आहे त्याच कोठालेही स्थापना साहे मेळवावर दिव्य येत आहे

करीना मोसमवर सर्व पाहणी करून मोठा पैशामा नोंदविण असून
सादर मोठा पैशामा आम्हाला वाचून बरचसुन व लो आम्ही सामान्यतः त्यावर
असमा केव्या, सादर. पैशामा सहाजी 11:30 वा करून 13:30 वा शिरोविधि

रिपोर्ट

पं. ना. ॥ श्री. स्वामीजी महाराज ॥

P. B. 
 पी. बी. निगम

क्षेत्र सहायक, " २५

9
02/24/ 2024

0 ~~अविधि~~

② Army

132 K.V. पारेषण माधिल मुल्यांकन आइजात आइजा (य) (

अ.क. प्रजात गोलाई आ.क. प्रजात गोलाई

1	हिवर	52	37	पळस	35
2	हिवर	50	38	हिवर	45
3	हिवर	46	39	हिवर	35
4	निंब	20	40	पळस	40
5	हिवर	40	41	हिवर	25
6	हिवर	35	42	हिवर	22
7	हिवर	40	43	हिवर	24
8	निंब	22	44	हिवर	20
9	हिवर	21	45	हिवर	22
10	हिवर	23	46	हिवर	26
11	हिवर	35	47	पळस	27
12	हिवर	20	48	हिवर	25
13	हिवर	40	49	हिवर	26
14	निंब	20	50	हिवर	21
15	हिवर	25	51	हिवर	20
16	पळस	25	52	हिवर	16
17	हिवर	22	53	निंब	28
18	हिवर	35	54	हिवर	45
19	हिवर	20	55	निंब	25
20	हिवर	25	56	पळस	26
21	हिवर	26	57	हिवर	26
22	हिवर	21			
23	पळस	21			
24	हिवर	25			
25	हिवर	15			
26	हिवर	35			
27	हिवर	25			
28	पळस	25			
29	हिवर	22			
30	पळस	20			
31	हिवर	15			
32	निंब	53			
33	पळस	15			
34	हिवर	17			
35	हिवर	21			
36	निंब	16			

अ.क. प्रजात गोलाई गोलाई

अ.क. प्रजात गोलाई

आइजात प्रजात	15	31	46
1) हिवर	30	45	60
2) निंब	1	5	3
3) हिवर	6	—	1
4) पळस	19	4	—
	15	3	—
	21	12	52

57 = 3.306

Penney

Name of Project:- Diversion of 0.45 Ha. Forest Land for construction of LILO on 132 KV Yavatmal - Yavatmal MIDC line for 132 KV Darwaha Sub-Station Transmission Line in Yavatmal District in the State of Maharashtra.

Clarification of query No. IV


I hereby provide details of employment potential of skilled, unskilled person on permanent and temporary.

Details of Employment Potential

Type of Employment (Permanent/Temporary)	Category Of Worker	Number Of Employee	Mandays
Permanent	Skilled	20	1000
Temporary	Semiskilled	50	15000

Place :- Amravati
Date:- 05/01/2023

Yours Faithfully


(Sau. P. R. Deshmukh)
Executive Engineer
EHV Project Division
MSETCL, Amravati.