

No.RK/81
HP. Forest Department

Dated Keylong, the 11-04-2025

From: DCF Lahaul.

To: C.F.Kullu

Subject: Diversion of 6 ha of forest land in favor of Tribal Development Department Shimla for the Construction of Eklavya Model Residential School Lahaul at Kukumseri Sub Tehsil Udaipur District Lahaul & Spiti (H.P.)

Sir,

The point wise reply of observation raised by Nodal Officer-cum Additional Principal Chief Conservator (FCA) O/o Pr. CCF (HoFF) HP wide letter No. Ft.48-5590/2021 (FCA) on dated 11-02-2025 attended by User Agency and submitted as under:-

| Sr.No | Observations | Reply |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| 1. | In response to observation No.1, vague response has been submitted whereas, separate detailed justification of user agency, DFO justifying the school as site specif. | Justification is attached as Annexure-I |
| 2. | GoI in observation No.8 has asked to provide the undertaking that no Muck will be disposed of in the nearby forest, River/Stream except for the diversion area, but no such undertaking has been found. | Undertaking is attached as Annexure-II |
| 3. | GoI in observation No.9 has requested to provide the compartment-wise along with the data of enumeration duly authenticated by the concerned DFO, but same has not been marked. | Needful has been done. Annexure-III enclosed as per report RFO Udaipur vide this letter No.4/U dated 10.04.2025 |
| 4. | Separate Enumeration list of trees standing in open or vacant areas as proposed in the Layout plan, along with the undertaking that no trees will be felled in the open are required to be provided. | Needful has been done. Annexure-IV |


Deputy Conservator of Forests
Lahaul Forest Divisional at Keylong.

Justification for the Construction of Eklavya Model School in Kukumseri, Udaipur District, Lahaul and Spiti, Himachal Pradesh in The Jurisdiction of Lahaul Forest Division

The construction of Eklavya Model Residential School (EMRS) at Kukumseri is an essential developmental project in the region. As per the Ministry of Tribal Affairs' initiative to establish EMRS in tribal-dominated areas, .


The site selected at Kukumseri has been identified based on its accessibility, suitability, and proximity to the targeted tribal population., .

During the site assessment, every effort was made to identify a location that would minimize ecological disturbance. However, due to the geographical and topographical constraints of the region, the felling of a limited number of trees is unavoidable for construction of the school infrastructure. The user agency has carefully planned the layout to ensure that only the minimum number of trees necessary for the project will be felled.

Additionally, the user agency has committed to undertaking compensatory afforestation and will adhere strictly to all environmental and forest clearance guidelines. The ecological impact will be mitigated through planned plantation efforts in accordance with the Forest Conservation Act.

Recommendation

Considering the significance of this project in empowering tribal youth through quality education and its long-term socio-economic benefits, the justification provided by the user agency is found to be valid and is hereby recommended. The tree felling proposed is the absolute minimum required and is deemed unavoidable for the execution of this public welfare project.


Deputy Conservator of Forests
Lahaul Forest Division at Keylong

Full Title of the Project:- Diversion of 06 hac. of forest land in favour of Tribal Development Department Shimla for the construction of Eklavya Model Residential School Lahaul at Kukumseri Sub- Tehsil Udaipur, Distt.L&S, HP-reg.

JUSTIFICATION FOR LOCATING THE PROJECT IN FOREST AREA.

Government of Himachal Pradesh has been allotted the Eklavya Model Residential School Lahaul, Distt. Lahaul- Spiti (H.P.) under the Ministry of Tribal Affairs, GOI. Whereas this project is within the jurisdiction of Forest Division Keylong, District Lahaul-Spiti, Himachal Pradesh, for identification of the most suitable site for development of Eklavya Model Residential School, Lahaul, an assessment was carried out considering the following aspects:

- Physical Settings
- Environmental considerations
- Social Considerations

| Site Suitability Analysis | | |
|---------------------------|----------|-------------------------|
| Parameter : | Option 1 | Option 2 |
| Barring (Forest land) | | Kukumseri (Forest Land) |
| Topography : | | |

The site at Barring (forest Land) is steep sloppy and topographically not suitable hence rejected and the site at Kukumseri (forest land) is topographically suitable between two sites with ideal slopes. Since, Lahaul-Spiti is located in high altitude mountain covered range. Further more, there is no private and Govt. land available in entire Lahaul Tehsil.

Location and Connectivity:

The proposed site is located at Barring which is 5kms away from main road and located at the distance of 25 km from Head quarter and sub -District and located at high altitude and not suitable for this Project, on the other hand the proposed land at kukumseri is located on main road at the distance of only 4 Kms from the vicinity of Sub -District headquarter, due to non availability of land at District Headquarter, hence this is suitable for the project. The strategic location of the site makes it an ideal option for the said projectand is as per the guidelines of the Ministry of Tribal Affairs, (GOI) (copy enclosed)

Landuse:-

The Joint Inspection Committee examined all these proposed alternates/alignments, keeping in view detailed parameters like climate, barest land/minimum involvement of forest land, minimum trees getting affected, site feasibility, ecological disturbances, environmental friendly, stability of strata. Joint Inspection Committee approved the Alternate Alignment No. 2 out of two alternates/alignments, presented by the user Agency for the construction of Eklavya Model Residential School, Lahaul. The Joint Inspection Committee rejected the Alternate No. 1

पर्यावरण विभाग
राजीव गांधी जैव विद्या
केन्द्रीय बोर्ड

the basis of maximum use of agriculture land, slidingstrata, secludedplace, non-available
of basic requirements and more environmental loss to construction as per alternate alignment
NO. 1.

Water Resources and Availability:-

It is proposed to meet the potable water demand from the underground/ natural water streams/river at proposed site in comparison to others.

Noise:-

No significant noise source is envisaged in the nearby proposed site area.

Ecology:

The site supports relatively low biodiversity with existing vegetation of relatively low ecological value. In this context, there is less ecological disturbances and is environment friendly.

Infrastructure Accessibility:-

The proposed site is centrally located with easy accessibility of basic needs such as Medical Facilities, Police Station, Banking Services, Post Office, fire station, Internet Facilities and effectiveness of the proposed project etc.

All weather connectivity:

The proposed site is connected with Aerial services (Halipad) and National Highways which remains connected during winters, since Lahaul-Spiti is heavily snow bounded and remote located hilly area.

Educational Hub:

The proposed site is located at the vicinity of sub -District Udaipur which is the hub of education. All Govt. Institutions of Higher Education like – Govt. Polytechnical College, Govt. Degree College and Industrial Training Institutes of district Lahaul-Spiti are near to the proposed site, which provide better exposure to the students. Moreover, the said location is a border area, where wards of armed forces may avail the opportunity of Quality Education in remote Tribal Border Area.

No other alternates were found feasible and suitable for the construction of this school. The joint inspection Committee recommended the proposal for the diversion of forest land under Forest Conservation Act,1980 for non-forestry purpose for the construction of Eklavya Model Residential School Lahaul, District Lahaul-Spiti (H.P.) as per Alternate Alignment No.2. It is located at the centre of Lahaul Valley, Medical facilities are available easily, Police station is near to this site, Administrational help can be availed easily, minimum loss of environment and Climate remains suitable, moreover overall-weather connectivity is possible at this site in comparison to other options.

In view of above position, it is our humble request for the welfare of the ST Students by considering, the essential requirement of 6 hac. of land for the construction of Eklavya Model Residential School campus.

c/s

D.F.O. *[Signature]*
Lahaul Forest Division
At Keylong

प्राक्तन वनिकारी
पुकोली यानांतीच विभाग परियोजना
लाहौल सिंचन कॉर्पोरेशन

Despatcher *[Signature]*
Divisional Forest Officer
Keylong

25/02/2015



Scanned with OKEN Scanner

Full Title of the Project :- Diversion of 6 hact. of forest land in favour of Tribal Development Department Shimla for the Construction of Eklavya Model Residential School Lahaul at Kukumseri, Sub Tehsil Udaipur, Distt. L&S, HP-reg.

Undertaking

This is to certify that Muck/Debris to be produced during the construction of Eklavya Modal Residential School Lahaul at Kukumseri will be totally used in the filling of this proposed site and behind the retaining wall. No Muck will be disposed of in the nearby forest, River/Strem except for the diversion area.


Project Officer,
ITDP Lahaul at Keylong.
(Signature)

Building Wise Enumeration List of Eklavya School (E. M. R. S.) at Kukumseri.

| Sr. No. | Tree No. | Species | Botanical Name | Girth | Dia. | Class | Vol. | Remarks |
|------------------------------|----------|---------|-------------------------|-------|-------|---------|------|----------------|
| Type - I | | | | | | | | |
| 1 | | Juniper | Juniperus macropoda | | | Sapling | | |
| 2 | | Sanjal | Fraxinus xanthoxyloides | | | Sapling | | |
| Type - II - 1 (20x25) | | | | | | | | |
| 1 | 45/24 | Robinia | Robinia pseudoacacia | 120 | 40.00 | III | 3.40 | Green Standing |
| Type - II - 2 (58x23) | | | | | | | | |
| 1 | 46/24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.42 | Green Standing |
| 2 | 54/24 | Robinia | Robinia pseudoacacia | 40 | 13.33 | V | 0.30 | Green Standing |
| 3 | 55/24 | Robinia | Robinia pseudoacacia | 45 | 15.00 | V | 0.30 | Green Standing |
| 4 | 56/24 | Robinia | Robinia pseudoacacia | 110 | 36.67 | III | 3.40 | Green Standing |
| 5 | 57/24 | Robinia | Robinia pseudoacacia | 120 | 40.00 | III | 3.40 | Green Standing |
| Type III - 1 (57x23) | | | | | | | | |
| 1 | 4/24 | Willow | Salix spp. | 71 | 21.67 | IV | 1.42 | Green Standing |
| 2 | 5/24 | Willow | Salix spp. | 85 | 28.33 | IV | 1.42 | Green Standing |
| 3 | 6/24 | Willow | Salix spp. | 80 | 26.67 | IV | 1.42 | Green Standing |
| 4 | 7/24 | Willow | Salix spp. | 70 | 23.33 | IV | 1.42 | Green Standing |
| 5 | 8/24 | Willow | Salix spp. | 60 | 20.00 | V | 0.40 | Green Standing |
| 6 | 9/24 | Willow | Salix spp. | 90 | 30.00 | IV | 1.42 | Green Standing |
| 7 | 10/24 | Willow | Salix spp. | 60 | 20.00 | V | 0.40 | Green Standing |
| 8 | 11/24 | Willow | Salix spp. | 70 | 23.33 | IV | 1.42 | Green Standing |
| 9 | 12/24 | Willow | Salix spp. | 75 | 25.00 | IV | 1.42 | Green Standing |
| 10 | 13/24 | Willow | Salix spp. | 65 | 21.67 | IV | 1.42 | Green Standing |
| 11 | 14/24 | Willow | Salix spp. | 70 | 23.33 | IV | 1.42 | Green Standing |
| 12 | 15/24 | Willow | Salix spp. | 55 | 18.33 | V | 0.40 | Green Standing |
| 13 | 16/24 | Willow | Salix spp. | 55 | 18.33 | V | 0.40 | Green Standing |
| Type III - 2 (57x23) | | | | | | | | |
| 1 | 17/24 | Willow | Salix spp. | 50 | 16.67 | V | 0.40 | Green Standing |
| 2 | 18/24 | Willow | Salix spp. | 45 | 15.00 | V | 0.40 | Green Standing |
| 3 | 19/24 | Willow | Salix spp. | 35 | 11.67 | V | 0.40 | Green Standing |
| 4 | 20/24 | Willow | Salix spp. | 60 | 20.00 | V | 0.40 | Green Standing |
| 5 | 21/24 | Willow | Salix spp. | 55 | 18.33 | V | 0.40 | Green Standing |
| 6 | 22/24 | Willow | Salix spp. | 60 | 20.00 | V | 0.40 | Green Standing |
| Girls Hostel (80x25) | | | | | | | | |
| 1 | 38/24 | Robinia | Robinia pseudoacacia | 105 | 35.00 | III | 3.40 | Green Standing |
| 2 | 39/24 | Juniper | Juniperus macropoda | 65 | 21.67 | IV | 1.13 | Green Standing |
| 3 | 40/24 | Robinia | Robinia pseudoacacia | 120 | 40.00 | III | 3.40 | Green Standing |
| 4 | 41/24 | Robinia | Robinia pseudoacacia | 95 | 31.67 | III | 3.40 | Green Standing |
| 5 | 42/24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3.40 | Green Standing |
| 6 | 43/24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.42 | Green Standing |
| 7 | 308/24 | Robinia | Robinia pseudoacacia | 120 | 40.00 | III | 3.40 | Green Standing |
| 8 | 309/24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.42 | Green Standing |
| 9 | 480/24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3.40 | Green Standing |
| 10 | 481/24 | Robinia | Robinia pseudoacacia | 95 | 31.67 | III | 3.40 | Green Standing |
| 11 | 482/24 | Robinia | Robinia pseudoacacia | 140 | 46.67 | IIA | 5.66 | Green Standing |
| 12 | 483/24 | Robinia | Robinia pseudoacacia | 105 | 35.00 | III | 3.40 | Green Standing |

R. Kumar
18 Udaipur Distt.

12-0-18/Phu

Range Forest Officer,
Forest Range Udaipur

| Boys Hostel (80x25) | | | | | | | | |
|---------------------|-------|---------|-------------------------|-----|-------|-----|------|----------------|
| 1 | 30 24 | Juniper | Juniperous macro poda | 35 | 11.67 | V | 0.05 | Green Standing |
| 2 | 31 24 | Robinia | Robinia pseudoacacia | 110 | 36.67 | III | 3.40 | Green Standing |
| 3 | 32 24 | Sanjal | Fraxinus xanthoxyloides | 35 | 11.67 | V | 0.30 | Green Standing |
| 4 | 33 24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3.40 | Green Standing |
| 5 | 34 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.42 | Green Standing |
| 6 | 35 24 | Sanjal | Fraxinus xanthoxyloides | 35 | 11.67 | V | 0.30 | Green Standing |
| 7 | 36 24 | Juniper | Juniperous macro poda | 35 | 11.67 | V | 0.05 | Green Standing |
| 8 | 37 24 | Robinia | Robinia pseudoacacia | 120 | 40.00 | III | 3.40 | Green Standing |

W - Residence 1 (20x20)

| | | | | | | | | |
|---|--|---------|-------------------------|--|--|---------|--|--|
| 1 | | Juniper | Juniperous macro poda | | | Salping | | |
| 2 | | Sanjal | Fraxinus xanthoxyloides | | | Sapling | | |

W - Residence - 2 (20x20)

| | | | | | | | | |
|---|--------|---------|-----------------------|-----|-------|-----|------|----------------|
| 1 | 302 24 | Robinia | Robinia pseudoacacia | 125 | 41.67 | III | 5.66 | Green Standing |
| 2 | 303 24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3.40 | Green Standing |
| 3 | 304 24 | Juniper | Juniperous macro poda | 55 | 18.33 | V | 0.05 | Green Standing |
| 4 | 305 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.42 | Green Standing |
| 5 | 306 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.42 | Green Standing |
| 6 | 307 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.42 | Green Standing |

Play Ground With Road

| | | | | | | | | |
|---|--------|---------|-----------------------|----|-------|---|------|----------------|
| 1 | 104 24 | Juniper | Juniperous macro poda | 45 | 15.00 | V | 0.05 | Green Standing |
| 2 | 259 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | 0.30 | Green Standing |

Administrative Block (30x25) with road

| | | | | | | | | |
|----|--------|---------|----------------------|----|-------|-----|------|----------------|
| 1 | 359 24 | Robinia | Robinia pseudoacacia | 85 | 28.33 | IV | 1.42 | Green Standing |
| 2 | 360 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | 0.30 | Green Standing |
| 3 | 361 24 | Robinia | Robinia pseudoacacia | 95 | 31.67 | III | 3.40 | Green Standing |
| 4 | 362 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | 0.30 | Green Standing |
| 5 | 363 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.42 | Green Standing |
| 6 | 364 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | 0.30 | Green Standing |
| 7 | 372 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.42 | Green Standing |
| 8 | 434 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | 0.30 | Green Standing |
| 9 | 435 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | 0.30 | Green Standing |
| 10 | 436 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.42 | Green Standing |
| 11 | 437 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.42 | Green Standing |
| 12 | 438 24 | Robinia | Robinia pseudoacacia | 40 | 13.33 | V | 0.30 | Green Standing |
| 13 | 439 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | 0.30 | Green Standing |
| 14 | 449 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.42 | Green Standing |
| 15 | 450 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | 0.30 | Green Standing |

Principal residence (25x24) with road

| | | | | | | | | |
|----|--------|---------|-------------------------|-----|-------|-----|------|----------------|
| 1 | 441 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | 0.30 | Green Standing |
| 2 | 443 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | 0.30 | Green Standing |
| 3 | 445 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.42 | Green Standing |
| 4 | 448 24 | Robinia | Robinia pseudoacacia | 105 | 35.00 | III | 3.40 | Green Standing |
| 5 | 451 24 | Robinia | Robinia pseudoacacia | 95 | 31.67 | III | 3.40 | Green Standing |
| 6 | 452 24 | Robinia | Robinia pseudoacacia | 85 | 28.33 | IV | 1.42 | Green Standing |
| 7 | 453 24 | Robinia | Robinia pseudoacacia | 40 | 13.33 | V | 0.30 | Green Standing |
| 8 | 454 24 | Robinia | Robinia pseudoacacia | 95 | 31.67 | III | 3.40 | Green Standing |
| 9 | 455 24 | Robinia | Robinia pseudoacacia | 110 | 36.67 | III | 3.40 | Green Standing |
| 10 | 456 24 | Sanjal | Fraxinus xanthoxyloides | 45 | 15.00 | V | 0.30 | Green Standing |
| 11 | 457 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.42 | Green Standing |
| 12 | 458 24 | Robinia | Robinia pseudoacacia | 85 | 28.33 | IV | 1.42 | Green Standing |
| 13 | 459 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.42 | Green Standing |
| 14 | 460 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.42 | Green Standing |

R Kumar
1/1 Victoria Beat

B.P.U.M.

Ranger Officer,
Forest Range Udaipur



| | | | | | | | | | |
|----|-----|----|---------|--------------------------------|-----|-------|-----|------|----------------|
| 15 | 461 | 24 | Robina | <i>Robinia pseudoacacia</i> | 75 | 25.00 | IV | 1.42 | Green Standing |
| 16 | 462 | 24 | Robina | <i>Robinia pseudoacacia</i> | 80 | 26.67 | IV | 1.42 | Green Standing |
| 17 | 466 | 24 | Robina | <i>Robinia pseudoacacia</i> | 85 | 28.33 | IV | 1.42 | Green Standing |
| 18 | 468 | 24 | Robina | <i>Robinia pseudoacacia</i> | 80 | 26.67 | IV | 1.42 | Green Standing |
| 19 | 469 | 24 | Robina | <i>Robinia pseudoacacia</i> | 65 | 21.67 | IV | 1.42 | Green Standing |
| 20 | 470 | 24 | Robina | <i>Robinia pseudoacacia</i> | 60 | 20.00 | V | 0.30 | Green Standing |
| 21 | 471 | 24 | Robina | <i>Robinia pseudoacacia</i> | 100 | 33.33 | III | 1.40 | Green Standing |
| 22 | 472 | 24 | Sanjal | <i>Fraxinus xanthoxyloides</i> | 70 | 23.33 | IV | 1.42 | Green Standing |
| 23 | 473 | 24 | Sanjal | <i>Fraxinus xanthoxyloides</i> | 50 | 16.67 | V | 0.30 | Green Standing |
| 24 | 474 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 90 | 30.00 | IV | 1.42 | Green Standing |
| 25 | 475 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 90 | 30.00 | IV | 1.42 | Green Standing |
| 26 | 476 | 24 | Robina | <i>Robinia pseudoacacia</i> | 95 | 31.67 | III | 1.40 | Green Standing |
| 27 | 477 | 24 | Robina | <i>Robinia pseudoacacia</i> | 95 | 31.67 | III | 1.40 | Green Standing |
| 28 | 484 | 24 | Robina | <i>Robinia pseudoacacia</i> | 110 | 36.67 | III | 1.40 | Green Standing |
| 29 | 485 | 24 | Robina | <i>Robinia pseudoacacia</i> | 130 | 41.67 | IIA | 5.66 | Green Standing |

Guest House

| | | | | | | | | | |
|---|--|---------|--------------------------------|--|--|--|---------|--|--|
| 1 | | Juniper | Juniperus macropoda | | | | Salping | | |
| 2 | | Sanjal | <i>Fraxinus xanthoxyloides</i> | | | | Salping | | |

School Building (85x40) with road

| | | | | | | | | | |
|----|-----|----|--------|--------------------------------|-----|-------|-----|------|----------------|
| 1 | 281 | 24 | Sanjal | <i>Fraxinus xanthoxyloides</i> | 40 | 13.33 | V | 0.30 | Green Standing |
| 2 | 282 | 24 | Robina | <i>Robinia pseudoacacia</i> | 75 | 25.00 | IV | 1.42 | Green Standing |
| 3 | 283 | 24 | Robina | <i>Robinia pseudoacacia</i> | 75 | 25.00 | IV | 1.42 | Green Standing |
| 4 | 284 | 24 | Robina | <i>Robinia pseudoacacia</i> | 50 | 16.67 | V | 0.30 | Green Standing |
| 5 | 285 | 24 | Robina | <i>Robinia pseudoacacia</i> | 60 | 20.00 | V | 0.30 | Green Standing |
| 6 | 286 | 24 | Robina | <i>Robinia pseudoacacia</i> | 55 | 18.33 | V | 0.30 | Green Standing |
| 7 | 287 | 24 | Robina | <i>Robinia pseudoacacia</i> | 70 | 23.33 | IV | 1.42 | Green Standing |
| 8 | 288 | 24 | Sanjal | <i>Fraxinus xanthoxyloides</i> | 35 | 11.67 | V | 0.30 | Green Standing |
| 9 | 289 | 24 | Robina | <i>Robinia pseudoacacia</i> | 50 | 16.67 | V | 0.30 | Green Standing |
| 10 | 290 | 24 | Robina | <i>Robinia pseudoacacia</i> | 110 | 36.67 | III | 1.40 | Green Standing |
| 11 | 301 | 24 | Robina | <i>Robinia pseudoacacia</i> | 100 | 33.33 | III | 1.40 | Green Standing |
| 12 | 310 | 24 | Robina | <i>Robinia pseudoacacia</i> | 110 | 36.67 | III | 1.40 | Green Standing |
| 13 | 311 | 24 | Robina | <i>Robinia pseudoacacia</i> | 100 | 33.33 | III | 1.40 | Green Standing |
| 14 | 312 | 24 | Robina | <i>Robinia pseudoacacia</i> | 75 | 25.00 | IV | 1.42 | Green Standing |
| 15 | 313 | 24 | Robina | <i>Robinia pseudoacacia</i> | 75 | 25.00 | IV | 1.42 | Green Standing |
| 16 | 314 | 24 | Robina | <i>Robinia pseudoacacia</i> | 80 | 26.67 | IV | 1.42 | Green Standing |
| 17 | 315 | 24 | Robina | <i>Robinia pseudoacacia</i> | 125 | 41.67 | IIA | 5.66 | Green Standing |
| 18 | 316 | 24 | Robina | <i>Robinia pseudoacacia</i> | 100 | 33.33 | III | 1.40 | Green Standing |
| 19 | 317 | 24 | Robina | <i>Robinia pseudoacacia</i> | 85 | 28.33 | IV | 1.42 | Green Standing |
| 20 | 318 | 24 | Robina | <i>Robinia pseudoacacia</i> | 75 | 25.00 | IV | 1.42 | Green Standing |
| 21 | 319 | 24 | Robina | <i>Robinia pseudoacacia</i> | 110 | 36.67 | III | 1.40 | Green Standing |
| 22 | 320 | 24 | Robina | <i>Robinia pseudoacacia</i> | 60 | 20.00 | V | 0.30 | Green Standing |
| 23 | 321 | 24 | Robina | <i>Robinia pseudoacacia</i> | 40 | 13.33 | V | 0.30 | Green Standing |
| 24 | 322 | 24 | Robina | <i>Robinia pseudoacacia</i> | 95 | 31.67 | III | 1.40 | Dry Standing |
| 25 | 323 | 24 | Robina | <i>Robinia pseudoacacia</i> | 50 | 16.67 | V | 0.30 | Green Standing |
| 26 | 324 | 24 | Robina | <i>Robinia pseudoacacia</i> | 120 | 40.00 | III | 1.40 | Green Standing |
| 27 | 325 | 24 | Robina | <i>Robinia pseudoacacia</i> | 150 | 50.00 | IIA | 5.66 | Green Standing |
| 28 | 326 | 24 | Robina | <i>Robinia pseudoacacia</i> | 65 | 21.67 | IV | 1.42 | Green Standing |
| 29 | 327 | 24 | Robina | <i>Robinia pseudoacacia</i> | 125 | 41.67 | IIA | 5.66 | Green Standing |
| 30 | 328 | 24 | Robina | <i>Robinia pseudoacacia</i> | 65 | 21.67 | IV | 1.42 | Green Standing |
| 31 | 329 | 24 | Robina | <i>Robinia pseudoacacia</i> | 60 | 20.00 | V | 0.30 | Green Standing |
| 32 | 331 | 24 | Robina | <i>Robinia pseudoacacia</i> | 75 | 25.00 | IV | 1.42 | Green Standing |
| 33 | 332 | 24 | Robina | <i>Robinia pseudoacacia</i> | 90 | 30.00 | IV | 1.42 | Green Standing |
| 34 | 333 | 24 | Robina | <i>Robinia pseudoacacia</i> | 75 | 25.00 | IV | 1.42 | Green Standing |

Kewal Singh
Vidhan Pur Sevak

Mr. C. V. P. S.
6/10/1974

Range Forest Officer
Forest Range Udaipur



Scanned with OKEN Scanner

| | | | | | | | | | |
|----|-----|----|---------|------------------------|-----|-------|-----|------|----------------|
| 35 | 334 | 24 | Robinia | Robinia pseudoacacia | 90 | 36.00 | IV | 1.42 | Green Standing |
| 36 | 335 | 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.42 | Green Standing |
| 37 | 336 | 24 | Sanjal | Fraxinus xantoxyloides | 50 | 16.67 | V | 0.30 | Green Standing |
| 38 | 337 | 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.42 | Green Standing |
| 39 | 338 | 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.42 | Green Standing |
| 40 | 339 | 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | 0.30 | Green Standing |
| 41 | 340 | 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | 0.30 | Green Standing |
| 42 | 341 | 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.42 | Green Standing |
| 43 | 342 | 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | 0.30 | Green Standing |
| 44 | 343 | 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | 0.30 | Green Standing |
| 45 | 344 | 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | 0.30 | Green Standing |
| 46 | 345 | 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.42 | Green Standing |
| 47 | 346 | 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.42 | Green Standing |
| 48 | 347 | 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.42 | Green Standing |
| 49 | 348 | 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.42 | Green Standing |
| 50 | 349 | 24 | Robinia | Robinia pseudoacacia | 140 | 46.67 | IIA | 5.66 | Green Standing |
| 51 | 350 | 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.42 | Green Standing |
| 52 | 351 | 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.42 | Green Standing |
| 53 | 352 | 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.42 | Green Standing |
| 54 | 353 | 24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3.40 | Green Standing |
| 55 | 354 | 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.42 | Green Standing |
| 56 | 355 | 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | 0.30 | Green Standing |
| 57 | 356 | 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.42 | Green Standing |
| 58 | 357 | 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | 0.30 | Green Standing |
| 59 | 373 | 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.42 | Green Standing |
| 60 | 374 | 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | 0.30 | Green Standing |
| 61 | 381 | 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.42 | Green Standing |
| 62 | 383 | 24 | Sanjal | Fraxinus xantoxyloides | 40 | 13.33 | V | 0.30 | Green Standing |
| 63 | 399 | 24 | Robinia | Robinia pseudoacacia | 115 | 38.33 | III | 3.40 | Green Standing |
| 64 | 400 | 24 | Robinia | Robinia pseudoacacia | 105 | 35.00 | III | 3.40 | Green Standing |
| 65 | 401 | 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.42 | Green Standing |
| 66 | 402 | 24 | Robinia | Robinia pseudoacacia | 105 | 35.00 | III | 3.40 | Green Standing |
| 67 | 403 | 24 | Robinia | Robinia pseudoacacia | 105 | 35.00 | III | 3.40 | Green Standing |
| 68 | 404 | 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.42 | Green Standing |
| 69 | 405 | 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | 0.30 | Green Standing |
| 70 | 406 | 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | 0.30 | Green Standing |
| 71 | 407 | 24 | Sanjal | Fraxinus xantoxyloides | 40 | 13.33 | V | 0.30 | Green Standing |
| 72 | 408 | 24 | Sanjal | Fraxinus xantoxyloides | 40 | 13.33 | V | 0.30 | Green Standing |
| 73 | 264 | 24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3.40 | Green Standing |
| 74 | 265 | 24 | Sanjal | Fraxinus xantoxyloides | 35 | 11.67 | V | 0.30 | Green Standing |
| 75 | 267 | 24 | Sanjal | Fraxinus xantoxyloides | 33 | 11.00 | V | 0.30 | Green Standing |
| 76 | 268 | 24 | Sanjal | Fraxinus xantoxyloides | 50 | 16.67 | V | 0.30 | Green Standing |
| 77 | 269 | 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | 0.30 | Green Standing |
| 78 | 270 | 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.42 | Green Standing |
| 79 | 271 | 24 | Sanjal | Fraxinus xantoxyloides | 35 | 11.67 | V | 0.30 | Green Standing |
| 80 | 277 | 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.42 | Green Standing |
| 81 | 278 | 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.42 | Green Standing |
| 82 | 279 | 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.42 | Green Standing |
| 83 | 280 | 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.42 | Green Standing |
| 84 | 291 | 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.42 | Green Standing |
| 85 | 292 | 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.42 | Green Standing |
| 86 | 293 | 24 | Robinia | Robinia pseudoacacia | 95 | 31.67 | III | 3.40 | Green Standing |
| 87 | 294 | 24 | Robinia | Robinia pseudoacacia | 95 | 31.67 | III | 3.40 | Green Standing |

200000
10 Udaipur Forest

B. O. Udaipur

Ranga Forest Officer,
Forest Range Udaipur



| | | | | | | | | |
|-----|--------|---------|--------------------------|-----|-------|-----|------|----------------|
| 88 | 297 24 | Juniper | Juniperus macrocarpa | 60 | 20.00 | V | 0.65 | Green Standing |
| 89 | 299 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 42 | Green Standing |
| 90 | 300 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 42 | Green Standing |
| 91 | 409 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 42 | Green Standing |
| 92 | 410 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | 0.60 | Green Standing |
| 93 | 411 24 | Robinia | Robinia pseudoacacia | 76 | 23.33 | IV | 42 | Green Standing |
| 94 | 412 24 | Robinia | Robinia pseudoacacia | 86 | 26.67 | IV | 42 | Green Standing |
| 95 | 413 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 42 | Green Standing |
| 96 | 414 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 42 | Green Standing |
| 97 | 415 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | 0.60 | Green Standing |
| 98 | 416 24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 140 | Green Standing |
| 99 | 417 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | 0.60 | Green Standing |
| 100 | 418 24 | Robinia | Robinia pseudoacacia | 40 | 13.33 | V | 0.60 | Green Standing |
| 101 | 419 24 | Robinia | Robinia pseudoacacia | 45 | 15.00 | V | 0.30 | Green Standing |
| 102 | 426 24 | Sanjal | Fraxinus xantoxylonoides | 40 | 13.33 | V | 0.30 | Green Standing |
| 103 | 427 24 | Sanjal | Fraxinus xantoxylonoides | 75 | 11.67 | V | 0.30 | Green Standing |
| 104 | 428 24 | Sanjal | Fraxinus xantoxylonoides | 75 | 11.67 | V | 0.30 | Green Standing |

Kumar Singh
1/10 Volar par Beat

6-8-2025

Range Forest Officer,
Udaipur Forest Range,
Rajasthan - 313001

10-04-2025

DIVISIONAL FOREST OFFICER
LAHAUL FOREST DIVISION
AT KEYLONG

| Enumeration List of F.M.R.S. at Kukumseri | | | | | | | | |
|-------------------------------------------|----------|---------|--------------------------------|-------|----------|-------|--------|----------------|
| Sr. No. | Tree No. | Species | Botanical Name | Girth | Diameter | Class | Volume | Remarks |
| 1 | 01 24 | Willow | <i>Salix spp.</i> | 51 | 17.00 | V | | Green Standing |
| 2 | 2 24 | Willow | <i>Salix spp.</i> | 41 | 13.67 | V | | Green Standing |
| 3 | 3 24 | Willow | <i>Salix spp.</i> | 80 | 26.67 | IV | 1.415 | Green Standing |
| 4 | 4 24 | Willow | <i>Salix spp.</i> | 71 | 23.67 | IV | 1.415 | Green Standing |
| 5 | 5 24 | Willow | <i>Salix spp.</i> | 85 | 28.33 | IV | 1.415 | Green Standing |
| 6 | 6 24 | Willow | <i>Salix spp.</i> | 80 | 26.67 | IV | 1.415 | Green Standing |
| 7 | 7 24 | Willow | <i>Salix spp.</i> | 70 | 23.33 | IV | 1.415 | Green Standing |
| 8 | 8 24 | Willow | <i>Salix spp.</i> | 60 | 20.00 | V | | Green Standing |
| 9 | 9 24 | Willow | <i>Salix spp.</i> | 90 | 30.00 | IV | 1.415 | Green Standing |
| 10 | 10 24 | Willow | <i>Salix spp.</i> | 60 | 20.00 | V | | Green Standing |
| 11 | 11 24 | Willow | <i>Salix spp.</i> | 70 | 23.33 | IV | 1.415 | Green Standing |
| 12 | 12 24 | Willow | <i>Salix spp.</i> | 75 | 25.00 | IV | 1.415 | Green Standing |
| 13 | 13 24 | Willow | <i>Salix spp.</i> | 65 | 21.67 | IV | 1.415 | Green Standing |
| 14 | 14 24 | Willow | <i>Salix spp.</i> | 70 | 23.33 | IV | 1.415 | Green Standing |
| 15 | 15 24 | Willow | <i>Salix spp.</i> | 55 | 18.33 | V | | Green Standing |
| 16 | 16 24 | Willow | <i>Salix spp.</i> | 55 | 18.33 | V | | Green Standing |
| 17 | 17 24 | Willow | <i>Salix spp.</i> | 50 | 16.67 | V | | Green Standing |
| 18 | 18 24 | Willow | <i>Salix spp.</i> | 45 | 15.00 | V | | Green Standing |
| 19 | 19 24 | Willow | <i>Salix spp.</i> | 35 | 11.67 | V | | Green Standing |
| 20 | 20 24 | Willow | <i>Salix spp.</i> | 60 | 20.00 | V | | Green Standing |
| 21 | 21 24 | Willow | <i>Salix spp.</i> | 55 | 18.33 | V | | Green Standing |
| 22 | 22 24 | Willow | <i>Salix spp.</i> | 60 | 20.00 | V | | Green Standing |
| 23 | 23 24 | Willow | <i>Salix spp.</i> | 40 | 13.33 | V | | Green Standing |
| 24 | 24 24 | Willow | <i>Salix spp.</i> | 70 | 23.33 | IV | 1.415 | Green Standing |
| 25 | 25 24 | Willow | <i>Salix spp.</i> | 45 | 15.00 | V | | Green Standing |
| 26 | 26 24 | Willow | <i>Salix spp.</i> | 70 | 23.33 | IV | 1.415 | Green Standing |
| 27 | 27 24 | Willow | <i>Salix spp.</i> | 90 | 30.00 | IV | 1.415 | Green Standing |
| 28 | 28 24 | Willow | <i>Salix spp.</i> | 60 | 20.00 | V | | Green Standing |
| 29 | 29 24 | Willow | <i>Salix spp.</i> | 70 | 23.33 | IV | 1.415 | Green Standing |
| 30 | 30 24 | Juniper | <i>Juniperous macropoda</i> | 35 | 11.67 | V | | Green Standing |
| 31 | 31 24 | Robinia | <i>Robinia pseudoacacia</i> | 110 | 36.67 | III | 3.397 | Green Standing |
| 32 | 32 24 | Sanjal | <i>Fraxinus xanthoxyloides</i> | 35 | 11.67 | V | | Green Standing |
| 33 | 33 24 | Robinia | <i>Robinia pseudoacacia</i> | 100 | 33.33 | III | 3.397 | Green Standing |
| 34 | 34 24 | Robinia | <i>Robinia pseudoacacia</i> | 90 | 30.00 | IV | 1.415 | Green Standing |
| 35 | 35 24 | Sanjal | <i>Fraxinus xanthoxyloides</i> | 35 | 11.67 | V | | Green Standing |
| 36 | 36 24 | Juniper | <i>Juniperous macropoda</i> | 35 | 11.67 | V | | Green Standing |
| 37 | 37 24 | Robinia | <i>Robinia pseudoacacia</i> | 120 | 40.00 | III | 3.397 | Green Standing |
| 38 | 38 24 | Robinia | <i>Robinia pseudoacacia</i> | 105 | 35.00 | III | 3.397 | Green Standing |
| 39 | 39 24 | Juniper | <i>Juniperous macropoda</i> | 65 | 21.67 | IV | 1.132 | Green Standing |
| 40 | 40 24 | Robinia | <i>Robinia pseudoacacia</i> | 120 | 40.00 | III | 3.397 | Green Standing |
| 41 | 41 24 | Robinia | <i>Robinia pseudoacacia</i> | 95 | 31.67 | III | 3.397 | Green Standing |
| 42 | 42 24 | Robinia | <i>Robinia pseudoacacia</i> | 100 | 33.33 | III | 3.397 | Green Standing |
| 43 | 43 24 | Robinia | <i>Robinia pseudoacacia</i> | 70 | 23.33 | IV | 1.415 | Green Standing |
| 44 | 44 24 | Juniper | <i>Juniperous macropoda</i> | 40 | 13.33 | V | | Green Standing |
| 45 | 45 24 | Robinia | <i>Robinia pseudoacacia</i> | 120 | 40.00 | III | 3.397 | Green Standing |
| 46 | 46 24 | Robinia | <i>Robinia pseudoacacia</i> | 75 | 25.00 | IV | 1.415 | Green Standing |
| 47 | 47 24 | Robinia | <i>Robinia pseudoacacia</i> | 70 | 23.33 | IV | 1.415 | Green Standing |
| 48 | 48 24 | Robinia | <i>Robinia pseudoacacia</i> | 100 | 33.33 | III | 3.397 | Green Standing |
| 49 | 49 24 | Robinia | <i>Robinia pseudoacacia</i> | 50 | 16.67 | V | | Green Standing |
| 50 | 50 24 | Robinia | <i>Robinia pseudoacacia</i> | 75 | 25.00 | IV | 1.415 | Green Standing |
| 51 | 51 24 | Robinia | <i>Robinia pseudoacacia</i> | 40 | 13.33 | V | | Green Standing |
| 52 | 52 24 | Robinia | <i>Robinia pseudoacacia</i> | 75 | 25.00 | IV | 1.415 | Green Standing |
| 53 | 53 24 | Robinia | <i>Robinia pseudoacacia</i> | 90 | 30.00 | IV | 1.415 | Green Standing |
| 54 | 54 24 | Robinia | <i>Robinia pseudoacacia</i> | 40 | 13.33 | V | | Green Standing |
| 55 | 55 24 | Robinia | <i>Robinia pseudoacacia</i> | 45 | 15.00 | V | | Green Standing |
| 56 | 56 24 | Robinia | <i>Robinia pseudoacacia</i> | 110 | 36.67 | III | 3.397 | Green Standing |
| 57 | 57 24 | Robinia | <i>Robinia pseudoacacia</i> | 120 | 40.00 | III | 3.397 | Green Standing |

Kumar's
Village beat

| | | | | | | | | |
|-----|--------|---------|-------------------------|-----|-------|-----|-------|----------------|
| 58 | 58 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 59 | 59 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 60 | 60 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 61 | 61 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 62 | 62 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 63 | 63 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 64 | 64 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 65 | 65 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 66 | 66 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 67 | 67 24 | Robinia | Robinia pseudoacacia | 35 | 11.67 | V | | Green Standing |
| 68 | 68 24 | Robinia | Robinia pseudoacacia | 40 | 13.33 | IV | 1.415 | Green Standing |
| 69 | 69 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 70 | 70 24 | Robinia | Robinia pseudoacacia | 85 | 28.33 | V | | Green Standing |
| 71 | 71 24 | Robinia | Robinia pseudoacacia | 45 | 15.00 | IV | 1.415 | Green Standing |
| 72 | 72 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 73 | 73 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 74 | 74 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 75 | 75 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 76 | 76 24 | Robinia | Robinia pseudoacacia | 30 | 10.00 | V | | Green Standing |
| 77 | 77 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 78 | 78 24 | Sanjal | Fraxinus xantoxylloides | 50 | 16.67 | V | | Green Standing |
| 79 | 79 24 | Sanjal | Fraxinus xantoxylloides | 30 | 10.00 | V | | Green Standing |
| 80 | 80 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 81 | 81 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 82 | 82 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 83 | 83 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 84 | 84 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 85 | 85 24 | Sanjal | Fraxinus xantoxylloides | 50 | 16.67 | V | | Green Standing |
| 86 | 86 24 | Sanjal | Fraxinus xantoxylloides | 30 | 10.00 | V | | Green Standing |
| 87 | 87 24 | Sanjal | Fraxinus xantoxylloides | 35 | 11.67 | V | | Green Standing |
| 88 | 88 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 89 | 89 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 90 | 90 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 91 | 91 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 92 | 92 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 93 | 93 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 94 | 94 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 95 | 95 24 | Juniper | Juniperous macropoda | 50 | 16.67 | V | | Green Standing |
| 96 | 96 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 97 | 97 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 98 | 98 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 99 | 99 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 100 | 100 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 101 | 101 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 102 | 102 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 103 | 103 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 104 | 104 24 | Juniper | Juniperous macropoda | 45 | 15.00 | V | | Green Standing |
| 105 | 105 24 | Juniper | Juniperous macropoda | 50 | 16.67 | V | | Green Standing |
| 106 | 106 24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3.397 | Green Standing |
| 107 | 107 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 108 | 108 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 109 | 109 24 | Robinia | Robinia pseudoacacia | 120 | 40.00 | III | 3.397 | Green Standing |
| 110 | 110 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 111 | 111 24 | Sanjal | Fraxinus xantoxylloides | 35 | 11.67 | V | | Green Standing |
| 112 | 112 24 | Sanjal | Fraxinus xantoxylloides | 50 | 16.67 | V | | Green Standing |
| 113 | 113 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 114 | 114 24 | Juniper | Juniperous macropoda | 50 | 16.67 | V | | Green Standing |
| 115 | 115 24 | Juniper | Juniperous macropoda | 50 | 16.67 | V | | Green Standing |
| 116 | 116 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |

B Kuanas for
voleipper beat



| | | | | | | | | |
|-----|--------|---------|--------------------------|-----|-------|-----|-------|----------------|
| 117 | 117 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1,415 | Green Standing |
| 118 | 118 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1,415 | Green Standing |
| 119 | 119 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1,415 | Green Standing |
| 120 | 120 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1,415 | Green Standing |
| 121 | 121 24 | Sanjal | Fraxinus xantoxylonoides | 55 | 18.33 | V | | Green Standing |
| 122 | 122 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1,415 | Green Standing |
| 123 | 123 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 124 | 124 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 125 | 125 24 | Robinia | Robinia pseudoacacia | 40 | 13.33 | V | | Green Standing |
| 126 | 126 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1,415 | Green Standing |
| 127 | 127 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 128 | 128 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 129 | 129 24 | Robinia | Robinia pseudoacacia | 85 | 28.33 | IV | 1,415 | Green Standing |
| 130 | 130 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 131 | 131 24 | Robinia | Robinia pseudoacacia | 95 | 31.67 | III | 3,397 | Green Standing |
| 132 | 132 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 133 | 133 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 134 | 134 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1,415 | Green Standing |
| 135 | 135 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1,415 | Green Standing |
| 136 | 136 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 137 | 137 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1,415 | Green Standing |
| 138 | 138 24 | Juniper | Juniperus macropoda | 40 | 13.33 | V | | Green Standing |
| 139 | 139 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1,415 | Green Standing |
| 140 | 140 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1,415 | Green Standing |
| 141 | 141 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 142 | 142 24 | Robinia | Robinia pseudoacacia | 130 | 43.33 | IIA | 5,663 | Green Standing |
| 143 | 143 24 | Juniper | Juniperus macropoda | 35 | 11.67 | V | | Green Standing |
| 144 | 144 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1,415 | Green Standing |
| 145 | 145 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1,415 | Green Standing |
| 146 | 146 24 | Sanjal | Fraxinus xantoxylonoides | 50 | 16.67 | V | | Green Standing |
| 147 | 147 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 148 | 148 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 149 | 149 24 | Robinia | Robinia pseudoacacia | 110 | 36.67 | III | 3,397 | Green Standing |
| 150 | 150 24 | Juniper | Juniperus macropoda | 50 | 16.67 | V | | Green Standing |
| 151 | 151 24 | Robinia | Robinia pseudoacacia | 140 | 46.67 | IIA | 5,663 | Green Standing |
| 152 | 152 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1,415 | Green Standing |
| 153 | 153 24 | Sanjal | Fraxinus xantoxylonoides | 40 | 13.33 | V | | Green Standing |
| 154 | 154 24 | Robinia | Robinia pseudoacacia | 85 | 28.33 | IV | 1,415 | Green Standing |
| 155 | 155 24 | Sanjal | Fraxinus xantoxylonoides | 45 | 15.00 | V | | Green Standing |
| 156 | 156 24 | Sanjal | Fraxinus xantoxylonoides | 45 | 15.00 | V | | Green Standing |
| 157 | 157 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1,415 | Green Standing |
| 158 | 158 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1,415 | Green Standing |
| 159 | 159 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1,415 | Green Standing |
| 160 | 160 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 161 | 161 24 | Robinia | Robinia pseudoacacia | 40 | 13.33 | V | | Green Standing |
| 162 | 162 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 163 | 163 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 164 | 164 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1,415 | Green Standing |
| 165 | 165 24 | Robinia | Robinia pseudoacacia | 45 | 15.00 | V | | Green Standing |
| 166 | 166 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1,415 | Green Standing |
| 167 | 167 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1,415 | Green Standing |
| 168 | 168 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 169 | 169 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1,415 | Green Standing |
| 170 | 170 24 | Robinia | Robinia pseudoacacia | 85 | 28.33 | IV | 1,415 | Green Standing |
| 171 | 171 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 172 | 172 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1,415 | Green Standing |
| 173 | 173 24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3,397 | Green Standing |
| 174 | 174 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 175 | 175 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1,415 | Green Standing |

B Kumar
Liner bed

| | | | | | | | | |
|-----|--------|---------|-------------------------|-----|-------|-----|-------|----------------|
| 176 | 176 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 177 | 177 24 | Robinia | Robinia pseudoacacia | 40 | 13.33 | V | | Green Standing |
| 178 | 178 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 179 | 179 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 180 | 180 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 181 | 181 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 182 | 182 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 183 | 183 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 184 | 184 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 185 | 185 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 186 | 186 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 187 | 187 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 188 | 188 24 | Sanjal | Fraxinus xantoxylloides | 45 | 15.00 | V | | Green Standing |
| 189 | 189 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 190 | 190 24 | Robinia | Robinia pseudoacacia | 105 | 35.00 | III | 3.397 | Green Standing |
| 191 | 191 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 192 | 192 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 193 | 193 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 194 | 194 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 195 | 195 24 | Sanjal | Fraxinus xantoxylloides | 45 | 15.00 | V | | Green Standing |
| 196 | 196 24 | Sanjal | Fraxinus xantoxylloides | 40 | 13.33 | V | | Green Standing |
| 197 | 197 24 | Sanjal | Fraxinus xantoxylloides | 35 | 11.67 | V | | Green Standing |
| 198 | 198 24 | Sanjal | Fraxinus xantoxylloides | 35 | 11.67 | V | | Green Standing |
| 199 | 199 24 | Sanjal | Fraxinus xantoxylloides | 35 | 11.67 | V | | Green Standing |
| 200 | 200 24 | Sanjal | Fraxinus xantoxylloides | 40 | 13.33 | V | | Green Standing |
| 201 | 201 24 | Sanjal | Fraxinus xantoxylloides | 35 | 11.00 | V | | Green Standing |
| 202 | 202 24 | Sanjal | Fraxinus xantoxylloides | 35 | 11.67 | V | | Green Standing |
| 203 | 203 24 | Sanjal | Fraxinus xantoxylloides | 45 | 15.00 | V | | Green Standing |
| 204 | 204 24 | Sanjal | Fraxinus xantoxylloides | 70 | 23.33 | IV | 1.415 | Green Standing |
| 205 | 205 24 | Sanjal | Fraxinus xantoxylloides | 50 | 16.67 | V | | Green Standing |
| 206 | 206 24 | Sanjal | Fraxinus xantoxylloides | 55 | 18.33 | V | | Green Standing |
| 207 | 207 24 | Sanjal | Fraxinus xantoxylloides | 40 | 13.33 | V | | Green Standing |
| 208 | 208 24 | Robinia | Robinia pseudoacacia | 85 | 28.33 | IV | 1.415 | Green Standing |
| 209 | 209 24 | Robinia | Robinia pseudoacacia | 105 | 35.00 | III | 3.397 | Green Standing |
| 210 | 210 24 | Robinia | Robinia pseudoacacia | 110 | 36.67 | III | 3.397 | Green Standing |
| 211 | 211 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 212 | 212 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 213 | 213 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 214 | 214 24 | Robinia | Robinia pseudoacacia | 85 | 28.33 | IV | 1.415 | Green Standing |
| 215 | 215 24 | Sanjal | Fraxinus xantoxylloides | 40 | 13.33 | V | | Green Standing |
| 216 | 216 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 217 | 217 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 218 | 218 24 | Sanjal | Fraxinus xantoxylloides | 40 | 13.33 | V | | Green Standing |
| 219 | 219 24 | Sanjal | Fraxinus xantoxylloides | 45 | 15.00 | V | | Green Standing |
| 220 | 220 24 | Juniper | Juniperus macropoda | 34 | 11.33 | V | | Green Standing |
| 221 | 221 24 | Sanjal | Fraxinus xantoxylloides | 50 | 16.67 | V | | Green Standing |
| 222 | 222 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 223 | 223 24 | Robinia | Robinia pseudoacacia | 40 | 13.33 | V | | Green Standing |
| 224 | 224 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 225 | 225 24 | Sanjal | Fraxinus xantoxylloides | 50 | 16.67 | V | | Green Standing |
| 226 | 226 24 | Robinia | Robinia pseudoacacia | 45 | 15.00 | V | | Green Standing |
| 227 | 227 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 228 | 228 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 229 | 229 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 230 | 230 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 231 | 231 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 232 | 232 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 233 | 233 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 234 | 234 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |

Kurnat fgd



| | | | | | | | | | |
|-----|-----|----|---------|--------------------------------|-----|-------|-----|-------|----------------|
| 235 | 235 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 46 | 13.33 | V | | Green Standing |
| 236 | 236 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 50 | 13.33 | V | | Green Standing |
| 237 | 237 | 24 | Sanjal | <i>Fraxinus xanthoxyloides</i> | 56 | 16.67 | V | | Green Standing |
| 238 | 238 | 24 | Sanjal | <i>Fraxinus xanthoxyloides</i> | 56 | 16.67 | V | | Green Standing |
| 239 | 239 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 60 | 16.67 | V | | Green Standing |
| 240 | 240 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 45 | 30.00 | V | | Green Standing |
| 241 | 241 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 50 | 13.33 | V | | Green Standing |
| 242 | 242 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 60 | 16.67 | V | | Green Standing |
| 243 | 243 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 70 | 23.33 | IV | 1.415 | Green Standing |
| 244 | 244 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 50 | 16.67 | V | | Green Standing |
| 245 | 245 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 50 | 16.67 | V | | Green Standing |
| 246 | 246 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 75 | 26.67 | IV | 1.415 | Green Standing |
| 247 | 247 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 60 | 13.33 | III | 3.397 | Green Standing |
| 248 | 248 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 65 | 21.67 | IV | 1.415 | Green Standing |
| 249 | 249 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 75 | 23.33 | IV | 1.415 | Green Standing |
| 250 | 250 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 50 | 16.67 | V | | Green Standing |
| 251 | 251 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 60 | 30.00 | V | | Green Standing |
| 252 | 252 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 50 | 16.67 | V | | Green Standing |
| 253 | 253 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 70 | 23.33 | IV | 1.415 | Green Standing |
| 254 | 254 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 55 | 18.33 | V | | Green Standing |
| 255 | 255 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 65 | 21.67 | IV | 1.415 | Green Standing |
| 256 | 256 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 50 | 16.67 | V | | Green Standing |
| 257 | 257 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 45 | 15.00 | V | | Green Standing |
| 258 | 258 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 45 | 15.00 | V | | Green Standing |
| 259 | 259 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 50 | 16.67 | V | | Green Standing |
| 260 | 260 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 70 | 23.33 | IV | 1.415 | Green Standing |
| 261 | 261 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 45 | 15.00 | V | | Green Standing |
| 262 | 262 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 56 | 16.67 | V | | Green Standing |
| 263 | 263 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 45 | 15.00 | V | | Green Standing |
| 264 | 264 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 100 | 33.33 | III | 3.397 | Green Standing |
| 265 | 265 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 35 | 11.67 | V | | Green Standing |
| 266 | 266 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 35 | 11.67 | V | | Green Standing |
| 267 | 267 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 33 | 11.00 | V | | Green Standing |
| 268 | 268 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 50 | 16.67 | V | | Green Standing |
| 269 | 269 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 50 | 16.67 | V | | Green Standing |
| 270 | 270 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 90 | 30.00 | IV | 1.415 | Green Standing |
| 271 | 271 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 35 | 11.67 | V | | Green Standing |
| 272 | 272 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 70 | 23.33 | IV | 1.415 | Green Standing |
| 273 | 273 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 80 | 26.67 | IV | 1.415 | Green Standing |
| 274 | 274 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 80 | 26.67 | IV | 1.415 | Green Standing |
| 275 | 275 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 65 | 21.67 | IV | 1.415 | Green Standing |
| 276 | 276 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 95 | 31.67 | III | 3.397 | Green Standing |
| 277 | 277 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 75 | 25.00 | IV | 1.415 | Green Standing |
| 278 | 278 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 90 | 30.00 | IV | 1.415 | Green Standing |
| 279 | 279 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 75 | 25.00 | IV | 1.415 | Green Standing |
| 280 | 280 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 70 | 23.33 | IV | 1.415 | Green Standing |
| 281 | 281 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 40 | 13.33 | V | | Green Standing |
| 282 | 282 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 75 | 25.00 | IV | 1.415 | Green Standing |
| 283 | 283 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 75 | 25.00 | IV | 1.415 | Green Standing |
| 284 | 284 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 50 | 16.67 | V | | Green Standing |
| 285 | 285 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 60 | 20.00 | V | | Green Standing |
| 286 | 286 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 55 | 18.33 | V | | Green Standing |
| 287 | 287 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 70 | 23.33 | IV | 1.415 | Green Standing |
| 288 | 288 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 35 | 11.67 | V | | Green Standing |
| 289 | 289 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 50 | 16.67 | V | | Green Standing |
| 290 | 290 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 110 | 36.67 | III | 3.397 | Green Standing |
| 291 | 291 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 65 | 21.67 | IV | 1.415 | Green Standing |
| 292 | 292 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 80 | 26.67 | IV | 1.415 | Green Standing |
| 293 | 293 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 95 | 31.67 | III | 3.397 | Green Standing |

Kumaragud
1/1/2023

| | | | | | | | | |
|-----|--------|---------|------------------------|-----|-------|-----|-------|----------------|
| 294 | 294 24 | Robinia | Robinia pseudoacacia | 95 | 31.67 | III | 3.397 | Green Standing |
| 295 | 295 24 | Sanjal | Fraxinus xantoxyloides | 40 | 13.33 | V | | Green Standing |
| 296 | 296 24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3.397 | Green Standing |
| 297 | 297 24 | Juniper | Juniperous macropoda | 60 | 20.00 | V | | Green Standing |
| 298 | 298 24 | Robinia | Robinia pseudoacacia | 95 | 31.67 | III | 3.397 | Green Standing |
| 299 | 299 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 300 | 300 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 301 | 301 24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3.397 | Green Standing |
| 302 | 302 24 | Robinia | Robinia pseudoacacia | 125 | 41.67 | IIA | 5.663 | Green Standing |
| 303 | 303 24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3.397 | Green Standing |
| 304 | 304 24 | Juniper | Juniperous macropoda | 55 | 18.33 | V | | Green Standing |
| 305 | 305 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 306 | 306 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 307 | 307 24 | Robinia | Robinia pseudacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 308 | 308 24 | Robinia | Robinia pseudacacia | 120 | 40.00 | III | 3.397 | Green Standing |
| 309 | 309 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 310 | 310 24 | Robinia | Robinia pseudoacacia | 110 | 36.67 | III | 3.397 | Green Standing |
| 311 | 311 24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3.397 | Green Standing |
| 312 | 312 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 313 | 313 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 314 | 314 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 315 | 315 24 | Robinia | Robinia pseudoacacia | 125 | 41.67 | IIA | 5.663 | Green Standing |
| 316 | 316 24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3.397 | Green Standing |
| 317 | 317 24 | Robinia | Robinia pseudoacacia | 85 | 28.33 | IV | 1.415 | Green Standing |
| 318 | 318 24 | Robinia | Robinia pseudacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 319 | 319 24 | Robinia | Robinia pseudacacia | 110 | 36.67 | III | 3.397 | Green Standing |
| 320 | 320 24 | Robinia | Robinia pseudacacia | 60 | 20.00 | V | | Green Standing |
| 321 | 321 24 | Robinia | Robinia pseudoacacia | 40 | 13.33 | V | | Green Standing |
| 322 | 322 24 | Robinia | Robinia pseudoacacia | 95 | 31.67 | III | 3.397 | Dry Standing |
| 323 | 323 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 324 | 324 24 | Robinia | Robinia pseudoacacia | 120 | 40.00 | III | 3.397 | Green Standing |
| 325 | 325 24 | Robinia | Robinia pseudacacia | 150 | 50.00 | IIA | 5.663 | Green Standing |
| 326 | 326 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 327 | 327 24 | Robinia | Robinia pseudoacacia | 125 | 41.67 | IIA | 5.663 | Green Standing |
| 328 | 328 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 329 | 329 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 330 | 330 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 331 | 331 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 332 | 332 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 333 | 333 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 334 | 334 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 335 | 335 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 336 | 336 24 | Sanjal | Fraxinus xantoxyloides | 50 | 16.67 | V | | Green Standing |
| 337 | 337 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 338 | 338 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 339 | 339 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 340 | 340 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 341 | 341 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 342 | 342 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 343 | 343 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 344 | 344 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 345 | 345 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 346 | 346 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 347 | 347 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 348 | 348 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 349 | 349 24 | Robinia | Robinia pseudoacacia | 140 | 46.67 | IIA | 5.663 | Green Standing |
| 350 | 350 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 351 | 351 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 352 | 352 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |

R Kumar fgd
11/11/2023



| | | | | | | | | | |
|-----|-----|----|---------|-----------------------|-----|-------|-----|-------|----------------|
| 353 | 353 | 24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3.397 | Green Standing |
| 354 | 354 | 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Upset Standing |
| 355 | 355 | 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | 1.415 | Upset Standing |
| 356 | 356 | 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 357 | 357 | 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | 1.415 | Green Standing |
| 358 | 358 | 24 | Robinia | Robinia pseudoacacia | 105 | 35.00 | II | 3.397 | Green Standing |
| 359 | 359 | 24 | Robinia | Robinia pseudoacacia | 85 | 28.33 | IV | 1.415 | Green Standing |
| 360 | 360 | 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | 1.415 | Green Standing |
| 361 | 361 | 24 | Robinia | Robinia pseudoacacia | 95 | 31.67 | III | 3.397 | Green Standing |
| 362 | 362 | 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | 1.415 | Green Standing |
| 363 | 363 | 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 364 | 364 | 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | 1.415 | Green Standing |
| 365 | 365 | 24 | Robinia | Robinia pseudoacacia | 120 | 40.00 | III | 3.397 | Green Standing |
| 366 | 366 | 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 367 | 367 | 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | 1.415 | Green Standing |
| 368 | 368 | 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | 1.415 | Green Standing |
| 369 | 369 | 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 370 | 370 | 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 371 | 371 | 24 | Robinia | Robinia pseudoacacia | 115 | 38.33 | III | 3.397 | Green Standing |
| 372 | 372 | 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 373 | 373 | 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 374 | 374 | 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | 1.415 | Green Standing |
| 375 | 375 | 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 376 | 376 | 24 | Robinia | Robinia pseudoacacia | 105 | 35.00 | III | 3.397 | Green Standing |
| 377 | 377 | 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 378 | 378 | 24 | Robinia | Robinia pseudoacacia | 85 | 28.33 | IV | 1.415 | Green Standing |
| 379 | 379 | 24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3.397 | Green Standing |
| 380 | 380 | 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | 1.415 | Green Standing |
| 381 | 381 | 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 382 | 382 | 24 | Robinia | Robinia pseudoacacia | 105 | 35.00 | III | 3.397 | Green Standing |
| 383 | 383 | 24 | Sanjal | Fraxinus xantoxylodes | 40 | 13.33 | V | 1.415 | Green Standing |
| 384 | 384 | 24 | Robinia | Robinia pseudoacacia | 115 | 38.33 | III | 3.397 | Green Standing |
| 385 | 385 | 24 | Robinia | Robinia pseudoacacia | 95 | 31.67 | III | 3.397 | Green Standing |
| 386 | 386 | 24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3.397 | Green Standing |
| 387 | 387 | 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 388 | 388 | 24 | Robinia | Robinia pseudoacacia | 105 | 35.00 | III | 3.397 | Green Standing |
| 389 | 389 | 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 390 | 390 | 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 391 | 391 | 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 392 | 392 | 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Dry Standing |
| 393 | 393 | 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 394 | 394 | 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | 1.415 | Green Standing |
| 395 | 395 | 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | 1.415 | Green Standing |
| 396 | 396 | 24 | Robinia | Robinia pseudoacacia | 115 | 38.33 | III | 3.397 | Green Standing |
| 397 | 397 | 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 398 | 398 | 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 399 | 399 | 24 | Robinia | Robinia pseudoacacia | 115 | 38.33 | III | 3.397 | Green Standing |
| 400 | 400 | 24 | Robinia | Robinia pseudoacacia | 105 | 35.00 | III | 3.397 | Green Standing |
| 401 | 401 | 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 402 | 402 | 24 | Robinia | Robinia pseudoacacia | 105 | 35.00 | III | 3.397 | Green Standing |
| 403 | 403 | 24 | Robinia | Robinia pseudoacacia | 105 | 35.00 | III | 3.397 | Green Standing |
| 404 | 404 | 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 405 | 405 | 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | 1.415 | Green Standing |
| 406 | 406 | 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | 1.415 | Green Standing |
| 407 | 407 | 24 | Sanjal | Fraxinus xantoxylodes | 40 | 13.33 | V | 1.415 | Green Standing |
| 408 | 408 | 24 | Sanjal | Fraxinus xantoxylodes | 40 | 13.33 | V | 1.415 | Green Standing |
| 409 | 409 | 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 410 | 410 | 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | 1.415 | Green Standing |
| 411 | 411 | 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |

R Kumar pgd



| | | | | | | | | |
|-----|--------|---------|-------------------------|-----|-------|-----|-------|----------------|
| 412 | 412 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 413 | 413 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 414 | 414 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 415 | 415 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 416 | 416 24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3.397 | Green Standing |
| 417 | 417 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 418 | 418 24 | Robinia | Robinia pseudoacacia | 40 | 13.33 | V | | Green Standing |
| 419 | 419 24 | Robinia | Robinia pseudoacacia | 45 | 15.00 | V | | Green Standing |
| 420 | 420 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 421 | 421 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 422 | 422 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 423 | 423 24 | Robinia | Robinia pseudoacacia | 40 | 13.33 | V | | Green Standing |
| 424 | 424 24 | Robinia | Robinia pseudoacacia | 45 | 15.00 | V | | Green Standing |
| 425 | 425 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 426 | 426 24 | Sanjal | Fraxinus xanthoxyloides | 40 | 13.33 | V | | Green Standing |
| 427 | 427 24 | Sanjal | Fraxinus xanthoxyloides | 35 | 11.67 | V | | Green Standing |
| 428 | 428 24 | Sanjal | Fraxinus xanthoxyloides | 35 | 11.67 | V | | Green Standing |
| 429 | 429 24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3.397 | Green Standing |
| 430 | 430 24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3.397 | Green Standing |
| 431 | 431 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 432 | 432 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 433 | 433 24 | Robinia | Robinia pseudoacacia | 85 | 28.33 | IV | 1.415 | Green Standing |
| 434 | 434 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 435 | 435 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 436 | 436 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 437 | 437 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 438 | 438 24 | Robinia | Robinia pseudoacacia | 40 | 13.33 | V | | Green Standing |
| 439 | 439 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 440 | 440 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 441 | 441 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 442 | 442 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 443 | 443 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 444 | 444 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 445 | 445 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 446 | 446 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 447 | 447 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 448 | 448 24 | Robinia | Robinia pseudoacacia | 105 | 35.00 | III | 3.397 | Green Standing |
| 449 | 449 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 450 | 450 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 451 | 451 24 | Robinia | Robinia pseudoacacia | 95 | 31.67 | III | 3.397 | Green Standing |
| 452 | 452 24 | Robinia | Robinia pseudoacacia | 85 | 28.33 | IV | 1.415 | Green Standing |
| 453 | 453 24 | Robinia | Robinia pseudoacacia | 40 | 13.33 | V | | Green Standing |
| 454 | 454 24 | Robinia | Robinia pseudoacacia | 95 | 31.67 | III | 3.397 | Green Standing |
| 455 | 455 24 | Robinia | Robinia pseudoacacia | 110 | 36.67 | III | 3.397 | Green Standing |
| 456 | 456 24 | Sanjal | Fraxinus xanthoxyloides | 45 | 15.00 | V | | Green Standing |
| 457 | 457 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 458 | 458 24 | Robinia | Robinia pseudoacacia | 85 | 28.33 | IV | 1.415 | Green Standing |
| 459 | 459 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 460 | 460 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 461 | 461 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 462 | 462 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 463 | 463 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 464 | 464 24 | Robinia | Robinia pseudoacacia | 85 | 28.33 | IV | 1.415 | Green Standing |
| 465 | 465 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 466 | 466 24 | Robinia | Robinia pseudoacacia | 85 | 28.33 | IV | 1.415 | Green Standing |
| 467 | 467 24 | Robinia | Robinia pseudoacacia | 85 | 28.33 | IV | 1.415 | Green Standing |
| 468 | 468 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 469 | 469 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 470 | 470 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |

Kunwar 7/2
17 days per beat



| Sl No | Date | Location | Scientific Name | Length | Width | III | IV | Green Standing |
|-------|------|----------|-----------------------------------------|--------|-------|-----|-------|----------------|
| 470 | 24 | Sample | <i>Lepturus tristis var. mitchellii</i> | 70 | 23.33 | IV | 1.415 | Green Standing |
| 471 | 24 | Sample | <i>Lepturus tristis var. mitchellii</i> | 50 | 18.67 | V | | Green Standing |
| 472 | 24 | Sample | <i>Lepturus tristis var. mitchellii</i> | 90 | 30.00 | IV | 1.415 | Green Standing |
| 473 | 24 | Sample | <i>Lepturus tristis var. mitchellii</i> | 90 | 30.00 | IV | 1.415 | Green Standing |
| 474 | 24 | Sample | <i>Lepturus tristis var. mitchellii</i> | 95 | 31.67 | III | 1.397 | Green Standing |
| 475 | 24 | Sample | <i>Lepturus tristis var. mitchellii</i> | 95 | 31.67 | III | 1.397 | Green Standing |
| 476 | 24 | Sample | <i>Lepturus tristis var. mitchellii</i> | 90 | 30.00 | IV | 1.415 | Green Standing |
| 477 | 24 | Sample | <i>Lepturus tristis var. mitchellii</i> | 95 | 31.67 | III | 1.397 | Green Standing |
| 478 | 24 | Sample | <i>Lepturus tristis var. mitchellii</i> | 95 | 31.67 | III | 1.397 | Green Standing |
| 479 | 24 | Sample | <i>Lepturus tristis var. mitchellii</i> | 95 | 31.67 | III | 1.397 | Green Standing |
| 480 | 24 | Sample | <i>Lepturus tristis var. mitchellii</i> | 100 | 33.33 | III | 1.397 | Green Standing |
| 481 | 24 | Sample | <i>Lepturus tristis var. mitchellii</i> | 95 | 31.67 | III | 1.397 | Green Standing |
| 482 | 24 | Sample | <i>Lepturus tristis var. mitchellii</i> | 140 | 46.67 | IIA | 1.363 | Green Standing |
| 483 | 24 | Sample | <i>Lepturus tristis var. mitchellii</i> | 105 | 33.33 | III | 1.397 | Green Standing |
| 484 | 24 | Sample | <i>Lepturus tristis var. mitchellii</i> | 110 | 36.67 | III | 1.397 | Green Standing |
| 485 | 24 | Sample | <i>Lepturus tristis var. mitchellii</i> | 130 | 43.33 | IIA | 1.363 | Green Standing |

| List of Species Present at I M.C.B at Kavoor | | | | |
|----------------------------------------------|----------|-------------------------|----------------------|---------|
| No | Species | Common Name | Category | Remarks |
| 1 | W. Grass | Sacca spp. | 100% Green Standing | |
| 2 | Amphor | Amphorophorus annularis | 75% Green Standing | |
| 3 | Bamboo | Bambusa multiplex | 36.1% Green Standing | |
| 4 | K. Sedge | Cladium procerum | 40% Green Standing | |

(Kavoor) top
Vadapal beach

ABSTRACT

Enumeration List of E.M.R.S. at Kukumseri

| Sr. No. | Species | Botanical Name | Class | Number | Volume | Total Volume |
|---------|---------|-------------------------|-------|--------|--------|--------------|
| 1 | Juniper | Juniperous macropoda | V | 14 | 0.051 | 0.71 |
| 2 | Juniper | Juniperous macropoda | IV | 1 | 1.132 | 1.13 |
| 3 | Robinia | Robinia pseudoacacia | V | 119 | NA | |
| 4 | Robinia | Robinia pseudoacacia | IV | 187 | 1.415 | 264.61 |
| 5 | Robinia | Robinia pseudoacacia | III | 68 | 3.397 | 231.00 |
| 6 | Robinia | Robinia pseudoacacia | IIA | 9 | 5.663 | 50.97 |
| 7 | Willow | Salix spp. | V | 15 | NA | |
| 8 | Willow | Salix spp. | IV | 14 | 1.415 | 19.81 |
| 9 | Sanjal | Fraxinus xanthoxyloides | V | 54 | NA | |
| 10 | Sanjal | Fraxinus xanthoxyloides | IV | 4 | 1.415 | 5.66 |
| | | | Total | 485 | | 573.88 |

Sapling Detail

| | | | | | | |
|----|---------|-------------------------|----------|-----|--|--------|
| 11 | Willow | Salix spp. | Sapling | 7 | | |
| 12 | Juniper | Juniperous macropoda | Sapling | 79 | | |
| 13 | Sanjal | Fraxinus xanthoxyloides | Sapling | 345 | | |
| 14 | Kashmal | Berberis spp. | Bushes | 40 | | |
| | | | Total | 471 | | 573.17 |
| | | | G. Total | 956 | | |

R.Kumar(fgd)
Udaipur beat

After field verification of the list submitted by
F.G. Udaipur, I hereby submit the detailed
abstract of the Enumeration list of EMRS at
Kukumseri for former nuclear phase.

B.D.
B.O.U.P.W.

10-04-2025

Verified
Date

Range Forest Officer,
Forest Range Udaipur.

Arogy

DIVISIONAL FOREST OFFICER
AHAUL FOREST DIVISION
AT KEYLONG



Enumeration List of Eldavya School at Kukumseri

List of Trees which are on building, ground and road area (Trees To Be Felled)

| Sl. No. | Tree No. | Species | Botanical Name | Girth | Diameter | Class | Volume | Remarks |
|---------|----------|---------|-------------------------------|-------|----------|-------|--------|----------------|
| 1 | 4 24 | Willow | <i>Salix spp</i> | 71 | 23.67 | IV | 1.415 | Green Standing |
| 2 | 5 24 | Willow | <i>Salix spp</i> | 81 | 28.33 | IV | 1.415 | Green Standing |
| 3 | 6 24 | Willow | <i>Salix spp</i> | 86 | 26.67 | IV | 1.415 | Green Standing |
| 4 | 7 24 | Willow | <i>Salix spp</i> | 70 | 23.33 | IV | 1.415 | Green Standing |
| 5 | 8 24 | Willow | <i>Salix spp</i> | 60 | 20.00 | V | | Green Standing |
| 6 | 9 24 | Willow | <i>Salix spp</i> | 60 | 20.00 | IV | 1.415 | Green Standing |
| 7 | 10 24 | Willow | <i>Salix spp</i> | 60 | 20.00 | V | | Green Standing |
| 8 | 11 24 | Willow | <i>Salix spp</i> | 70 | 23.33 | IV | 1.415 | Green Standing |
| 9 | 12 24 | Willow | <i>Salix spp</i> | 73 | 25.00 | IV | 1.415 | Green Standing |
| 10 | 13 24 | Willow | <i>Salix spp</i> | 65 | 21.67 | IV | 1.415 | Green Standing |
| 11 | 14 24 | Willow | <i>Salix spp</i> | 70 | 23.33 | IV | 1.415 | Green Standing |
| 12 | 15 24 | Willow | <i>Salix spp</i> | 55 | 18.33 | V | | Green Standing |
| 13 | 16 24 | Willow | <i>Salix spp</i> | 55 | 18.33 | V | | Green Standing |
| 14 | 17 24 | Willow | <i>Salix spp</i> | 50 | 16.67 | V | | Green Standing |
| 15 | 18 24 | Willow | <i>Salix spp</i> | 45 | 15.00 | V | | Green Standing |
| 16 | 19 24 | Willow | <i>Salix spp</i> | 35 | 11.67 | V | 0.051 | Green Standing |
| 17 | 20 24 | Willow | <i>Salix spp</i> | 60 | 20.00 | V | | Green Standing |
| 18 | 21 24 | Willow | <i>Salix spp</i> | 55 | 18.33 | V | | Green Standing |
| 19 | 22 24 | Willow | <i>Salix spp</i> | 60 | 20.00 | V | | Green Standing |
| 20 | 30 24 | Juniper | <i>Juniperus macropoda</i> | 35 | 11.67 | V | | Green Standing |
| 21 | 31 24 | Robinia | <i>Robinia pseudoacacia</i> | 110 | 36.67 | III | 3.397 | Green Standing |
| 22 | 32 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 35 | 11.67 | V | | Green Standing |
| 23 | 33 24 | Robinia | <i>Robinia pseudoacacia</i> | 100 | 33.33 | III | 3.397 | Green Standing |
| 24 | 34 24 | Robinia | <i>Robinia pseudoacacia</i> | 90 | 30.00 | IV | 1.415 | Green Standing |
| 25 | 35 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 35 | 11.67 | V | | Green Standing |
| 26 | 36 24 | Juniper | <i>Juniperous macropoda</i> | 35 | 11.67 | V | 0.051 | Green Standing |
| 27 | 37 24 | Robinia | <i>Robinia pseudoacacia</i> | 120 | 40.00 | III | 3.397 | Green Standing |
| 28 | 38 24 | Robinia | <i>Robinia pseudoacacia</i> | 105 | 35.00 | III | 3.397 | Green Standing |
| 29 | 39 24 | Juniper | <i>Juniperous macropoda</i> | 65 | 21.67 | IV | 1.132 | Green Standing |
| 30 | 40 24 | Robinia | <i>Robinia pseudoacacia</i> | 120 | 40.00 | III | 3.397 | Green Standing |
| 31 | 41 24 | Robinia | <i>Robinia pseudoacacia</i> | 95 | 31.67 | III | 3.397 | Green Standing |
| 32 | 42 24 | Robinia | <i>Robinia pseudoacacia</i> | 100 | 33.33 | III | 3.397 | Green Standing |
| 33 | 43 24 | Robinia | <i>Robinia pseudoacacia</i> | 70 | 23.33 | IV | 1.415 | Green Standing |
| 34 | 45 24 | Robinia | <i>Robinia pseudoacacia</i> | 120 | 40.00 | III | 3.397 | Green Standing |
| 35 | 46 24 | Robinia | <i>Robinia pseudoacacia</i> | 75 | 25.00 | IV | 1.415 | Green Standing |
| 36 | 54 24 | Robinia | <i>Robinia pseudoacacia</i> | 40 | 13.33 | V | | Green Standing |
| 37 | 55 24 | Robinia | <i>Robinia pseudoacacia</i> | 45 | 15.00 | V | | Green Standing |
| 38 | 56 24 | Robinia | <i>Robinia pseudoacacia</i> | 110 | 36.67 | III | 3.397 | Green Standing |
| 39 | 57 24 | Robinia | <i>Robinia pseudoacacia</i> | 120 | 40.00 | III | 3.397 | Green Standing |
| 40 | 104 24 | Juniper | <i>Juniperous macropoda</i> | 45 | 15.00 | V | 0.051 | Green Standing |
| 41 | 259 24 | Robinia | <i>Robinia pseudoacacia</i> | 50 | 16.67 | V | | Green Standing |
| 42 | 264 24 | Robinia | <i>Robinia pseudoacacia</i> | 100 | 33.33 | III | 3.397 | Green Standing |
| 43 | 265 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 35 | 11.67 | V | | Green Standing |
| 44 | 267 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 33 | 11.00 | V | | Green Standing |
| 45 | 268 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 50 | 16.67 | V | | Green Standing |
| 46 | 269 24 | Robinia | <i>Robinia pseudoacacia</i> | 50 | 16.67 | V | | Green Standing |
| 47 | 270 24 | Robinia | <i>Robinia pseudoacacia</i> | 90 | 30.00 | IV | 1.415 | Green Standing |
| 48 | 271 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 35 | 11.67 | V | | Green Standing |
| 49 | 277 24 | Robinia | <i>Robinia pseudoacacia</i> | 75 | 25.00 | IV | 1.415 | Green Standing |
| 50 | 278 24 | Robinia | <i>Robinia pseudoacacia</i> | 90 | 30.00 | IV | 1.415 | Green Standing |
| 51 | 279 24 | Robinia | <i>Robinia pseudoacacia</i> | 75 | 25.00 | IV | 1.415 | Green Standing |
| 52 | 280 24 | Robinia | <i>Robinia pseudoacacia</i> | 70 | 23.33 | IV | 1.415 | Green Standing |
| 53 | 281 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 40 | 13.33 | V | | Green Standing |
| 54 | 282 24 | Robinia | <i>Robinia pseudoacacia</i> | 75 | 25.00 | IV | 1.415 | Green Standing |
| 55 | 283 24 | Robinia | <i>Robinia pseudoacacia</i> | 75 | 25.00 | IV | 1.415 | Green Standing |

Kurnafgd
deipur beat-



| | | | | | | | | | |
|-----|-----|----|---------|-------------------------|-----|-------|-----|-------|----------------|
| 56 | 284 | 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 57 | 285 | 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 58 | 286 | 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 59 | 287 | 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 60 | 288 | 24 | Sanjal | Fraxinus xanthoxyloides | 35 | 11.67 | V | | Green Standing |
| 61 | 289 | 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 62 | 290 | 24 | Robinia | Robinia pseudoacacia | 110 | 36.67 | III | 3.397 | Green Standing |
| 63 | 291 | 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 64 | 292 | 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 65 | 293 | 24 | Robinia | Robinia pseudoacacia | 95 | 31.67 | III | 3.397 | Green Standing |
| 66 | 294 | 24 | Robinia | Robinia pseudoacacia | 95 | 31.67 | III | 3.397 | Green Standing |
| 67 | 297 | 24 | Juniper | Juniperous macropoda | 60 | 20.00 | V | 0.051 | Green Standing |
| 68 | 299 | 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 69 | 300 | 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 70 | 301 | 24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3.397 | Green Standing |
| 71 | 302 | 24 | Robinia | Robinia pseudoacacia | 125 | 41.67 | IIA | 5.663 | Green Standing |
| 72 | 303 | 24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3.397 | Green Standing |
| 73 | 304 | 24 | Juniper | Juniperous macropoda | 55 | 18.33 | V | 0.051 | Green Standing |
| 74 | 305 | 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 75 | 306 | 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 76 | 307 | 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 77 | 308 | 24 | Robinia | Robinia pseudoacacia | 120 | 40.00 | III | 3.397 | Green Standing |
| 78 | 309 | 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 79 | 310 | 24 | Robinia | Robinia pseudoacacia | 110 | 36.67 | III | 3.397 | Green Standing |
| 80 | 311 | 24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3.397 | Green Standing |
| 81 | 312 | 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 82 | 313 | 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 83 | 314 | 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 84 | 315 | 24 | Robinia | Robinia pseudoacacia | 125 | 41.67 | IIA | 5.663 | Green Standing |
| 85 | 316 | 24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3.397 | Green Standing |
| 86 | 317 | 24 | Robinia | Robinia pseudoacacia | 85 | 28.33 | IV | 1.415 | Green Standing |
| 87 | 318 | 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 88 | 319 | 24 | Robinia | Robinia pseudoacacia | 110 | 36.67 | III | 3.397 | Green Standing |
| 89 | 320 | 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 90 | 321 | 24 | Robinia | Robinia pseudoacacia | 40 | 13.33 | V | | Green Standing |
| 91 | 322 | 24 | Robinia | Robinia pseudoacacia | 95 | 31.67 | III | 3.397 | Dry Standing |
| 92 | 323 | 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 93 | 324 | 24 | Robinia | Robinia pseudoacacia | 120 | 40.00 | III | 3.397 | Green Standing |
| 94 | 325 | 24 | Robinia | Robinia pseudoacacia | 150 | 50.00 | IIA | 5.663 | Green Standing |
| 95 | 326 | 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 96 | 327 | 24 | Robinia | Robinia pseudoacacia | 125 | 41.67 | IIA | 5.663 | Green Standing |
| 97 | 328 | 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 98 | 329 | 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 99 | 331 | 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 100 | 332 | 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 101 | 333 | 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 102 | 334 | 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 103 | 335 | 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 104 | 336 | 24 | Sanjal | Fraxinus xanthoxyloides | 50 | 16.67 | V | | Green Standing |
| 105 | 337 | 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 106 | 338 | 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 107 | 339 | 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 108 | 340 | 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 109 | 341 | 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 110 | 342 | 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 111 | 343 | 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 112 | 344 | 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 113 | 345 | 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 114 | 346 | 24 | Robinia | Robinia pseudoneacia | 70 | 23.33 | IV | 1.415 | Green Standing |

R Kumar fgd
2daipur beat.



| | | | | | | | | |
|-----|--------|---------|------------------------|-----|-------|-----|-------|----------------|
| 135 | 347 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 136 | 348 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 137 | 349 24 | Robinia | Robinia pseudoacacia | 140 | 46.67 | III | 5.663 | Green Standing |
| 138 | 350 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 139 | 351 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 140 | 352 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 141 | 353 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 142 | 354 24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3.397 | Green Standing |
| 143 | 355 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 144 | 356 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 145 | 357 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 146 | 358 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 147 | 359 24 | Robinia | Robinia pseudoacacia | 85 | 28.33 | IV | 1.415 | Green Standing |
| 148 | 360 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 149 | 361 24 | Robinia | Robinia pseudoacacia | 95 | 31.67 | III | 3.397 | Green Standing |
| 150 | 362 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 151 | 363 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 152 | 364 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 153 | 371 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 154 | 373 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 155 | 374 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 156 | 381 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 157 | 383 24 | Samal | Fraxinus khambovloides | 40 | 13.33 | V | | Green Standing |
| 158 | 389 24 | Robinia | Robinia pseudoacacia | 115 | 38.33 | III | 3.397 | Green Standing |
| 159 | 400 24 | Robinia | Robinia pseudoacacia | 105 | 35.00 | III | 3.397 | Green Standing |
| 160 | 401 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 161 | 402 24 | Robinia | Robinia pseudoacacia | 105 | 35.00 | III | 3.397 | Green Standing |
| 162 | 403 24 | Robinia | Robinia pseudoacacia | 105 | 35.00 | III | 3.397 | Green Standing |
| 163 | 404 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 164 | 405 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 165 | 406 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 166 | 407 24 | Sanjal | Fraxinus khambovloides | 40 | 13.33 | V | | Green Standing |
| 167 | 408 24 | Sanjal | Fraxinus khambovloides | 40 | 13.33 | V | | Green Standing |
| 168 | 426 24 | Sanjal | Fraxinus khambovloides | 40 | 13.33 | V | | Green Standing |
| 169 | 427 24 | Sanjal | Fraxinus khambovloides | 35 | 11.67 | V | | Green Standing |
| 170 | 428 24 | Sanjal | Fraxinus khambovloides | 35 | 11.67 | V | | Green Standing |
| 171 | 434 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 172 | 435 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 173 | 436 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 174 | 437 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 175 | 438 24 | Robinia | Robinia pseudoacacia | 40 | 13.33 | V | | Green Standing |
| 176 | 439 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 177 | 441 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 178 | 443 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 179 | 445 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 180 | 448 24 | Robinia | Robinia pseudoacacia | 105 | 35.00 | III | 3.397 | Green Standing |
| 181 | 449 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 182 | 450 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 183 | 451 24 | Robinia | Robinia pseudoacacia | 95 | 31.67 | III | 3.397 | Green Standing |
| 184 | 452 24 | Robinia | Robinia pseudoacacia | 85 | 28.33 | IV | 1.415 | Green Standing |
| 185 | 453 24 | Robinia | Robinia pseudoacacia | 40 | 13.33 | V | | Green Standing |
| 186 | 454 24 | Robinia | Robinia pseudoacacia | 95 | 31.67 | III | 3.397 | Green Standing |
| 187 | 455 24 | Robinia | Robinia pseudoacacia | 110 | 36.67 | III | 3.397 | Green Standing |
| 188 | 456 24 | Sanjal | Fraxinus khambovloides | 45 | 15.00 | V | | Green Standing |
| 189 | 457 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 190 | 458 24 | Robinia | Robinia pseudoacacia | 85 | 28.33 | IV | 1.415 | Green Standing |
| 191 | 459 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 192 | 460 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 193 | 461 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 194 | 462 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |

✓ Kharadged
- heart



| | | | | | | | |
|-----|---------|--------------------------------|-----|-------|-----|-------|----------------|
| 481 | Robinia | <i>Robinia pseudoacacia</i> | 85 | 28.33 | IV | 1.415 | Green Standing |
| 482 | Robinia | <i>Robinia pseudoacacia</i> | 80 | 26.67 | IV | 1.415 | Green Standing |
| 483 | Robinia | <i>Robinia pseudoacacia</i> | 65 | 21.67 | IV | 1.415 | Green Standing |
| 484 | Robinia | <i>Robinia pseudoacacia</i> | 60 | 20.00 | V | | Green Standing |
| 485 | Sapind | <i>Praxinus xanthoxyloides</i> | 100 | 33.33 | III | 3.397 | Green Standing |
| 486 | Sapind | <i>Praxinus xanthoxyloides</i> | 70 | 23.33 | IV | 1.415 | Green Standing |
| 487 | Robinia | <i>Robinia pseudoacacia</i> | 50 | 16.67 | V | | Green Standing |
| 488 | Robinia | <i>Robinia pseudoacacia</i> | 90 | 30.00 | IV | 1.415 | Green Standing |
| 489 | Robinia | <i>Robinia pseudoacacia</i> | 90 | 30.00 | IV | 1.415 | Green Standing |
| 490 | Robinia | <i>Robinia pseudoacacia</i> | 95 | 31.67 | III | 3.397 | Green Standing |
| 491 | Robinia | <i>Robinia pseudoacacia</i> | 95 | 31.67 | III | 3.397 | Green Standing |
| 492 | Robinia | <i>Robinia pseudoacacia</i> | 100 | 33.33 | III | 3.397 | Green Standing |
| 493 | Robinia | <i>Robinia pseudoacacia</i> | 95 | 31.67 | III | 3.397 | Green Standing |
| 494 | Robinia | <i>Robinia pseudoacacia</i> | 140 | 46.67 | IIA | 5.663 | Green Standing |
| 495 | Robinia | <i>Robinia pseudoacacia</i> | 105 | 35.00 | III | 3.397 | Green Standing |
| 496 | Robinia | <i>Robinia pseudoacacia</i> | 110 | 36.67 | III | 3.397 | Green Standing |
| 497 | Robinia | <i>Robinia pseudoacacia</i> | 130 | 43.33 | IIA | 5.663 | Green Standing |

Enumeration List of Saplings Present at Eklavya School at Kukumseri

| Sl. No. | Species | Botanical Name | No. | Remarks |
|---------|----------|--------------------------------|-----|----------------|
| 1 | Willow | <i>Salix Spp.</i> | 3 | Green Standing |
| 2 | Juniper | <i>Juniperus macropoda</i> | 47 | Green Standing |
| 3 | Sapind | <i>Praxinus xanthoxyloides</i> | 204 | Green Standing |
| 4 | Kashmali | <i>Berberis spp.</i> | 25 | Green Standing |

Kukumseri
Kashmir

ABSTRACT (Trees to be Felled)

Enumeration List of E.M.R.S. at Kukarsari


| Sr. No. | Species | Botanical Name | Class | Number | Vol | Tot Vol |
|---------|---------|-------------------------|-------|--------|-------|---------|
| 1 | Juniper | Juniperus macropoda | V | 5 | 0.051 | 0.26 |
| 2 | Juniper | Juniperus macropoda | IV | 1 | 1.132 | 1.13 |
| 3 | Robinia | Robinia pseudoacacia | V | 34 | NA | |
| 4 | Robinia | Robinia pseudoacacia | IV | 66 | 1.415 | 93.39 |
| 5 | Robinia | Robinia pseudoacacia | III | 40 | 3.397 | 135.88 |
| 6 | Robinia | Robinia pseudoacacia | IIA | 7 | 5.663 | 39.64 |
| 7 | Willow | Salix spp. | V | 10 | NA | |
| 8 | Willow | Salix spp. | IV | 9 | 1.415 | 12.74 |
| 9 | Santal | Fraxinus xanthoxyloides | V | 17 | NA | |
| 10 | Santal | Fraxinus xanthoxyloides | IV | 1 | 1.415 | 1.42 |
| | | | Total | 190 | | 284.45 |

Sapling Detail

| | | | | | | |
|----|---------|-------------------------|----------|-----|--|--------|
| 11 | Willow | Salix spp. | Sapling | 3 | | |
| 12 | Juniper | Juniperus macropoda | Sapling | 47 | | |
| 13 | Santal | Fraxinus xanthoxyloides | Sapling | 204 | | |
| 14 | Kashmal | Berberis spp. | Bushes | 25 | | |
| | | | Total | 279 | | |
| | | | G. Total | 469 | | 573.17 |

P.Kumar
 Udaipur beat.


After field verification of the list submitted
 by PFS Udaipur, I hereby submit the
 detailed abstract of the EMRS at
 Kukarsari for former necessary action pls.


 P.F.O. U.P. Dist


 Verified
 Dated

Range Forest Officer,
 Forest Range Udaipur

10-04-2025


 DFO

DIVISIONAL FOREST OFFICER
 LAHUL FOREST OFFICE
 AT KEYLONG



| S. No. | Tree No. | Species | Botanical Name | Girth | Diameter | Class | Volume | Remarks | |
|--------|----------|---------|----------------------|-------|----------|-------|--------|-----------------------------------------------------------|--|
| | | | | | | | | List of Trees which are on vacant area (not to be felled) | |
| 1 | 01 24 | Willow | Salix spp. | 51 | 17.00 | V | - | Green Standing | |
| 2 | 2 24 | Willow | Salix spp. | 41 | 13.67 | V | - | Green Standing | |
| 3 | 3 24 | Willow | Salix spp. | 80 | 26.67 | IV | 1.415 | Green Standing | |
| 4 | 23 24 | Willow | Salix spp. | 40 | 13.33 | V | - | Green Standing | |
| 5 | 24 24 | Willow | Salix spp. | 70 | 23.33 | IV | 1.415 | Green Standing | |
| 6 | 25 24 | Willow | Salix spp. | 45 | 15.00 | V | - | Green Standing | |
| 7 | 26 24 | Willow | Salix spp. | 70 | 23.33 | IV | 1.415 | Green Standing | |
| 8 | 27 24 | Willow | Salix spp. | 90 | 30.00 | IV | 1.415 | Green Standing | |
| 9 | 28 24 | Willow | Salix spp. | 60 | 20.00 | V | - | Green Standing | |
| 10 | 29 24 | Willow | Salix spp. | 70 | 23.33 | IV | 1.415 | Green Standing | |
| 11 | 44 24 | Juniper | Juniperus macropoda | 40 | 13.33 | V | - | Green Standing | |
| 12 | 47 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing | |
| 13 | 48 24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3.397 | Green Standing | |
| 14 | 49 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | - | Green Standing | |
| 15 | 50 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing | |
| 16 | 51 24 | Robinia | Robinia pseudoacacia | 40 | 13.33 | V | - | Green Standing | |
| 17 | 52 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing | |
| 18 | 53 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing | |
| 19 | 58 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing | |
| 20 | 59 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing | |
| 21 | 60 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing | |
| 22 | 61 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing | |
| 23 | 62 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | - | Green Standing | |
| 24 | 63 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing | |
| 25 | 64 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing | |
| 26 | 65 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | - | Green Standing | |
| 27 | 66 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing | |
| 28 | 67 24 | Robinia | Robinia pseudoacacia | 35 | 11.67 | V | - | Green Standing | |
| 29 | 68 24 | Robinia | Robinia pseudoacacia | 40 | 13.33 | V | - | Green Standing | |
| 30 | 69 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing | |
| 31 | 70 24 | Robinia | Robinia pseudoacacia | 85 | 28.33 | IV | 1.415 | Green Standing | |
| 32 | 71 24 | Robinia | Robinia pseudoacacia | 45 | 15.00 | V | - | Green Standing | |
| 33 | 72 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing | |
| 34 | 73 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing | |
| 35 | 74 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing | |
| 36 | 75 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing | |
| 37 | 76 24 | Robinia | Robinia pseudoacacia | 30 | 10.00 | V | - | Green Standing | |
| 38 | 77 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | - | Green Standing | |
| 39 | 78 24 | Sanjal | Fraxinus xantyloides | 50 | 16.67 | V | - | Green Standing | |
| 40 | 79 24 | Sanjal | Fraxinus xantyloides | 30 | 10.00 | V | - | Green Standing | |
| 41 | 80 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | - | Green Standing | |
| 42 | 81 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | - | Green Standing | |
| 43 | 82 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing | |
| 44 | 83 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | - | Green Standing | |
| 45 | 84 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing | |
| 46 | 85 24 | Sanjal | Fraxinus xantyloides | 50 | 16.67 | V | - | Green Standing | |
| 47 | 86 24 | Sanjal | Fraxinus xantyloides | 30 | 10.00 | V | - | Green Standing | |
| 48 | 87 24 | Sanjal | Fraxinus xantyloides | 35 | 11.67 | V | - | Green Standing | |
| 49 | 88 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing | |
| 50 | 89 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing | |

R.Kumaraswamy
In our beat



| | | | | | | | | |
|-----|---------|----------------------|-------------------------|-------|-------|-----|----------------|----------------|
| 51 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing | |
| 52 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing | |
| 53 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing | |
| 54 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing | |
| 55 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing | |
| 56 | Juniper | Juniperous macropoda | 50 | 16.67 | V | | Green Standing | |
| 57 | 55 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 58 | 56 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 59 | 58 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 60 | 59 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 61 | 60 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 62 | 61 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 63 | 62 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 64 | 63 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 65 | 65 24 | Juniper | Juniperous macropoda | 50 | 16.67 | V | | Green Standing |
| 66 | 66 24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3.397 | Green Standing |
| 67 | 67 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 68 | 68 24 | Robinia | Robinia pseudonacaia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 69 | 69 24 | Robinia | Robinia pseudoacacia | 120 | 40.00 | III | 3.397 | Green Standing |
| 70 | 70 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 71 | 71 24 | Sanjal | Fraxinus xantoxylonides | 35 | 11.67 | V | | Green Standing |
| 72 | 72 24 | Sanjal | Fraxinus xantoxylonides | 50 | 16.67 | V | | Green Standing |
| 73 | 73 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 74 | 74 24 | Juniper | Juniperous macropoda | 50 | 16.67 | V | | Green Standing |
| 75 | 75 24 | Juniper | Juniperous macropoda | 50 | 16.67 | V | | Green Standing |
| 76 | 76 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 77 | 77 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 78 | 78 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 79 | 79 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 80 | 80 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 81 | 81 24 | Sanjal | Fraxinus xantoxylonides | 55 | 18.33 | V | | Green Standing |
| 82 | 82 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 83 | 83 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 84 | 84 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 85 | 85 24 | Robinia | Robinia pseudoacacia | 40 | 13.33 | V | | Green Standing |
| 86 | 86 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 87 | 87 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 88 | 88 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 89 | 89 24 | Robinia | Robinia pseudonacaia | 85 | 28.33 | IV | 1.415 | Green Standing |
| 90 | 90 24 | Robinia | Robinia pseudonacaia | 50 | 16.67 | V | | Green Standing |
| 91 | 91 24 | Robinia | Robinia pseudoacacia | 95 | 31.67 | III | 3.397 | Green Standing |
| 92 | 92 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 93 | 93 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 94 | 94 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 95 | 95 24 | Robinia | Robinia pseudonacaia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 96 | 96 24 | Robinia | Robinia pseudonacaia | 50 | 16.67 | V | | Green Standing |
| 97 | 97 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 98 | 98 24 | Juniper | Juniperous macropoda | 40 | 13.33 | V | | Green Standing |
| 99 | 99 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 100 | 100 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 101 | 101 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 102 | 102 24 | Robinia | Robinia pseudoacacia | 130 | 43.33 | IIA | 5.663 | Green Standing |
| 103 | 103 24 | Juniper | Juniperous macropoda | 35 | 11.67 | V | | Green Standing |

Kumar's pgd
in beat



| | | | | | | | | |
|-----|--------|---------|------------------------|-----|-------|-----|-------|----------------|
| 104 | 144 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 105 | 145 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 106 | 146 24 | Sanjal | Fraxinus xantoxyloides | 50 | 16.67 | V | | Green Standing |
| 107 | 147 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 108 | 148 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 109 | 149 24 | Robinia | Robinia pseudoacacia | 110 | 36.67 | III | 3.397 | Green Standing |
| 110 | 150 24 | Juniper | Juniperous macropoda | 50 | 16.67 | V | | Green Standing |
| 111 | 151 24 | Robinia | Robinia pseudoacacia | 140 | 46.67 | IIA | 5.663 | Green Standing |
| 112 | 152 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 113 | 153 24 | Sanjal | Fraxinus xantoxyloides | 40 | 13.33 | V | | Green Standing |
| 114 | 154 24 | Robinia | Robinia pseudoacacia | 85 | 28.33 | IV | 1.415 | Green Standing |
| 115 | 155 24 | Sanjal | Fraxinus xantoxyloides | 45 | 15.00 | V | | Green Standing |
| 116 | 156 24 | Sanjal | Fraxinus xantoxyloides | 45 | 15.00 | V | | Green Standing |
| 117 | 157 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 118 | 158 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 119 | 159 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 120 | 160 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 121 | 161 24 | Robinia | Robinia pseudoacacia | 40 | 13.33 | V | | Green Standing |
| 122 | 162 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 123 | 163 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 124 | 164 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 125 | 165 24 | Robinia | Robinia pseudoacacia | 45 | 15.00 | V | | Green Standing |
| 126 | 166 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 127 | 167 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 128 | 168 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 129 | 169 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 130 | 170 24 | Robinia | Robinia pseudoacacia | 85 | 28.33 | IV | 1.415 | Green Standing |
| 131 | 171 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 132 | 172 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 133 | 173 24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3.397 | Green Standing |
| 134 | 174 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 135 | 175 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 136 | 176 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 137 | 177 24 | Robinia | Robinia pseudoacacia | 40 | 13.33 | V | | Green Standing |
| 138 | 178 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 139 | 179 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 140 | 180 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 141 | 181 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 142 | 182 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 143 | 183 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 144 | 184 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 145 | 185 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 146 | 186 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 147 | 187 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 148 | 188 24 | Sanjal | Fraxinus xantoxyloides | 45 | 15.00 | V | | Green Standing |
| 149 | 189 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 150 | 190 24 | Robinia | Robinia pseudoacacia | 105 | 35.00 | III | 3.397 | Green Standing |
| 151 | 191 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 152 | 192 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 153 | 193 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 154 | 194 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 155 | 195 24 | Sanjal | Fraxinus xantoxyloides | 45 | 15.00 | V | | Green Standing |
| 156 | 196 24 | Sanjal | Fraxinus xantoxyloides | 40 | 13.33 | V | | Green Standing |

Bhuneswar
Dehipur beat

| | | | | | | | | | |
|-----|-----|----|---------|-------------------------------|-----|-------|-----|-------|----------------|
| 157 | 197 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 35 | 11.67 | V | | Green Standing |
| 158 | 198 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 35 | 11.67 | V | | Green Standing |
| 159 | 199 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 35 | 11.67 | V | | Green Standing |
| 160 | 200 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 40 | 13.33 | V | | Green Standing |
| 161 | 201 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 33 | 11.00 | V | | Green Standing |
| 162 | 202 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 35 | 11.67 | V | | Green Standing |
| 163 | 203 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 45 | 15.00 | V | | Green Standing |
| 164 | 204 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 70 | 23.33 | IV | 1.415 | Green Standing |
| 165 | 205 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 50 | 16.67 | V | | Green Standing |
| 166 | 206 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 55 | 18.33 | V | | Green Standing |
| 167 | 207 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 40 | 13.33 | V | | Green Standing |
| 168 | 208 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 85 | 28.33 | IV | 1.415 | Green Standing |
| 169 | 209 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 105 | 35.00 | III | 3.397 | Green Standing |
| 170 | 210 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 110 | 36.67 | III | 3.397 | Green Standing |
| 171 | 211 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 75 | 25.00 | IV | 1.415 | Green Standing |
| 172 | 212 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 90 | 30.00 | IV | 1.415 | Green Standing |
| 173 | 213 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 60 | 20.00 | V | | Green Standing |
| 174 | 214 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 85 | 28.33 | IV | 1.415 | Green Standing |
| 175 | 215 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 40 | 13.33 | V | | Green Standing |
| 176 | 216 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 75 | 25.00 | IV | 1.415 | Green Standing |
| 177 | 217 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 70 | 23.33 | IV | 1.415 | Green Standing |
| 178 | 218 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 40 | 13.33 | V | | Green Standing |
| 179 | 219 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 45 | 15.00 | V | | Green Standing |
| 180 | 220 | 24 | Juniper | <i>Juniperus macropoda</i> | 34 | 11.33 | V | | Green Standing |
| 181 | 221 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 50 | 16.67 | V | | Green Standing |
| 182 | 222 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 75 | 25.00 | IV | 1.415 | Green Standing |
| 183 | 223 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 40 | 13.33 | V | | Green Standing |
| 184 | 224 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 55 | 18.33 | V | | Green Standing |
| 185 | 225 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 50 | 16.67 | V | | Green Standing |
| 186 | 226 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 45 | 15.00 | V | | Green Standing |
| 187 | 227 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 90 | 30.00 | IV | 1.415 | Green Standing |
| 188 | 228 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 70 | 23.33 | IV | 1.415 | Green Standing |
| 189 | 229 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 80 | 26.67 | IV | 1.415 | Green Standing |
| 190 | 230 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 65 | 21.67 | IV | 1.415 | Green Standing |
| 191 | 231 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 60 | 20.00 | V | | Green Standing |
| 192 | 232 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 55 | 18.33 | V | | Green Standing |
| 193 | 233 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 55 | 18.33 | V | | Green Standing |
| 194 | 234 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 60 | 20.00 | V | | Green Standing |
| 195 | 235 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 40 | 13.33 | V | | Green Standing |
| 196 | 236 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 40 | 13.33 | V | | Green Standing |
| 197 | 237 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 50 | 16.67 | V | | Green Standing |
| 198 | 238 | 24 | Sanjal | <i>Fraxinus xantoxyloides</i> | 50 | 16.67 | V | | Green Standing |
| 199 | 239 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 60 | 20.00 | V | | Green Standing |
| 200 | 240 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 45 | 15.00 | V | | Green Standing |
| 201 | 241 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 50 | 16.67 | V | | Green Standing |
| 202 | 242 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 60 | 20.00 | V | | Green Standing |
| 203 | 243 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 70 | 23.33 | IV | 1.415 | Green Standing |
| 204 | 244 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 50 | 16.67 | V | | Green Standing |
| 205 | 245 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 60 | 20.00 | V | | Green Standing |
| 206 | 246 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 75 | 25.00 | IV | 1.415 | Green Standing |
| 207 | 247 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 100 | 33.33 | III | 3.397 | Green Standing |
| 208 | 248 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 65 | 21.67 | IV | 1.415 | Green Standing |
| 209 | 249 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 75 | 25.00 | IV | 1.415 | Green Standing |

BKumar's fig
Odaipur beat

| | | | | | | | | | |
|-----|-----|----|---------|------------------------|-----|-------|-----|-------|----------------|
| 210 | 250 | 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 211 | 251 | 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 212 | 252 | 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 213 | 253 | 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 214 | 254 | 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 215 | 255 | 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 216 | 256 | 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 217 | 257 | 24 | Robinia | Robinia pseudoacacia | 45 | 15.00 | V | | Green Standing |
| 218 | 258 | 24 | Robinia | Robinia pseudoacacia | 45 | 15.00 | V | | Green Standing |
| 219 | 260 | 24 | Sanjal | Fraxinus xantoxyloides | 70 | 23.33 | IV | 1.415 | Green Standing |
| 220 | 261 | 24 | Sanjal | Fraxinus xantoxyloides | 45 | 15.00 | V | | Green Standing |
| 221 | 262 | 24 | Sanjal | Fraxinus xantoxyloides | 50 | 16.67 | V | | Green Standing |
| 222 | 263 | 24 | Sanjal | Fraxinus xantoxyloides | 45 | 15.00 | V | | Green Standing |
| 223 | 266 | 24 | Sanjal | Fraxinus xantoxyloides | 35 | 11.67 | V | | Green Standing |
| 224 | 272 | 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 225 | 273 | 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 226 | 274 | 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 227 | 275 | 24 | Sanjal | Fraxinus xantoxyloides | 65 | 21.67 | IV | 1.415 | Green Standing |
| 228 | 276 | 24 | Robinia | Robinia pseudoacacia | 95 | 31.67 | III | 3.397 | Green Standing |
| 229 | 295 | 24 | Sanjal | Fraxinus xantoxyloides | 40 | 13.33 | V | | Green Standing |
| 230 | 296 | 24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3.397 | Green Standing |
| 231 | 298 | 24 | Robinia | Robinia pseudoacacia | 95 | 31.67 | III | 3.397 | Green Standing |
| 232 | 330 | 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 233 | 358 | 24 | Robinia | Robinia pseudoacacia | 105 | 35.00 | III | 3.397 | Green Standing |
| 234 | 365 | 24 | Robinia | Robinia pseudoacacia | 120 | 40.00 | III | 3.397 | Green Standing |
| 235 | 366 | 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 236 | 367 | 24 | Robinia | Robinia pseudoacacia | 60 | 20.00 | V | | Green Standing |
| 237 | 368 | 24 | Robinia | Robinia pseudoacacia | 55 | 18.33 | V | | Green Standing |
| 238 | 369 | 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 239 | 370 | 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 240 | 371 | 24 | Robinia | Robinia pseudoacacia | 115 | 38.33 | III | 3.397 | Green Standing |
| 241 | 375 | 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 242 | 376 | 24 | Robinia | Robinia pseudoacacia | 105 | 35.00 | III | 3.397 | Green Standing |
| 243 | 377 | 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 244 | 378 | 24 | Robinia | Robinia pseudoacacia | 85 | 28.33 | IV | 1.415 | Green Standing |
| 245 | 379 | 24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3.397 | Green Standing |
| 246 | 380 | 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 247 | 382 | 24 | Robinia | Robinia pseudoacacia | 105 | 35.00 | III | 3.397 | Green Standing |
| 248 | 384 | 24 | Robinia | Robinia pseudoacacia | 115 | 38.33 | III | 3.397 | Green Standing |
| 249 | 385 | 24 | Robinia | Robinia pseudoacacia | 95 | 31.67 | III | 3.397 | Green Standing |
| 250 | 386 | 24 | Robinia | Robinia pseudoacacia | 100 | 33.33 | III | 3.397 | Green Standing |
| 251 | 387 | 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |
| 252 | 388 | 24 | Robinia | Robinia pseudoacacia | 105 | 35.00 | III | 3.397 | Green Standing |
| 253 | 389 | 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 254 | 390 | 24 | Robinia | Robinia pseudoacacia | 70 | 23.33 | IV | 1.415 | Green Standing |
| 255 | 391 | 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Green Standing |
| 256 | 392 | 24 | Robinia | Robinia pseudoacacia | 80 | 26.67 | IV | 1.415 | Green Standing |
| 257 | 393 | 24 | Robinia | Robinia pseudoacacia | 65 | 21.67 | IV | 1.415 | Dry Standing |
| 258 | 394 | 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 259 | 395 | 24 | Robinia | Robinia pseudoacacia | 50 | 16.67 | V | | Green Standing |
| 260 | 396 | 24 | Robinia | Robinia pseudoacacia | 115 | 38.33 | III | 3.397 | Green Standing |
| 261 | 397 | 24 | Robinia | Robinia pseudoacacia | 75 | 25.00 | IV | 1.415 | Green Standing |
| 262 | 398 | 24 | Robinia | Robinia pseudoacacia | 90 | 30.00 | IV | 1.415 | Green Standing |

(Rkunars top)
Udaipur beat

| | | | | | | | | | |
|-----|-----|----|---------|-----------------------------|-----|-------|-----|-------|----------------|
| 263 | 409 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 76 | 21.33 | IV | 1.415 | Green Standing |
| 264 | 410 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 66 | 26.66 | V | | Green Standing |
| 265 | 411 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 76 | 21.33 | IV | 1.415 | Green Standing |
| 266 | 412 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 86 | 26.67 | IV | 1.415 | Green Standing |
| 267 | 413 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 65 | 21.67 | IV | 1.415 | Green Standing |
| 268 | 414 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 76 | 21.33 | IV | 1.415 | Green Standing |
| 269 | 415 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 66 | 26.66 | V | | Green Standing |
| 270 | 416 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 100 | 33.33 | III | 3.397 | Green Standing |
| 271 | 417 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 66 | 26.66 | V | | Green Standing |
| 272 | 418 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 46 | 11.33 | V | | Green Standing |
| 273 | 419 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 45 | 15.00 | V | | Green Standing |
| 274 | 420 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 66 | 26.66 | V | | Green Standing |
| 275 | 421 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 65 | 21.67 | IV | 1.415 | Green Standing |
| 276 | 422 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 55 | 18.33 | V | | Green Standing |
| 277 | 423 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 49 | 13.33 | V | | Green Standing |
| 278 | 424 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 45 | 15.00 | V | | Green Standing |
| 279 | 425 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 96 | 30.00 | IV | 1.415 | Green Standing |
| 280 | 429 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 100 | 33.33 | III | 3.397 | Green Standing |
| 281 | 430 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 100 | 33.33 | III | 3.397 | Green Standing |
| 282 | 431 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 65 | 21.67 | IV | 1.415 | Green Standing |
| 283 | 432 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 96 | 30.00 | IV | 1.415 | Green Standing |
| 284 | 433 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 85 | 28.33 | IV | 1.415 | Green Standing |
| 285 | 440 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 80 | 26.67 | IV | 1.415 | Green Standing |
| 286 | 442 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 65 | 21.67 | IV | 1.415 | Green Standing |
| 287 | 444 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 65 | 21.67 | IV | 1.415 | Green Standing |
| 288 | 446 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 75 | 25.00 | IV | 1.415 | Green Standing |
| 289 | 447 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 76 | 23.33 | IV | 1.415 | Green Standing |
| 290 | 463 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 76 | 23.33 | IV | 1.415 | Green Standing |
| 291 | 464 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 85 | 28.33 | IV | 1.415 | Green Standing |
| 292 | 465 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 80 | 26.67 | IV | 1.415 | Green Standing |
| 293 | 467 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 85 | 28.33 | IV | 1.415 | Green Standing |
| 294 | 478 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 96 | 30.00 | IV | 1.415 | Green Standing |
| 295 | 479 | 24 | Robinia | <i>Robinia pseudoacacia</i> | 95 | 31.67 | III | 3.397 | Green Standing |

Enumeration List of Saplings Present at Eklavya School at Kukumseri

| Sr. No. | Species | Botanical Name | No. | Remarks |
|---------|---------|--------------------------------|-----|----------------|
| 1 | Willow | <i>Salix</i> spp. | 4 | Green Standing |
| 3 | Juniper | <i>Juniperus macrocarpa</i> | 32 | Green Standing |
| 4 | Sanjal | <i>Fraxinus xanthoxyloides</i> | 141 | Green Standing |
| 5 | Kashmal | <i>Berberis</i> spp. | 15 | Green Standing |

Pherawal (Fog)
 Salai (Sap)

ABSTRACT (Trees not to be felled)

Enumeration List of E.M.R.S. at Kukunseri

| Sr. No. | Species | Botanical Name | Class | Number | % of | Tar Val. |
|---------|---------|--------------------------------|-------|--------|-------|----------|
| 1 | Juniper | <i>Juniperus macropoda</i> | V | 9 | 0.051 | 0.46 |
| 2 | Robinia | <i>Robinia pseudoacacia</i> | V | 65 | NA | |
| 3 | Robinia | <i>Robinia pseudoacacia</i> | IV | 121 | 1.415 | 171.22 |
| 4 | Robinia | <i>Robinia pseudoacacia</i> | III | 28 | 1.397 | 95.12 |
| 5 | Robinia | <i>Robinia pseudoacacia</i> | IIA | 2 | 5.663 | 11.33 |
| 6 | Willow | <i>Salix spp.</i> | V | 5 | NA | |
| 7 | Willow | <i>Salix spp.</i> | IV | 5 | 1.415 | 7.08 |
| 8 | Sanjal | <i>Fraxinus xanthoxyloides</i> | V | 37 | NA | |
| 9 | Sanjal | <i>Fraxinus xanthoxyloides</i> | IV | 3 | 1.415 | 4.25 |
| | | | Total | 295 | | 269.44 |

| Sapling Detail | | | | | | |
|----------------|---------|--------------------------------|----------|-----|--|--------|
| 11 | Willow | <i>Salix spp.</i> | Sapling | 4 | | |
| 12 | Juniper | <i>Juniperus macropoda</i> | Sapling | 32 | | |
| 13 | Sanjal | <i>Fraxinus xanthoxyloides</i> | Sapling | 141 | | |
| 14 | Kashmal | <i>Berberis spp.</i> | Bushes | 15 | | |
| | | | Total | 192 | | |
| | | | G. Total | 487 | | 473.17 |

R.Kumar (F.O.)
Udaipur beat

After field verification of the list submitted by me F.O. Udaipur I hereby submit the detailed Abstract of the E.M.R.S. at Kukunseri for former necessary action plz.

9/10/2014
R.Kumar

Varanjit
Range Forest Officer,
Forest Range Udaipur

10-04-2015


J. Raj

DIVISIONAL FOREST OFFICER
AT KEYI ONG
LAHUL FOREST OFFICER





Scanned by OKEN Scanner
31/03/2024 12:04
D:\Pics\2024\03\31\081981_31032024_1204
E:\Scans\2024\03\31\081981_31032024_1204
Keypoint (Hyp)
Estimate X-Y-Z-Elevation



Scanned with OKEN Scanner

31/03/2024 12:04
D:\Pics\2024\03\31\081981_31032024_1204



Scanned with OKEN Scanner

SITE/LAYOUT PLAN C/O AEKLVYA MODEL RESIDENTIAL SCHOOL LAHAN
AT KUKUMSERI SUB TEHSIL UDAIPUR DISTRICT L&S (H.P.)

NOT TO SCALE


CITY Planquette

| No. | NAME | SIZE |
|-----|----------------------|-----------|
| 1 | Proposed Site No. 10 | 1.00 Acre |
| 2 | Existing Land | |
| 3 | Agricultural | |
| 4 | Residential | |
| 5 | Commercial | |
| 6 | Industrial | |
| 7 | Water Body | |
| 8 | Forest | |
| 9 | Open Space | |
| 10 | Open Land | |
| 11 | Open Land | |
| 12 | Open Land | |
| 13 | Open Land | |
| 14 | Open Land | |
| | Total Area | 8.00 Acre |


**DIGITAL LAND USE MAP OF PROPOSED SITE C/O EKLAVYA MODEL RESIDENTIAL
SCHOOL LAHAUL AT KUKUMSERI SUB TEHSIL, UDAIPUR DISTRICT L&S (H.P.)**

76°40'52"E 76°41'62"E

32°42'012"N 32°42'261"N



**SURVEY SHEET 1:50000 PROPOSED SITE FOR C/O EKLAVYA MODEL RESIDENTIAL
SCHOOL LAHAUL AT KUKUMSERI DISTRICT LAHAUL & SPITI (H.P.).**



OKS
Lahaul & Spiti
Chhating Linsal
11.12.2018

7/2018
TIPPLA M. Koyana



CS
Divisional Office
Lahore Forest Division
Rawalpindi (F.R.)

