

Office  
Chief Conservator of Forests, Central Circle, Rohtak  
Forest Department, Haryana

Van Complex, Jhang Colony, Near Vijay Park-, Rohtak, Tel./ Fax : 01262-256156, E-mail : cfrohtak601@gmail.com

No.

Date

To

**Add. Principal Chief Conservator of Forests (FCA),  
Haryana, Panchkula.**

**Sub: Diversion of 0.978 ha. of forest land for construction of ROB at LC No. 38-A in  
Madlauda on Panipat Safidon-Jind Road (SH-14) in Distt. Panipat (Haryana).  
(FP/HR/Road/42852/2019)**

-----x-----

The project site has been inspected by the under signed on dated 31-03-2021 and the following observations were made:-

- 1 During the inspection it was found that the Diversion of 0.978 ha. of Forest land is required which is unavoidable and the barest minimum for the said project. There is no alternative suitable non Forest land available for the project. The proposal of forest land is for construction of ROB at LC No. 38-A in Madlauda on Panipat Safidon-Jind Road (SH-14) in Distt. Panipat (Haryana).
- 2 There are 228 trees & 0 plants proposed to be felled for the project. The tree species involved are of Kikar, Shisham, Euc., & Misc. species. The marking of trees proposed for felling has been done as per the project site plan & are necessarily required to be felled. The project site is passing through/ surrounded by Rural areas and there is no rare/ endangered/ unique species of Flora and Fauna in the area.
- 3 The user agency has not violated the provisions of Forest Conservation Act. 1980 and no work will be allowed to start without proper sanction of the competent authority. So, it is recommended that the proposal may be approved/ sanctioned in the larger public interest.

Place : Rohtak

Dated :31-03-2021

**Chief Conservator of Forests,  
Central Circle, Rohtak.**

Endst. No 2616-17 dated 31/03/2021

A copy is forwarded to :-

- 2 Divisional Forest Officer, Panipat
- 2 Executive Engineer. PWD (B&R), Panipat

**Chief Conservator of Forests,  
Central Circle, Rohtak.**

for.  
29/4/2021

CF Inspection Report computer-1

No 625115  
15/04/2021