





Govt. of Maharashtra

Office of the Deputy Conservator of forest Pune Forest Division,Pune Senapati Bapat Road Pune-411004

Phone No. 020 2566 0593

Email- dycfpune@gmail.com

No. -: A/ Desk4.2 /Land /FCA/

/2023.24

Date- /09/2023

To,

Chief Conservator of Forests (T)
Pune

- Sub: Diversion of 48.55 ha.forest land for construction of Pune Ring Road Western (PRRW) of 68.80 km start at Urse and end at Varve (Kelwade village) of pune districtin the state of Maharashtra. (FP/MH/ROAD/23385/2016)
- Ref.: 1) Moef, Ro Office, Nagpur letter no.FC-III/MH-56/2023-NGP/11982 Dt.31.07.2023 (received to this office on dt.04/08/2023)
 - 2) This office demand letter no B/desk 4.2/land/1722 dt.08/08/2023
 - 3) Executive Engineer, Pune Ring Road, MSRDC, pune letter no. 2825 dt. 28/08/2023

Sir,

Central Government, Ministry of Environment, Forests & Climate Change, Regional officer, Nagpur has raised 1 to 10 queries vide reference letter No.1 in the above mentioned proposal.

Regarding above queries, vide reference letter no.2 of this office has directed to Executive Engineer, Pune Ring Road, MSRDC, pune for the query compliance.

As per reference letter no.3 the Executive Engineer, Pune Ring Road, MSRDC, has submitted compliance report to this office pune (copy attached). Therefore query compliance report is as mentioned below.

The instant proposal has not been forwarded to Regional Office, Nagpur, the proposal is showing as pending at State Government level. The proposal has to be forwarded to Regional Office, Nagpur for further consideration under Forest (Conservation) Act, 1980. Ii Part- V is also not uploaded on Parivesh portal. The same needs to be uploaded and intimated to this office Compensatory Afforestation details viz site suitability certificate, CA scheme and KML file of CA land has not been uploaded on Parivesh portal. The same needs to be loaded and intimated to this office. Iv Differential GPS map of land identified to carry out Compensatory Afforestation is not submitted along with the proposal. Differential GPS of CA submitted V As the proposal is more than 40 ha , Site Inspection report of CCF concerned is mandatory submitted along with the proposal nor uploaded on Parivesh portal. Site Inspection report of CCF concerned is not on Parivesh portal. Site Inspection report of CCF concerned is not on Parivesh portal. Site Inspection report of CCF concerned is not and submitted along with the proposal nor uploaded on Parivesh portal and submitted to this office also. Vi Discrepancy is observed in number of trees proposed to be felled in the proposal , wherein , State Government of Maharashtra has mentioned to that office also.	
Part- V is also not uploaded on Parivesh portal . The same needs to be uploaded and intimated to this office Compensatory Afforestation details viz . site suitability certificate , CA scheme and KML file of . The same needs to be loaded on Parivesh portal this office . Differential GPS map of land identified to carry out Compensatory Afforestation is not submitted along with the proposal. Differential GPS of CA submitted V As the proposal is more than 40 ha , Site Inspection report of CCF concerned is mandatory . Site Inspection report of CCF concerned is not submitted along with the proposal nor uploaded on Parivesh portal . Site Inspection report of CCF concerned is not submitted along with the proposal nor uploaded on Parivesh portal . Site Inspection report of CCF concerned is not submitted along with the proposal nor uploaded on Parivesh portal and submitted to this office less.	
The same needs to be uploaded and intimated to this office Compensatory Afforestation details viz . site suitability certificate , CA scheme and KML file of . The same needs to be loaded and intimated to . The same needs to be loaded and intimated to this office. Iv Differential GPS map of land identified to carry along with the proposal. Differential GPS of CA submitted by DCF concerned needs to be . Site Inspection report of CCF concerned is mandatory submitted along with the proposal nor uploaded on Parivesh portal . Site Inspection report of CCF concerned is not on Parivesh portal . Site Inspection report of CCF concerned is not on Parivesh portal . Site Inspection report of CCF concerned is not and submitted to this office along with the proposal nor uploaded on Parivesh portal site Inspection report of CCF concerned is not on Parivesh portal . Site Inspection report of CCF concerned is not and submitted to this office along with the proposal nor uploaded on Parivesh portal and submitted to this office along with the proposal nor uploaded on Parivesh portal and submitted to this office along and submitted to this office along with the proposal nor uploaded on Parivesh portal and submitted to this office along and submitted to this office along and submitted to this office along the proposal and submitted to this office.	
lii Compensatory Afforestation details viz . site Suitability certificate , CA scheme and KML file of CA land has not been uploaded on Parivesh portal this office . Iv Differential GPS map of land identified to carry along with the proposal. Differential GPS of CA submitted Inspection report of CCF concerned is mandatory submitted along with the proposal is more than 40 ha , Site Inspection report of CCF concerned is mandatory submitted along with the proposal in nor uploaded on Parivesh portal . Site Inspection report of CCF concerned is not on Parivesh portal . Site Inspection report of CCF concerned is not and submitted to this office also	
Compensatory Afforestation details viz . site suitability certificate , CA scheme and KML file of . The same needs to be loaded and intimated to this office . Iv Differential GPS map of land identified to carry along with the proposal. Differential GPS of CA submitted by DCF concerned needs to be submitted V As the proposal is more than 40 ha , Site Inspection report of CCF concerned is mandatory submitted along with the proposal nor uploaded on Parivesh portal . Site Inspection report of CCF concerned is not on Parivesh portal . Site Inspection report of CCF concerned and submitted to this office also	s offic
Iv Differential GPS map of land identified to carry along with the proposal. Differential GPS of CA submitted V As the proposal is more than 40 ha , Site Inspection report of CCF concerned is mandatory submitted along with the proposal nor uploaded on Parivesh portal. Site Inspection report of CCF concerned is not on Parivesh portal. Site Inspection report of CCF concerned is not on Parivesh portal. Site Inspection report of CCF concerned is not on Parivesh portal. Site Inspection report of CCF concerned is not on Parivesh portal. Site Inspection report of CCF concerned is not on Parivesh portal. Site Inspection report of CCF concerned is not on Parivesh portal. Site Inspection report of CCF concerned is not on Parivesh portal.	
this office. Iv Differential GPS map of land identified to carry out Compensatory Afforestation is not submitted land certified by DCF concerned needs to be land certified by DCF concerned is mandatory submitted land land land land land land land lan	sh nor
Differential GPS map of land identified to carry along with the proposal. Differential GPS of CA submitted V As the proposal is more than 40 ha , Site Inspection report of CCF concerned is mandatory submitted along with the proposal nor uploaded on Parivesh portal . Site Inspection report of CCF concerned is not on Parivesh portal . Site Inspection report of CCF concerned is not on Parivesh portal . Site Inspection report of CCF concerned is not on Parivesh portal . Site Inspection report of CCF concerned is not on Parivesh portal . Site Inspection report of CCF concerned is not on Parivesh portal . Site Inspection report of CCF concerned is not on Parivesh portal . Site Inspection report of CCF concerned is not on Parivesh portal	איי שטרו
Olifferential GPS map of land identified to carry out Compensatory Afforestation is not submitted land certified by DCF concerned needs to be submitted V As the proposal is more than 40 ha , Site Inspection report of CCF concerned is mandatory submitted along with the proposal nor uploaded on Parivesh portal . Site Inspection report of CCF concerned is not on Parivesh portal . Site Inspection report of CCF concerned is not and submitted to this office along with the proposal nor uploaded and submitted to this office along and submitted to this office along along with the proposal portal and submitted to this office along and submitted to this office along with the proposal portal and submitted to this office along and submitted to this office along the carry along the proposal parameters. Regarding this, Executive Enging Ring Road, MSRDC, pune has submitted compliance is attached herewith. This query not pertained to this office along the proposal parameters are proposal parameters.	
Inspection report of CCF concerned is mandatory submitted along with the proposal. Differential GPS of CA submitted V As the proposal is more than 40 ha , Site Inspection report of CCF concerned is mandatory submitted along with the proposal nor uploaded on Parivesh portal . Site Inspection report of CCF concerned shall be uploaded on Parivesh portal Ring Road,MSRDC, pune has submitted compliance is attached herewith. This query not pertained to this office concerned is not on Parivesh portal.	
V As the proposal is more than 40 ha , Site Inspection report of CCF concerned is mandatory submitted along with the proposal nor uploaded on Parivesh portal . Site Inspection report of CCF concerned is not and submitted to this office also.	
Submitted V As the proposal is more than 40 ha , Site Inspection report of CCF concerned is mandatory submitted along with the proposal nor uploaded on Parivesh portal . Site Inspection report of CCF concerned is not and submitted to this office along with the proposal nor uploaded and submitted to this office along with the proposal nor uploaded and submitted to this office along with the proposal nor uploaded and submitted to this office along with the proposal nor uploaded and submitted to this office along with the proposal nor uploaded and submitted to this office along with the proposal nor uploaded and submitted to this office along with the proposal nor uploaded and submitted to this office along with the proposal nor uploaded and submitted to this office along with the proposal nor uploaded and submitted to this office along with the proposal nor uploaded and submitted to this office along with the proposal nor uploaded and submitted to this office along with the proposal nor uploaded and submitted to this office along with the proposal nor uploaded and submitted to this office along with the proposal nor uploaded and submitted to this office along with the proposal nor uploaded and submitted to this office along with the proposal nor uploaded and submitted to this office along with the proposal nor uploaded and submitted to this office along with the proposal nor uploaded and submitted to this office along with the proposal nor uploaded and submitted to this office along with the proposal nor uploaded and the proposal nor upload	neer, P
As the proposal is more than 40 ha , Site Inspection report of CCF concerned is mandatory submitted along with the proposal nor uploaded on Parivesh portal . Site Inspection report of CCF concerned shall be uploaded on Parivesh portal	itted t
submitted along with the proposal nor uploaded concerned shall be uploaded on Parivesh portal and submitted to this office also	
submitted along with the proposal nor uploaded concerned shall be uploaded on Parivesh portal and submitted to this office also	
on Parivesh portal . Site Inspection report of CCF and submitted to this office also	
and submitted to this office also	1
and submitted to this office also	
vi Discrepancy is observed in number of trees	
proposed to be say	
I DIUDOSA to be con	
proposed to be felled in the proposal, wherein, online Part, U. State Government of Maharation trees	
State Government of Maharashtra has mentioned that 987 trees are proposed to be felled in the proposed	and
trees are proposed to the state trees proposed trees propos	he
proposal, but enumeration list of 1025 trees has	ne /
mentioned in Part- II that enumeration of trees is	
exact number of trees to be felled in the proposal needs to be submitted.	1
~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	
Certificate W.r.t. Arch.	
Submitted along with the proposal is no signed by DCF concerned. Signed copy of the same needs The Certificate is attached herewith.	

/			
	Viii	Two CA schemes with different estimates have been submitted by same DCF i.e. DCF , Parbhani . Correct CA scheme needs to be submitted	Regarding this, Executive Engineer,Pune Ring Road,MSRDC, pune has submitted the compliance is attached herewith.
	lx	Cross sectional map is not submitted along with the proposal . The same needs to be submitted	Regarding this, Executive Engineer, Pune Ring Road, MSRDC, pune has submitted the compliance is attached herewith.
	X	Details of employment potential in terms of man days of skilled, semiskilled and unskilled persons on permanent (direct and indirect) and temporary (direct and indirect) basis have not been provided. The same needs to be provided	Regarding this, Executive Engineer,Pune Ring Road,MSRDC, pune has submitted the compliance is attached herewith.

Above compliance report is kindly submitting herewith for necessary process and information.

Encl- 5 copies.

(Mahadev Mohite)
Deputy Conservator of Forest,
Pune Forest Division, Pune

Copy submitted to - Addl.Prinicipal Chief Conservator of Forest & Nodal
Officer, Maharashtra State Nagpur for kindly information

Copy to - Executive Engineer, Pune Ring Road, MSRDC, pune