

Office of the Principal Chief Conservator of Forests (Head of Forests Force),

Maharashtra State, Nagpur

Additional Principal Chief Conservator of Forests & Nodal Officer, M.S.Nagpur

1st Floor, B Wing, VanBhavan, Ramgiri Road, Civil Lines, Nagpur- 440 001

Tel.No.: 0712- 2556916 , E-mail: apccfnodal@mahaforest.gov.in

No. Desk-17/Nodal/Yavatmal/ID-375603178
Nagpur – 440 001 Date - 15/02/2024

To,

✓ The Deputy Director General (Central)
Ministry of Environment Forests and Climate Change,
Regional Office, Ground Floor, East Wing,
New Secretariat Building,
Civil lines, Nagpur-440 001

Sub – Diversion of 0.45 ha. forest land in favour of EHV Project Division MSETCL, Amravati for construction of LILO on 132 KV Yavatmal- Yavatmal MIDC line for 132 KV Darwha Sub-Station Transmission line in Taluka-Darwha, District-Yavatmal in the State of Maharashtra – regarding

Ref – 1) Govt. of India, MoEF& CC, Integrated Regional Office, Nagpur letter no. FC-I/MH-297/2022-NGP/11927, dt. 25/7/2023


2) The Conservator of Forest (T) Yavatmal letter No. Desk-CF(Y)/Desk-10/FC/1151/2023-24, dt. 6/2/2024

The Government of India, MoFF& CC, Integrated Regional Office, Nagpur vide letter under reference No. 1 has raised query on 1 point. Accordingly the User Agency has submitted their compliance to Dy. Conservator of Forest (T) Yavatmal. The same is submitted by Conservator of Forest (T) Yavatmal to this office vide letter under reference 2. The query compliance is shown as under :-

Sr.No.	Points	Compliance
i	Detailed violation report including the nature and extent of the violation, action taken by the State Forest Department under IFA, 1927 and FCA, 1980 along with all relevant documents. The name of the officials responsible for the violation from the User Agency as well as the State Forest Department and action taken against them.	The Conservator of Forest (T) Yavatmal vide letter dt. 6/2/2024 has submitted the detailed Violation report including name of officials responsible for the violation is enclosed herewith as Annexure-I.

In view of the above facts, the aforesaid compliance submitted for further necessary action.

Encl.- As above (2 Copies)


(Shailesh G. Tembhurnikar)
Principal Chief Conservator of Forests
(Head of Forest Force)
Maharashtra State, Nagpur.

Copy submitted to the Principal Secretary (Forests) Revenue & Forests Department, Mantralaya, Mumbai – 32 for information.

Copy to the Conservator of Forests (T) Yavatmal for information.

Copy to the Deputy Conservator of Forests (T) Yavatmal for information.

Copy to the Office of Executive Engineer, EHV construction Division, M.S.E.T.C.L. Amravati for information.



महाराष्ट्र शासन
वनसंरक्षक (प्रादेशिक) यवतमाळ वनवृत्त यवतमाळ यांचे कार्यालय
वनभवन, चर्च रोड, अप्सरा टॉकीज जवळ, सिव्हील लाईन्स, यवतमाळ

महाराष्ट्र वन विभाग

०७२३२-२४२८९४



०७२३२-२४२९९४



ccfyavatmal@mahaforest.gov.in, conytlyvt@gmail.com

क्रमांक-वसं(य)/कक्ष-10/वसं/2381/2023-24,

यवतमाळ, दिनांक- 06/02/2024.

प्रती,

मा.अपर प्रधान मुख्य वनसंरक्षक व केंद्रस्थ अधिकारी,
महाराष्ट्र राज्य, नागपुर.

विषय :- Diversion of 0.45 ha. forest land in favour of EHV Project Division MSETCL, Amravati for construction of LILO on 132 KV Yavatmal- Yavatmal MIDC line for 132 KV Darwha sub-station Transmission line in Taluka- Darwha, District Yavatmal in the State of Maharashtra regarding.

संदर्भ:- 1) केंद्र शासन पत्र क्र.FC-I/MH-297/2022-NGP/11927, दि.25.07.2023

2) मा.अप्रमुख व केंद्रस्थ अधिकारी, म.रा.नागपुर यांचे पत्र क्र./कक्ष -17/FCA-SI/PID-37560/Yavatmal 1425, दिनांक-07/08/2023.

3) उपवनसंरक्षक यांचेकडील पत्र क्र.उवसं(य)/कक्ष/सर्व्हे/1667/2023-24, दिनांक-05/02/2024

वरील संदर्भीय पत्र क्र. 1 अन्वये केंद्र शासनाने दि.25/07/2023 च्या पत्रान्वये उपस्थित केलेल्या मुद्यांची माहिती आंग्ल (इंग्रजी) भाषेत 4 प्रतीत या कार्यालयास सादर करणेबाबत संदर्भीय पत्र क्र. 2 अन्वये या कार्यालयास कळविण्यात आले आहे.

संदर्भीय पत्र क्र. 3 अन्वये उपवनसंरक्षक, यवतमाळ यांनी सदर मुद्यांची माहिती खालीलप्रमाणे या कार्यालयास सादर केली आहे. सदर माहिती यासोबत जोडून सहपत्रीत करण्यात येत आहे.

Sr.No.	Query	Compliance
1	Detailed violation report including the nature and extent of the violation, action taken by the State Forest Department under IFA,1927 and FCA.1980 along with all relevant document. The name of the officials responsible for the violation from the User Agency as well as the State Forest Department and action taken against them.	The detailed violation report including the name of the officials responsible for the violation is enclosed herewith as Annexure-I

Table

Sr.No.	Responsible officials of the MSETCL Department Amravati	Action Taken by the MSETCL Department Amravati	Action Taken by the Forest Department
1	Shri. B.S.Amale, Assistant Engineer	Intimation were given for further work	Yavatmal forest department issued POR against responsible official of the MSETCL Amravati and after investigation Executive Engineer MSETCL Officer, Amravati fined with sum of Rs.10000/-
2	Shri. G.L.Mane, Line Foreman	Intimation were given for further work	

सहपत्र :- मुळ अहवाल 3 प्रतीत)

(वसंत तु. घुले)
वनसंरक्षक (प्रादेशिक),
यवतमाळ वनवृत्त.

प्रतिलिपी :- उपवनसंरक्षक, यवतमाळ वनविभाग, यवतमाळ यांना माहितीसाठी अग्रेषित.

5396
14/2/24

Annexure -I

Violation REPORT

A Note regarding the circumstances under which the work has undertaken in violation of Forest (Conservation) Act, 1980.

The Maharashtra State Electricity Transmission Company Limited (MSETCL), Government of Maharashtra Undertaking, has decided to take up construction of LILO132 KV Yavatmal-Yavatmal MIDC line for 132 KV Darwha S/Stn Transmission for augmentation of the electricity grid network towards increasing demand of power in the Yavatmal & Darwha region.

The total length of the project stretch selected for construction of the line is 166.5 mtr. Part of this line is passing through reserved forest area of Gut No. 31, Compt. No. 96 of Village Pandhurna in Yavatmal Forest Division. P.O.R. for the same proposal is issued with no. 128/16 dated 26/11/2020 The proposed line requires diversion of 0.45 Ha in Yavatmal Forest Division. Therefore the construction of this line requires forest clearance from Ministry of Environment Forest and Climate change (GOI).

The diversion of reserved forest area has been limited to the minimum that satisfies the standards of Central Board of Irrigation and Power. As the project line is passing through the middle of the reserved forest area, avoiding reserved forest area is not possible. Alternatives has been examined and found that no better option is available.

The construction of this line is commenced in year 2017 and no construction activities have been conducted in the forest patch. During stringing work of transmission lines, 166.5mtr length of forest patch is violated with the said overhead transmission line. There are no tower foundations within this land. Details of violations are as follows.

Sr.No.	Name of person responsible for violation	Designation & Address of person responsible for violation	Action taken against the person responsible for violation
1	Shreem engineering Ltd.	Contractor	Terminated
2	B.S. Amale	Assistant Engineer	Intimation were given for further work
3	G.L.Mane	Line Foreman	Intimation were given for further work

The work in this area is stopped and proposal for approval under Forest (Conservation) Act is submitted by the Project Authority.

The project authority has given undertaking to bear the cost of Compensatory Afforestation as directed by Forest Department.

As the proposal is for construction of transmission line and there is no suitable alternative for the same and project authority has submitted the proposal for obtaining approval from Government of India. Gut No. 31, Compt. No. 96 of Village Pandhurna is reserved Forest

as per this office record, the proposal is recommended subject to agency shall pay penalty for violation equal to Net Present Value (NPV) of forest land per hector for each year of violation from date of actual diversion reported in violation report of MSCTCL, with maximum upto 5 (five) times the NPV plus 12% simple interest till the deposit is made.

Report regarding violation of Forest (Conservation) Act, 1980 for consideration of the committee constituted under the Chairmanship of the Chief Secretary, vide Govt. of Maharashtra, Revenue and Forest Department G.R.No.FLD-1089/475/Part-2/P-10, dated 2nd December 1991

1)	Name of the Agency	Maharashtra State Electricity Transmission Company Ltd. EHV Projects Division, Amravati.
2)	Name of the Project	construction of LILO132 KV Yavatmal-Yavatmal MIDC line
3)	a) Whether the Project is under E.G.S. on	Not applicable.
4)	Location	
	a) F.S.No./Compt.No.	Pandhurna Gut No.31, Compt. No. 96
	b) Village	Pandhurna
	c) Taluka	Darwha
	d) District	Yavatmal
5)	No.& Date of Technical Sanction	9229 dt. 18/08/2017
6)	No.& Date of Administrative approval	MBR no.119/12 dt.05/08/2017
7)	Period of work on forest land	
	a) Date of Starting the work	2017
	b) Date of Stopping the work	2020
8)	Period of work on non-forest land	
	a) Date of Starting the work	20/08/2017
	b) Date of Stopping the work	31/12/2019

9) Details of work done on Forest Area.

Sr. No	Item	Forest Land involved in the item	Extent of work done in violation of forest	Amount sanctioned on the item stated	Amount spent on violation of item	Remarks
1	2	3	4	5	6	7
	Over head wire at places on forest land	Forest involved 0.45 ha.	0.45 ha.	Rs.2 lakh	Rs.2 lakh	

10) Details of work

Sr. No	Item of work	Quantity	Expenditure	Period of work done
1	Stringing of over head conductor @166.5 mtr.	166.5 mtr	Rs.2 lakh	2017

11) Name of the officer Responsible for violation.

Name of officer/ contractor	Designation	Period of violation
Shri.B.S.Amale	Assistant Engineer	2017-2020
Shri.G.L.Mane	Line Foreman	2017-2020

12) Whether the violation cases fits in the criteria specified in G.R.T. & F.D.

No. FLD-1089/475/Part-2/F-10, Dated 2nd December, 1991.

- A) If yes in which para : Not applicable.
B) If not why : Since the criteria specified in the GR pertain to projects related to Maharashtra State Electricity Transmission Company Ltd.

13) Action proposed by the agency against The officers, Responsible for violation.

Sr.No.	Name of Officer	Designation	Remarks
2	Shri.B.S. Amale	Assistant Engineer, MSETCL	Action initiated
3	Shri.G.L.Mane	Line Foreman	Action initiated

14) Deputy Conservator of Forest remarks as to whether he agreed with the above details.

Yes.Agreed.

The Following remarks has been made as under.

1. POR had filed against Project Authority on date 26/11/2020 for Gut no.31 Compt.No.96 at village Pandhurna Taluka Darwha Dist.Yavatmal in Range Darwha vide POR No. 128/16 dated 26/11/2020.
2. Yavatmal forest department had issued POR against responsible official of the MSETCL, Amravati and after investigation Executive Engineer MSETCL Office, Amravati fined with sum of Rs.10000/-
3. The forest employees noticed that the responsible officials of the MSETCL Amravati in village Pandhurna Taluka Darawa District Yavatmal Compartment no. 96 were working in forest area without any permission hence issued a POR and Fined Rs. 10000/- and Penalty is recovered. So it is observed that forest employees did their duty and was not responsible for any violation act, so no action had taken against forest staff.

(Dhananjay Waybhase,I.F.S.)
Deputy Conservator of Forest
Yavatmal Division,Yavatmal

15) Remarks of Conservator of Forest

Yes, Agreed to the Deputy conservator
of forest Yavatmal remarks

(V.T. Ghule,I.F.S.)
Chief Conservator of Forest (T.)
Yavatmal

16) Remarks of the Principal Chief Conservator of Forest.

Principal Chief Conservator of Forest
Maharashtra State, Nagpur.



Maharashtra State Electricity Transmission Co. Ltd

(CIN No. U40109MH2005SGC153646)

From Executive Engineer, EHV Project Division, Prakash Sarita, Administrative Building, A-Wing, Ground Floor, 220KV substation, Morshi road, Amravati - 444 603 Email :- ee1620@mahatransco.in Phone No. 0721 - 2669168	To, Deputy Conservation of Forests Yavatmal Forest Division, Yavatmal.
---	---

Ref.: MSETCL/EE/EHV/Project Din./Amravati/Tech/

No 02134 Date 03 AUG 2023

Sub.: Diversion of 0.45 ha. forest land in favour of EHV Project division MSETCL, Amravati for construction of LILO on 132 Kv Yavatmal -Yavatmal MIDC line for 132 KV Darwha Sub-station transmission line in Taluka- Darwha District- Yavatmal in e the State of Maharashtra- regarding.

Ref.: 1. REC meeting notice F.No. FC-Misc-317/RON/2023-NGP/11857 dated 11/07/2023
REC meeting held on 14/07/2023
2459 3. Violation report handed over on 19/07/2023
07/8/2023 4. REC queries F.No. FC-II/MH-216/2023-NGP/11930 dated 25/07/2023.
5. FC-I/MH-297/2022-NGP/11927 Dtd. 25.07.2023.

Please find compliance report to REC queries as below.

Sr. No.	Query	Compliance
1	Detailed violation report including the nature and extent of the violation, action taken by the State Forest Department under IFA, 1927 and FCA, 1980 along with all relevant documents. The name of the officials responsible for the violation from the User Agency as well as the State Forest Department and action taken against them.	With reference to above subject, the action taken report by MSETCL against violation under FCA 1980 as per REC meeting on dtd. 14/07/2023, is submitted on dt. 19/07/2023. Please submit the relevant documents & reports from your level. Enclose : Nil

Kindly forward the compliances to office of the CCF Yavatmal with additions that need to be attended by your office.

Thanking you.

Encl.: 1) Violation Report.

Yours Faithfully

(Jaywant Kokate)
Executive Engineer,
EHV Project Division, MSETCL.
Amravati.

Copy to s. w. r to:

1. Superintending Engineer, EHV Project Circle, Amravati.

Copy to:-

1. The Addl. Ex. Engineer, S & I Sub Division, Amravati.

4 AUG 2023



Maharashtra State Electricity Transmission Co. Ltd.

(CIN No.U40109MH2005SGC153646)

Office of The Executive Engineer,
EHV Projects Division, MSETCL,
"PrakashSarita", A-Wing , Ground Floor,
Administrative Building, 220 KV S/Stn Premises,
Morshi Road , Amravati-444603,
Ph:(0721) 2669168 (O)
e-mail-ee1620@mahatransco.in

To,

The Deputy Conservator of Forest,
Department of Forest
Yavatmal

Ref. No. EE/EHV/Proj/Dn/Amt/Tech/AEE/ 2026

Date: 19.07.2023

Sub : Action taken report by MSETCL against violation under FCA 1980 Act in r/o construction of LILO on 132 KV Yavatmal-Yavatmal MIDC for Darwha S/Stn Transmission line.

1. EE/EHV/Proj/Dn/Amt/Tech/3164 Dt.28/08/2020

2. EE/EHV/Proj/Dn/Amt/Tech/3165 Dt.28/08/2020.

With reference to above subject, please find enclosed herewith the action taken report by MSETCL against violation under FCA 1980 Act in r/o construction of LILO on 132 KV Yavatmal-Yavatmal MIDC for Darwha S/Stn Transmission Line vide under reference (1) & (2).

Submitted for information & needful please.

21/11
20/7/2023
20 JUL 2023

Baldakar
Executive Engineer
EHV Projects Division,
MSETCL Amravati



Maharashtra State Electricity Transmission Co. Ltd.

(CIN No.U40109MH2005SGC153646)

Office of The Executive Engineer,
EHV Projects Division, MSETCL,
"Prakash Sarita", A-Wing, Ground Floor,
Administrative Building, 220 KV S/Stn Premises,
Morshi Road, Amravati-444603,
Ph : (0721) 2669168 (O)
e-mail-ee1620@mahatransco.in

Ref. No. EE/EHV/Proj/Dn/Amt/Tech/ 3164

Date: 28/08/2020

To,


Shri B.S. Amle,
Assistant Engineer (C)

Subject : Warning letter regarding violation under FCA 1980 Act in r/o construction of LILO on 132 KV Yavatmal-Yavatmal MIDC for Darwha S/S Transmission line.

As per FCA1980, to carry out any construction activity in forest area, it is necessary to obtain permission from forest department. However, during construction of LILO on 132 KV Yavatmal-Yavatmal MIDC for Darwha S/S Transmission line, it is observed that some of the tower foundations/errections was constructed in forest area without permission of forest department.

It is noticed that enough care has not been taken by you, to identify forest boundaries before carrying out any activity on forest area. This shows negligence on your part.

Therefore, you are hereby strictly warned not to do such act in future or otherwise strict action will be taken as per service regulations.


**Executive Engineer,
EHV Projects Division,
Amravati.**



Maharashtra State Electricity Transmission Co. Ltd.

(CIN No.U40109MH2005SGC153646)

Office of The Executive Engineer,
EHV Projects Division, MSETCL,
"Prakash Sarita", A-Wing, Ground Floor,
Administrative Building, 220 KV S/Stn Premises,
Morshi Road, Amravati-444603,
Ph : (0721) 2669168 (O)
e-mail-ee1620@mahatransco.in

Ref. No. EE/EHV/Proj/Dn/Amt/Tech/ 3165

Date: 28/08/2020

To,

Shri G.L. Mane,
Line Foreman

Subject : Warning letter regarding violation under FCA 1980 Act in r/o construction of LILO on 132 KV Yavatmal-Yavatmal MIDC for Darwha S/S Transmission line.

As per FCA1980, to carry out any construction activity in forest area, it is necessary to obtain permission from forest department. However, during construction of LILO on 132 KV Yavatmal-Yavatmal MIDC for Darwha S/S Transmission line, it is observed that some of the tower foundations/errections was constructed in forest area without permission of forest department.

It is noticed that enough care has not been taken by you, to identify forest boundaries before carrying out any activity on forest area. This shows negligence on your part.

Therefore, you are hereby ~~strictly~~ warned not to do such act in future or otherwise strict action will be taken as per service regulations.

Executive Engineer,
EHV Projects Division,
Amravati.

प्रति,

वनपरिक्षेत्र अधिकारी

वन विभाग दारुण

यवतमाक

विषय: १३२ के.सी. लिखे अवतमाक-अवतमाक मा०८ ले १३२
के.सी. दारुण उपकेद्रपर्यंत विद्युत वाहिनी संदर्भात वनपरिक्षेत्र
अधिकारी, वनविभाग दारुण या दारुण, यांचे कडून प्राप्त
वनगुण्ड्या संवेदी शुलासा सादर कुरव्यावावत.

संदर्भ: आपले पत्र क्र. डीएम२०२२-२२ दि. ०१/०१/२०२२

या ०२६/२०२३-२४ दारुण दि. १५/०१/२०२३

१३२ के.सी. लिखे अवतमाक-अवतमाक मा०८ ले १३२

के.सी. दारुण उपकेद्रपर्यंत विद्युत वाहिनी दारुण असलेल्या
वनविभागाच्या क्षेत्रासह परवानगी मिळव्यावावतया प्रमाणे

FP/MP/TRANS/३७३००/२०१८ वनविभागास सादर कुरव्यावावत या

आहे या संदर्भात दि. ०१/०१/२०२० रोजी श्री कळसकर वनपरिक्षेत्र

अधिकारी यांचे सोप्या दारुण येथील वनविभागाची संयुक्त

पाहणी कुरव्यावावत यांनी लेखी संयुक्त यांनी वन वनपरिक्षेत्र

अधिकारी यांचे कडून वरील विषयानिष्ठ वनगुण्ड्या क्र.

१२८/१६ दि. २६/०१/२०२० प्राप्त झाले त्या प्रमाणे

तारा या वनविभागाच्या क्षेत्रासह सर्वे नं. ३९ मध्ये

असल्याच्या आलेख नोंदविल्यात जाण, या संवेद्यान

शुलासा करव्य वी

१) वाहिनीचे तारा जोडण्याचे काम दि. १२/१०/२०१३ रोजी

पार पडलेले आहे असेच ही वाहिनी सर्वे नं. ३९ मध्ये

अंशात जात आहे व यावेळी वनविभागाची परवानगी

घेतली नसल्याचे आढळून आले आहे सादर

वाहिनीचे लगेत जोडण्याचे काम हे अनावधानाने

झाले असून झालेला वनगुण्ड्या या कार्यालयाला

मान्य आहे या गुण्ड्याच्या प्रकरणात होणाऱ्या

दुर्वाचारी वृक्ष हे कार्यालय

भरण्यास तयार आहे

२) या सर्व बाबत माहितीबुद्धे बाबत १९७२ न वनसेल ०७
हेक्टर आहे या क्षेत्राचा अंतिम वनविभागास साद
केलेल्या प्रस्तावान असून त्याची सीवर परवानगी
घेण्यात येईल. आपण सादर वाच मिहर्षिनास आभुग
दियाबुद्धे सादर आहे या परवानगीचा प्रस्ताव या
कार्यालयाने अगोदरच सादर केलेला आहे

३) महापारेषण कंपनी से सरकारी कंपनी असून
सादर आहे उच्च दाय प्रकल्प हा जनउपयोगासाठी
राखिल्यात येत असून तो प्रकल्प पूर्ण करी
गर्जेचे आहे.

त्यामुळे आपणांस विनंती करण्यात येत
आहे की, यादर प्रकल्पाचा कार्यलयाने वरील
प्रदाने प्रदाना। वान वनविभाग आहे व न २० नो
वेण्यात यावी. कोणी पुढील आपणांस उवाही देण्यात
येते की, या कार्यलयाने वन विभागाच्या नियमांचे
कोटिबोरपणे पाळत ठेव्यात येईल.

आपल्या माहितीस व नम्रपणे सादर
होव्यावे.


Executive Engineer
ENV. Projects Division
MSECL Amravati

To,
Forest Range Officer
Forest Division Darwha,
Yavatmal

Subject :Regarding 132KV Lilo Power Line Yavatmal-Yavatmal MIDC to 132 KV Darwha Substation, POR received from Divisional Forest Officer Forest Department Taluka Darwha. Regarding submission of disclosure regarding forest POR.

Reference : Your Letter 1) No.1544/2021-22 dated 6/10/2021
2) No. 626/2023-24 Darwha dated 14/08/2023


The proposal for forest area for 132KV Lilo Power Line Yavatmal -Yavatmal MIDC to 132 KV Darwha Substation is submitted to from forest department vide proposal no. PF /MH /TRANS /37560/2018 has been submitted to the Forest Department. In this regard on date 7/01/2020 joint inspection of the forest area at Darwha was done along with Shri.Kalamkar Forest Division Officer. After joint inspection POR 128/16 dated 26/11/2020 is registered. As per letter received from Forest Department has objected for wire passing through area MaujePandhurani Survey no. 31. Disclosure in this regard is that,

- 1) Laying of line has been completed on 12/10/2019. Also this line is partially passing through survey number 31. And it has been found that the permission of the forest department was not taken at that time. The work of pulling the wires of the said line was done unintentionally and the crime committed is acceptable to this office. This office is ready to pay the amount of government fine in case of this crime.
- 2) Total forest area affected by line from Survey No. 31, is 0.45 Hectares. This area is covered in the proposal submitted to the forest department and their permission will be duly taken. As you have pointed out the matter, the proposal for permission for the said place has already been submitted by this office.
- 3) Maharashtra State Electricity Transmission Co. Ltd. is a Government Company and the said EHV project is being implemented for public use and it needs to be completed as soon as possible.

Therefore, it is requested that the said case should be considered as a disclosure statement of this office as above and should be recorded accordingly. Finally, we are again assured that the rules of the forest department will be strictly followed by this office.

Humbly submitted for your information

Thank you


(Sd/-)
The Executive Engineer
EHV Project Division,
MSETCL. Amravati



“वृक्षवल्ली आम्हा सोयरे वनचरे”



उपविभागीय वन अधिकारी, दारव्हा यांचे कार्यालय, दारव्हा

वनवसाहत परीसर, गोळीबार चौक, दारव्हा 445 202

फोन नं. 07238-254134 E-mail ID - subdivisionardarwha@gmail.com

क्रमांक : उपविअ/020/2023-24

दारव्हा, दिनांक : 04-09-2023

प्रति,

मा.उपवनसंरक्षक (प्रादे),

यवतमाळ वन विभाग, यवतमाळ

विषय :- १३२ के.व्ही.यवतमाळ - दारव्हा वाहिनीच्या मनोरा क्र.४०-४१ मधील पांढूर्णा गावातील सर्व्ह

क्र.३१ कक्ष क्र.९६ मधील ओढलेल्या वाहिनी बाबत.

१) क्र./व.प.अ./८७४/दारव्हा, दि.१०/०८/२०२३

२) या कार्यालयाचे पत्र क्र./६२६/दारव्हा दि.१४/०८/२०२३

३) क्र./व.प.अ./९२३/दारव्हा, दि.२३/०८/२०२३

महोदय,

उपरोक्त विषयाकित प्रकरणी सविनय अहवाल सादर करण्यात येते की, दि.२६/११/२०२०

रोजी कु.पी.व्ही.राठोड, वनरक्षक लाडखेड बीट हे गस्त करतांना वनक्षेत्र पांढूर्णा कक्ष क्र.९६ मध्ये विजेचे तार लोबंकळत असल्याचे दिसून आल्यामुळे भा.व.अ.१९२७ चे कलम २६(१) घ नुसार वनअपराध क्र./१२८/१६ दिनांक २६/११/२०२० अन्वये महाराष्ट्र राज्य विद्युत पारेषण कंपनी मर्या.तर्फे कार्यकारी अभियंता अ.ऊ.दा.प्रकल्प विभाग, अमरावती यांचे नावे गुन्हा जारी करून प्रकरण चौकशी व पुढील कार्यवाहीस सादर करण्यात आले होते.

चौकशीअंती संबंधित महाराष्ट्र राज्य विद्युत पारेषण कंपनी मर्या.तर्फे, अतिरिक्त कार्यकारी अभियंता अ.ऊ.दा.वाहिनी प्रकल्प उपविभाग क्र.१ यवतमाळ यांनी सदर तार ओढण्याचे काम अनावधानाने झाल्याचे कबूल करून, शासकीय नियमानुसार दंड भरण्यास त्यांचे कार्यालय तयार असल्याचे लेखी कळविले. त्यावरून वनपरिक्षेत्र अधिकारी (प्रादे), दारव्हा यांनी सदर प्रकरणी संदर्भ क्र.१ अन्वये अभिसंदाना करिता शिफारस करून प्रकरण या कार्यालयास सादर केले. त्यावरून उपरोक्त संदर्भ क्र.२ अन्वये भा.व.अ.१९२७ चे कलम ६८ (३) नुसार प्राधिकृत अधिकारी या नाते प्रकरणात आदेश क्र.४१/दारव्हा दि.१४/०८/२०२३ नुसार अभिसंदानात्मक आदेश काढून रु.१००००/- दंडाच्या वसुलीस मान्यता देवून व यापुढे वनसंवर्धन अधिनियम १९८० चा भंग होणार नाही याबाबत संबंधितांस ताकीद देवून प्रकरण निकाली काढण्यात आले.

सदर आदेशाचे अनुषंगाने प्रकरणी उपरोक्त संदर्भ क्र.३ अन्वये प्रकरणात अभिसंदानात्मक आदेशा नुसार दंडाची रक्कम रु.१००००/- वसुली करून मानिरशीद न.२८६/१४२८८/दि.२३/०८/२०२३ अन्वये चलान क्र.०७/दि.२३/०८/२०२३ नुसार खजिना दाखल केले असल्याचे कळवून प्रकरण नस्ती करिता या कार्यालयास सादर केले असून, या कार्यालयात प्रकरण फाईल (नस्ती) करण्यात आलेले आहे.

करीता वरीलप्रमाणे विषयाकित प्रकरणी करण्यात आलेल्या कार्यवाही बाबतचा सविस्तर अहवाल संपूर्ण प्रकरणाच्या छायाप्रतीसह माहिती व पुढील कार्यवाहीस सविनय सादर.

सहपत्र :- मूळ प्रकरणाची छायाप्रत

पे.नं.०१ ते १७

(अक्षय एस करमळकर)

उपविभागीय वन अधिकारी (प्रभारी),

Office of Sub Divisional Forest Officer Darwha,

Forest colony area, Golibar chowk, Darwha 445 202

Tele No. 07238-254134 ,E-mail ID -subvdivisiondarwha@gmail.com

division forest office/727/2023-24

DarwhaDate : 05-09-2023

No. : Sub

To,
The Deputy Conservator of Forests (T)
Yavatmal Forest Division, Yavatmal

Sub: 132 KV Yavatmal-DarwhaTransmission line – Regarding conductor stringing between Tower No. 40- 41 In village of PandhurnaSurveyNo. 31, Beat No. 96.

Ref.: 1) No./V.P.A./874/Darwha, Date 10/08/2023
2) T.O.Letter No. /626/Darwha, Date 14/08/2023
3) No./V.P.A./923/Darwha, Date 23/08/2023

Respective Sir,

In the above mentioned case, a civil report is submitted that on 26/11/2020 Mr. P. V.Rathod while patrolling the Forest Guard Ladhed beat, it was noticed that the electrical wires were saging in the forest area of Pandhurnabeat96. andForest Offense was filed under Indian Forest Act. Under Section 26(1) d of 1927 under Forest Offense No. /128/16 dated 26/11/2020 a case was filed in the name of EHV Project DivisionAmravati and the case was submitted for investigation and further action.

After inquiry concerned Maharashtra State Electricity Transmission Company Ltd / Additional Executive Engineer EHV. Project Sub Division No. 1, Yavatmal admitted in writing that the work of pulling the said wire was done unintentionally and informed in writing that his office is ready to pay the fine as per the government rules.From that, the Forest Range Officer (T), Darwha, consulted and recommended the matter under reference No. 1 and submitted the matter to this office. From that the above reference no. Under 2 Indian Forest Act According to Section 68 (3) of 1927, the authorized officer in this case Order No. 41/Darwha dated 14/08/2023vide order passing fine of Rs. 10000/- the matter was disposed of by approving the recovery of the fine and by informing the concerned that there would be no further violation of the Forest Conservation Act 1980.

Pursuant to the said order in the above reference no. In the said case, according to the concurring order, the amount of penalty is Rs. 10000/- after recovery of Money Receipt No.286/14288/dated 23/08/2023 vide challan no. 07/dated 23/08/2023 after informing that has been deposited to treasury, the case has been submitted to this office.

With reference to above subject and action carried out a detailed report regarding the proceedings in the above-mentioned case along with a photocopy of the entire case is submitted herewith for information and further proceedings.

Cover letter :- Photocopy of original case
Page No. 1 to 17

(Sd/-)
(Akshy S. Karmalkar)
Sub Divisional Officer (In-Charge)
Darwha



वनपरिक्षेत्र अधिकारी (प्रादेशिक) दारव्हा यांचे कार्यालय

अंबादेवी मंदिरासमोर, आठवडी बाजार दारव्हा पिन कोड नं. 445202
दुरध्वनी क्रमांक 07238-255134 Email id - rfodarwha123@gmail.com



क्रमांक/वपअ/ 923 /2023-24

दारव्हा दिनांक - 23-08-2023

प्रति,

मा. उपविभागीय वनअधिकारी
दारव्हा


विषय :- वनगुन्हा प्रकरण फाईलींग करीता सादर करणेबाबत.

संदर्भ : आपले कार्यालयीन आदेश क्र. 41 दि. 14.08.2023.

उपरोक्त संदर्भित आदेशाच्या अनुषंगाने दारव्हा वनपरिक्षेत्रातील नियतक्षेत्र निहाय उचीत कार्यवाही करून खालील प्रमाणे वनगुन्हा प्रकरण खारीज करून फाईलींग करीता सविनय सादर.

अ. क्र.	वस्तु	नियतक्षेत्र	वनगुन्हाचा प्रकार	वनगुन्हा क्र.	दिनांक	शेरा
1	पाथड	लाडखेड	इतर	128/16	26.11.2020	आरोपीकडून दंड रक्कम 10000/- वसूल करून पुस्तक क्र. 286 चलान क्र. 14288 दि. 23.08.2023 नुसार भरणा करण्यात आला. सदर प्रकरण फाईलींग करीता सादर.

सहपत्र : प्रकरण -1



वनपरिक्षेत्र अधिकारी(प्रादे)
दारव्हा

पुढील फाईल करण्यात येत.

म.र.क्र. 286/14288 दि. 23-8-2023 नुसार रु. 10,000/-

AMCEN. RECOVERED - mirrored Video Channel
No. 07 dt 23/8/2023 & Item No. of ...

उपविभागीय वन अधिकारी
दारव्हा

*English Translation *

Office of Range Forest Officer (Regional) Darwa

Front of AmbadeviMandir, weekly Bazar, Darwha Pin No. 445202
Tel. No. 07238-255134 Email Id : - rfodarwha123@gmail.com

No. VPA/923/2023-24

DarwhaDate : 23/08/2023

To,
The Deputy Conservator of Forest
Darwha

Sub :-Regarding filing and submission of forest crime case

Ref.: Our office order No. 41 date 14/08/2023

Pursuant to the above reference order, taking appropriate action as per the jurisdiction in Darwa forest area, the following forest crime case is dismissed and submitted for filing.

Sr. No.	Circle	Beat	Type of Forest crime	Forest Crime No.	Date	Remark
1	Parthad	Ladkhed	Other	128/16	26.11.2020	Rs. 10,000/- by recovering the fine amount from the accused in book no. 286 Challan No. 14288 Payment was made as on 23/08/2023. Submitted by filing the case

Encl :-Case-1

(Sd/-)
Range Forest Officer (Regional)
Darwa

*(येथे कोषागारात/बकेत रक्कम मरणा करण्याबाबत आदेश देणाऱ्या अधिकाऱ्याचा खबरी शिक्का ठरवावा)

M.KA.BHU. NA. (H-03) 2-2019- P/150 P-PA5

Form M. Ko. Ni.6

Gov.P. Revenue Divn. No.

(See Rule 112)

Original copy/Second copy/Third copy

Date 1 Sept. 2004

Drawing and Comprehensive Authority

Treasury

Ref No. -----

----- Index

Division/Sub Division -----

Sub Treasury

Ref No. 8 | 7 | 8 | 2

Challan No.

, Drawing and Comprehensive Authority

Treasury/Sub Treasury

State Bank India ----- of Place ----- Deposit amount
State Bank of India/ reserve bank of India

To be filled by payee	To be filled by Branch officer or Treasury	To be filled by Treasury/Subtreasury/State Bank of India/Reserve Bank of India/Hyderabad
Name, designation and address of the person on whose behalf the amount is paid	Account Details Division : Principal header : Sub-principal header	Received Amount Rs. 10, 000/- (Sd/-) Treasury Accountant Treasury/Sub Treasury officer/ Bank officer
Details of authorization letter regarding payment and purpose of payment	Computer code : 87820065	Challan No. :
Deposit Amount Rs.10000 , (In Word Ten Thousand only)	Above information is correct. Collection Rupees & take receipt	Date :
(sd/-) Depositor Signature Date 23/08/2023	Date 23/08/2023 (Sd/-)	

* (Treasury/Amount Deposit order by office stamp & Sign.) *

मकामुना (ई-४८) — ४-२०१६ — ५.००० पु./१५० पा. — पीए५
G. R., R. D., No. 5377 of 2-6-11]

पुस्तक/८९ म. (सुवर्ण)
For 81 m. (Rex)

वन विभाग, महाराष्ट्र राज्य
भरलेल्या रकमेची पावती

14283

पुस्तक क्र. 286 पावती क्र. 'ब'

खालील तपशीलानुसार या जागीरदार
रुपये 10000/- (अक्षरी) 10 हजार रुपये
साधार पोलीस

पा. क्र. 128/18 दि. 18/08/2023	रक्कम
*तपशील	रु. 10000/-
18/08/2023 नुसार जमा झालेला	
10000/- एकूण	10000/-

ठिकाण : कारळा सही

दिनांक : 23/08/2023 (पदनाम)

† कोषागारात भरणा केला

चलान क्रमांक दिनांक
‡ वनक्षेत्रपाल यांच्या रोजकीर्तीत समायोजन करण्यात आले.
पहा — खर्चाची बाब क्र. दिनांक

* वन उत्पादनाचे परिमाण, आकारलेला दर किंवा गुन्हा प्रकरण क्रमांक, भरपाई रक्कम, रवाना केलेला वगैरे किंवा यथोस्थिती परवाना क्रमांक किंवा ज्यानुसार वसुली करण्यात आली ते प्राधिकारपत्र हस्ताक्षरित संपूर्ण तपशील नमूद करणे आवश्यक आहे.

† रक्कम घेणाऱ्या अधिकाऱ्याने पहिल्या व दुसऱ्या भागातील माहिती भरावी.
‡ वनक्षेत्र लिपिकाने ही माहिती भरावी.

FOREST DIVISION, MAHARASHTRA STATE
RECEIPT OF DEPOSIT AMOUNT

14288

Book No. 186

Receipt No. B

Received Rs. 10,000/- from Executive Engineer, EHV Project Division , Amravati for the details mentioned herebelow.

Particulars	Amount	
	Rupees	Paise
Forest offense case No. 128/16 dated 26-11-2020	10,000	00
Rs. 10,000/- by recovering the fine amount from the accused in book no. 286 Challan No. 14288 Payment was made as on 23/08/2023. Submitted by filing the case		
Total	10,000	00

Place :Darwha

Sign. (Sd/-)

Date : 23/08/2023

Designation:

Challan No.

Date:

Paid into the treasury
See

An adjustment was made in the daily career of forest rangers

See – A matter of expense No. _____ Date: _____

* Full details of quantity of forest produce, chargeable door or crime case number, compensation amount, ownership etc. or as the case may be license number or authority under which recovery was made etc. must be mentioned.

The collecting officer should fill the information in the first and second part.
The Forest Clerk should fill this information.

वनपरिक्षेत्र अधिकारी (प्रादे.) दारुहा यांचे कार्यालय

अंबादेवी मंदिरासमोर, आठवडी बाजार दारुहा पिन कोड नं. 445202

दूरध्वनी क्रमांक 077238-755124

Email id - rfdarwha123@gmail.com

पत्र क्र. 900 /2023-24

दारुहा दिनांक - 18.08.2023

प्रति,

कार्यकारी अभियंता

अ.उ.दा.प्रकल्प विभाग, अमरावती

विषय :- वनगुन्हा प्रकरणात दंडाची वसुली करून भरणा करणेबाबत.

संदर्भ : मा. उपविभागीय वनअधिकारी, दारुहा यांचे आदेश क्र. 626 दि. 14.08.2023

उपरोक्त संदर्भित पत्राच्या अनुषंगाने दारुहा वनक्षेत्रातील प्रा.गु.रि. क्र. 128/16 दि. 26.11.2023 प्रकरणात लाडखेड कक्ष क्र. 96 मधुन गेलेले विद्युत वाहीनीचे तार लॉबत असल्याबाबत अतिरिक्त कार्यकारी अभियंता अ.उ.दा. वाहीनी प्रकल्प उपविभाग क्र.1 यवतमाळ यांनी त्यांचे पत्र क्र. 181 दि. 20.05.2022 नुसार सदर तार ओढल्याचे काम अनावधानाने झाल्याने कबुल करून शासकीय नियमानुसार दंड भरण्यास त्यांचे कार्यालय तयार असल्याचे कळविले असल्यामुळे त्यांचे कडुन दंड रु. 10000/- वसुलीचे आदेश करण्यात आलेले आहे.

आपणास कळविण्यात येते की, प्रा.गु.रि. क्र. 128/16 दि. 26.11.2023 वनगुन्हा प्रकरणात भारतीय वन अधिनियम 1927 च्या कलम 26(1)(घ) चे उल्लंघन झाल्याने संदर्भित आदेशान्वये दंड रु. 10000/- रक्कमेचा भरणा क्षेत्रसहाय्यक, पाथ्रड यांच्याकडे करावा.

करीता कळविण्यात येत आहे.

वनपरिक्षेत्र अधिकारी (प्रादे.)
दारुहा

प्रतिलिपी : क्षेत्रसहाय्यक पाथ्रड यांना पुढील उचीत कार्यवाहीस रवाना. आपणास सुचीत करण्यात येते की, सदर प्रकरणातील दंडाची वसुली करून चलान द्वारे शासनास भरणा करावा, व प्रकरण नस्ती करीता या कार्यालयात सादर करावे.

प्र. प्र. प्र. प्र.

18/8/23

प्र. प्र. प्र. प्र.

855444862

855444862

DR/KFO Darwha\वनगुन्हा\वनगुन्हा प्रकरणे पत्र.docx

Office of Range Forest Officer (Regional) Darwha

Front of AmbadeviMandir, weekly Bazar, Darwha Pin No. 445202
Tel. No. 07238-255134 Email Id : - rfodarwha123@gmail.com

No. VPA/900/2023-24

DarwhaDate : 18/08/2023

To,
The Executive Engineer,
EHV Project Division
Amravati

Sub :-Regarding recovery and payment of fines in forest crime case

Ref.: Sub Divisional Forest OfficerDarwhaoffice order No. 626 date 14/08/2023

Pursuant to the above reference letter, Darwha forest area POR No. 128/16 dated 26-11-2023 in the case of Ladhedbeatregarding the hanging of the Electric Cable passed through beat No.96,additional Executive Engineer EHV Transmission Project Sub Division No. 1 Yavatmal in his letter no. 181 dated 20-05-2022, accepted and informed that the said towing work was done unintentionally and informed that his office and is ready to pay the fine as per the government rules. The fine from him is Rs. 10,000/- has been ordered to be recovered.

You are informed that POR No. 128/16 dated 26-11-2023 in the case of forest offense for violation of Section 26(1) (gh) of the Indian Forest Act, 1927, as per the reference order fine of Rs. 10000/- should be paid to Area Assistant Parthad.

Is being informed for

(Sd-)
Range Forest Officer (Regional)
Darwha

Copy: Field Assistant Pathrad forwarded to further appropriate action, it is noticed to you that the fine in the said case should be collected and paid to the Government by challan, and the case should be submitted to this office after disposal.

Outer No. 886/2023-24 Date : 17-08-2023

Ref.: Deputy Conservator of Forest, Darwha letter No. 626 date 14-08-2023

Pursuant to the above reference letter, the said case POR. No. 128/16 dated 26-11-2023 has been filed by Shri /Ku P. V. Rathod Forest GuardLadkhed Bit has been registered and recovery should be made from the below mentioned suspect as shown against his name.

Name and place of residence of the suspect	Cost of goods	compensation for damages	Sales Rate	Total	Details of seized goods	Remark
1. Name of accused : MSETCL, Executive Engineer EHV Project Division, Amravati 2. . Name of accused : ---- ----- Address :----- 3. . Name of accused : ---- ----- Address :----- Superintendent ----- -	In view of the recommendations made after completion of inquiry proceedings at the forest sector level in the said case, under Section 26(1)d of the Indian Forest Act, 1927, Maharashtra Forest Rules. A fine of Rs.10000/- shall be levied as per section of the Act 1871				In Bit Ladkhed C. No. 96 due to the hanging wire of the electric cable, the crimewas unintentionally caused by the accused. Rs. 10,000/- to recover the fine, the case is forwarded for recovery.	

(Sd/-)

Range Forest Officer (Regional)
Darwha

To,
Area Assistant Pathrad

Sir,

Compensation Rs. 10000/- Goods Price Rs - Sale tax Rs. - Cash Receipt No. 14288 Sr. Page No. 286 dated 23-08-2023 Recovered accordingly. Attached is the return receipt

Book No. 286

Challan No. 14288 date : 23-08-2023

आम्हा सोयरे वनचरे



उपविभागीय वन अधिकारी, दारव्हा यांचे कार्यालय, दारव्हा

वनवसाहत परीसर, गोळीबार चौक, दारव्हा 445 202

फोन नं. 07238-254134 E-mail ID - subdivisionardarwaha@gmail.com

क्रमांक : उपविअ/ 626 /2023-24

दारव्हा, दिनांक : 14-08-23

(भारतीय वन अधिनियम १९२७ चे कलम ६८)

कलम 68 (3) नुसार प्राधिकृत अधिकारी तथा उपविभागीय वन अधिकारी दारव्हा यांचे कार्यालय

विषय :- वन अपराध क्र.128/16 दिनांक 26/11/2020 चे प्रकरण तडजोड करणे बाबत.

संदर्भ :- वनपरिक्षेत्र अधिकारी (प्रादे), दारव्हा यांचे पत्र क्र./874/दि.10/08/2023

प्रकरणाचा थोडक्यात तपशील :-

दिनांक 26/11/2020 रोजी कु.पी.व्ही.राठोड, वनरक्षक लाडखेड बीट हे सकाळी पांढूर्णा कक्ष क्र.96 मध्ये गस्त करीत असताना, सदर कक्षामधून अवैधरीत्या विजेची तार गेल्याचे दिसून आले. या तारेचे पोल शेतात दिसून आले त्यावरून सदर क्षेत्राची पाहणी व मोजमाप करून पंचा समक्ष पंचनामा नोंदवून प्राथमिक वनगुन्हा क्रमांक 128/16 दिनांक 26/11/2020 जारी करून प्रकरण पुढील कार्यवाही करीत चौकशीस सादर करण्यात आले असल्याचे नमूद आहे.

सदर प्रकरण अभिसंदानास्तव या कार्यालयास प्राप्त झाल्यानंतर या कार्यालयाचे पत्र क्र./497/दारव्हा, दि.01/10/2021 अन्वये वनक्षेत्र स्तरावरून नियमानुसार संबंधित विद्वत महामंडळ यांचे कडे काय कार्यवाही करण्यात आली असल्या बाबत योग्य त्या खुलाशासह प्रकरणात शिफारस करण्यास प्रकरण परत करण्यात आले. त्यावरून वनक्षेत्र स्तरावरून त्यांचे पत्र क्र.1544/दि.06/10/2021 अन्वये क्षेत्रसहाय्यक पाथ्रड यांना कळवून सदर प्रकरणात संबंधित यंत्रणे कडून खुलासा मागविला असता, अतिरिक्त उच्च दाब वाहिनी प्रकल्प, उपविभाग क्र.1 यवतमाळ यांनी त्यांचे पत्र क्र./181/दि.20/05/2022 नुसार लेखी खुलासा सादर केला. प्रकरणाचा तपास :-

सदर प्रकरणी चौकशी अधिकारी श्री अक्षय एस.करमळकर वनपरिक्षेत्र अधिकारी, दारव्हा व श्री पी.बी.निवल क्षेत्रसहाय्यक पाथ्रड (तत्कालीन) यांनी केलेल्या तपासात तसेच वरील महाराष्ट्र विद्वत पारंपण कं. मर्या.यवतमाळ यांचे उपविभाग क्र.१ अंतर्गत येणा-या लेखी खुलाशा वरून खालील बाबी निदर्शनास येत आहे.

१. सदर महाराष्ट्र विद्वत पारंपण कं.मर्या.यवतमाळ यांचे अंतर्गत येणा-या 132 के.व्ही. यवतमाळ-दारव्हा-वाहिनीच्या मनोरा क्र.40-41 मधील तारे ओढण्याचे काम मौजा पांढूर्णा गावातून दि.12/10/2019 रोजी करण्यात आले. सदर वाहिनीचा मनोरे शेतात असल्या कारणाने व सदर जागा हि शेतीमध्ये आहे असे जाणवल्याने अनावधानाने पांढूर्णा गावातील सर्वे क्र.31 कक्ष क्र.96 मधील तारे ओढण्यात आलीत.

२. सदर वाहिनीचे तारे ओढण्याचे काम हे अनावधानाने झाले असून, वाहिनी कार्यान्वित करण्याच्या दृष्टीने तारे ओढण्यात आली होती. परंतु तारेचे या वाहिनीत कोणत्याही प्रकारचा वीज प्रवाह प्रवाहित करण्यात आला

सदर वाहिनीचे दि.15/05/2022 रोजी सुरक्षित अंतरावर ओढण्यात आलेली असून, या तारेचे अंतर सुरक्षेच्या दृष्टीने राखण्यात आले आहे.

सदरचे निष्कर्ष :-

सदर गुन्हा प्रकरणात होणा-या शासकीय दंडाची रक्कम भरण्यास संबंधित कार्यालय यांनी त्यांचे पत्रान्वये कळविली दिली आहे.

सदर पांढरणी कक्ष क्र.96 मधील तार बाधित जमीन विद्धत वाहिनीच्या वापरा करिता वनसंवर्धन विभाग 1980 नुसार प्रस्ताव कार्यकारी अभियंता अ.उ.दा.प्रकल्प विभाग,अमरावती यांचे मार्फत सदर गुन्हाच्या वरिष्ठ कार्यालयाकडे परवानगी करिता प्रस्तावित असल्याचे नमूद केले आहे.

सदर प्रकरणी विनापरवाना तार ओढणे हि बाब वनसंवर्धनाच्या दृष्टीने धोकादायक/घातक कृत्य झाल्याचे दिसून येते. त्यामुळे विनापरवाना अनावधानाने का होईना भारतीय वन अधिनियम 1927 चे कलम 26 (1) (घ) नुसार सदर गुन्हा घडलेला आहे व भविष्यात असे घडू नये त्या कारणास्तव वरीलप्रमाणे प्रकरणातील सर्व चौकशी व लेखी जबाबाचे अवलोकन करून खालीलप्रमाणे आदेश पारित करण्यात येत आहे.

आदेश क्र./ 41 /2023 दारव्हा, दिनांक - 14-08-2023

आदेश

- 1) भारतीय वन अधिनियम 1927 चे कलम 26 (1) (घ) नुसार सदर गुन्हा घडलेला आहे. तसेच वनसंवर्धन अधिनियम 1980 चा भंग करणे बाबत रु.10,000/- (अक्षरी रुपये दहा हजार फक्त). उक्त आरोपी कडून भरणा करून घ्यावी.
- 2) सदरचा यापुढे वनसंवर्धन अधिनियम 1980 चा भंग होईल अशाप्रकारची कार्यवाही होणार नाही याबाबत सक्त ताकीद देण्यात येते.
- 3) सदर प्रकरणी आरोपी यांचे कडून सदर रक्कमेचा भरणा केल्यानंतर वनपरिक्षेत्र अधिकारी(प्रा.),दारव्हा यांनी सदर प्रकरणी आरोपी यांचे विरुद्ध सदर गुन्हा करिता पुढे कोणतीही कार्यवाही करण्यात येवू नये.
- 4) सदरचे प्रकरण निकाली काढण्यात येत आहे.
- 5) वनपरिक्षेत्र अधिकारी (प्रा.), दारव्हा यांनी उपरोक्त कार्यवाहीची पूर्तता करून प्रकरण नस्ती करिता या कार्यालयास तात्काळ सादर करावे.

सहपत्र :- मुळ प्रकरण (संदर्भानुसार)

प्रामाणिक अधिकारी तथा
उपविभागीय वन अधिकारी, दारव्हा

प्रति,

वनपरिक्षेत्र अधिकारी (प्रा.),

दारव्हा

प्रतिलिपि :- भा.उपवनसंरक्षक (प्रादे), यवतमाळ वन विभाग, यवतमाळ यांना माहितीस सविनय सादर

Office of the Sub Divisional Forest Officer, Darwha

Forest colony area, Golibar chowk, darwha 445 202
Tele No. 07238- 254134 , E-mail ID – subvdivisiondarwha@gmail.com

No. : Sub Division forest office/626/2023-24

DarwhaDate :14-08-2023

(Indian Forest Act 1927 Section 68)

Office of the Authorized Officer and Sub-Divisional Forest Officer Darwha under section 68 (3).

Sub: Forest Crime No. 128/16 date 26/11/2020 Regarding compromising the case

Ref.: Range Forest Officer (T), Darwha letter No./V.P.A./874/Darwha, Date 10/08/2023

Brief details of the case:

On date 26/11/2020 Ku. P.V. Rathod, Forest Guard Ladhed bit, this morning while patrolling C.No. 96, it was seen that the electric wire was illegally passed from the said area. The poles for these wires found in the field. Accordingly as per the observation and measurement of the said area, the Panchnama was registered before the Pancha and the preliminary forest crime number 128/16 dated 26/11/2020 was submitted for further investigation.

After the said matter was received by this office, this office's letter no. 497/Darwha dated 01/10/2021 the case was remanded for recommendation in the case with appropriate disclosure regarding the action taken from the forest sector level to the concerned Electricity Department as per rules. From that, from the forest area level, his letter no. 1544/dt 6/10/2021 informing the Field Assistant Pathrad and seeking clarification from the concerned system in the said case, Additional EHV Transmission Project Sub-division no.1 Yavatmal wrote his letter no. /181 dated 20/05/2022 for written disclosure in this regard.

Investigation of the case:

In the said case, inquiry officer Mr. Akshay S. Karmalkar, Forest Range Officer, Darwha and Mr. P. B. Niwal Area Assistant, Pathrad (then) investigation conducted as well as written explanation submitted by sub-division 1 of Maharashtra Electricity Transmission Company Limited. Yavatmal, the following points are observed.

- 1 Maharashtra Electricity Transmission Company Limited Yavatmal carried out wire pulling work of 132KV Yavatmal-Darwha Transmission Tower No. 40-41 from Mauje Pandhurna village on 12-10-2019. This place is in agriculture because the towers of the line are in the field. Realizing this, he unintentionally conducted a stringing of wires in Pandhurna village. Survey No.31 C.No.-96.
2. The work of pulling the wires of the said line has been done unintentionally, the wires were pulled for the purpose of making the line operational. But no electric current was flowed in the wire. The said wire has been pulled at a safe height on 15/05/2022 and the distance of this wire has been maintained for safety reasons.

Findings of Inquiry:

1. concerned office has given their written acknowledgment to pay the amount of government penalty in forest crime case.

2. Proposal under Forest Conservation Act 1980, for said Forest area of Pandhurna C.No 96 is submitted by Executive Engineer EHV Project Division, Amravati. It has been mentioned that the proposal is process of getting approval from competent authority of the Forest Department.
3. In the said case, it is seen that without approval wire pulling is a dangerous/dangerous act in terms of forest conservation. Therefore, the said crime has been committed as per Section 26 (1) (d) of the Indian Forest Act, 1927, though unintentionally or without permission. And for the reason that this should not happen in the future, the following order is being passed after reviewing all the inquiries and written responses in the case as above.

Order No. 41/2023 Darwah, dated 14-08-2023.

Order

1. An offense has been committed under Section 26 (1) (d) of the Indian Forest Act, 1927. Also regarding violation of Forest Conservation Act 1980 Rs. 10,000/- (Rupees Ten Thousand Only) should be collected from the said accused.
2. A strict warning is given that no further any act of such violation shall happen of the Forest Conservation Act 1980 in future.
3. After payment of the said amount by the accused in the said case, the Forest Range Officer (T), Darwha should not take any further action against the accused in the said case for the said crime.
4. The matter is being settled.
5. The Forest Range Officer (T), Darwha should complete the above procedure and submit it to this office immediately for clearance.

Encl :- Original Case (as per reference)

(Sd/-)
Authorized Officer
And
Sub Divisional Forest Officer,
Darwha

To,
The Forest Range Officer (T),
Darwha.

Copy : Information submitted to Deputy Conservator of Forests (T), Yavatmal

वनपरिक्षेत्र अधिकारी (प्रादे.) दारव्हा यांचे कार्यालय

अंबादेवी मंदिरासमोर, आठवडी बाजार दारव्हा पिन कोड नं. 445202
दरव्हा क्रांती क्रमांक 117728-755124

Email id - rfrdarwha123@gmail.com

क्रमांक/वपअ/ ८७४ /२०२३-२४

दारव्हा दिनांक - १०.०८.२०२३

प्रति,

मा. उपविभागीय वनअधिकारी
दारव्हा

विषय :- वनगुन्हा प्रकरणे चौकशी करून अभिसंदानाकरीता सादर करणेबाबत.


संदर्भ : आपले कार्यालयीन पत्र क्र. १३७ दि. २५.०५.२०२२

उपरोक्त विषयान्वये दारव्हा वनक्षेत्रातील वनगुन्हा प्रकरणे चौकशी करून, संदर्भित पत्रानुसार तृटीची पूर्तता करून अभिसंदानाकरीता शिफारसीसह सादर करण्यात येत आहे. वनगुन्हा प्रकरणाचा तपशिल खालील प्रमाणे.

अ. क्र.	वनगुन्हा चा प्रकार	वनगुन्हा क्र.	दिनांक	शिफारस
1	इतर	128/16	26.11.2020	सदर प्रकरणात लाडखेड कक्ष क्र. 96 मधुन गेलेले विद्युत वाहीनीचे तार लोवत असल्याबाबत अतिरिक्त कार्यकारी अभियंता अ.ऊ.दा. वाहीनी प्रकल्प उपविभाग क्र. 1 यवतमाळ यांनी त्यांचे पत्र क्र. 181 दि. 20.05.2022 नुसार सदर तार ओढल्याचे काम अनावधानाने झाल्याने कबुल करून शासकीय नियमानुसार दंड भरण्यास त्यांचे कार्यालय तयार असल्याचे कळविले असल्यामुळे त्यांचे कडुन दंड रु. 10000/- वसुलीचे आदेश व्हावे करीता शिफारस करण्यात येत आहे.

अभिसंदानाकरीता सविनय सादर.

सहपत्र : वरिल प्रमाणे (प्रकरण-१)


वनपरिक्षेत्र अधिकारी (प्रादे.)
दारव्हा

English Translation

Office of Forest Range Officer (Regional) Darwa

Front of AmbadeviMandir, weekly Bazar, Darwha Pin No. 445202
Tel. No. 07238-255134 Email Id : - rfodarwha123@gmail.com

No. VPA/874/2023-24

DarwhaDate : 10/08/2023

To,
Sub Divisional Forest Officer,
Darwha

Sub: Regarding investigation and submission of forest crime cases for reconciliation

Ref.: Your office Letter No. 137 dated 25/05/2022

According to the above mentioned forest crime cases in Darwha, forest area are being investigated and the errors are rectified as per the reference letter and recommendations are being made for reconciliation. The details of the forest crime case are as follows.

Sr. No.	Type to Forest Crime	Forest Crime No.	Date	Recommendation
1	other	128/16	26-11-2020	In this case ofLadkhedregarding dangling of Transmission lines passed through C.No. 96 , Additional Executive Engineer EHV Project Sub Division No 1, Yavatmal,. letter no.181 dated 20/5/2022, has informed as the work of pulling the said wire was done unintentionally, as his office has informed that he was ready to pay the fine as per the government rules, the fine from him Rs. 10000/- is recommended to be ordered for recovery.

Submitted for reconciliation

Encl : As above (Chapter-1)

(Sd/-)
Forest Range Officer (Regional)
Darwha

विषय: मा. उ. सि. क्र 128/16 दि 28/11/20
 ये व. को प्रसी व क्या न नोदपुव अविशेष
 कलियां साहर करणे पावते.
 मा. मा हे कोर पावड/59/2012-23
 पावड दि. 20/5/2022

मा. वनपरिक्षेत्र अधिकारी
 हारण (श)

महोदय,

वसिष्ठ विधानावधे कलियान जेवे छि होवे सावर पावड
 क्षेत्राव निमत होत नाकामडे कस क १६ मयून विना परवाना महाराष्ट्र राज्य
 विधान कलियान क. मा. वि. सि. क्र 128/16 अ. उ. सि. क्र 128/16 अ. उ. सि. क्र 128/16
 अमरावती जेवळी विना परवाना विधान कलियान क. मा. वि. सि. क्र 128/16 अ. उ. सि. क्र 128/16
 उरि कलियान अमरावती सावर पावड विधान कलियान क. मा. वि. सि. क्र 128/16 अ. उ. सि. क्र 128/16
 नसून त्याचे वधानावधे विधान कलियान क. मा. वि. सि. क्र 128/16 अ. उ. सि. क्र 128/16
 जेवळी परवाना कलियान क. मा. वि. सि. क्र 128/16 अ. उ. सि. क्र 128/16
 अलियान कलियान क. मा. वि. सि. क्र 128/16 अ. उ. सि. क्र 128/16
 कायदेवधानावधे कलियान क. मा. वि. सि. क्र 128/16 अ. उ. सि. क्र 128/16
 उरि कलियान क. मा. वि. सि. क्र 128/16 अ. उ. सि. क्र 128/16
 ते शासकिय विधान कलियान क. मा. वि. सि. क्र 128/16 अ. उ. सि. क्र 128/16

कलियान कलियान क. मा. वि. सि. क्र 128/16 अ. उ. सि. क्र 128/16

क्र २०	मा. उ. सि. क्र	दि	निमत होत
17	128/16	28/11/2020	का. कलियान

सावर पावड अविशेषावधे कलियान कलियान

वधानावधे कलियान कलियान

P.B. N. N.
 पी. बी. निवेल
 वेहायक... 11/11/2022

न. प. मा (श) दाखल मोने
 corening 10/11/2022
 त्वर रिजिस्टर करणे
 28/5

English Translation

Sub: POR. No. 128/16 date 26/11/2020
Regarding inquiry and statement to be recorded
and submitted for reconciliation
Out No. Area/S/Pathrad/59/2022-23
Pathrad dated 20/05/2022

To,
The Forest Range Officer (Regional)
Darwha

Sir,

In connection with the above, it is informed that, under the area Pathrud, the designated area LadhedeC.No.96 ,Maharashtra State Electricity Transmissions Co. Ltd. through The Executive Engineer EHV Project Division, Amravati is accused for pulling electric wires without permission. When notice issued, no seizure and statement of the said project department was recorded, but for recording of their statement the case under letter no. 1544 dated 6/10/2021 is reported and there was delay in meeting and identification of the said engineer. The said engineer wrote on 20/5/2022 after which he recorded his statement from the office. By agreeing with his statement, POR. No. 128/16 as per his statement submitted for consultation, he is ready to pay the fine as per terms and conditions as per government rules.

Submitted for further action and consideration

<u>Sr. No.</u>	<u>POR.No</u>	<u>Date</u>	<u>Designated area</u>
1	128/16	26/11/2020	Ladhede

Case presented for consideration

Encl : Complete Case

Field AssistantPathrad

(Sd/-)
P.B. Nival

खटल्याचा चौकशीची गतवार हकीकत (हकीकत रोजनिशी)

- 1) गुन्हेगाराचे नांव, जात व राहण्याचे ठिकाण } ~~महाराष्ट्र राज्य विद्युत परिक्षा केंद्र~~
(नाहित असल्यास) } ~~लॉर्ड डायनारी कमिथिंत ४.३६ सकल विभाग उपस्थित~~
- 2) गुन्हेगारीचा जागा व तपशील ~~लॉर्ड डायनारी कमिथिंत ४.३६~~
- 3) जप्त केलेली मालमत्ता

- ४) गुन्हा केल्याची तारीख व वेळ २६/११/२०२० ५) तपास केल्याची तारीख व वेळ ११/२/२०२०
६) गुन्हा शोधून काढणाऱ्या } कु. सि. वि. - २६/११/२० ७) प्राथमिक गुन्ह्याचा रिपोर्ट } १२८/१६
अधिकाऱ्याचे नांव व हुद्दा } वनरक्षक बालाजी संबर व तारीख } २६/११/२०२०
८) प्राथमिक रिपोर्ट मिळाल्याची तारीख व वेळ २७/११/२०२०

चौकशी सुरु होण्याची तारीख व वेळ	ठिकाण	चौकशी करणाऱ्या अधिकाऱ्याने केलेल्या खटल्याची संक्षिप्त हकीकत (टिप) - चौकशी अधिकाऱ्याने प्रत्येक नोंद चौकशी केल्या बंद झाली ह्या बाबत तारीख व आपली सही लेखी पाहिजे	चौकशी करणाऱ्या अधिकाऱ्याची सही व तारीख
9	२	3	8
27/11/2020	पायड	आज रोजी केस चौकशी करिता मिळाला.	P.B.N.Y. पी.बी.नि. क्षेत्र सहाय्यक
1/12/2020	पायड	आज शेती सेक्शनम कारका मध्ये लॉकर थिएटर मल्लपुर विरुद्ध रु. 96 मध्ये कोर्टाने शिफ्ट पारितोषिक म्हणे घ्यावा लागते आहे व क्षेत्राच्या नोकरी पाहणी ठेकी त्याचा अर्थ सेक्शनममध्ये पोला विशेषता उर्वर असून हे कार्य शिफ्टमध्ये काम करण्या क्रमे ते म-परिवृत्त नंतर येतो असेल हे कार्य जमीनी खर्गामे उपक्रम काढायला देऊन असल्यामुळे शिफ्ट एवढे सांगिते चोटणी निपाय होईल.	P.B.N.Y. पी.बी.नि. क्षेत्र सहाय्यक
5-2022	पायड	आज शेती इन्स्पेक्टर कमल मोहंवालें	P.B.N.Y. पी.बी.नि. क्षेत्र सहाय्यक
- 2022	पायड	सर सरवर भा. वनपरिवेश अधिकारी (मेदे) वक्त मांना सुधीष कुपवारिस शाहर	P.B.N.Y. पी.बी.नि. क्षेत्र सहाय्यक

Case Investigation Past Facts (Daily Diary)

1. Name, caste and residence of the offender : Maharashtra State Electrical Transmission Co. Ltd.
(if known) Executive Engineer EHV Project Divison Amravati

2. Place and details of crime :Ladkhed BeatC.No. 96

3 PropertySized:

4. Date and time of Crime : 26/11/2020

5. Date and time of investigation : 01/12/2020

6. Name and rank of the officer investigating the crime :Ku.V.P. Rathod, Forest Guard Ladkhed

7. Primary Offense Report No. Date : 12//16 , 26/11/2020

8. Date and time of receipt of preliminary report : 27/11/2020

Start Date and Time for Inquiry	Place	Brief facts of the case made by the Inquiring Officer (Note) The Inquiring Officer should date and sign each entry as to when the inquiry was closed.	Signature and Date of the Inquiring Officer
1	2	3	4
27/11/2020	Pathrad	The case was received for investigation today	(Sd/-) P. B. Nival Field Assistant Pathrad
01/12/2020	Pathrad	Today, along with the concerned forest guard, Lalkhed beat the site is inspected for trees and wire. When we asked the concerned farmers about the ownership of the trees and the area under the electricity cable passing through C.No.96, the concerned farmers told us that it belongs to the Maharashtra State Electricity Transmission Co. Ltd. and the compensation for effected area related to said construction is received to us. Accordingly enquiry and investigation completed.	(Sd/-) P. B. Nival Field Assistant Pathrad
20/05/2022	Pathrad	The statement of the accused was recorded today	(Sd/-) P. B. Nival Field Assistant Pathrad
21/05/2022	Pathrad	The said case submitted to The Forest Range Officer (T),Darwha for further action	(Sd/-) P. B. Nival Field Assistant Pathrad

महाराष्ट्र राज्य विद्युत पारेषण कं. मर्यादित

CIN No. U40109MH2005SGC153646

प्रेषक:

अतिरिक्त कार्यकारी अभियंता

अ.उ.दा वाहिनी-प्रकल्प उपविभाग क्र.१

घर क्र.६४ सत्यनारायण लॅआउट आर्णी रोड. यवतमाळ

Email:- adee1624@mahatransco.in

Mob No.8554917575

अति.का.अभि/अ.उ.दा/वाहिनी/प्रकल्प/उपवि-१/यवतमाळ/क्र.१८१

दि. २०.०५.२०२२

प्रति,

मा. वन परिक्षेत्र अधिकारी,

दारव्हा

(तर्फे कार्यकारी अभियंता अ.उ.दा.प्रकल्प विभाग अमरावती)

विषय: १३२के व्ही यवतमाळ-दारव्हा वाहिनीच्या मनोरा क्र.४०-४१ मधील पांढूर्ना गावातील सर्वे क्र.३१ कक्ष क्र ९६ मधील ओढलेल्या वाहिनी बाबत.

संदर्भ: १) आपले पत्र क्र.१५४४/२०२१-२२ दि.०६.१०.२०२१

महोदय,

वरील संदर्भीय विषयांअन्वये या उपविभाग अंतर्गत येणाऱ्या १३२के व्ही यवतमाळ-दारव्हा वाहिनीच्या मनोरा क्र.४०-४१ मधील तारे ओढण्याचे काम मौजा पांढूर्ना गावातून दिनांक १२.१०.२०१९ रोजी करण्यात आले. सदर वाहिनीचा मनोरे शेतात असल्या कारणाने व सदर जागा हि शेतीमध्ये आहे असे जाणवल्याने अनावधाने पांढूर्ना गावातील सर्वे क्र.३१ कक्ष क्र. ९६ मधील तारे ओढण्यात आलीत. आपल्या संदर्भ क्र.१ नुसार या मनोरा क्र.४०-४१ मधील तार लोंबकळत असल्याबाबत वन गुन्हा प्रकरणाबाबत हे कार्यालय कार्यकारी अभियंता अ.उ.दा.प्रकल्प विभाग अमरावती तर्फे बयान देत आहे की.

१) सदर वाहिनीचे तारे ओढण्याचे काम हे अनावधानाने झाले असून वाहिनी कार्यान्वित करण्याच्या दृष्टीने तारे ओढण्यात आली होती ताचेच या वाहिनीत कोणत्याही प्रकारचा वीज प्रवाह प्रवाहित करण्यात आला नव्हता सदर वाहिनीचे दिनांक १५.०५.२०२२ रोजी सुरक्षित अंतरावर ओढण्यात आलेली असून या तारांचे अंतर विद्युत सुरक्षेच्या दृष्टीने राखण्यात आले आहे.

२) वनगुन्हा प्रकरणात होणार्या शासकीय दंडाची रक्कम हे कार्यालय भरण्यास तयार आहे.

३) वनक्षेत्र पांढूर्ना मधील सर्वे क्र ३१ कक्ष क्र.९६ मधील तार बाधित जमीन विद्युत वाहिनीच्या वापराकरिता वन संरक्षक कायदा १९८० नुसार प्रस्ताव कार्यकारी अभियंता अ.उ.दा.प्रकल्प विभाग अमरावती यांचे या प्रकरणात प्रक्रिया आपल्या वरिष्ठ कार्यालयाकडे परवानगी करिता प्रस्तावित आहे.



अतिरिक्त कार्यकारी अभियंता

अ.उ.दा वाहिनी प्रकल्प उपविभाग क्र.१ यवतमाळ.

प्रतिलिपी,

१ मा.कार्यकारी अभियंता अ.उ.दा.प्रकल्प विभाग अमरावती.

२) मा.क्षेत्र सहाय्यक पाथड.

English Translation

MAHARASHTRA STATE ELECTRICITY TRANSMISSION CO. LTD.
CIN No. U40109MH2005SGC153646

Additional Executive Engineer
EHV, Project Sub Division No.1
House No,64 Satynarayan layout Arni road, Yavatmal
Email : adee1624@mahatransco.in
Mob No. 8554917575

Addl EE/EHV/line/Project/SubDin-1/Yavatmal/No. 181

Date 20-05-2022

To,
The Range Forest Officer,
Darwha

(Through Executive Engineer EHV Project Division Amravati)
Sub: 132 KV Yavatmal-Darwha Transmission line Tower No. 40- 41 between village of
Pandhurna Survey No. 31, C.No. 96 regarding

Ref.: 1) Your letter No.1544/2021-22, Date 06/10/2021

Sir,

With reference to above subject work of 132KV Yavatmal-Darwaline between Tower No. 40-41 work of conductor stringing from Mauje Pandhurna village is carried out on 12-10-2019. Being subjected towers are in agriculture land and assuming land in between also agriculture land, unintentionally conducted a wire stringing in Pandhurna village. 31 C.No. 96. This office is giving a statement on behalf of the Executive Engineer, EHV Project Division, Amravati, regarding the forest crime case regarding the wire hanging between Tower No. 40-41, state that

1. The work of pulling the wires of the said line was done unintentionally and the wires were pulled for the purpose of functioning of the line. Also, no electricity was flowing in this line, the said line was pulled to a safe distance on 15-05-2022 and the distance of these wires has been maintained for electrical safety.

2. This office is ready to pay the government fines in forest crime cases.

3. Proposal submitted by Executive Engineer, EHV Project Division Amravati, under Forest Conservation Act 1980 for forest area of Survey No. 31 of Pandhurna. C.No. 96 for the use of wire affected land, is in process at higher office for approval from competent authority of forest department.


(Sd/-)

Addl. Executive Engineer
EHV Line Project Sub Division No.1
Yavatmal

CC: 1. Executive Engineer, EHV Project Division Amravati.
2. Field Assistant Pathrad



वनपरिक्षेत्र अधिकारी (प्रादेशिक) दारव्हा यांचे कार्यालय

अंबादेवी मंदिरासमोर ता.दारव्हा जि.यवतमाळ
दुरध्वनी क्र. (07238) 255134 Email Id - rfodarwha123@gmail.com

क्रमांक /वपअ/ 1544/2021-22

दिनांक :- 06 / 10 - /2021

विषय :- गरता करतेवेळी विजेचे तार लोंबकत असल्याबाबतचे वनगुन्हा प्रकरणाबाबत .

संदर्भ :- मा.उपविभागीय वन अधिकारी ,दारव्हा यांचे पत्र क्र.497 दि.01/10/2021.

उपरोक्त संदर्भीय पत्रानुसार आपणास कळविण्यात येते कि , आपण अभिसंधानास्तव सादर केलेल्या प्रकरणातील नियतक्षेत्र लाडखेड परिमंडळ पाथंड कक्ष क्र.96 मधील प्रा.गु.री.क्र. 128/16 हे प्रकरण अभिसंधानाची शिफारस करुन या कार्यालयास सादर केले . तरी सदरचे प्रकरण यासोबत पाठविण्यात येत असुन संबधित प्रकरणावर आपले स्तरावरुन नियमानुसार संबधित विद्युत मंहामंडळाकडे काही कार्यवाही करण्यात आली असल्यास किंवा नसल्यास प्रकरणी शिफारस करण्यात येवुन सद्यस्थिती अहवाल सादर करावा .

(ए.एस.करमळकर)

वनपरिक्षेत्र अधिकारी (प्रादे.)
दारव्हा

प्रति ,

क्षेत्र सहाय्यक पाथंड

प्रतिलिपी :- मा.उपविभागीय वन अधिकारी ,दारव्हा यांना माहीतीस सविनय सादर .

English Translation

Office of Forest Range Officer (Regional) Darwha

Front of AmbadeviMandir, weekly Bazar, Darwha Pin No. 445202
Tel. No. 07238-255134 Email Id : - rfodarwha123@gmail.com

No. VPA/1544/2021-22

Date : 06/10/2021

Subject: Regarding forest crime case regarding dangling electric wires observed while patrolling.

Ref.: Sub Divisional Forest Officer, Darwha letter No. 497 dated 01/10/2021.

As per the above reference letter you are informed that regarding case submitted for appraisal by you of beat Ladhed circle Pathrad C.No. 96 , POR No. 128/16. The case was submitted to this office with recommendation of appraisal. The said case is being sent herewith and if any action has been taken at your level to the concerned Electricity Corporation as per the rules or not, a recommendation should be submitted in the case and a status report should be submitted.

(Sd/-)
(A.S. Karmalkar)
Forest Range Officer (T)
Darwha

To,
Field Assistant Pathrad

CC to : Sub Divisional Forest Officer, Darwha, submitted for information

आरोग्य-महाराष्ट्र राज्य पिछुन रविषण्ड कमयलिस
लक्ष कार्यकारी अधिकारी अ.उ.दा. प्रकल्प विभाग अमरावती

कार्यान्वयन पाठवावयाचे

* कार्यालयीन प्रत

कार्यान्वयन पाठवावयाचे

* दुसरी प्रत

1927 चे कलम 26 (1) च्या नुसार

* तिसरी मूळ प्रत

वन अपराध पहिले प्रतिवृत्त

128/16

दि. 26/11/2020 (परिमंडल अधिकार्याने द्यावयाचा तपशील)

नियतक्षेत्र- लाणखंड

परिमंडल- पाण्डुरा

दाखल दि.

अपराधाचा तपशील- गस्त करते वेळेस विजेचे तार
कोठे घडला- तार जाळून आले
कस क 96 मध्ये

रवाना दि.

परिमंडल अपराध

वनपरिक्षेत्र अधिकारी (प्रा)
दारुवा जि.यवतमाळ
आवक क्र.:-
दिनांक :- 27-11-2020
(सही)

कैद्याची काय व्यवस्था केली- पुणेनामा केऊन पुतीळ
माल अडकवला- कार्यवाही सगळी शाहर

दाखल दि.

परिमंडल अधिकारी (प्रा)
वनगुन्हा नांद वेही
जा.क्र. 1880 दि 27-11-2020

त्याची व्यवस्था काय केली-

विभागीय अधिकारी, दारुवा, पाण्डुरा, करनव र. नांदी याचे तार जाळून
विभागीय अपराध विभागाकडे देवही क
आहे सदर प्रकरणात चौकशी पुढा केली जाऊन
तात्काळ या कार्यालयास सूचित करावे

मुक्काम लाणखंड

दिनांक 26/11/2020

समज P.B.N.Y.V.
पी.बी.निवल

क्षेत्र सहाय्यक, पाण्डुरा
(ई-82)

कु.पी.व्ही.गुणे
र.र. लाणखंड

आवश्यक ते ठेवावे.

(सही)
विभागीय वन अधिकारी,

भाग

English Translation

Accused – Maharashtra State Electricity Transmission Co. Ltd.
through Executive Engineer EHV Project Division, Amravati.

To be sent to the officer

* Office Copy

To be sent to the officer

* Second Copy

* Third Copy

Under Indian Forest Act 1927 of section 26 (1) D

Forest Crime First Information Report

POR No. 128/16

Date 26/11/2020 (Details to be furnished by Circle Officer)

Designated area :Ladkhed

Circle – Pathrad

Date of Report :27/11/2020

Details of Crime :During patrolling,
hanging electric wires were found

Send Date :

Crime Place : Desk No. 96

Circle Crime No.

What arrangements were made for the prisoners?
Panchnama is submitted for further action

Date of entry: 1880 dated 27/11/2020

Goods Stuck :

Departmental Order no.

What arrangements have been made, stay

Divisional Crime Register no

Place :Ladkhed

Date: 26/11/2020

Sd/-

Sd/-

P.B. Nival
Field Assistant, Pathrad

Ku. P.V. Rathod
Guard Ladkhe

Sd/-

Divisional Forest Officer

English Translation

Paste it here

Full Length of Electric Wire - : East-West 116m
: Width North - South 27m
The area on the ground is 0.45 Are

Latitude : 20°17'31"

Longitude : 77°56'49"

Panch : 1) SachinBhaskarMeshram : Res. Jambhora (Sd/-) (Sd/-)
2) Arjun MarotiAswar : Res. Ladheda Ku. P.V. Rathod, P.B. Nival
Guard : Ladheda Field Assistant : Pathrad

Book Post,

Government of India Service

To,

Circle / Divisional Forest Officer,

-----Circle/Division,

Place

Revenue
Stamp


Area Guard :

मी खालील सही करणार वनरहण नोमे कु.पिती करत
शेठ आज दि. २६/११/२०२० शेजी मासे सत्य व्याण
लिहून देते की, मी आज शेजी कष्ट कृ. १६ पाईणी येथे सत
गस्त करित असतांना मला सहर कष्टमधून अवेद्यरित्या विजेची
तार गेल्याचे दिसून आले. या तारेचे पोल बघितले असता ते
शेतात दिसले.

थावरून मी पंचनामोफा ठिकाणी बोलाविले सहर
होताची पाहणी व भोजमाय करून पंचनामा केला व पुढील
कार्यवाही करिता या.शु.रि.कृ. १२४/१६ दि. २६/११/२०२० चे
जारी केला.

सहर विजेची तार शक्ती बेशक्ती टाकली असली असे
दिसून येते.

करिता व्याण सेवेशी सविनय सादर


कु.पी.व्ही.राव
व.र. लक्ष्मी

English Translation

I will sign the following Forest Guard Name Ms. PreetiVarlalRathod writes my true statement today dated 26/11/2020 that, While patrolling in C. No. 96 in the morning at Pandhurani, I noticed that the electric wire was illegally passed from the said compartment. The poles of this line, was seen in the field.

Based on this, I called the Panch to a suitable place after inspecting and measuring the said area and made Panchnama and for further action POR. No. 128/16 issued on 26/11/2020

It appears that the said electric wire must have been laid overnight

Submitted reportat service

(Sd/-)
Ms. P.V. Rathod
Forest Guard
Ladkhed

मोका पंचनामा

पंचलोक जेम् - 1> सचिन भास्करराव मेघाम वय 33 वर्ष
थ. रोजमजुरी रा. जांभोरा ता. हारळा जि. चवतमा

2> अर्जुन मारोती अस्वार वय 56 वर्ष
थ. रोजमजुरी रा. लाडखेड ता. हारळा जि. चवतमा

आज दि. २६/११/२०२० रोजी मा. हेतसहाय्यक (पाथड व वनरक्षक लाडखेड वीट यांनी बोलवल्यावरून त्यांचे सोबत लाडखेड वीटत कहा कु. ७६ पांढुणी मध्ये वास्त करित असता अचानक वर लहस गेले असता वरून विजेचे तार येण्यावर दिव्शन गेल्याचे दिसून आले. आम्हा पंचासमक्ष वनकर्मचारी यांनी विजेचे तार गोळेले हेत फिक्क पाहिले असता सहर विजेच्या ताराचे पोलांची पाहाणी केली असता पूर्वेकडील व पश्चिमेकडील शेतात उभारल्याचे आढले. सहर विजेचे तार गेलेल्या हेताची मोजणी केली असता पूर्व पश्चिम लांबी १६६ उत्तर - दक्षिण रुंदी २७ मी व जमिनी पासून ३ ते ४ म उंचीत लोखकळ असल्याचे दिसून आले. सहर विजेच्या ताराखालून गोळेले सवूण होत ०.४५ आर एवढे आढळून आले व ह्या क्षेत्रात माधिल सांश्याची पाहाणी व मोजणी केली असता ती पुढील प्रमाणे आढळून आली. (GPS Reading 20°17'31"N 77°56'49"E)

अ.क्र.	प्रजात	गोळाई			रावूण	ए. मी	दि.
		15/30	31/45	46/60			
1>	हिवर	02	02	01	05	0.083	23
2>	निंब	-	01	-	01		

सहर धडलेल्या हेताच्या दृष्टे वाढत वनकर्मचार्यांनी आम्हा पंचासमक्ष - आजूबाजूच्या कास्तकारांना विचारण केली व सहर विजेची तार कुणी लावली त्यांची माहिती मिळाली नाही. करिता आम्ही पंचलोकांनी मोठ्याच्या पंचनामा लिहून दि. पंचनामा सकाळी ९.०० वाजता सुरु करून दुपारी १.०० वाजता पूर्ण आम्ही पंचोना पंचनामा वाचून, समजून घेऊन कोठल्याही हउपणा खाली न येता पंचनाम्यावर सह्या ठेव्या.



पंचनामा मी स्वतः नोंदविला

कु. पा. चं. रा. कंड

समक्ष

पी. बी. निवल

पंचनामा सख्या

1> 


MokaPanchnama

Panchalok Names 1) SachinBhaskarMeshram Age 33 Years Occupation Daily Labour,
Res. JambhoraTaluka DarwahDist. Yavatmal

2) Arjun MarotiAswar Age 57 Years Occupation Daily Labourer,
Res. Ladkhed TalukaDarwah Dist. Yavatmal

Today on 26/11/2020 after being called by the Field Assistant (Pathrad) and Forest Guard Ladkhed Beat, while patrolling in C. No. 96 Pandhurana, when he suddenly looked up, it was seen that the electric wires had stringed. Forest staff first visited the area in front of us where the electric wire had gone and inspected the tower of the said electric wire. When the area where the said electric wire passed was measured, it was found that the east-west length was 166 m, the north-south width was 26 m and it was vertical at a height of 3 to 4 m from the ground. The total area under the said electric wire was found to be 0.45 R and when the trees in this area were inspected and counted, it was found as follows. (GPS Reading 20° 17' 31"N 77° 56' 49" E)

Sr. No.	Species	Girth			Total	Cubic Meters	Rate
		15/30	31/45	46/60			
1	Hivar	02	02	01	05	0.083	237/-
2	Nimb	-	01	-	01		

Regarding the incident in the said area, when the forest staff asked the surrounding field workers in front of the pancha, they did not get any information about who installed the said electric wire.

For this, we have completed in written the Panchnama of the situation starting at 9 am and ending at 1:00 PM. We read and understood the Panchanama and signed the Panchanamawith due understanding and without any pressure

Reported by

(Sd/-)

Ku. P.V. Rathod,
Guard :Ladkhed

In presence of

(Sd/-)

P.B. Nival
Field Assistant : Pathrad

Sign of Punch

1) -----sd/-

2) -----sd/-

प्रति,
व्यवस्थापकीय वन अधिकारी दारुहा
भाषांतर :- वनक्षेत्र अधिकारी दारुहा

महोदय,

सेवेची रिपोर्ट सादर करतो की, प्रा. गुं. रि. क्र. 128/16 दिनांक 26/11/2020

पुनरुत्पादन वनरक्षक जे. डी. पि. वि. 2/16

दि. 11/11/2020 यांनी आरोपी नाते महाराष्ट्र राज्य विद्युत पुरवठा कंपनी लि.
रा. जे. डी. पि. वि. 2/16 यांचे कडून सांग/धाडजात जे. डी. पि. वि. 2/16 नग. प. वि.

किंमत रु. — चा जप्त करून घ्या

रा. — यांचे सुपुर्दार ठेवला आहे.

1) प्रकरण आरोपीचे / वेवारत आहे.

2) आरोपीने स्वच्छुशीने राजीनामा / वसण दिले आहे.

3) आरोपी कडून रुपये — आगाव वसुली म. र. क्र. —

दिनांक — बन्द करण्यात आली.

4) आरोपी / सुपुर्दाराकडून खालील प्रमाण वसुलीचे आदेश देविले.

किंमत — रु. — नग. प. वि. क्र. — रु. —

5) सदर जप्त माल का. व. क्र. — दिनांक —
बन्द येथील पाठविला आहे / वनरक्षकाचे सुपुर्द आहे.

6) सदर प्रकरण दि. नुकताचीचे आहे. थुट संख्या —

नुकसान किंमत रुपये — वनरक्षकाचे वसण आहे / नही समाधान कारक आहे / नाही ताकीत देविले

प्रकरण धारिज करण्याची शिफारस करण्यात येत आहे. महाराष्ट्र राज्य विद्युत पुरवठा कंपनी लि.
जे. डी. पि. वि. 2/16 यांनी आरोपी नाते महाराष्ट्र राज्य विद्युत पुरवठा कंपनी लि.
रा. जे. डी. पि. वि. 2/16 यांचे कडून सांग/धाडजात जे. डी. पि. वि. 2/16 नग. प. वि.

व. आरोपी कडून सासकीय नियमानुसार रु. 100000 हजेरा रुपये P.B.N.V.
वसुली करण्यात येईल. वसुली करण निकाती काढण्याचे सिफारस करमाव येते पी.बी. नि. —
जे. डी. पि. वि. 2/16

यांनी वरील प्रकरणात केलेली शिफारस योग्य आहे.

ज. करण्याची शिफारस आहे.

महोदय जे. डी. पि. वि. 2/16 यांनी केलेल्या शिफारस 385
20-05-2020

कारण आहे जे. डी. पि. वि. 2/16

385
वनक्षेत्र अधिकारी;
वनपरिक्षेत्र अधिकारी (प्र.)
दारुहा

वन अपराधाचे संक्षिप्त विवरण

१. ग्रन्थकी तारीख (माहीत अस्त्यास) -

28/11/2020

२) गुन्ह्याची जागा-

நாகபுரம் 10/12/2023 96

३) गुन्हाचा अपशिल आणि शिक्षा देण्यासाठी वन अधिनियम कळम क्रमांक-

११ क. १२२) अंश २६१) ए २५५

४) जप्त मालाचा तपशिल आणि त्यांची बाजार किंमत.

५) पुन्हेंगाराचे नांव, जाल व राहण्याचे ठिकाण—

२६ महाराष्ट्र राज्य विधान परिषद क. मयाचित
एक कार्यवाही अधिनियम अ-३६ म. म. विधान
म. म. विधान

६) साक्षीसाराचे नांव व नाणित्याचे पत्ते-

[illegible]

७) सुपुदंदाराचे नांव-

८) गुप्ता शास्त्रान् काठ्याय्या अधिकाभ्यां च नांवाणि हृदा

कृ. वि. प्रे. राजिद वरकक कामिद

९) ज्योत्स्नी अधिकाऱ्याचे नांव व हद्द—

~~10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-31-32-33-34-35-36-37-38-39-40-41-42-43-44-45-46-47-48-49-50-51-52-53-54-55-56-57-58-59-60-61-62-63-64-65-66-67-68-69-70-71-72-73-74-75-76-77-78-79-80-81-82-83-84-85-86-87-88-89-90-91-92-93-94-95-96-97-98-99-100~~
 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-31-32-33-34-35-36-37-38-39-40-41-42-43-44-45-46-47-48-49-50-51-52-53-54-55-56-57-58-59-60-61-62-63-64-65-66-67-68-69-70-71-72-73-74-75-76-77-78-79-80-81-82-83-84-85-86-87-88-89-90-91-92-93-94-95-96-97-98-99-100

१०) चोकशीचा अवघी-

(5) Guar

११) गुन्हेगारांनी पुर्वी केलेल्या वन अपराधाचा तपशील-

१२) गुन्हेगार राजानामा द्यायला तयार आहे किंवा नाही? -

६५

१३) गुन्हेगारांवद्दल विशेष शोरा-:

English Translation

To,
Sub Divisional Forest Officer, Darwha
Through :Field Office, Darwha

Sir,

Presenting the report at the service, POR. No. 128/16 date 26/11/2020

As per Forest Guard Ms. P.V. Rathod Beat : Ladheda, according to the forest guard named the accused
Maharashtra State Electricity Transmission Co. Ltd. through Executive Engineer, EHV Project Division,
Amravati, Residency ----- according from Sag/Adajat -----No. Cubic Meter -----
Rate Rupees. ----- of by confiscation Shri .-----
Residency ----- placed on top.

1. The case is that of the accused / Devaran.
2. Accused has given voluntary resignation/statement
3. From the accused Rs----- Advance recovery M. R. No. -----
Date -----Under was done.
4. Recovery orders should be made from the accused/supplier as follows.

Price	Fine	Goods sale tax	Forest Good Tax	Total
-------	------	----------------	-----------------	-------

5. Seize material sent to depot. / is handed over to the Conservator of Forests. Date -----

6. The said case is of beat loss. Number of muzzles -----
Damage cost Rs. ----- . The statement of the Forest Guard. / is satisfactory/ By giving warning
It is recommended to dismiss the case.

In the said case of POR, the electric cable is passing and it was seen that the electric wire is hanging in that area. There will be no animal harm/human harm, P.O.R. is registered. Earlier, notice was given to be vigilant about this and patrol from time to time. And it is recommended to settle the case by ordering a fine of 10000/- (Ten Thousand Rupees) from the accused as per government rules.

The recommendation made by the Area Assistant Pathrad (W) in the above case is correct. Dismissing of the case is recommended.

Sir,

It is requested that action be taken as per the recommendations made by Area Assistant Pathrad .

(Sd/-)
Forest Range Officer (T)
Darwha

YAVATMAL FOREST DIVISION, YAVATMAL
A Brief Description of Forest Crime

- 1) Date of Crime (if known) : 26/11/2020
- 2) Crime Place : Ladhkhed Beat C.No. 96
- 3) Forest Act Section No. to provide details of offense and punishment – Indian Forest Act 1927 sub section 26(1) d
- 4) Details of seized goods and their market value : -----
- 5) Name, caste and place of residence of the offender : Maharashtra State Electricity Transmission Co. Ltd. Through Executive Engineer EHV Project Division Amravati.
- 6) Witness name and Address : 1) SachinBhaskarMeshram, Residency Address. Jambhora Taluka DarwahDist.Yavatmal , Age 33 Years Occupation Daily Labour,
2) Arjun MarotiAswar, Residency AddressLadhkhed TalukaDarwah Dist. Yavatmal, Age 57 Years Occupation Daily Labourer,
- 7) Name of handing over to : -----
- 8) Name and rank of the officer investigating the crime : Ms. P.V. Rathod, Forest Guard, Ladhkhed.
- 9) Name and designation of Inquiry Officer : Shri. P.B. Nival, Field Assistant Pathrad
- 10) Period of inquiry : 15 days
- 11) Details of previous forest offenses committed by the offenders : -----
- 12) Whether the criminal is ready to resign or not. : Yes
- 13) A special note about caves : -----