

कार्यालय प्रभागीय निदेशक, सामाजिक वानिकी प्रभाग, एटा।

पत्रांक 1344/14-1/2015, एटा: दिनांक: जनवरी: 17 — 2017

सेवामें,

वन संरक्षक,
अलीगढ़ वृत्त, अलीगढ़।

विषय:- 400 के.वी. डबल सर्किट मैनपुरी - अलीगढ़ पारेषण लाइन के निर्माण हेतु एटा में 0.46 हे. संरक्षित वनभूमि के गैर वानिकी प्रयोग व 1 वृक्ष के पातन, अलीगढ़ में 1.8354 हे. आरक्षित 0.0276 हे. संरक्षित वनभूमि के गैर वानिकी प्रयोग व 2 वृक्षों के पातन, हाथरस में 0.7544 हे. संरक्षित वनभूमि के गैर वानिकी प्रयोग व 80 वृक्षों के पातन कुल 3.177404 हे. संरक्षित/ आरक्षित वनभूमि के गैर वानिकी प्रयोग व 83 वृक्षों के पातन की अनुमति के संबंध में।

संदर्भ :- भारत सरकार, वन एवं जलवायु परिवर्तन मंत्रालय, क्षेत्रीय कार्यालय (मध्य), लखनऊ के कार्यालय की पत्र संख्या 8बी/यूपी/04/99/2016/एफ.सी/421 दि० 05.12.2016 एवं आपके कार्यालय का पत्रांक 1544/14-1 दिनांक 16.12.2016।

महोदय,

विषयांकित प्रकरण से संबन्धित भारत सरकार के उक्त संदर्भित पत्र द्वारा लगायी गयी आपत्तियों का निराकरण निम्न प्रकार किया जाता है।

S.no.	Observation	Reply
1	The proposal has been submitted without examining three alternatives, as per D (ii) of part 1 but a map showing three alternatives is placed at page 176 which has not been authenticated by the concerned DFOs.	The revised map showing three alternatives authenticated by DFO has been enclosed in the proposal
2	As mentioned in G part I that the proposal has been submitted with Benefit Cost analysis but the proposed forest land diversion is <20 ha and thus benefit cost analysis is not required.	Cost Benefit Analysis has been removed
3	In part II, the Social Forestry Division, Aligarh, DFO has mentioned legal status of a forest patch as "proposed RF (section 4 under IFA 1927)" which requires clarification.	Not concerned with this division.
4	The proposal requires submission of two enumeration lists for each division providing details of trees/poles standing on proposed forest land and trees/poles required to be felled. The details of pole crops need submission.	Revised Enumeration list with details of pole crops enclosed.
5	The NPV calculation of Social Forestry Division Etah (page 52) is based on incorrect NPV rates.	NPV calculation has already been changed and submitted.

6	Social Forestry Division, Etah & Social Forestry Division, Hathras have proposed compensatory in linear patches of protected forests along Etah-Tundla Road and Hathras-Mathura Road respectively. The proposed CA patches need to be shifted to a forest block of one division so that compensatory afforestation raised in future will be saved from road widening.	The compensatory afforestation of Etah division has been incorporated with CA scheme of Hathras division in Anandpur Forest Block of Sikandra rau range in Hathras Division. (Estimate, kmlfile, Toposheet enclosed)
7	The site suitability certificate for compensatory afforestation proposed in Social Forestry Division, Aligarh is incorrect.	Not concerned with this division.
8	The CA schemes have been prepared without incorporating cost escalation due to inflation.	The CA scheme have been prepared by Hathras division incorporating Compensatory afforestation of Etah Division.

अतः उक्त संशोधित अभिलेख, मानचित्र मूल में 4 प्रतियों में संलग्न कर उचित कार्यवाही हेतु प्रेषित है।

संलग्नक- उपरोक्तानुसार।

भवदीय,

(सुरीत कुमार सक्सेना)
प्रभागीय निदेशक,
सामाजिक वानिकी प्रभाग, एटा।

पत्रांक / समदिनांकित।

प्रतिलिपि: 1. मुख्य वन संरक्षक / नोडल अधिकारी, ऊ.प्र. लखनऊ को उनके कार्यालय के पत्र सं० 1218/समेकित/13285/2015/यू.पी.-192 दिनांक 08.12.2016 के क्रम में सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

2. महा प्रबन्धक, साउथ ईस्ट उत्तर प्रदेश पावर ट्रांसमिशन लिमिटेड, शालीमार टाइटेनियम, 601-602, छठी मंजिल, पत्र सं० TC/G-1/1, विभूमि खण्ड, गोमती नगर, लखनऊ-226010 को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

(सुरीत कुमार सक्सेना)
प्रभागीय निदेशक,
सामाजिक वानिकी प्रभाग, एटा।