



कार्यालय प्रधान मुख्य वन संरक्षक, छत्तीसगढ़, अरण्य भवन, मेडिकल कॉलेज रोड़, रायपुर
(अपर प्रधान मुख्य वन संरक्षक – भू-प्रबंध)

दूरभाष: 0771 – 2552233

ई – मेल: apccf-lm.cg@gov.in

क्र०/भू-प्रबंध/विद्युत/ 479-137/ 2751

रायपुर, दिनांक 09 /11/2016

प्रति,

अपर प्रधान मुख्य वन संरक्षक (क्षेत्रीय)
भारत सरकार – पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय
क्षेत्रीय कार्यालय – वेस्ट सेंट्रल रीजन
ईस्टर्न विंग – भू तल, न्यू सेक्रेटेरियेट भवन
VCA के सामने, सिविल लाईन
नागपुर – 440001

- विषय:** – Diversion of 37.919 ha. revised to 40.426 ha. Forest Land in favour of Executive Engineer, CSPTCL, Chhattisgarh for laying and construction of 132 KV DCSS Bhanupratappur-Pankhanjur transmission line in Kanker District in the State of Chhattisgarh - regarding.
- संदर्भ:** – पंजीयन क्रमांक/FP/CG/TRANS/11741 / 2015
1. भारत सरकार, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, क्षेत्रीय कार्यालय, नागपुर का पत्र क्रमांक FC-II/CH-38/2016-NGP/ 926 दिनांक 05.10.2016
 2. वन मंडलाधिकारी, पूर्व भानुप्रतापपुर वन मंडल का पत्र क्रमांक/ मा. चि / 7318 दिनांक 05.11.2016

–0–

विषयांतर्गत संदर्भित पत्रों का अवलोकन करने का कष्ट करें।

संदर्भित पत्र – 1 द्वारा भारत सरकार (MoEF&CC), क्षेत्रीय कार्यालय, नागपुर द्वारा 08 बिन्दुओं की अतिरिक्त जानकारी चाही गई थी।

उक्त संदर्भ में बिन्दुवार चाही गई जानकारी निम्नानुसार है:-


Sl. No.	Query	Compliance
1	Number of forest block/patch involved in the project along with the density of each patch.	Block / Patch wise forest density are enclosed (Annexure –A) & page no 142.
2	The discrepancies in the number of trees furnished in the proposal and as that of reported by the concerned DCF in the Part-II submitted online may be rectified and the exact number may be communicated by the State Government.	Discrepancy in the number of trees furnished in the proposal by concerned DFO in the Part-II have been rectified and exact number have been taken in the proposal i.e. 10058 nos trees in 27 Mtr belt and 2256 nos trees in 3 Mtr belt. Revised Girth wise details of tree in 27 mtr. belt & 3 mtr. belt below conductor are enclosed as from 1a & 1b at page no. 46 & 50 respectively (at check list no. 12)
3	Number of trees involved in the each alignment explored by the User Agency before finalizing the present alignment.	The No. of trees involved in all three routes has been enclosed at page no. 149 (at check list no.43)
4	Examination of the new sites over DSS, as proposed by the State Government, again observed to have density more than 0.4 which may not be fit for afforestation. Therefore, alternate sites may be selected and evaluated by the concerned authorities in the State	Revised CA proposal in three patches & 5 compartments i.e. Patch 1 compartment No. 856 (PF) for 21.392 Hact, Compartment No. 619 (RF) for 3.301 Hact, Patch 2 Compartment No. 617 (RF) for

	Forest Department before submission of the same to the Regional Office. The details of CA sites should be accompanied with the revised CA scheme which should be site specific, <i>inter-alia</i> incorporating the provisions of watchman for protection of the CA area, and site inspection notes of the DCF concerned for the DCF concerned for the proposed CA area.	19.800 Hact, Patch 3 Compartment No. 863 (PF) for 3.195 Hact, Compartment No.625 (RF) for 33.312 Hact, Total 81 Ha. double degraded comensatory afforestation land against 40.426 Ha. proposad forest land for diversion.
5	Exact legal status of the 3.06 ha. of land involved in the project which earlier formed part of the land proposed for diversion and now not included for diversion by the state government, on the grounds that patta have been issued and the land is under agriculture. It may also be clarified as to how pattas have been issued by the state govt. over forest land.	As noticed by yourself revenue forest 3.306 Hact, involvement have been considered and taken in proposal. Accordingly the revised proposal, for 40.426 Ha. forest land, is submitted.
6	Authorities in the State Forest Department should evaluate the alignment again and wherever possible the forest patch should be avoided by shifting the alignment. The committee also desired that a suitable map preferably on 1:15,000 scale showing the alignment and forest area and non-forest area may also be submitted by the State Government.	Suitable Map preferably on 1:15,000 scale showing the alignment and forest area and non-forest area has been enclosed. Efforts has been made causes compartment no. 921 PF has been avoided & compartment no. 919 PF which was over look by mistake has been taken for diversion of forest land and it is not possible to change the route of the line in other area.
7	Observation of the Regional Office, as conveyed vide its letter dated 13.06.2016 may be adequately addressed by the State Government as the Part-II in respect of the both the Division has not been rectified in light of the observations of the Regional Office, inspection report of the CA sites not submitted, suitable CA sites. in lieu of discarded patches by the Regional Office, have not been identified, details of alternatives examined, etc. Where ever it is not possible to avoid forest patch, the line should be so re-aligned in such a way that its length passing through the forest is minimum.	Alternatives have been examined found that other than this route of the line more forest area involved. This is the route no. 01 of the line involved minimum forest land from were line is passing by. Being LWE badly affected area that is also considered for operation & maintenance point of view. The discrepancies in part-II observed by Regional Office has been rectified regarding inspection report of CA sites.
8	A report from the DCF concerned may be obtained on certifying an unsuitable area as suitable for raising CA.	Regarding the matter the DFO concerned has been directed to be careful in future.

Further the necessary amendments have been made due to change in forest area from 37.919 Ha. to 40.426 Ha.

उपरोक्तानुसार प्रतिवेदन को मान्य करते हुए प्रकरण में औपचारिक स्वीकृति जारी किये जाने का कष्ट करें।

संलग्न :- उपरोक्तानुसार


 (मुदित कुमार सिंह)
 अ.प्र.मु.व.स (भू - प्रबंध / व. सं. अ)
 छत्तीसगढ़

क्रमशः-3

प्रतिलिपि सूचनार्थ एवं आवश्यक कार्यवाही हेतु:

1. प्रमुख सचिव, छत्तीसगढ़ शासन, वन विभाग, मंत्रालय, महानदी भवन, नया रायपुर।

संलग्न:-उपरोक्तानुसार

2. मुख्य वन संरक्षक, कांकेर वृत्त, कांकेर, छत्तीसगढ़।

3. वन मंडलाधिकारी, पूर्व भानुप्रतापपुर वनमंडल, भानुप्रतापपुर, छत्तीसगढ़।

— वृक्ष विदोहन योजना इस मध्य तैयार कर पी. डी. खाते में राशि जमा करावें तथा आहरण की अनुमति हेतु मांग पत्र प्रस्तुत करें।

4. कार्यपालन यंत्री, छत्तीसगढ़ राज्य विद्युत पारेषण कंपनी मर्यादित, भिलाई, जिला दुर्ग, छत्तीसगढ़।

वर्तमान में किसी भी प्रकार की वन भूमि में कार्य प्रारंभ करने की अनुमति नहीं है।

अदित उगाखे थल
उ.व.स (भू - प्रबंध / व. सं. अ)
छत्तीसगढ़