



ಕರ್ನಾಟಕ ಅರಣ್ಯ ಇಲಾಖೆ

ಉಪ ಅರಣ್ಯ ಸಂರಕ್ಷಣಾಧಿಕಾರಿಗಳ ಕಛೇರಿ, ಬೆಳಗಾವಿ ವಿಭಾಗ, ಬೆಳಗಾವಿ

Phone No: 0831-2467071

E-mail : dcfbgm@gmail.com

ಕ್ರ.ಸಂ.ಡಿ1/ಲ್ಯಾಂಡ್/ಎಫ್‌ಸಿ-65437/ಸಿಆರ್-03/2022-23

ದಿನಾಂಕ: -07-2023

ಇವರಿಗೆ,

✓ ಮುಖ್ಯ ಅರಣ್ಯ ಸಂರಕ್ಷಣಾಧಿಕಾರಿಗಳು,
ಬೆಳಗಾವಿ ವೃತ್ತ, ಬೆಳಗಾವಿ.

ಮಾನ್ಯರೇ,

ವಿಷಯ: Diversion of 575.074 ha. (Belagavi Division 22.411 ha.) of forest land for the Construction of Dam across Markandeya river and acillary infrastructure in forest Land of Gokak, Godchinmalki, Konnur and Mavanur village in Gokak Taluka and Hukkeri Talukas, Belagavi District of storing 6 TMC of water under Ghatti-Basavanna drinking water supply project by Karnataka Neeravari Nigam Ltd., (Proposal No.FP/KA/WATER/ 65437/2020)

ಉಲ್ಲೇಖ:1) ಕೇಂದ್ರ ಸರ್ಕಾರದ ಪತ್ರ ಸಂಖ್ಯೆ: 8-07/2023-ಎಫ್‌ಸಿ ದಿನಾಂಕ: 15-03-2023

2) ಪ್ರಧಾನ ಮುಖ್ಯ ಅರಣ್ಯ ಸಂರಕ್ಷಣಾಧಿಕಾರಿಗಳು (ಅರಣ್ಯ ಸಂರಕ್ಷಣೆ) ಬೆಂಗಳೂರುರವರ ಪತ್ರ ಸಂಖ್ಯೆ: A5(2)/GFL/CR-08/2020-21, ದಿನಾಂಕ: 28-03-2023

3) ಈ ಕಚೇರಿ ಪತ್ರ ಸಂಖ್ಯೆ: ಡಿ1/ಲ್ಯಾಂಡ್/ಎಫ್‌ಸಿ-65437/ಸಿಆರ್-03/2022-23 ದಿನಾಂಕ: 11-04-2023

4) Executive Engineer, KNNL, GRBCC Div No.3, Gokak, Belagavi
Letter No. KNNL/GRBCCD-3/PB/GB/Forest/2023-24/445
Dated: 01-07-2023

ಮೇಲಿನ ವಿಷಯಕ್ಕೆ ಸಂಬಂಧಿಸಿದಂತೆ, ಉಲ್ಲೇಖ (1) & (2) ರ ಪತ್ರಗಳಲ್ಲಿ ತಿಳಿಸಿರುವಂತೆ, ಎಲ್ಲ ಅಂಶಗಳಿಗೆ ಅನುಪಾಲನಾ ವರದಿ ಮತ್ತು ಪೂರಕ ದಾಖಲೆಗಳನ್ನು ಸಲ್ಲಿಸಲು ಉಲ್ಲೇಖ (3)ರ ಈ ಕಚೇರಿ ಪತ್ರದಡಿ ಕೋರಲಾಗಿ, ಉಲ್ಲೇಖ (4) ಕಾರ್ಯನಿರ್ವಾಹಕ ಅಭಿಯಂತರರು ಕರ್ನಾಟಕ ನೀರಾವರಿ ನಿಗಮ ನಿಯಮಿತ ಇವರು ಅನುಪಾಲನಾ ವರದಿ ಸಲ್ಲಿಸಿರುತ್ತಾರೆ. ಸದರಿ ಅನುಪಾಲನಾ ವರದಿ ಮತ್ತು ಪೂರಕ ದಾಖಲೆಗಳನ್ನು ಈ ಪತ್ರಕ್ಕೆ ಲಗತ್ತಿಸಿ ತಮ್ಮಲ್ಲಿ ಗೌರವಪೂರ್ವಕವಾಗಿ ಸಲ್ಲಿಸಿದೆ.

SI No.	Observations	Action Plan
1	The PCCF letter dt 06.03.2023 mentions about per para 2.4 (i) of comprehensive guidelines of this Ministry which states that the revenue land and all such category of land not under the management and/or administrative control of Forest Dept, on which the provision of FC Act 1980 is not applicable shall be considered for the purpose of CA. Therefore the State Govt. is requested clarify whether the CA land identified for the instant proposal i. e 689.1 ha is an Non-Forest land or its any land as per para 2.4 of this	The identified CA land is a Government non forest land and hence para 2.4 (i) of Comprehensive guidelines of the Ministry is not applicable and the area of around 100 ha additionally identified as buffer for survey mismatch, land disputes, illegal encroachments during implementation of the project.

Sl No.	Observations	Action Plan
	Ministry Comprehensive guidelines. If the land is as per para 2.4 of this Ministry Comprehensive guidelines then the state Govt. requires to provide double the extent of such kind of land for CA i.e. 1150.148 ha instead of 689.1 ha.	
2	Detailed Compensatory Afforestation scheme has not been provided by the State Govt. The same may be submitted.	DCF, Ghataprabha Division, Gokak has to prepare the Compensatory Afforestation scheme.
3	The copy of CAT plan as submitted is not approved by the Principal CCF & HoFF or any other officer authorized by him for the purpose as prescribed under the Chapter-9 at para 9.2 (vi) of Comprehensive guideline Handbook, 2019. The same needs re-submission.	Catchment Area Treatment Plan is enclosed as Annexure-1 and DCF, Ghataprabha Division, Gokak has to approve the CAT plan and forwarded to PCCF and HOFF for approval.
4	As per the land use plan an area of 12.95 ha is proposed for Dam office & guest house (4.50 ha) and Dam view point (8.45 ha) which are non-site specific activity. In this regard appropriate justification and the details of alternative lands identified for the said purpose may be submitted.	Since the proposed dam is in the forest land and also the height of dam being very high, it is necessary to provide Dam Office and Guest house near dam considering Dam Safety Measures for continuous monitoring, operation and maintenance of the Dam including watch tower at higher elevation from where submergence and spillway portion can be watched continuously. On study of top sheet, the highest land available is on the right flank where the above activity can be controlled. There is no alternative non forest land is available near Dam location on highest point for these activities which are very much essential for the project. Hence, Dam office, Guest House and Dam View Point is proposed near dam on highest point. Dam View Point is an open area with a watch tower for controlling the operations including early response as a part of disaster management. The Dam view point will be used for assembling the people during Disaster (Safe Assembly Point) and also for safe evacuation. During major disaster, people can't be shifted towards downstream since it will be under heavy floods and the evacuation has to be done to a higher elevation and hence this location has been selected.
5	As per the land use plan a component namely Utility is proposed for 1.054 ha. In this regard the State Govt. may clarify for what purpose the area is sought for.	Utility component comprising of approach road to Dam site and to negotiate with the ridge level near entry to the dam site, a curve has been proposed to turn around for the entry of vehicles.
6	Component wise area of the proposed forest land is submitted. However, Component-wise KML of 575.0749 Ha of proposed Forest land is not available on PARIVESH. The same requires submission.	Component wise KML prepared and enclosed as Annexure-2 .
7	It has been informed by PCCF(HoFF) that an area of 0.27 Ha of Nirvanappa Temple located in Sy No. 410 of Gokak village and Taluk will be submerged after the project is completed. In this regard the measures taken for shifting the temple to another location may be furnished and the comments in this regard may be furnished by State Govt.	Nirvanappa Temple is located in Sy No. 410 of Gokak village and Taluk and it will be submerged after the project is completed. Nirvanappa Temple is a historic Temple which has developed sentiments with local population. Several devotees visit the Temple frequently. During the site inspection and interaction, it was informed to the project authorities that the relocation of Temple will not be permitted. Hence, project authorities have decided to keep the location at its original place with good accessibility without shifting the location to another location with suitable water retaining structure as constructed in 'Kudalasangama', Karnataka. The proposed arrangement is acceptable to the Temple Authorities including the devotees and hence the same has been proposed in the project. NOC obtained from the Tahsildar, Gokak Taluk is enclosed as Annexure-3 .

Sl No.	Observations	Action Plan
8	As per the details provided in part-II certain schedule-I species have been reported in the area. In this regard comments and recommendation of CWLW Govt. of Karnataka on the likely impact of the project on the movement of wildlife and the applicability of NBWL Clearance is required.	The occurrence of Schedule-I species is rare and no confined habitat available in the proposed forest areas. Hence, NBWL approval is not required. However, mitigation measures as suggested by the Karnataka Forest Department will be implemented.
9	It is observed from the DSS analysis that Ghataprabha Bird sanctuary is located at an approx. aerial distance of 5.10 km from the proposed forest land. In this regard comments and recommendation of CWLW Govt. of Karnataka on the applicability of NBWL Clearance is required. The State Govt. may also provide the details (notification and KML files) of ESZ wrt Ghataprabha Bird sanctuary.	As per MOEFCC OM Dt: 17.05.2022, the project do not find place in the Schedule of EIA Notification, 2006 and its amendments and PA boundary at 3.10 Km and ESZ of Ghataprabha Bird Sanctuary is 2.94 Km away from the project site. Hence, NBWL recommendation is not required as per the aforementioned OM of MOEFCC.
10	Based on the observation on Google Earth agriculture land, settlement and road are visible in the proposed area for diversion. In this regard the State Govt. is requested to offer its comments whether any violation of FC Act 1980 had taken place or there are any encroachments reported.	No construction activities started at site and hence there is no violation of FC Act, 1980
11	The State govt. may also specify whether the dam to be constructed will be an earthen dam or otherwise.	The proposed dam is Concrete Gravity Dam
12	The plan with details for further distributing the water and involvement of forest land in the same may also be submitted.	The Project envisages the construction of water storage reservoir only. Doesn't involve any distribution network. However, water for the drinking purpose will be released to the river throughout the year through the river sluice gates proposed in the dam. Same will be tapped through the existing Jackwell points located along the downstream of the dam and will be supplied for drinking water after suitable water treatment through existing water supply distribution network of local bodies such as City Municipal Corporation, Karnataka Urban Water Supply and Drainage Board and ZillaPanchayath. No forest land is involved in distributing the water.
13	Out of 575.074 ha of forest land involved 519.68 ha is going to get submerged however rest of the land is being taken for other activities. The State Govt. may clarify that whether these facilities may be constructed on non-forest land	The entire project lies in a forest land. Therefore there is very less non forest land is available near the dam and is already taken for possible activities. Because of unavoidable and dam safety point of view, some of the activities which are very much essential for the project need to be taken in forest land only.
14	Details of 3 identified alternatives sites with their KML files along with no. of trees proposed for felling against each alternate forest land may be submitted with appropriate justification for identifying the forest land for diversion.	Details of 3 identified Alternative sites with their KML are enclosed as Annexure-4 . Tree enumeration for the alternatives will be calculated by DCF, Gokak.
15	As per the details in Part-I (form A) User Agency has requested for total period for which the forest land proposed to be diverted as 50 years but the PCCF(HoFF) & Nodal Officer has recommended for only 20 years. The State govt. may provide its comments in this regard.	PCCF, Karnataka Forest Department has to provide compliance
16	Ministry vide its guideline dated 6.01.2022 read with 28.03.2022 has revised the rates to NPV. The new rates are applicable in the instant proposal. In this regard, State Government is requested to submit the revised C:B ratio as per the new NPV rates.	Revised C:B Ratio considering recent NPV rates is enclosed as Annexure-5 .
17	The State govt. is requested to submit the approved DPR of the instant project.	Approved DPR is enclosed as Annexure-6 .

SI No.	Observations	Action Plan
18	The Ministry on 28.06.2022 has notified the Forest (Conservation) Rules, 2022 and The FC Rules 2022 is applicable in the instant proposal. In this regard as per this Ministry's guideline Dt 14.11.2022 the State Govt. is requested to submit the minutes of the meeting of Project Steering Committee w.r.t the instant proposal.	PCCF, Karnataka Forest Department has to convene a Project Steering Committee meeting.

ತಮ್ಮ ವಿಶ್ವಾಸಿ,

ಉಪ ಆರಣ್ಯ ಪರಿರಕ್ಷಣಾಧಿಕಾರಿ,
ಬೆಳಗಾವಿ ವಿಭಾಗ, ಬೆಳಗಾವಿ.