



# कार्यालय वन मण्डल अधिकारी वन मण्डल सिंगरौली(म0प्र0)

माजन मोड़ जिला पंचायत के बगल में

सूचना का

ईमेल-dfot.sgl@mp.gov.in, फोन-07805-233336 फैक्स-233335

अधिकार

क्र0/मा0चि0/3090

सिंगरौली, दिनांक.16/06/2022

प्रति,

मुख्य वन संरक्षक,  
रीवा वृत्त, रीवा

विषय:-

सिंगरौली जिले में बैढन-2 ग्रामीण समूह जल प्रदाय योजना के तहत पेयजल प्रदाय हेतु उच्च स्तरीय पानी की टंकी एवं वाटर पम्प निर्माण हेतु 1.608 हे0 (ऑनलाईन आवेदित 1.693 हे0) वन भूमि मध्यप्रदेश जल निगम मर्यादित, सिंगरौली को उपयोग पर देने बावत्। (Proposal No. FP/MP/WATER/154588/2022)

संदर्भ:-

1. आपका दूरभाष दिनांक 12.06.2023
2. भारत सरकार, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, क्षेत्रीय कार्यालय, भोपाल का पत्र क्रमांक/6-MBP005/2023-BHO दिनांक 11.05.2023
3. प्रधान मुख्य वन संरक्षक (भू-प्रबंध) मध्यप्रदेश, भोपाल का पृष्ठा. क्रमांक/एफ-5/1219/2023/10-11/1910 भोपाल, दिनांक 12.05.2023
4. महाप्रबंधक, जल निगम मर्यादित परि.क्रि.ई सिंगरौली मध्य प्रदेश का पत्र क्रमांक/एफ-5/1171/2022/10-11/676 भोपाल, दिनांक 13.02.2023

-000-

विषयांकित संदर्भित पत्र से बैढन-2 ग्रामीण समूह जल प्रदाय योजना अन्तर्गत वन भूमि पर पाईप लाइन के निर्माण की अनुमति हेतु वन मण्डल सिंगरौली अन्तर्गत प्रस्तावित कुल रकवा 1.608 हे0 (ऑनलाईन आवेदित 1.693 हे0) वन भूमि प्रभावित हो रही है। जिसमें भारत सरकार, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भोपाल ने प्रकरण में सैद्धांतिक स्वीकृति जारी करने के पूर्व 08 बिन्दुओं की जानकारी चाही गयी है।

अतः आपके द्वारा उक्त बिन्दुओं की जानकारी टेबुलर फार्म में चाही गयी है। आवेदक संस्थान से संबंधित जानकारी टेबुलर फार्म में प्राप्त कर मूलतः संलग्न कर आपकी ओर प्रेषित है, एवं बिन्दु क्रमांक 1 एवं 4 की जानकारी निम्नानुसार है:-

S.No.	Query	Reply
1	CA scheme shall be uploaded on web portal.	Detail of CA scheme is already submitted/uploaded by DFO
4	Justification for location of the project in forest land (counter signed by DFO) shall be submitted/uploaded.	Detailed joint survey report duly signed by DFO, justifying location of project in forest land attached.



(मधु व्ही. राज)

वन मण्डल अधिकारी  
वन मण्डल सिंगरौली

पू0क्र0/मा0चि0/3091

सिंगरौली दिनांक.16-06-2022

प्रतिलिपि:- महाप्रबंधक, जल निगम मर्यादित परि.क्रि.ई सिंगरौली मध्यप्रदेश की ओर सूचनार्थ एवं प्रेषित।



वन मण्डल अधिकारी  
वन मण्डल सिंगरौली

**Office of the General Manager**  
**Madhya Pradesh Jal Nigam Maryadit**  
**Project Implementation Unit, Singrauli**

Office Room No 44 1st floor collectorate office, Waidhan  
(Website [www.mpjalnigam.mp.gov.in](http://www.mpjalnigam.mp.gov.in))

CIN-U41000MP2012SGC028798  
E-mail-gmmpjnmsingrauli@gmail.com)

No. 1570/2023/MPJNM/PIU/Singrauli

Dated 12/06/23

To,

DFO  
Singrauli

Sub: - Regarding submission of compliance for query rised by Ministry of Climate Change against proposal no. FP/MP/WATER/154588/2022 pertaing to Waidhan-2 MVS.

- Ref- 1. Online Propasal no. FP/MP/WATER/154588/2022  
2. APCCF ( Land measurement) bhopal letter no 1909 dated 12.05.2023  
3. CCF Rewa letter no 2859 dated 08.06.2023  
4. Your office letter no 2639 dated 24.05.2023

---XX---

With reference to the above cited subject Query raised by Ministry of Environment Forest and Climate Change vide letter 6-MPP 008/2023-BHO dated 11.05.2023, we are hereby submitting the Point wise compliance for your references.


S.No.	Query	Reply
1	Full KML file of layout paln of forest area and non forest area required for projects shall be uploaded.	Corrected KML files for the diverted area along with 3.2004 hacs CA Land uoloaded on Parivesh Web Portal.
2	Detailed muck calculation and muck disposal scheme as approved by concerned DFO needs to be submitted.	Total quantity of digged material during laying out of pipeline will be as follows: Calculation: Excavated Volume- $932004 \times 1 \times 1.7 = 54406.8$ cum Pipe Volume- $(3.14 \times 35 \times 35 \times 32004) = 12310.33$
3	No objection certificates of concerned department (Railway, WRD, TL etc.) shall be submitted.	No objection Certificates from MPRDC is attached.
4	Component wise breakup of land required and component wise area calculation with the layout plan shall be submitted.	Component wise breakup of land & area calculation with layout plan is already submitted with the proposed scheme in para-B -2.3 & para-C – iii & iv.

मि० वि०  
मुख्य निपिक  
वन मण्डल सिंगरौली  
दि. 15-06-23



S.No.	Query	Reply
5	Administrative approval/saction letter of the project needs to be provided.	Enclosed

Encl: As above

  
General Manager  
P M.P. Jal Nigam Maryadit  
P. I. U. Singrauli  
Dated

No. / 2023/MPJNM/PIU/Singrauli

Copy to: -

1. Project Director, MPJNM Bhopal for information please.
2. PCCF (Land Measurement), Bhopal for information & further necessary action.
3. CCF (T), Rewa for information & further necessary action.
4. TL SQC Gond Deosar for information.

1  
General Manager  
M.P. Jal Nigam Maryadit  
P. I. U. Singrauli

**Office of the General Manager  
Madhya Pradesh Jal Nigam Maryadit  
Project Implementation Unit, Jabalpur**

Regd. & Corp. Office: "D" Wing 2<sup>nd</sup> Floor, Vindhyachal Bhawan, Bhopal-462004  
(Website: [www.mpjalnigam.co.in](http://www.mpjalnigam.co.in))

CIN-U41000MP2012SGC028798  
E-Mail-[gmpjnmsingrauli@gmail.com](mailto:gmpjnmsingrauli@gmail.com))

---

**Justification for locating the project component in forest land**

The project namely "Waidhan 2 Multi Village Scheme" is proposed to provide drinking water to 184 villages of Singrauli district taking Sone river as source. To convey water to the villages, pipelines are required to be laid which inevitably passes through in between forest area at some places.

4  
**D.F.O.  
Singrauli**

General Manager  
M.P. Jal Nigam Maryadit  
P.I.U., Singrauli

---

**Office of the General Manager**  
**Madhya Pradesh Jal Nigam Maryadit**  
**Project Implementation Unit, Singrauli**

Office Room No 44 1st floor collectorate office, Waidhan  
(Website www.mpjalnigam.mp.gov.in)

CIN-U41000MP2012SGC028798  
E-mail-gmmpjnmsingrauli@gmail.com)

No. 1570/2023/MPJNM/PIU/Singrauli

Dated 12/06/23

To,

DFO  
Singrauli

Sub: - Regarding submission of compliance for query rised by Ministry of Climate Change against proposal no. FP/MP/WATER/154588/2022 pertaing to Waidhan-2 MVS.

- Ref- 1. Online Proposal no. FP/MP/WATER/154588/2022  
2. APCCF ( Land measurement) bhopal letter no 1909 dated 12.05.2023  
3. CCF Rewa letter no 2859 dated 08.06.2023  
4. Your office letter no 2639 dated 24.05.2023

---XX---

With reference to the above cited subject Query raised by Ministry of Environment Forest and Climate Change vide letter 6-MPP 008/2023-BHO dated 11.05.2023, we are hereby submitting the Point wise compliance for your references.


S.No.	Query	Reply
1	Full KML file of layout paln of forest area and non forest area required for projects shall be uploaded.	Corrected KML files for the diverted area along with 3.2004 hacs CA Land uoloaded on Parivesh Web Portal.
2	Detailed muck calculation and muck disposal scheme as approved by concerned DFO needs to be submitted.	Total quantity of digged material during laying out of pipeline will be as follows: Calculation: Excavated Volume- $932004 \times 1 \times 1.7 = 54406.8$ cum Pipe Volume- $(3.14 \times 35 \times 35 \times 32004) = 12310.33$
3	No objection certificates of concerned department (Railway, WRD, TL etc.) shall be submitted.	No objection Certificates from MPRDC is attached.
4	Component wise breakup of land required and component wise area calculation with the layout plan shall be submitted.	Component wise breakup of land & area calculation with layout plan is already submitted with the proposed scheme in para-B -2.3 & para-C – iii & iv.

मि० सि०  
मुख्य निपिक  
वन मण्डल सिंगरीली  
दि. 15-06-23



S.No.	Query	Reply
5	Administrative approval/saction letter of the project needs to be provided.	Enclosed


Encl: As above

  
General Manager  
P.M.P. Jal Nigam Maryadit  
P. I. U. Singrauli  
Dated

No. / 2023/MPJNM/PIU/Singrauli

Copy to: -

1. Project Director, MPJNM Bhopal for information please.
2. PCCF (Land Measurement), Bhopal for information & further necessary action.
3. CCF (T), Rewa for information & further necessary action.
4. TL SQC Gond Deosar for information.

  
General Manager  
M.P. Jal Nigam Maryadit  
P. I. U. Singrauli

**Muck Calculation Plan-**

After Construction of Footing, the Remaining Quantity of Muck is used for backfilling

Total Excavated Volume (For 13 Nos. OHT and Guard Rooms) =  $(192 \times 13) + (61.875 \times 13) = 3300.37$  cum.

Column Footing Volume =  $(10.2 \times 13) + (5.22 \times 13) = 200.46$  cum

Remaining Muck =  $3300.37 - 200.46 = 3099.91$  cum

(It will be used for Backfilling)




**General Manager**  
**M.P. Jal Nigam Maryadit**  
**Project Implementation Unit**  
**Singrauli (M.P.)**

Requirements and Topographical compulsions these Proposed Over Head Tank are to be erected and their approaches on these locations, situated in the forest area.

**Annexure:-**

S.No.	DIVISION/PARK	DISTRICT	RANG	COMPARTMENT RANGE	LENGTH (m)	WIDTH (m)	AREA (Ha.)
1	SUMP/OHT	SINGRAULI	CHITRANGI	RF-46	60	60	0.36
2	OHT	SINGRAULI	CHITRANGI	RF-46	30	30	0.09
3	OHT	SINGRAULI	CHITRANGI	PF-06	30	30	0.09
4	OHT	SINGRAULI	CHITRANGI	RF-07	30	30	0.09
5	OHT	SINGRAULI	CHITRANGI	RF-35	30	30	0.09
6	GSR	SINGRAULI	CHITRANGI	RF-35	30	30	0.09
7	GSR	SINGRAULI	CHITRANGI	RF-28	30	30	0.09
8	GSR	SINGRAULI	CHITRANGI	PF-22	30	30	0.09
9	OHT	SINGRAULI	CHITRANGI	PF-22	30	30	0.09
10	GSR	SINGRAULI	CHITRANGI	RF-12	30	30	0.09
11	GSR	SINGRAULI	CHITRANGI	RF-14	30	30	0.09
12	GSR	SINGRAULI	KARTHUA	PF-873	30	30	0.09
13	OHT	SINGRAULI	KARTHUA	PF-879	30	30	0.09
14	Approach Road	SINGRAULI	CHITRANGI	RF-07	120	3	0.004
15	Approach Road	SINGRAULI	CHITRANGI	RF-28	100	3	0.0033
16	Approach Road	SINGRAULI	CHITRANGI	PF-22	170	3	0.005
17	Approach Road	SINGRAULI	CHITRANGI	PF-22	2050	3	0.0683
18	Approach Road	SINGRAULI	CHITRANGI	RF-12	90	3	0.003
<b>TOTAL</b>							<b>1.693</b>

  
**General Manager**  
**M.P. Jal Nigam Maryadit**  
**Project Implementation Unit**  
**Singrauli (M.P.)**



**Justification Letter for Laying of Clear Water Distribution main under Waidhan-2 Block Chitrangi  
Multi Village Scheme (Distt. – Singrauli)**

**Project Name:-** Waidhan- 2 Multi Village Scheme, Distt.- Singrauli.

**Project Cast:-** INR 218.90 Crores.

**Area Served:-** 193 Village of Chitrangi block Dist. Singrauli under Madhya pradesh.

**Project Scope:-** Waidhan- 2 Multi Village Scheme Project was sanctioned under Jal Jeevan Mission to provide water to All House hold of Village of Singrauli District. The implementing Agency for the project is MP Jal Nigam Limited. After successful completion of the Waidhan- 2 multi village Scheme 93 village of Block Chitrangi of Singrauli District will receive potable drinking water in their homes through a functional tap. The project scope is as follows:-

S No.	Description	UOM	Singrauli District
1	Intake Well cum pump house	MLD	28.24
2	Raw water pumping main	KM	7.00
3	Water treatment plant	MLD	22.66
4	Clear water pipe line / CWGM	KM	187.10
5	CWPM	KM	188.06
6	Master Balancing Reservoir	Nos.	2
7	Intermediate pumping Station	Nos.	8
8	Over Head Tank / Ground Service Reservoir	Nos.	77
9	Distribution Pipe Line	KM	2726.53
10	House Service Connection	Nos.	41702

The project scope consists of construction of Intake well, water treatment plant, over head tank and master balancing reservoir at various location across Singrauli district to provide water to the villages habitations. These tanks would be connected with pipe line to transfer and distribute the potable and raw water after topographical survey of pipe line alignment of the entire Singrauli district piping routes. It is found that the some pine line area of Chitrangi block under forest area. As per Design requirements and topographical compulsions these clear water pipe line are to be laid on these locations, situated in the forest area.



**General Manager  
M.P. Jal Nigam Maryadit  
Project Implementation Unit  
Singrauli (M.P.)**



**MADHYA PRADESH ROAD DEVELOPMENT CORPORATION LIMITED**

(Govt. of M.P. Undertaking)

**OFFICE OF THE DIVISIONAL MANAGER MPRDC Div Sidhi**

**Near MPEB Colony WARD No. 8, Dist Sidhi (M.P.) Pin No. 486661**

**E-mail - dm-rewa2@mp.gov.in**

Letter No. 1832/MPRDC/APMS/3151/2022

Sidhi, date:- 05 / 08 / 2022

To,

✓ General Manager,  
M.P. Jal Nigam Maryadit,  
PIU Singrauli (M.P)

Sub.: - Regarding permission for laying pipeline along MP-MDR-12-03 (Chitrangi-Garhwa Road) from Ch. 0.000 to Ch. 12.600 and Ch. 14.00 to Ch. 21.852, i.e. total length 20.452 along with 03 road crossing at Ch. 0.000, Ch. 17.700 and Ch. 19.000.

Ref.: - 1. Chief General Manager (Admin.), MPRDC Bhopal letter no. 6766/261/OTH/APMS2022 /3151/MPRDC/2022, Dated- 12/07/2022.  
2. APMS Application No. APMS2022/3151, dated 28.01.2022.

-----\*\*\*\*\*-----

With reference to the letter & subject cited above, proposal submitted for Grant of permission to lay water pipeline along MP-MDR-12-03 (Chitrangi-Garhwa Road) from Ch. 0.000 to Ch. 12.600 and from Ch.14.000 to Ch. 21.852. i.e. total length 20.452 Km. along with 03 road crossings at Ch.0.000, Ch.17.700 and. Ch.19.000 is approved in-principle with following conditions:-

1. Submission of X-Section at each crossing for crossing the road by HDD method showing depth of ground level and drilling level below road top level.
2. The execution of work will be done as per MoRT&H guidelines and to the satisfaction of this office (Divisional Manager, MPRDC).
3. The work shall be carried strictly in accordance with the provisions of the estimate & approved drawing.
4. Strict adherence to the safety requirements of IRC: SP-55 "Guidelines on Safety in road construction Zone" shall be ensured.
5. The execution of work will be done in accordance with the specification of Concession agreement and no diversion will be constructed.
6. You have to maintain the traffic for smooth movement.
7. The laying of Underground pipeline shall be strictly as per the MORTH Circular dated 22.11.2016 and as per the details indicated in the approved drawing. No change in the approved alignment of Underground pipeline will be entertained. Any deviation will result in automatic cancellation of the permission/approval.
8. It shall be ensured that no cross drainage Structure/Bridge shall be used to convey Underground water supply/Sewerage pipeline. Further, under no circumstances, the pipe line shall be allowed beneath existing carriageway except for road crossing permitted and no digging is permitted within carriageway.
9. All safety measures will be followed by you (General Manager, M.P Jal Nigam Maryadit, PIU Singrauli).
10. All construction work shall be done under supervision of this office (Divisional Manager, MPRDC). This office will issue a completion certificate after completion of the work to the satisfaction of MPRDC.

Contd.....2



# MADHYA PRADESH ROAD DEVELOPMENT CORPORATION LIMITED

(Govt. of M.P. Undertaking)

OFFICE OF THE DIVISIONAL MANAGER MPRDC Div Sidhi

Near MPEB Colony WARD No. 8, Dist Sidhi (M.P.) Pin No. 486661

E-mail - dm-rowa2@mp.gov.in

11. You have to submit "As built drawing after the completion work, within 30 days from date of actual completion of work at site.
12. You will bear all costs related to construction, maintenance and other ancillary expenditure.
13. The road section to be made after completion of work should be in accordance to drawing and to the satisfaction of Divisional Manager, MPRDC. Work is to be carried out between sunrise and sunset.
14. As per IRC 98-2011 sewer lines or water supply lines should be laid at edge of ROW
15. The Guidelines mentioned in the IRC: 98-2011 should be strictly adhered during execution.
16. You will shift the pipeline within given time period from the date of issue of the notice by the MPRDC to shift / relocate the pipeline, in case it is so required for the purpose of improvement/ widening of the road/ route/ highway or construction of flyover/ bridge and restore the road/ land to its original condition at his own cost and risk.
17. Under no circumstances, the already laid Underground Utility (if any) shall be harmed or interrupted due to laying of proposed pipeline. In case, if any damage is caused to any previously laid utility service/s. then you will indemnify MPRDC against any such claim of concerned Agency.
18. The permission shall stand withdrawn automatically in the event of breach of any of the above mentioned conditions are not followed at site.

The Bank Guarantee submitted by you is valid up to 31.03.2023. Please make it sure that if the work is not completed within Bank Guarantee Validity period or stipulated time as per terms of Agreement and this letter, this office may be, informed one month in advance, so that necessary action may be initiated. You may be allowed to undertake the remaining work only after receiving permission from this office as well as the extension of Bank Guarantee.

Encl:- Agreement copy.

Endt. No. ....../MPRDC/APMS3151/2022

Copy to:-

1. The Chief General Manager (Admin.) MPRDC Bhopal for kind information Please.


Divisional Manager  
MPRDC Div. Sidhi (M.P.)

Sidhi, date:- / 08 / 2022

-51-  
Divisional Manager  
MPRDC Div. Sidhi (M.P.)



Registration and Stamp Department  
Madhya Pradesh



Certificate of Stamp Duty

		E-Stamp Details	
E-Stamp Code	01015023052022011622		
Total E-Stamp Amount	500		
Govt. Stamp Duty (Rs.)	500	Municipality Duty (Rs.)	0
Janpad Duty (Rs.)	0	Upkar Amount (Rs.)	0
Exempted Amount(Rs.)	0		
E-Stamp Type	NON-JUDICIAL		
Issue Date & Time	23/05/2022 14:46:08		
Service Provider or Issuer Details	बृजमोहन प्रसाद मिश्रा/SP015040807201500893		
SP/SRO/DRO/HO Details	उप पंजीयक कार्यालय चितरंगी CHITRANGI SINGROLI		


		Deed Details	
Deed Type	Agreement/Memorandum of an agreement		
Deed Instrument	If relating to secure repayment of a loan or debt.- 0.25 percent of the amount of loan or debt, subject to a maximum of five lakh rupees		
Purpose	AGREEMENT		


		First Party Details	
Organization Name	MPJALMP JAL MARYADIT PIU SINGRAULI		
Address	COLLECTORATE WAIDHAN SINGROLI Madhya Pradesh INDIA		
Number of Persons	1		


		Second Party Details	
Organization Name	MPRDC LTD SIDHI		
Address	MPEB COLONY SIDHI SIDHI Madhya Pradesh INDIA		
Number of Persons	1		

AGREEMENT

Digitally signed by Brijmohan Prasad Mishra  
Date: 2022.05.23 14:46:04 IST

  
**General Manager**  
M.P. Jal Nigam Maryadit  
Project Implementation Unit  
Singrauli (M.P.)

  
**Divisional Manager**  
MPRDC Div-II Rewa H.Q. Sidhi





**AGREEMENT REGARDING GRANTING OF RIGHT OF WAY PERMISSION FOR LAYING WATER PIPE LINE / DUCTS**


Agreement to lay water pipe line along MPRDC MP – MDR -12 – 03 CHITRANGI to GHADHWA CH – 1.00 to CH – 20.50, total section length ROW applied for 20.50 km in state of Madhya Pradesh.

This agreement made this 5th day of August month of 2022 year between Madhya Pradesh road development corporation limited acting in his executive capacity through ( hereinafter referred to as MPRDC which expression shall unless excluded by or repugnant to the context include his successors in office and assigns ) on the one part and M.P. JAL NIGAM MARYADIT PIU SINGRAULI (M.P.)

Whereas Madhya Pradesh road development corporation limited is responsible, interlaid for development and maintenance of lands in state of Madhya Pradesh. Whereas the licensee propose to lay Water Pipe Line along MPRDC MP – MDR -12 – 03 CHITRANGI to GHADHWA Whereas the licensee proposes to lay water pipe line whereas the licensee has applied to the Authority for permission to lay water pipe line from agreement to lay Water Pipe Line along MPRDC MP-MDR-12-03 CHITRANGI to GHADHWA CH-1.00 To CH-20.500, Total section length ROW applied for 20.500 KM in state of Madhya Pradesh.

And whereas the MPRDC has agreed to grant such permission on the terms and conditions hereinafter mentioned. Now this agreement witnesses that in consideration of the conditions hereinafter contained and on the part of the licensee to be observed and performed, the MPRDC here by grants to the license permission to lay water pipe line as per the drawings attached here to subject to the following conditions, namely :-

1. The water pipe line shall always be laid at the edge of the ROW. In case of the restricted width of , which may be adequate only to accommodate the carriageways central verge shoulders, slopes of embankments and drains, the water pipe line shall be laid beyond the toe line of the embankments and clear of the drain. In cases where pipe line ducts with sufficient space are technical requirements being fulfilled. Present policy of the MORTH is to provide a 2.00m wide utility corridor on either side of the extreme edge of ROW where required ROW of at least 45m is available, which includes provision for OFC ducts.
2. A Performance Bank Guarantee @Rs.100 (Rupees Hundred Only) per route meter with a validity of one year initially ( extendable if required till satisfactory completion of work shall have to be furnished by licensee to the authority/ its designated agency as a security against improper restoration of ground in terms of filling/unsatisfactory compaction damages caused to other underground installations/utility services & interference interruption, disruption or failure caused thereof to any services etc. The above charge of Rs.100/m is liable to be reviewed every 5years. For clarifications, it is hereby mentioned that all restoration work subsequent to laying of the pipe line shall be required to be undertaken by the licensee at its cost either by itself or through its authorized representative in consultation with the authority as per predetermined time schedule and quality standards. In case of the licensee failing to discharge the obligation of making good of the excavated trench/other restoration work, the authority shall have a right to make good the damages caused by excavation , at the cost of the licensee and recover the amount by forfeiture of the bank guarantee. In case, the performance bank guarantee is invoked as mentioned

  
Divisional Manager  
MPRDC Div-II Rewa H.O. Sidhi


  
General Manager  
M.P. Jal Nigam Maryadit  
Project Implementation Unit  
Singrauli (M.P.)


above, the licensee shall be required to replenish and reinstate the required performance bank guarantee within one month of such invoking.

In case the work contemplated herein is not completed to the satisfaction of the MPRDC which has granted the permission, within a period of 11 months from the date of issue of the bank guarantee, the licensee shall either furnish a fresh guarantee or extend the guarantee for a further period of one year.

Notwithstanding this, the licensee shall be liable to pay full compensation to the aggrieved authority its designated agency for any damage sustained by them by reason of the exercise of the ROW facility.


3. The License shall make his own arrangement for crossing of drainage structure of rivers, etc. below the bed. In case this is not feasible, the water pipe line/ducts may be carried outside the railing/parapets and supported on brackets fixed to the outside of the bridge superstructure. The fixing and supporting arrangement with all details shall required to be approved in advance from concerned Authority which has granted such permission. Additional cost on account of fixing and supporting arrangement as assessed by the authority shall be payable by the licensee.
4. The License shall shift the water pipe line/duct within 90 days (or as specified by the respective agency/MPRDC) from the date of issue of the notice by the concerned MPRDC to shift relocate the water pipe line/duct, in case it is so required for the purpose of improvement/widening of the road/route/highways or construction of flyover/ bridge and restored road land to its original conditions at its own cost and risk.
5. The License shall be responsible to ascertain from the respective agency in co-ordination with Authority, regarding the location of other water pipe line/duct, underground installation/utilities/facilities etc. the License shall ensure the safety and security of already existing water pipe line/underground installation/utilities/facilities etc. before commencement of the excavation / using the existing pipe line ducts.
6. The License shall be solely responsible / liable for full compensation/indemnification of concerned agency aggrieved authority for any direct, indirect or consequential damage caused to them/claims or replacements sought for at the cost and risk of the License. The concerned agency in co-ordination with authority shall also have a right to make good such damages/recover the claims by forfeiture of bank Guarantee.
7. If the License fails to comply with condition (6) and (7) above to the satisfaction of the authority, the shall be executed by the authority at the cost and risk of the License
8. No License shall claim exclusive right on the ROW and any subsequent user will be permitted to use the ROW either or below or by the side of the utilities laid by the first user subject to technical requirement being fulfilled. Whether the technical requirements are fulfilled or not, shall be decided by Highway Administration/Government gin their sole discratiion. In case of any disruption/damage caused to any existing ulcer by the subsequent user, the authority would not be accountable or liable in any manner whatsoever.
9. The Licensee shall procure insurance from a reputed insurance company against damages to already existing water pipe line/underground installation/utilities/facilities etc. during trenching.
10. Grant of licensee is subjected to the licensee satisfying (a) minimum disruption of traffic and (b) no damages to the highways. As far as possible, the License should avoid cutting of the

  
General Manager  
M.P. Jal Nigam Maryadit  
Project Implementation Unit  
Singrauli (M.P.)

  
Divisional Manager  
MPRDC Div-II Rewa H.Q. Sidhi

road for crossing highway, for crossing highway, the License shall adopt trenchless technology. In case any damages is caused to the road pavement in this process, the licensee will be required to the restore the road of the original condition at its cost if due to unavoidable reasons the road need to be cut for crossing or laying a pipe line, the licensee has to execute the corresponding restoration work in a time bound manner. For clarification, it is hereby mentioned that all required restoration work subsequent to laying of the water pipe line shall be required to be undertaken by the licensee at its cost either by itself or through its authorized representative in consultation with the authority as per predetermined time schedule and quality standard. In case the licensee failing to discharge the obligation of making good of the excavated trench/other restoration work, the authority shall have a right to make good the damages caused by excavation, at the cost licensee and recover the amount by forfeiture of the bank guarantee.

11. The license shall inform/ give a notice to the conceded agency designated by authority at least 15 days in advance with route details prior to digging trenches for fresh or maintenance/repair works. A separate performance Bank Guarantee for maintenance/repair work shall have to be furnished by the license.
12. Each day, the extent of digging the trenches should be strictly regulated so that water pipe line are laid and trenched filled up before the close the work that day. Filling should be completed to the satisfaction of the consumed agency designated by the authority.
13. The licensee shall indemnity the concerned in co-ordination with authority against all damages and claims, if any due to the digging of trenches for laying water pipe line /ducts.
14. This permission shall be co-terminus with the validity of license awarded by the Department of munication (DOT). The permission granted under this agreement will automatically crease in case of premature termination of the license granted to by the DOT. The Authority also has a right to terminate the permission or to extend the period of agreement in case the license want shifting, repair or alteration to water pipe line/duct; he will have to furnish a separate Bank Guarantee.
15. That licensee shall not without prior permission in writing of the consumed agency in co-ordination with authority undertake any work of shifting, repairs or alterations to said water pipe line/ducts.
16. In order to avoid repeated digging on the same route, in case were pipe line ducts with sufficient space are already available along MDR, laying of water pipe line shall be encouraged in such ducts subject to technical feasibility in term of interface etc. in case where such ducts are not available, the license is free to lay voluntarily extra ducts/conduits with extra capacity so as to take care of future needs. The capacity/excess capacity can be commercialized by the licensee with suitable mutual agreement with the authority or his designated agency. However, the creation of excess capacity Licenses is not a precondition for ROW permission granted herein.
17. The permission granted shall not in any way be deemed to convey to the licensee any ownership right or any interest in route road/highway land/property other then what is herein expressly granted. No use of MDR-12-03.
18. Row will be permitted for any purpose other than that specified the Agreement.
19. During the subsistence of this agreement, the water pipe line/ducts located in highways land/property shall be deemed to have been constructed and continued only by the consent

  
**General Manager**  
M.P. Jai Nigam Maryadit  
Project Implementation Unit  
Singrauli (M.P.)


  
**Divisional Manager**  
MPRDC Div-II Rewa H.Q. Sidhi



and permission of the authority so that the right of the license to the use there of shall not become absolute and indefeasible by lapse of time.

20. The Licensee shall bear the stamp duty charged on this Agreement.
21. The Water pipe line shall not be brought into use by the licensee unless a completion certificate to the effect that the water pipe line /duct has been laid in accordance with approved specification and drawing and the trenches have been filled up to the satisfaction of the concerned agency in co-ordination with authority has been obtained Three copies of as laid drawing of utilities (hard and soft copies) with geo tagged photographs and geo tagged video recording of laying of water pipe line in the trenches (with respect to the SH) and after complete restoration shall be submitted to the authority for verification and record within a month of completion of works.
22. Not with standing anything contained herein this agreement may be cancelled at any time by the authority for breach of any condition of the same and licensee shall either be entitled to the any compensation for any loss caused to it by such cancellation nor shall it be absolved from any liability already incurred.
23. The Licensee shall have to provide safety measures like barricading , danger lighting and other necessary caution board while executing the work.
24. If any traffic diversion work are found necessary during the working period, such diversion shall be provided at the cost of licensee.
25. After the termination/expiry of the agreement, the licensee shall remove the pipe line /ducts within 90 days and site shall be brought back to the original condition failing which the licensee will lose the right to the remove the water pipe line/ducts. However, before taking up the work of removal of water pipe line the licensee shall furnish a Bank Guarantee to the Authority for a period of one year for an amount assessed by the authority as a security for making good the excavated trench by proper filling and compaction, Clearing debris loose earth produced due to excavation of trenching at least 50m away from the edge of the ROW.
26. The enforceability of the row permission granted herein shall be restricted to the extent of provision I scope of service contained/defined in the license agreement of the licensee with DOT and for the purpose for which it is granted, either by content or by intent, the purpose of extending this ROW facility is not to enhance the scope of license of the licensee with the DOT.
27. Any disputes in interpretation of terms and condition of this agreement or their implementation shall be referred to the high level committee comprising the designated representative of the authority, licensee and the concerned agencies and of the committee shall be final and binding on all.
28. For PPP projects, in case of any financial loss incurred by the respective project concessionaires due to such laying shifting of water pipe line/pipe line ducts by the Licensee, compensation for the same shall be required to be borne by the Licensee in mutual agreement with the respective project concessionaire. MPRDC implementing authorities for the project shall not be liable to the concessionaire in any way in this regard,

Notwithstanding anything contained in clause 4 (vii) the licensee may be cancelled at any time by the government for a Breach of any condition of the license and the in witness where of Shri..... The divisional manager road development an additional secretary ministry of transport and shipping (Road wing) for and

  
**General Manager**  
M.P. Jal Nigam Maryadit  
Project Implementation Unit  
Singrauli (M.P.)


  
**Divisional Manager**  
MPRDC Div-II Rewa H.O. Sidhi

behalf of the president of India and the licenses-MPJNM has signed and subscribed their representative hands here into the way, month and year first above written.

This agreement has been executed in duplicate, each on a Stamp paper. Each party to this Agreement has retained one stamped copy each

IN WITNESS WHERE OF THE PARTIES HERETO HAVE CAUSED THIS AGREEMENT TO BE EXECUTED THROUGH THEIR RESPECTIVE AUTHORISED REPRESENTATIVE THE DAY AND THY YEAR FIRST ABOVE WRITTEN.

Signature of Applicant SIGNED, SEALED AND DELIVERED BY

  
General Manager  
General Nigam Maryadi  
Project Implementation Unit  
Singrauli (M.P.)  
India

Signed by.....  
General Manager, MPRDC  
Govt. of India on behalf of  
President of MPRDC Div-II Rewa H.C. Singrauli

In Presence of (Witness)

1. Name of full.....

1. Name of full.....

(Signature With Designation)

(Signature With Designation)

2. Name of full.....

2. Name of full.....

(Signature With Designation)

(Signature With Designation)



## कार्यालय कार्यपालन यंत्रि

म.प्र. लोक निर्माण विभाग (भ0/स0) सिंगरौली संभाग सिंगरौली (म0प्र0)

web site: www.mp.gov.in/pwdmp

email:- oopwdsingrauli1@gmail.com

Phone- 07805-297420, Fax- 07805-297420

क्रमांक- 779  
प्रति,

तकनीकी / 2022-23

सिंगरौली, दिनांक 24.6.2022

जनरल मैनेजर

म0प्र0 जल निगम भर्यादित

पी0आई0यू0 सिंगरौली (म0प्र0)

विषय :-

मार्गों के शोल्डर में एवं शोल्डर के बाहर खोदकर व मार्गों की कटिंग करके पाइप लाईन बिछाने के संबंध में।

सन्दर्भ:-

1) मध्यप्रदेश शासन लोक निर्माण विभाग भोपाल का पत्र क्रमांक 1129/17/19/यो. भोपाल दिनांक 22.02.2017

3) इस कार्यालय का पत्र क्र. 3390/तक./2021-22 सिंगरौली दिनांक 09.03.2022

2) आपका पत्र क्र. 135/2022/म.प्र.जे.एन.एम./पी.आई.यू./सिंगरौली दिनांक 02.02.2022

-----000-----

उपरोक्त विषयान्तर्गत संदर्भ में लोक निर्माण विभाग (भ0/स0) संभाग सिंगरौली विभाग के अन्तर्गत मार्गों के शोल्डर में एवं शोल्डर के बाहर खोदकर व मार्गों की कटिंग कर के नल जल पाइप लाइन बिछाने के लिए अनुमति चाही गई है। आपके यहां से एच.डी.एफ.सी. बैंक लिमिटेड (शिव कॉम्प्लेक्स सीधी) की बैंक गारंटी क्रमांक 062GT02220880003 दिनांक 19.04.2022 राशि रु. 44,07,270.00 लाख प्राप्त हुआ है।


अतः नल जल पाइप लाइन बिछाने हेतु खुदाई की निम्नलिखित शर्तों के तहत अनुमति प्रदान की जाती है-

1. उक्त मार्ग के मध्य विन्दु से 15.00 मीटर की दूरी पर 1.00 मीटर गहराई में पाइप लाइन होगा।
2. स्वीकृत प्रस्तावित मार्ग का डायग्राम कार्य स्थल पर रखना अनिवार्य होगा।
3. कार्य प्रारंभ करने के पूर्व अनुविभागीय अधिकारी/उपयंत्रि को सूचित करने के पश्चात उनकी उपस्थिति में ले-आउट दिया जाय।
4. सड़क खुदाई की चौड़ाई 0.50 मीटर से अधिक न हो।
5. सड़क के किनारे जो पाइप लाईन डाली जाय उसकी भराई एवं कुटाई पश्चात् सड़क मार्ग को यथा स्थित में लाना अनिवार्य होगा।
6. प्रस्तावित रूट डायग्राम के अनुसार पाइप लाईन डाली जाय, किसी प्रकार का परिवर्तन मान्य नहीं होगा।
7. जहां कहीं पाइप लाइन पुल के उपर से गुजरेगी वहां पर पाइप लाइन डालने से पूर्व अधोहस्ताक्षरकर्ता के निर्देश प्राप्त करने के पश्चात डाली जाय।
8. सड़क कटिंग के समय मार्ग के आवागमन में किसी प्रकार का व्यवधान उत्पन्न नहीं होना चाहिए।
9. कार्य सम्पादन के समय किसी प्रकार की घटना, विवाद या शिकायत के लिए विभाग जिम्मेदार नहीं होगा।
10. 200 मी. से अधिक खुदाई एक बार में न करे, नाली भराई के बाद ही अगली खुदाई की जाये जिससे आवागमन बाधित न हो।



11. विकास कार्य हेतु विभाग द्वारा यदि पाइप लाइन को हटाने का निर्णय लिया जाता है तो कंपनी अपने खर्च से पाइप लाइन आदि हटायेगा, इससे विभाग से किसी प्रकार का कोई हर्जाना मांगने का अधिकार कंपनी को नहीं होगा।
12. पूर्व में बिछी लाइन, टेलीफोन लाइन, ड्रेनेज लाइन अथवा अन्य कोई पूर्व में बिछी लाइन में किसी प्रकार का कोई नुकसान होता है तो उस नुकसान के लिए कंपनी हर्ज एवं खर्च के लिए जिम्मेदार होगी।
13. यदि आपके द्वारा इस विभाग की अनुमति के बगैर एवं अनुमति उपरान्त अधिक कि.मी. में पाइप लाइन बिछाने से मार्ग छतिग्रस्त होता है तथा अनुमति प्राप्त छतिग्रस्त मार्ग का आपके द्वारा मरम्मत कार्य नहीं कराया जाता तो शासन की छतिपूर्ति की राशि को एफ. आई.आर. कराकर आपसे वसूलने की कार्यवाही की जावेगी।

सहपत्र :- शून्य।


  
24/06/22  
कार्यपालन यंत्री  
लोक निर्माण विभाग  
संभाग सिंगरौली (म0प्र0)

पृ0क्रमांक ..... / तकनीकी / 2022-23

सिंगरौली, दिनांक .....

प्रतिलिपि:-

- 1) मुख्य अभियंता लो.नि.वि. रीवा परिक्षेत्र रीवा की ओर सूचनार्थ सादर सम्प्रेषित।
- 2) कलेक्टर महोदय जिला सिंगरौली की ओर सादर सूचनार्थ सम्प्रेषित।
- 3) अधीक्षण यंत्री लो.नि.वि. रीवा मण्डल रीवा की ओर सूचनार्थ सादर सम्प्रेषित।
- 4) अनुविभागीय अधिकारी लो0नि0वि0 उपसंभाग चितरंगी की ओर पालनार्थ। कृपया कंपनी द्वारा दिये गये ले-आउट (रूट डायग्राम) की जाँच कर संलग्न प्रस्तावित एलाइमेन्ट के अनुसार कार्य कराया जाना सुनिश्चित करें।

  
कार्यपालन यंत्री  
लोक निर्माण विभाग  
संभाग सिंगरौली (म0प्र0)