

कार्यालय – प्रभागीय वनाधिकारी

तराई केन्द्रीय वन प्रभाग, रुद्रपुर

निकट विकास भवन, कोषागार, रुद्रपुर, उधमसिंहनगर। फोन व फैक्स-05944 250060, ई-मेल dfotc-forest-uk@nic.in

पत्रांक सं० 1398/12-1, रुद्रपुर

दिनांक 22.03.2021

सेवा में,

वन संरक्षक,
पश्चिमी वृत्त,
उत्तराखण्ड, हल्द्वानी।

विषय:- जनपद नैनीताल में स्थापित राजकीय मेडिकल कॉलेज हल्द्वानी के नियन्त्रणाधीन स्वामी राम कैंसर चिकित्सालय एवं अनुराधान संस्थान हल्द्वानी का विस्तारीकरण करते हुए "राज्य कैंसर संस्थान" तथा संक्रमण रोग चिकित्सालय की स्थापना किये जाने हेतु 4.25 है० वन भूमि के हस्तान्तरण के सम्बन्ध में। (Online No. FP//UK/DISP/114282/2020)।

संदर्भ:- प्राचार्य, राजकीय मेडिकल कॉलेज, हल्द्वानी का पत्र 7484/जीएमसी/एल-1/भूमि दिनांक 16.03.2021 एवं आपका ई०डी०एस० दिनांक 02.03.2021

महोदय,

उपरोक्त विषयक ई०डी०एस० दिनांक 02.03.2021 में लगायी गयी आपत्तियों में प्राचार्य, राजकीय मेडिकल कॉलेज, हल्द्वानी के पत्रांक 7484/जीएमसी/एल-1/भूमि दिनांक 16.03.2021 द्वारा तथा इस कार्यालय से सम्बन्धित सूचनाओं का बिन्दुवार निराकरण कर सूचना सेवा में सादर प्रेषित है-



1. It is not clear Whether proposal submitted for regularization or new construction. State Govt. may submit clarification in this regard.	1- It is to be submitted that the present proposal for transfer of 4.25 hect. Forest land for establishing "State Cancer Institute and Infectious disease hospital under Government Medical College Haldwani" (Online No. FP/UK/DISP/114282/2020) is a Fresh Proposal for New Construction . This is proposed to be located on 4.25 hect. of forest land out of the 8.44 hect. of forest land which has been returned to forest department under the directions of REC vide point no.3, in its meeting dated: 22/08/2019.
2. Violation reported at Para 11 in Part II but detailed report is not submitted. State Govt. may submit the detailed report of the violation in the case.	2- There is no violation in this case since it's a Fresh Proposal for New Construction.
3. No comments have been made by the DFO against para 5.3. 5.4 & 5.5 in SIR. State Government may subunit the Site Inspection Report after ensuring that the comments against para 5.3. 5.4 & 5.5 have been made.	3- प्रभाग स्तर से आपत्ति का निराकरण किया गया है। संलग्न
4. No comments have been made by the DFO regarding violation in his SIR. This may be clarified and necessary comments in this regard may provided in the SIR by the DFO.	4- Comments have to be made by the DFO. It is reiterated that there is no violation in this case since it's a Fresh Proposal for New Construction .
5. No comments have been made by the Nodal Office and State Government regarding violation. The State Government may submit clarification in this regard.	5- Comments have to be made by the Nodal Office and State Government. It is reiterated the there is no violation in this case since it's a Fresh Proposal for New Construction .



6. Proceedings of Village Level Committee (VLC) meeting and Sub-Divisional level committee (DLC) meeting are not found uploaded. State Government may upload the VLC and SDLC meeting proceedings online.	6- The VLC and DLC meeting have been again uploaded online.
7. State Government may submit/upload the tree enumeration list and CA scheme duly authenticated by the DFO.	7- The tree enumeration list and CA scheme duly authenticated by the DFO have been uploaded again.
8. It is seen in the NPV calculation sheet that NPV is calculated or normal rate. State Government may direct the DFO to calculate the NPV at the rate of violation prescribed in the guidelines of ministry and submit the same.	8- Comments have to be made by the DFO. It is reiterated that there is no violation in this case since it's a Fresh Proposal for New Construction hence the NPV has been calculated on normal rates.
9. Muck disposal Plan is not found uploaded which may be done.	9- The Muck generated during construction is proposed to be used in the leveling of ground and backfilling in the buildings. Hence no Muck disposal plan is required.
10. प्रस्ताव में 3.71 है0 Patch का lay-out प्रस्ताव नहीं किया गया है। अतः राज्य सरकार से अनुरोध है कि वह दोनो Patches में Lay-out प्रकार करें ताकि कम-से-कम वृक्षों को काटे जाने की आवश्यकता रहे।	10- The required layout map/concept plan of proposed land is being uploading herewith. The layout has been proposed so that felling of minimum number of trees is required.

संलग्न- उपरोक्तानुसार।

सं० 1.398/2/9 12-1..... उक्तदिनांकित।

प्रतिलिपि:- प्राचार्य, राजकीय मेडिकल कॉलेज, हल्द्वानी, नैनीताल को सूचनार्थ प्रेषित।

भवनीया,

 (डॉ० अभिलाषा सिंह)
 प्रभागीय वनाधिकारी,
 तराई केन्द्रीय वन प्रभाग, रुद्रपुर



 (डॉ० अभिलाषा सिंह)
 प्रभागीय वनाधिकारी,
 तराई केन्द्रीय वन प्रभाग, रुद्रपुर


कार्यालय प्राचार्य, राजकीय मेडिकल कॉलेज, हल्द्वानी (नैनीताल)

दूरभाष: 05946-255255, फ़ैक्स-05946-282578

ईमेल- principal.gmchld@gmail.com

पत्रांक :- 7484 / जीएमसी / एल-1/भूमि

हल्द्वानी, दिनांक 16 मार्च, 2021

सेवा में,

प्रभागीय वनाधिकारी,
तराई केन्द्रीय वन प्रभाग,
विकास भवन के पीछे, रुद्रपुर, जिला-उधम सिंह नगर।

विषय:- राजकीय मेडिकल कालेज हल्द्वानी द्वारा 4.25 हे० वन भूमि हस्तान्तरण हेतु ऑनलाईन अपलोड किये गये प्रस्ताव संख्या- FP/UK/DISP/114282/2020 पर एम०ओ०ई०एफ० द्वारा लगायी गयी ई०डी०एस०।

संदर्भ:-एम०ओ०ई०एफ० के पत्रांक-8बी.यू.सी.पी./09/21/2021/एफ०सी०/2373, दिनांकित 26 फ़रवरी 2021 के क्रम में।

महोदया,

उपरोक्त संदर्भित पत्र के माध्यम से 4.25 हे० वन भूमि हस्तान्तरण प्रस्ताव संख्या- FP/UK/DISP/114282/2020 में एम०ओ०ई०एफ० द्वारा पायी गयी कमियों पर वांछित सूचनाओं सहित बिन्दुवार आख्या अग्रेत्तर कार्यवाही हेतु प्रेषित की जा रही है-

- 1- It is to be submitted that the present proposal for transfer of 4.25 hect. Forest land for establishing "State Cancer Institute and Infectious disease hospital under Government Medical College Haldwani" (Online No. FP/UK/DISP/114282/2020) is a **Fresh Proposal for New Construction**. This is proposed to be located on 4.25 hect. of forest land out of the 8.44 hect. of forest land which has been returned to forest department under the directions of REC vide point no.3, in its meeting dated: 22/08/2019.
- 2- There is no violation in this case since it's a **Fresh Proposal for New Construction**.
- 3- **DFO**.
- 4- Comments have to be made by the DFO. It is reiterated that there is no violation in this case since it's a **Fresh Proposal for New Construction**.
- 5- Comments have to be made by the Nodal Office and State Government. It is reiterated the there is no violation in this case since it's a **Fresh Proposal for New Construction**.
- 6- The VLC and DLC meeting have been again uploaded online.
- 7- The tree enumeration list and CA scheme duly authenticated by the DFO have been uploaded again.

तराई केन्द्रीय वन प्रभाग
पत्रांक 5056
दिनांक 20/03/2021

- 8- Comments have to be made by the DFO. It is reiterated that there is no violation in this case since it's a **Fresh Proposal for New Construction** hence the NPV has been calculated on normal rates.
- 9- The Muck generated during construction is proposed to be used in the leveling of ground and backfilling in the buildings. Hence no Muck disposal plan is required.
- 10- The required layout map/concept plan of proposed land is being uploading herewith. The layout has been proposed so that felling of minimum number of trees is required.

आपसे अनुरोध है कि उक्तानुसार अवगत होते हुए उक्त प्रस्ताव को संस्तुति सहित ऑनलाईन अग्रसारित करने का कष्ट करेंगी।
संलग्नक: यथोपरि।

भवदीय,

(डॉ० चन्द्र प्रकाश)
प्राचार्य,

राजकीय मेडिकल कालेज, हल्द्वानी।


सं.- 7484 / (1) C-1/2 उक्त दिनांक।

प्रतिलिपि:-निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित-

1. निदेशक, चिकित्सा शिक्षा निदेशालय, 107, चन्दर नगर, देहरादून।
2. प्रमुख वन संरक्षक एवं नोडल अधिकारी, वन संरक्षण, इन्दिरा नगर, फॉरेस्ट कॉलोनी, देहरादून।
3. वन संरक्षक, पश्चिमी वृत्त, अरण्य भवन, रामपुर रोड़, हल्द्वानी।
4. निदेशक, राज्य कैसर संस्थान, स्वामी राम कैसर चिकित्साल हल्द्वानी।
5. प्रबन्धक, (सम्पत्ति एवं परियोजना), राजकीय मेडिकल कालेज, हल्द्वानी।

(डॉ० चन्द्र प्रकाश)
प्राचार्य,

राजकीय मेडिकल कालेज, हल्द्वानी।



BRIDCUL (ब्रिडकुल)

ब्रिज, रोपवे, टनल एण्ड अदर इन्फ्रास्ट्रक्चर डेवलपमेंट कॉरपोरेशन ऑफ उत्तराखण्ड लिमिटेड

(उत्तराखण्ड सरकार का उपक्रम)

पूर्व में उत्तराखण्ड राज्य अवस्थापना विकास निगम लिमिटेड

परियोजना इकाई-हल्द्वानी

इकाई कार्यालय: रौतेला कॉलोनी, छोटी मुखानी, पो0आँ0-बड़ी मुखानी, हल्द्वानी, नैनीताल-263139

पत्रांक: 409 / ब्रिडकुल / 376 / 2021

दिनांक: 12 / 63 / 2021

सेवा में,

प्राचार्य,

राजकीय मेडिकल कॉलेज, हल्द्वानी,

नैनीताल।

विषय:- राजकीय मेडिकल कॉलेज हल्द्वानी में स्टेट कैंसर संस्थान की स्थापना किए जाने के सम्बन्ध में।

सन्दर्भ:- आपका पत्रांक 7356 / जीएमसी / एल-1 / भूमि दिनांक 09.03.2021।

महोदय,

उपरोक्त विषयक सन्दर्भित पत्र के माध्यम से आपके द्वारा विषयांकित परियोजना में उपलब्ध 4.25 हे० वन भूमि के हस्तान्तरण के क्रम में भारत सरकार के पत्रांक 8बी./यू.सी.पी./09/21/2021/एफ० सी०/2373 दिनांक 26.02.2021 के माध्यम से चाही गई सूचनाओं के बिन्दु संख्या 9 एवं 10 से सम्बन्धित सूचनाएं तत्काल उपलब्ध कराए जाने हेतु अनुरोध किया गया है, जिस क्रम में बिन्दुवार सूचना निम्नवत है:-

1. **बिन्दु संख्या 9:-** परियोजना हेतु प्रस्तावित भूमि समतल होने के कारण कोई पहाड़ कटान का कार्य किया जाना प्रस्तावित नहीं है। परियोजना के किसी भी भवन में बेसमेन्ट का प्राविधान नहीं किया गया है। परियोजना के अन्तर्गत भवन में केवल नींव खुदाई का कार्य ही प्रस्तावित है। नींव खुदाई से प्राप्त मिट्टी की मात्रा को भवन की बैकफिलिंग में उपयोग में लाया जाएगा, जिसके दृष्टिगत परियोजना के निर्माण में Muck Disposal की आवश्यकता नहीं होगी। इस कारण Muck Disposal Plan संलग्न नहीं किया गया है।
2. **बिन्दु संख्या 10:-** परियोजना के अन्तर्गत प्रस्तावित भवनों, आन्तरिक सड़कों एवं पार्किंग को दर्शाते हुए सम्पूर्ण भूमि पर परियोजना का ले-आउट प्लान/कॉन्सेप्ट प्लॉन संलग्न कर प्रेषित किया जा रहा है।

अतः उपरोक्तानुसार सादर सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

संलग्न:- उपरोक्तानुसार।

भवदीय,

(इं० गम्भीर सिंह)


परियोजना प्रबन्धक

प्रतिलिपि:- निम्नांकित को सादर सूचनार्थ प्रेषित।

1. निदेशक, स्वामी राम कैंसर संस्थान/स्टेट कैंसर संस्थान, हल्द्वानी।
2. प्रबन्धक (सम्पत्ति एवं परियोजना), राजकीय मेडिकल कॉलेज, हल्द्वानी।
3. महाप्रबन्धक (सिविल), ब्रिडकुल, देहरादून।
4. परियोजना पत्रावली।

परियोजना प्रबन्धक


PROPOSED SITE PLAN OF STATE CANCER INSTITUTE AT HALDWANI DIST: NAINITAL
TOTAL LAND 4.25 HECTARE



**SITE INSPECTION REPORT- NOT BELOW THE RANK OF DCF
(For the forest land to be diverted under FCA)**

- 5.1 A proposal has been received by this office from Government Medical College Haldwani, District Nainital Uttarakhand (Department of Medical Education Uttarakhand) for diversion under FCA-1980) of 4.25 hectare of forest land for non-forestry purpose. The project envisages the use of forest land for construction of State Cancer Institute & associated buildings at Government Medical College Haldwani Distt Nainital .The site inspection of the land involved in the proposal has been done by me on dated:- ...02/01/2021.
- 5.2 On inspection of the site, it is found that the land required by the user agency is a RF/PF/un-classed/Other forests measuring 4.25 ha.
- 5.3 The requirement of forest land as proposed by the user agency in Co1.2 part-1 is unavoidable and is barest minimum required for the project. **YES**
- 5.4 Whether any rare /endangered /unique species of flora and fauna found in the area. If, so the details there of :- **NIL**
- 5.5 Whether any protected archeological /heritage site/defence establishment or any other important monument is located in the area, if, so the details thereof with NOC from competent authority, if required.- **NIL**
- a) The user agency has not violated the provisions of forest (Conservation), Act 1980 and no work has been started without proper sanction. **YES**
- b) It has been found that the user agency has violated (Conservation), Act, and 1980 provisions. A details report as per para 1.9 of chapter 1, Para C of Hand book of forest (Conservation) Act, 1980 attached. **NO**
- Specific recommendation for acceptance or otherwise of the proposal.

Place:-.....HALDWANI.....
Date.....02/01/2021.....

(Signature) 
Name.....प्रभागीय वनाधिकारी,
Designation तराई, केन्द्रीय वन प्रभाग,
Office Seal . बनपुर, कथमसिंहनगर

N.B. State the purpose for which the forest land is proposed to be diverted. out of(a) and (b) tick the option which is applicable and cross the option which is not applicable.

As per letter number 2-2/2000 FC dated 16-10-2000 from ministry of Environment & Forest, Government of India for proposal involving less then 40 hectares of forest land, the site inspection report from DCF is required and for proposal involving more the 40 hectares of forest land site inspection report from the conservation of forests is required.


परियोजना का नाम :- जनपद नैनीताल क विधानसभा हल्द्वानी में तल्ली हल्द्वानी प्लॉट संख्या 4 में रवाणी चाम कैसर अनुसंधान की स्थापना हेतु निर्माण कार्य ।


प्रभावित होने वाले वृक्षों का विवरण

प्रश्नगत परियोजना के निर्माण हेतु दिनांक..... को किये गये संयुक्त निरीक्षण के अनुसार आवेदित वन भूमि तथा नाप भूमि पर प्रभावित होने वाले वृक्षों की गणना की गयी व निरीक्षण के दौरान प्रभावित होने वाले वृक्षों की निम्नानुसार गणना की गयी ।

आरक्षित वन भूमि पर प्रभावित वृक्ष

क्र०सं०	वन वर्ग / कम्पाउंड ट का नाम	प्रजाति	वैज्ञानिक नाम	वयस वर्ग													कुल वृक्ष	आयतन (घ० मी०)	वृक्षों का मूल्य			
				10-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-80	80-90				90 से ऊपर		
1		सोपान हल प्राक्षिस	टेकरेना प्राक्षिस	4		44		28		14		3		0		1		0		95	67.704	2207506.00
2		सोपान प्राक्षिस	टेकरेना प्राक्षिस	0		0		1		0		0		0		0		0		1	0.639	15716.00
3		क्यू	होलापट्टिसा इन्डुरियासिस	0		0		0		0		0		1		0		0		1	2.549	16528.00
4		कैना	मोडिया अटेशारक	0		0		0		1		0		0		0		0		1	1.104	1526.00
5		शोफन	कानकराजिया सिसू	0		1		2		0		2		3		0		0		8	12.768	459096.00
6	टापडा वन वनाक प्लॉट संख्या 150	जकरेना	जकरेना मिनेसीयोसिया	0		0		0		1		0		0		0		0		1	1.104	1526.00
प्रॉफि०		प्रजाति	वैज्ञानिक नाम	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80						
01		होलापट्टिस हल	होलापट्टिस हल	3	19	47	25	42	33	37	14	07	02	05	01	01				236	273.772	814842.00
02		होलापट्टिस पुला	होलापट्टिस पुला	0	01	0	02	01	0	0	0	0	0	0	0	0				4	2.563	6047.00
													कुल योग				347	-	2701898.00			


 प्रजातीय वन क्षेत्र
 नैनीताल नगर, उत्तरांचल प्रदेश


 प्रजातीय वन अधिकारी
 नगर क्षेत्रीय वन प्रभाग
 रुद्रपुर, उत्तरांचल प्रदेश