कार्यालय वन संरक्षक, उत्तरी कुमाऊँ वृत्त, उत्तराखंड, अल्मोड़ा। Email: cfkumaon_north@rediffmail.com, @ (05962) 231099 Fax: 230397 पत्रांक - 393 6 / 12-1 (2) अल्मोड़ा, दिनांक, 22 62 2022.

सेवा में,

अपर प्रमुख वन संरक्षक / नोडल अधिकारी, वन संरक्षण, इन्दिरा नगर, फारेस्ट कालोनी, उत्तराखण्ड, देहरादून।

जनपद- पिथौरागढ़ में तहसील धारचूला अन्तर्गत प्रस्तावित तांकुल (क्षमता- 4X3000 विषय :-किलोवाट) विद्युत परियोजना के निर्माण हेतु 9.397 हे0 वन भूमि का गैर वानिकी कार्यों हेतु यू०के०वी०एन० लिमिटेट को हस्तान्तरण। प्रस्ताव सं0 FP/UK/HYD/42080/2019.

दिनांक 29.12.2021 को 63 वीं आर0ई0सी0 की बैठक में लगायी गयी आपत्ति। संदर्भ:-

महोदय.

जनपद- पिथौरागढ़ अन्तर्गत प्रस्तावित तांकुल विद्युत परियोजना हेतु भारत सरकार द्वारा दिनांक 29.12.2021 को आयोजित 63 वीं आर0ई0सी0 की बैठक में लगायी गयी आपत्ति का प्रतिउत्तर जो प्रभागीय वनाधिकारी, पिथौरागढ़ वन प्रभाग, पिथौरागढ़ के पत्रांक 5761 दिनांक 29.01.2022 द्वारा प्रस्तावक विभाग का प्रतिउत्तर प्राप्त हुआ है। प्राप्त उत्तर की तीन हॉर्ड कॉपियां संगत अभिलेखों के साथ संलग्न कर बन्द लिफाफे में प्रेषित की जा रही है। प्रस्ताव ऑन लाईन भी आपको पृथक से प्रेषित किया जायेगा।

संलग्न- प्रतिउत्तर की हॉर्ड कॉपी तीन प्रतियों में।

भवदीय

(प्रवीण व्यूमार) वन संरक्षक,

उत्तरी कुमाऊँ वृत्तु, उत्तराखण्ड, अल्मोड़ा।

कार्यालय प्रभागीय वनाधिकारी,पिथौरागढ़ वन प्रभाग,पिथौरागढ़।

E-mail: dfopithoragarh@rediffmail.com Fax &**2** 05964- 225234 पत्रांक:- 576 / दिनांक, पिथौरागढ़, ्रीजनवरी, 2022।

सेवा में.

वन संरक्षक, उत्तरी कुमाऊँ वृत्त, उत्तराखण्ड, अल्मोडा।

विषय:--

Regarding transfer of 9.397 hac forest land for construction of Tankul 12 MW Small hydro Project at tehsil Dharchula of district Pithoragarh in the name of UJVN Limited (FP/UK/HYD/42080/2019).

सन्दर्भ:-

63rd REC Meeting held on 29-12-2021.

महोदय,

उक्त विषयांकित 12 मेगावाट तांकुल लघु जल विद्युत परियोजना अन्तर्गत REC की 63rd मीटिंग में लगायी गयी आपत्ति का प्रस्तावक विभाग द्वारा निम्न प्रकार निराकरण किया गया है।

S.No.	Observation/Condition	Reply
1.	The project proponent will provide	Muck to be used locally during construction (148865.53 + 17500
	detailed technical reasons for taking	= 166365.53). About 95 % muck out of 166365.53 cum will be
	swell factor 16 % and if there is	used for concrete & filling works at various structures. Swell
	need to revise the swell factor, a	factor of excavated rock is above 40 % but when excavated rock is
	revised muck dumping plan should	converted into gravels ranging from 20 mm to 40 mm swell factor
	be submitted along with additional	of crushed stones considerably reduces to below 15 %.
	requirement of area, if any. The	For concrete works, excavated boulders will be converted in to
8	revised dumping plan will be	aggregates having size from 20 mm to 40 mm by manual means.
	circulated among the members for	Swell factor for crushed stone is estimated around 15 %. Material
	their recommendations and consent.	proportion of aggregates to be used for concrete works is based on
		weight instead of volume, therefore, swell factor doesn't impact
		the quantity of gravels (crushed aggregates) to be used locally for
		concrete works. For concrete works vibrators are used for
		compaction of concrete. Use of vibrators will further reduce the
		voids from 8 to 10 %.
2 1		Filling works in the project area and muck disposal at designated
		site will be done with 20 % compaction using mechanical means.
20	7 a a	In all the muck dumping sites, the muck brought in dumpers shall
		be dumped and manually spread behind the crates and roller
		compacted in such a manner that rock mass is properly stacked
		behind the crates with minimum of voids.
		In view of above said facts, swell factor has been taken as 16%.

भवदीय,

पिथोरामुद्ध वन प्रभाग, पिथोरागढ़।

The following table lists swell factors for various engineering materials:-

Material	Swell (%)
Clay	
Dry	40
Wet	40
Clay and gravel	× -
Dry	40
Wet	40
Coal, anthracite	35
Coal, bituminous	35
Earth, loam	1 ± 0 ± 0
Dry	25
Wet	25
Gravel	
Dry	12
Wet	12
Gypsum	74
Hardpan	50
Limestone	67
Rock, well blasted	65
Sand	
Dry	12
Wet	12
Sandstone	54
Shale and soft rock	65
Slate	65
Traprock	65

अधिज्ञासी अभियन्ता यूजेवीएन लिमिटेड मुनस्यारी (पिथोरागढ)