

OFFICE OF THE PCCF (HOFF), RAJASTHAN, JAIPUR

F 14()/2017/FCA/PCCF/

2931

Date: 25.6.2018

To

Secretary (Forest),
Government of Rajasthan,
Jaipur.

Sub :- **Diversion of 3.92 ha. (3.01 ha . in Ajmer forest division & 0.91 ha. In Nagaur forest division) of forest land in favor of Executive EngineerRRVNL Ajmer, for construction of 220 KV D/C Ajmer Bhairunda Transmission line in Ajmer & Nagaur Districts Rajasthan reg-Proposal No FP/RJ/Trans/29091/2017**

Ref : - APCCF (Central) & Regional Officer GOI Lucknow letter no 8B/Raj/047/19/2018/FC/151 dated 05.06.2018

Dear Sir,

With reference to above mention subject compliance of APCCF (Central) & Regional Officer GOI Lucknow letter no 8B/Raj/047/19/2018 /FC/151 Dated 05.06.18 is based on information provided by CCF/DCF/UA as follows.

Sl.No	Compliance raised by Regional MoEF&CC	Compliance Report
1	As per information provided at B-1 regarding earlier approval, compliance of AIP issued FP/RJ/Trans/15911/2015 has not been submitted after a lapse of more than a year time.	As per UA replied, Compliance of In Principle approval issued in the proposal no FP/RJ/Trans/15911/2015 has already been submit to the Regional Office Lucknow. Copy of online certificate is enclosed.
2	The extent of forest area mentioned in FRA certificate issued by DM Ajmer and DM Nagaur do not match with the proposed area for diversion page 25 & 46 of the proposal.	As per User Agency replied, In Ajmer division, initially FRA certificate was applied for diversion of 3.92 ha. Forest land having khasra no 15, 19, 23, 23/2476, 69, 76 & 77. At the time of proposal was examined by the DCF Ajmer, it is found that the khasra no 23/2476 & 69 were not related to the forest department. Therefore the area for two khasra not included in the forest diversion. The proposed diversion of forest land in Ajmer forest division 3.01 ha. Is included in the FRA certificate which was issued by DM Ajmer. In Nagaur division, initially FRA certificate was applied for diversion of 1.21 ha. Forest land having khasra no 425& 448. At the time of proposal was examined by the DCF Nagaur, it is found that the length in khasra no 425 & 448 is changed (reduced). The proposed diversion of forest land in Nagaur forest division 0.91 ha. Is included in the FRA certificate which was issued by DM Nagaur.
3	Proposed forest area calculation sheet shall be vetted by DFO Nagaur	Proposed forest area calculation sheet has been vetted by DFO Nagaur. Hard copy is attached.
4	The proposal is without submission of Gazette Notification of forest land proposed for diversion	The copies of Gazette Notifications of forest land proposed for diversion are attached by DCF at additional information of online proposal. Hard copy is enclosed.
5	Proposed compensatory scheme has	a- Corrected KML file for 7.84 ha. Area is

Dextop/letter /letter to ccf

Page 254

	<p>following issues:</p> <p>a- As per GIS DSS analysis extent of proposed compensatory afforestation patch only 6.6 ha. Whereas requisite double degraded forest land amount to $2 \times 3.92 = 7.84$</p> <p>b- Compensatory Afforestation scheme is without accounting of rate enhancement due to increase in wage rate, inflation etc.</p> <p>c- Details regarding no of seedling to be planted per ha. Have also not been provided with the proposal.</p> <p>d- A comprehensive compensatory scheme shall be prepared duly incorporated estimate for protection works and other related ancillary issues. As per FCA guideline site specific CA scheme duly approved by competent authority needs submission with the proposal.</p>	<p>uploaded in part II of the online proposal. KML file in CD is enclosed.</p> <p>b- CA scheme is prepared on the basis of approved model estimate by State Government. Kindly refer to your letter no II/FC/ROC/95-2015/P-IV/790 dated 15.9.2015 in which it is mentioned that funds has deposited within one year from the dated of issuing In principle Approval. There is no need of depositing any additional funds in future on account of increase in wage rate. The User Agency will deposit the funds with in one year from issue of in principle Approval. Hence there is no need of payment for cost enhancement due to inflation.</p> <p>c- As per model estimate approved by State Government, 700 plants per ha. Is planted.</p> <p>d- CA scheme is prepared on the basis of approved model (approved by state government)</p>
6	Scheme for planting dwarf medicinal plants below transmission line does not account rate enhancement due to increase in wage rate, inflation etc.	Scheme for medicinal plantation is prepared on the basis of approved model estimate by State Government uploaded in part II and Hard copy is enclosed. Kindly refer to your letter no II/FC/ROC/95-2015/P-IV/790 dated 15.9.2015 in which it is mentioned that funds has deposited within one year from the dated of issuing In principle Approval. There is no need of depositing any additional funds in future on account of increase in wage rate. The User Agency will deposit the funds with in one year from issue of In principle Approval. Hence there is no need of payment for cost enhancement due to inflation.
7	The proposal is without map showing tower locations on forest and non forest land.	map showing tower locations on forest and non forest land is uploaded in part I online and hard copy is enclosed.

Enclosed: As above

Your's sincerely



(A.K. Singh)

APCCF Protection &
Nodal Officer FCA
Rajasthan, Jaipur


Tel: 0141-2713760 M - 9414045146

Date:

F 14()/2017/FCA/PCCF/

Copy forwarded for:

- 1- APCCF (Central), Government of India, MOEF & CC Regional Office, Central Zone, Pancham Tal, Central Bhavan, Sector H, Aliganj, Lucknow.
- 2- CCF Ajmer
- 3- DCF Ajmer/Nagaur
- 4- Executive Engineer, RRVNL Ajmer


APCCF Protection &
Nodal Officer FCA
Rajasthan, Jaipur