

**Ravi Kumar Meena IFS**  
Divisional Forest Officer



Divisional Forest Office  
Malayattoor Division  
Kodanad.P.O. Pin 683544  
Phone No.0484-2649052  
email: [dfo-mytr.for@kerala.gov.in](mailto:dfo-mytr.for@kerala.gov.in)

**A2 - 10468/2019**

**Date: 13.01.2022**

To

Chief Conservator of Forests  
Central Circle  
Thrissur

Sir,

Sub:- Recommendation of water supply scheme in Angamaly constituency –  
reg.

Ref :-1) Proposal No. FP/KL/Pipeline/41944/2019

2) Letter No KR2-325/2020 dated 03.12.21 of RFO Kalady

Kerala Water Authority Perumbavoor Project Director had submitted a proposal in Parivesh portal (FP/KL/Pipe line/41944/2019) for the augmentation of water supply scheme in Angamaly Constituency. The proposed project passes through the areas of Malayattoor forest division and NSC Kalady division.

On 15.12.2021, I have inspected the proposed area. The pipeline is proposed to be laid in side of the road from Illithode to GLSR(0.08855 Ha), Illithode junction to near check post(0.06536 Ha), Vijaya Crusher to Eucaly (0.06624 Ha), Eucaly to Kadukulangara (0.10885 Ha), Eucaly to Pandupara part 1 (0.08168 Ha), Eucaly to Pandupara part II (0.1314 Ha) comes under Kalady range in Malayattoor forest Division.

As per the details uploaded by the user agency the proposed area comes under the Aluva Taluk in Ernakulam District. The areas proposed do not have any rare endangered/unique species of flora. Moreover, there is no protected/archeological/heritage site/defence establishment located in the area.

Considering the above, it is seen that the Water supply scheme is essential for the local people and the proposed diversion is underground pipeline and in no way a threat to the forest and wildlife. Hence it is recommended to divert 0.54208 ha of forest land for the Augmentation of Water supply scheme in Angamaly constituency by Kerala water authority.

  
Divisional Forest Officer  
Malayattoor

R