



कार्यालय उप वन संरक्षक,
टौन्स वन प्रभाग, पुरोला

पत्राक-490 / 12-1 दिनांक, पुरोला 26/08/2019।

फोन/फैक्स नं०- 01373-223328
E-Mail:- dfo_tons@yahoo.co.in
वन मित्र कॉल सेंटर- 9208008000

सेवामें,

1. वन संरक्षक,
यमुना वृत्त, उत्तराखण्ड,
देहरादून।
2. निदेशक,
राजाजी टाईगर रिजर्वर्स,
देहरादून।

विषय:- जनपद उत्तरकाशी के विकास खण्ड मोरी के अन्तर्गत सुपिन नदी पर प्रस्तावित 44 मे०वा० क्षमता की जखोल सांकरी जल विद्युत परियोजना के निर्माण हेतु 24.317 है० वन भूमि के सम्बन्ध में।

सन्दर्भ:- कार्यालय पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार, क्षेत्रीय कार्यालय सुभाष रोड देहरादून के पत्राक- 8 बी. यू.सी.पी./01/146/2018/एफ.सी/868 दिनांक 24.07.2019 एवं अपर महाप्रबन्धन (परियोजना प्रमुख) जखोल सांकरी जल विद्युत परियोजना, मोरी का पत्राक-29 दिनांक 24.08.2019 तथा आपकी ई०डी०क्वेरी दिनांक 19.08.2019।


महोदय,

उपरोक्त विषय के सम्बन्ध में भारत सरकार, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, क्षेत्रीय कार्यालय देहरादून तथा आपकी ई०डी०क्वेरी दिनांक 19.08.2019 के द्वारा उपरोक्त संदर्भित पत्र के माध्यम से वांछित सूचनाओं का बिन्दुवार निराकरण जो निम्न प्रकार प्रेषित है :-

क्र० सं०	ई०डी०क्वेरी	प्रतिउत्तर	टिप्पणी
1.	In reply to point No. 04, still four KML files for area proposed for diversion found uploaded. State Government may upload single KML file of whole area proposed for diversion.	The corrections have been made as per the instruction received.	
2.	In reply to point No. 06 density now mentioned as 0.1 in Govind Pashu Vihar Division, which still seems incorrect. State Government may do the needful in this regard.	in 22.067 ha land proposed for diversion total number of trees is 1530 which comes approximate 69 trees per hect. Hence on this ground density of forest is 0.1.	
3.	In reply to point No. 08, density is now mentioned as 0 in Tons Division, which still seems incorrect. State Government may do the needful in this regard.	Since no tree is found on forest land which is proposed for diversion so density is mentioned as 0.	
4.	In reply to point No. 09, DFOs of both divisions have not made any comments against point No. 5.5 in Site Inspection Report. State Government may upload and	Site inspection report with comments is enclosed and uploaded as additional information.	

	submit the SIR of both divisions after providing comments against all paras.	
5	In reply to point No.10 & 11, it is submitted that initially the proposal was for 33 MW. now requested for 44 MW and approval from the State Government of Uttarakhand is under process. State Government may submit proposal after granting approval for 44 MW.	The corrections have been made as per the instruction received.
6.	In reply to point No.12, it is mentioned that all important document have been submitted and rest will be submitted. If required. State Government may submit all document in original.	Most of documents required like part-I to V, CA Plan NOC under FRA 2006, certificate of suitability for CA, estimate of NPV amount of bill dumping plan etc. have already submitted in original along with proposal.
7.	प्रस्ताव में यह पाया गया है कि Dumping Yard एवं Contractor Facility भी वन क्षेत्र में प्रस्तावित किये गए हैं। अतः राज्य सरकार इस कार्य हेतु गैर-वन क्षेत्र का चयन करना सुनिश्चित करें तथा प्रभावित होने वाले वृक्षों का विवरण पृथक से प्रस्तुत करना सुनिश्चित करें।	The total land proposed for diversion by user agency is 24.317 ha. The land proposed for dumping yard and contractor facility is 10.6312 ha. Out of which 5.2800 ha is private land and 5.3512 ha civil forest land which already included in forest land division proposal. It has been requested by user agency that due to non availability of the other private land near by project area civil forest area is proposed for dumping area and contractor facility. Hence, it should be considered.

संलग्न-उपरोक्तानुसार।

भवदीय

 (आरुण मिश्रा)
 उप वन संरक्षक,
 टौन्स वन प्रभाग, पुरोला।



एसजेवीएन लिमिटेड

जखोल-सांकरी हाइड्रो इलैक्ट्रिक प्रोजेक्ट
मोरी, उत्तरकाशी (उत्तराखण्ड)- 249128
☎: 01373-234401.

Website: www.sjvn.nic.in
CIN: L40101HP1988GO10084

पत्रांक-एसजेवीएन/जसांजविपरि/वन भूमि/19- 29

दिनांक: 24/08/19

सेवामें,

- ✓ उप-वन संरक्षक,
टोन्स वन प्रभाग,
पुरोला, उत्तरकाशी।

विषय:- जनपद उत्तरकाशी के विकास खण्ड मोरी के अन्तर्गत सुपिन नदी पर प्रस्तावित 44 मे0वा0 क्षमता की जखोल सांकरी जल विद्युत परियोजना के निर्माण हेतु 24.317 है0 वन भूमि के सम्बन्ध में।

- सन्दर्भ:
1. कार्यालय पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार, क्षेत्रीय कार्यालय सुभाष रोड देहरादून के पत्रांक- 8 बी. यू.सी.पी./01/146/2018/एफ.सी/868 दिनांक 24.07.2019.
 2. एसजेवीएन/जसांजविपरि/वन भूमि/19-30-31 दिनांक 31.07.2019 (संलग्नक-क)।
 3. आपके पत्र संख्या-437/12-1 दिनांक 14.08.2019
 4. आपके के द्वारा प्रयोक्ता एजेंसी को वन संरक्षक के द्वारा ई0डी0एस क्वेरी को दिनांक 19.08.2019 को निराकरण हेतु प्रस्ताव को वापस करना। (संलग्नक-ख)।

महोदय,

उपरोक्त विषय के सम्बन्ध में भारत सरकार, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, क्षेत्रीय कार्यालय देहरादून के द्वारा उपरोक्त संदर्भित पत्र (1) के माध्यम से वांछित सूचनाओं का बिन्दुवार आख्या प्रयोक्ता एजेंसी द्वारा संदर्भित पत्र संख्या: (2) के माध्यम से प्रेषित की गयी थी, जो की आपके संदर्भित पत्र संख्या (3) के माध्यम से वन संरक्षक, यमुना वृत्त, देहरादून को प्रेषित की गयी थी जिसे वन संरक्षक कार्यालय देहरादून के द्वारा जांच के उपरान्त वांछित सूचनाओं के सम्बन्ध में बिन्दु संख्या 4,6,7 पर आपके विचार मांगे गये हैं जिसके कारण प्रस्ताव को पुनः वापस किया गया है तथा आप से बिन्दु संख्या 1 से 7 तक का Consolidated reply भी मांगा गया है। इस सम्बन्ध में प्रयोक्ता एजेंसी द्वारा अपने स्तर पर वांछित सूचनाओं पर अपनी बिन्दुवार आख्या संलग्न कर आपको अग्रिम कार्यावाही हेतु प्रेषित की जा रही है (संलग्नक -ग)।

इस परियोजना का निर्माण एसजेवीएन लिमिटेड (भारत सरकार एवं हिमाचल प्रदेश सरकार का संयुक्त उपक्रम) के द्वारा जनहित में किया जाना प्रस्तावित है।

अतः आपसे अनुरोध है कि उपरोक्त के सम्बन्ध में अपने स्तर से शीघ्रातिशीघ्र कार्यावाही करने की कृपा करें।

धन्यवाद

संलग्नक -यथोपरि।

प्रतिलिपि:

उपनिदेशक, गोविन्द वन्य जीव विहार/राष्ट्रीय पार्क, पुरोला, उत्तरकाशी को सूचनार्थ।

भवदीय

(जे0 के0 महाजन)
Addl. GM (HOP)
अपर महाप्रबन्धक/परि0 प्रमुख
J.S. HEP, MORI, UTTARKASHI, U.K.
जखोल सांकरी, ज.वि.प., मोरी,
उत्तरकाशी, उत्तराखण्ड-249128


(जे0 के0 महाजन)
अपर महाप्रबन्धक/परि0 प्रमुख

क्र० सं०	MoEF, RO, Dehradun द्वारा दिनांक 24.07.2019 की वांछित सूचना	प्रयोक्ता एजेसी द्वारा प्रतिउत्तर दिनांक 31.07.2019	वन संरक्षक द्वारा टिप्पणी दिनांक 19.07.2019	प्रयोक्ता एजेसी द्वारा प्रतिउत्तर दिनांक 24.08.2019
1.	In reply to point No. 04, still four KML files for area proposed for diversion found uploaded. State Government may upload single KML file of whole area proposed for diversion.	Proposal for diversion of forest land for construction of Jakhol Sankri Hydro Electric Project is of hybrid nature. Area are in patches & segments and involves two Divisions. Accordingly, for a division, a minimum of 2 KML files (one each for patch and segment) is required to be uploaded. Therefore Four KML files have been uploaded.	-	-
2.	In reply to point No. 06 density now mentioned as 0.1 in Govind Pashu Vihar Division, which still seems incorrect. State Government may do the needful in this regard.	Pertains to Dy. Director Govind Wild Life Sanctuary/ National Park, Purola.	-	-
3.	In reply to point No. 08, density is now mentioned as 0 in Tons Division, which still seems incorrect. State Government may do the needful in this regard.	Pertains to Dy. Conservator Forest, Tons Forest Division, Purola.	-	-
4.	In reply to point No. 09, DFOs of both divisions have not made any comments against point No. 5.5 in Site Inspection Report. State Government may upload and submit the SIR of both divisions after providing comments against all paras.	Pertains to Dy. Director Govind Wild Life Sanctuary/ National Park, Purola. And Dy. Conservator Forest, Tons Forest Division, Purola.	SIR of Deputy director uploaded online part II is not having necessary comment as per query raised.	DFO is requested to kindly give his comment on the SIR report and upload in a fresh.

Addl. GM (HOP)
 अपर महा प्रबंधक (परिभोजना प्रमुख)
 J.S. HEP, MORI, UTTARKASHI, U.K.
 जखोल सांकरि, ज.वि.प., मोरी,
 उत्तरकाशी, उत्तराखण्ड-249128

क्र० सं०	MoEF, RO, Dehradun द्वारा दिनांक 24.07.2019 की वाञ्छित सूचना	प्रयोक्ता एजेंसी द्वारा प्रतिउत्तर दिनांक 31.07.2019	वन संरक्षक द्वारा टिप्पणी दिनांक 19.07.2019	प्रयोक्ता एजेंसी द्वारा प्रतिउत्तर दिनांक 24.08.2019
5	In reply to point No.10 & 11, it is submitted that initially the proposal was for 33 MW. now requested for 44 MW and approval from the State Government of Uttarakhand is under process. State Government may submit proposal after granting approval for 44 MW.	Proposal /TEC have been approved by Government of Uttarakhand for 44 MW and the same has already been submit in the office of Nodal Officer Dehradun on dated 17.06.2019 through CF and Directory Raja ji Tiger Reserve, Dehradun. (Receipt of the same is enclosed. However copy of the TEC is again enclosed.)	-	-
6.	In reply to point No.12, it is mentioned that all important document have been submitted and rest will be submitted. If required. State Government may submit all document in original.	Most of the documents as required in part - I to V like CA plan, NOC under FRA-2006, certificate of suitability for CA, estimate of NPV amount & bill , dumping plan etc. in original along with proposal are enclosed for kind consideration please.	No original documents have been found to be enclosed as per reply point. 6 of user agency.	Most of the documents as required in part - I to V, the CA plan, NOC under FRA-2006, certificate of suitability for CA, estimate of NPV amount & bill , dumping plan etc. have <u>already been submitted in original along with proposal.</u> Therefore, it is requested to consider the proposal please.
7.	प्रस्ताव में यह पाया गया है कि Dumping Yard ,oa Contractor Facility भी वन क्षेत्र में प्रस्तावित किये गए है। अतः राज्य सरकार इस कार्य हेतु गैर-वन क्षेत्र का चयन करना सुनिश्चित करें तथा प्रभावित होने वाले वृक्षों का विवरण पृथक से प्रस्तुत करना सुनिश्चित करें।	Dumping Yard and contractor facility are planned partially in Civil Soyam land and partially in private land due to non-availability of other private land in nearby area and also proposed due to its requirement near the project component. However, after completion of the construction of the project, the land used for dumping yard and contractor facility area shall be handed over back to forest department.	No comment has been furnished by DFO/ Deputy / Director of sanctuary over the reply of point no.7 given by user agency.	DFO is requested to kindly provide the comment as desired.

Note: As desired by CF Office for providing consolidated reply of point no. 1 to 7 again, you are kindly requested to provide the same.


 Addl. CF (MO) (राज्य)
 अपर महाप्रबंधक (परिचय) जति प्रमुख
 J.S. HEP, MORI, UTTARKASHI, U.K.
 जखोल सांकरी, ज.वि.प. मोरी,
 उत्तरकाशी, उत्तराखण्ड-249128



एसजेवीएन लिमिटेड

जखोल-सांकरी हाइड्रो इलेक्ट्रिक प्रोजेक्ट

मोरी, उत्तरकाशी (उत्तराखण्ड)- 249128

☎: 01373-234401.

Website: www.sjvn.nic.in
CIN: L40101HP1988GOI0084

पत्रांक-एसजेवीएन/जसांजविपरि/वन भूमि/19-30-31

दिनांक: 31.07.2019

सेवामें,

1. उप-वन संरक्षक,
टोन्स वन प्रभाग,
पुरोला, उत्तरकाशी।
2. उपनिदेशक,
गोविन्द वन्य जीव विहार/राष्ट्रीय पार्क,
पुरोला, उत्तरकाशी।

विषय:- जनपद उत्तरकाशी के विकास खण्ड मोरी के अन्तर्गत सुपिन नदी पर प्रस्तावित 44 मे0वा0 क्षमता की जखोल सांकरी जल विद्युत परियोजना के निर्माण हेतु 24.317 है0 वन भूमि के सम्बन्ध में।

सन्दर्भ: कार्यालय पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार, क्षेत्रीय कार्यालय सुभाष रोड देहरादून के पत्रांक- 8 बी. यू.सी.पी./01/146/2018/एफ.सी/868 दिनांक 24.07.2019.

महोदय,

उपरोक्त विषय के सम्बन्ध में भारत सरकार, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, क्षेत्रीय कार्यालय देहरादून के द्वारा उपरोक्त संदर्भित पत्र के माध्यम से वांछित सूचनाओं का बिन्दुवार विवरण/सूचनाएँ प्रेषित हैं जो निम्न प्रकार हैं-

क्र० सं०	ई0डी0एस0कै०	प्रतिउत्तर	टिप्पणी
1.	In reply to point No. 04, still four KML files for area proposed for diversion found uploaded. State Government may upload single KML file of whole area proposed for diversion.	Proposal for diversion of forest land for construction of Jakhol Sankri Hydro Electric Project is of hybrid nature. Area are in patches & segments and involves two Divisions. Accordingly, for a division, a minimum of 2 KML files (one each for patch and segment) is required to be uploaded. Therefore Four KML files have been uploaded.	
2.	In reply to point No. 06 density now mentioned as 0.1 in Govind Pashu Vihar Division, which still seems incorrect. State Government may do the needful in this regard.	Pertains to Dy. Director Govind Wild Life Sanctuary/ National Park, Purola.	
3.	In reply to point No. 08, density is now mentioned as 0 in Tons Division, which still seems incorrect. State Government may do the needful in this regard.	Pertains to Dy. Conservator Forest, Tons Forest Division, Purola.	
4.	In reply to point No. 09, DFOs of both divisions have not made any comments against point No. 5.5 in Site Inspection Report.	Pertains to Dy. Director Govind Wild Life Sanctuary/ National Park, Purola. And Dy. Conservator Forest, Tons Forest Division, Purola.	

	State Government may upload and submit the SIR of both divisions after providing comments against all paras.		
5	In reply to point No.10 & 11, it is submitted that initially the proposal was for 33 MW. now requested for 44 MW and approval from the State Government of Uttarakhand is under process. State Government may submit proposal after granting approval for 44 MW.	Proposal /TEC have been approved by Government of Uttarakhand for 44 MW and the same has already been submit in the office of Nodal Officer Dehradun on dated 17.06.2019 through CF and Directory Raja ji Tiger Reserve, Dehradun.	Receipt of the same is enclosed. However copy of the TEC is again enclosed.
6.	In reply to point No.12, it is mentioned that all important document have been submitted and rest will be submitted. If required. State Government may submit all document in original.	Most of the documents as required in part - I to V like CA plan, NOC under FRA-2006, certificate of suitability for CA, estimate of NPV amount & bill , dumping plan etc. in original along with proposal are enclosed for kind consideration please.	
7.	प्रस्ताव में यह पाया गया है कि Dumping Yard एवं Contractor Facility भी वन क्षेत्र में प्रस्तावित किये गए हैं। अतः राज्य सरकार इस कार्य हेतु गैर-वन क्षेत्र का चयन करना सुनिश्चित करें तथा प्रभावित होने वाले वृक्षों का विवरण पृथक से प्रस्तुत करना सुनिश्चित करें।	Dumping Yard and contractor facility please are planned partially in Civil Soyam land and partially in private land due to non-availability of other private land in nearby area and also proposed due to its requirement near the project component. However, after completion of the construction of the project, the land used for dumping yard and contractor facility area shall be handed over back to forest department .	

इस परियोजना का निर्माण एसजेवीएन लिमिटेड (भारत सरकार एवं हिमाचल प्रदेश सरकार का संयुक्त उपक्रम) के द्वारा जनहित में किया जाना प्रस्तावित है।

अतः उपरोक्त विषय के सम्बन्ध में शीघ्रातिशीघ्र अग्रिम कार्यवाही करने हेतु करने की कृपा करें।

धन्यवाद।

प्रतिलिपि:

1. महाप्रबन्धक, क्षेत्रीय कार्यालय, देहरादून को सादर सूचनार्थ।

भवदीय



(जे० के० महाजन)

अपर महाप्रबन्धक / परि० प्रमुख



(जे० के० महाजन)

Addl. GM (HOP)

J.S. HEP., MORI, UTTARKASHI, U.K.

जखोल सांकरी, ज.वि.प., मोरी,
उत्तरकाशी, उत्तराखण्ड-249129